## Gunnar P Nilsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/859027/publications.pdf

Version: 2024-02-01

89 papers 4,450 citations

39 h-index 63 g-index

94 all docs 94
docs citations

94 times ranked 5413 citing authors

| #  | Article                                                                                                                                                                                                                                                           | IF          | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------|
| 1  | The ingenious mast cell: Contemporary insights into mast cell behavior and function. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 83-99.                                                                                               | 5.7         | 69        |
| 2  | Activation of succinate receptor 1 boosts human mast cell reactivity and allergic bronchoconstriction. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 2677-2687.                                                                         | 5.7         | 7         |
| 3  | Mast cells derived from systemic mastocytosis exhibit an increased responsiveness to hyperosmolarity. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 1909-1911.                                                                          | 5.7         | 3         |
| 4  | Single-cell transcriptomics reveals the identity and regulators of human mast cell progenitors. Blood Advances, 2022, 6, 4439-4449.                                                                                                                               | <b>5.</b> 2 | 10        |
| 5  | Modulating T-cell activation with antisense oligonucleotides targeting lymphocyte cytosolic protein 2. Journal of Autoimmunity, 2022, 131, 102857.                                                                                                                | 6.5         | 6         |
| 6  | Graftâ€versusâ€mastocytosis effect after donor lymphocyte infusion: Proof of principle. European Journal of Haematology, 2021, 106, 290-293.                                                                                                                      | 2.2         | 5         |
| 7  | Selective inhibition of prostaglandin D <sub>2</sub> biosynthesis in human mast cells to overcome need for multiple receptor antagonists: Biochemical consequences. Clinical and Experimental Allergy, 2021, 51, 594-603.                                         | 2.9         | 7         |
| 8  | Distinct effects of antigen and compound 48/80 in the guinea pig trachea. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2270-2273.                                                                                                      | 5.7         | 1         |
| 9  | Epigenetic Changes in Neoplastic Mast Cells and Potential Impact in Mastocytosis. International Journal of Molecular Sciences, 2021, 22, 2964.                                                                                                                    | 4.1         | 6         |
| 10 | COX-1 dependent biosynthesis of 15-hydroxyeicosatetraenoic acid in human mast cells. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2021, 1866, 158886.                                                                                    | 2.4         | 2         |
| 11 | Selecting the Right Criteria and Proper Classification to Diagnose Mast Cell Activation Syndromes: A Critical Review. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 3918-3928.                                                                | 3.8         | 33        |
| 12 | Distinct plasma biomarkers confirm the diagnosis of mastocytosis and identify increased risk of anaphylaxis. Journal of Allergy and Clinical Immunology, 2021, 148, 889-894.                                                                                      | 2.9         | 12        |
| 13 | Tissue-specific transcriptional imprinting and heterogeneity in human innate lymphoid cells revealed by full-length single-cell RNA-sequencing. Cell Research, 2021, 31, 554-568.                                                                                 | 12.0        | 97        |
| 14 | Updated Diagnostic Criteria and Classification of Mast Cell Disorders: A Consensus Proposal. HemaSphere, 2021, 5, e646.                                                                                                                                           | 2.7         | 128       |
| 15 | Immunoprofiling Reveals Novel Mast Cell Receptors and the Continuous Nature of Human Lung Mast Cell Heterogeneity. Frontiers in Immunology, 2021, 12, 804812.                                                                                                     | 4.8         | 13        |
| 16 | CD203c distinguishes the erythroid and mast cellâ€basophil differentiation trajectories among human FcεRI <sup>+</sup> bone marrow progenitors. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 211-214.                                  | 5.7         | 12        |
| 17 | Novel aspects of mast cell and basophil function: Highlights from the 9th meeting of the European Mast Cell and Basophil Research Network (EMBRN)—A Marcus Wallenberg Symposium. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 707-708. | 5.7         | 4         |
| 18 | A new house dust mite–driven and mast cell–activated model of asthma in the guinea pig. Clinical and Experimental Allergy, 2020, 50, 1184-1195.                                                                                                                   | 2.9         | 6         |

| #  | Article                                                                                                                                                                                         | IF   | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Amelioration of Compound 48/80-Mediated Itch and LL-37-Induced Inflammation by a Single-Stranded Oligonucleotide. Frontiers in Immunology, 2020, 11, 559589.                                    | 4.8  | 17        |
| 20 | Mast cells as a unique hematopoietic lineage and cell system: From Paul Ehrlich's visions to precision medicine concepts. Theranostics, 2020, 10, 10743-10768.                                  | 10.0 | 107       |
| 21 | Back to the future: re-establishing guinea pig <i>in vivo</i> asthma models. Clinical Science, 2020, 134, 1219-1242.                                                                            | 4.3  | 26        |
| 22 | Divergent Effects of Acute and Prolonged Interleukin 33 Exposure on Mast Cell IgE-Mediated Functions. Frontiers in Immunology, 2019, 10, 1361.                                                  | 4.8  | 31        |
| 23 | Wnt-3a Induces Cytokine Release in Human Mast Cells. Cells, 2019, 8, 1372.                                                                                                                      | 4.1  | 8         |
| 24 | Cryptococcus neoformans Induces MCP-1 Release and Delays the Death of Human Mast Cells. Frontiers in Cellular and Infection Microbiology, 2019, 9, 289.                                         | 3.9  | 13        |
| 25 | Single-cell analysis reveals the KIT D816V mutation in haematopoietic stem and progenitor cells in systemic mastocytosis. EBioMedicine, 2019, 43, 150-158.                                      | 6.1  | 22        |
| 26 | Induction of human regulatory innate lymphoid cells from group 2 innate lymphoid cells by retinoic acid. Journal of Allergy and Clinical Immunology, 2019, 143, 2190-2201.e9.                   | 2.9  | 133       |
| 27 | New insights into the origin of mast cells. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 844-845.                                                                    | 5.7  | 16        |
| 28 | Cytokine-induced endogenous production of prostaglandin D2 is essential for human group 2 innate lymphoid cell activation. Journal of Allergy and Clinical Immunology, 2019, 143, 2202-2214.e5. | 2.9  | 57        |
| 29 | Legends of Allergy/Immunology: Gunnar Johansson. Allergy: European Journal of Allergy and Clinical Immunology, 2019, 74, 635-636.                                                               | 5.7  | 0         |
| 30 | Changing the thresholdâ€"Signals and mechanisms of mast cell priming. Immunological Reviews, 2018, 282, 73-86.                                                                                  | 6.0  | 41        |
| 31 | Achilles tendon rupture healing is enhanced by intermittent pneumatic compression upregulating collagen type I synthesis. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2021-2029.  | 4.2  | 26        |
| 32 | Deciphering the differentiation trajectory from hematopoietic stem cells to mast cells. Blood Advances, 2018, 2, 2273-2281.                                                                     | 5.2  | 49        |
| 33 | An Optimized Protocol for the Isolation and Functional Analysis of Human Lung Mast Cells. Frontiers in Immunology, 2018, 9, 2193.                                                               | 4.8  | 31        |
| 34 | Positive and Negative Signals in Mast Cell Activation. Trends in Immunology, 2017, 38, 657-667.                                                                                                 | 6.8  | 107       |
| 35 | Advances in the Classification and Treatment of Mastocytosis: Current Status and Outlook toward the Future. Cancer Research, 2017, 77, 1261-1270.                                               | 0.9  | 210       |
| 36 | Interleukin-33 Promotes Recruitment of Microglia/Macrophages in Response to Traumatic Brain Injury. Journal of Neurotrauma, 2017, 34, 3173-3182.                                                | 3.4  | 45        |

| #  | Article                                                                                                                                                                                                                                                                                                           | IF   | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 37 | Risk Factor Analysis of Anaphylactic Reactions in Patients With Systemic Mastocytosis. Journal of Allergy and Clinical Immunology: in Practice, 2017, 5, 1248-1255.                                                                                                                                               | 3.8  | 61        |
| 38 | Curdlan induces selective mast cell degranulation without concomitant release of LTC4, IL-6 or CCL2. Immunobiology, 2017, 222, 647-650.                                                                                                                                                                           | 1.9  | 27        |
| 39 | KIT signaling is dispensable for human mast cell progenitor development. Blood, 2017, 130, 1785-1794.                                                                                                                                                                                                             | 1.4  | 42        |
| 40 | Histone deacetylase inhibitor SAHA mediates mast cell death and epigenetic silencing of constitutively active D816V KIT in systemic mastocytosis. Oncotarget, 2017, 8, 9647-9659.                                                                                                                                 | 1.8  | 16        |
| 41 | Psychometric characteristics of a modified Sympathy–Acceptance–Understanding–Caring competence<br>model questionnaire among foreign-born parents encountering nurses in primary child health care<br>services. Primary Health Care Research and Development, 2016, 17, 298-310.                                   | 1.2  | 1         |
| 42 | Biomarkers of the involvement of mast cells, basophils and eosinophils in asthma and allergic diseases. World Allergy Organization Journal, 2016, 9, 7.                                                                                                                                                           | 3.5  | 124       |
| 43 | IL-33 and Thymic Stromal Lymphopoietin in mast cell functions. European Journal of Pharmacology, 2016, 778, 68-76.                                                                                                                                                                                                | 3.5  | 44        |
| 44 | Cutaneous manifestations in patients with mastocytosis: Consensus report of the European Competence Network on Mastocytosis; the American Academy of Allergy, Asthma & Immunology; and the European Academy of Allergology and Clinical Immunology. Journal of Allergy and Clinical Immunology, 2016, 137, 35-45. | 2.9  | 289       |
| 45 | FRT – FONDATION RENE TOURAINE. Experimental Dermatology, 2015, 24, 803-820.                                                                                                                                                                                                                                       | 2.9  | 0         |
| 46 | Vaccination against IL-33 Inhibits Airway Hyperresponsiveness and Inflammation in a House Dust Mite Model of Asthma. PLoS ONE, 2015, 10, e0133774.                                                                                                                                                                | 2.5  | 39        |
| 47 | Knockdown of the Antiapoptotic Bcl-2 Family Member A1/Bfl-1 Protects Mice from Anaphylaxis. Journal of Immunology, 2015, 194, 1316-1322.                                                                                                                                                                          | 0.8  | 16        |
| 48 | Opportunistic pathogen Candida albicans elicits a temporal response in primary human mast cells. Scientific Reports, 2015, 5, 12287.                                                                                                                                                                              | 3.3  | 69        |
| 49 | Regulation of Mast Cell Survival and Apoptosis. Methods in Molecular Biology, 2015, 1220, 257-267.                                                                                                                                                                                                                | 0.9  | 5         |
| 50 | Histone Deacetylase Inhibitor SAHA Mediates Epigenetic Silencing of KIT D816V Mutated Systemic Mastocytosis Primary Mast Cells and Selective Apoptosis of Mutated Mast Cells. Blood, 2015, 126, 2834-2834.                                                                                                        | 1.4  | 3         |
| 51 | Bitter taste receptor (TAS2R) agonists inhibit IgE-dependent mast cell activation. Journal of Allergy and Clinical Immunology, 2014, 134, 475-478.                                                                                                                                                                | 2.9  | 51        |
| 52 | Molecular targets on mast cells and basophils for novel therapies. Journal of Allergy and Clinical Immunology, 2014, 134, 530-544.                                                                                                                                                                                | 2.9  | 123       |
| 53 | Gliomaâ€derived macrophage migration inhibitory factor (MIF) promotes mast cell recruitment in a STAT5â€dependent manner. Molecular Oncology, 2014, 8, 50-58.                                                                                                                                                     | 4.6  | 37        |
| 54 | Flushing, fatigue, and recurrent anaphylaxis: a delayed diagnosis of mastocytosis. Lancet, The, 2014, 383, 1608.                                                                                                                                                                                                  | 13.7 | 23        |

| #  | Article                                                                                                                                                                                 | IF  | Citations |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Intraperitoneal influx of neutrophils in response to IL-33 is mast cell–dependent. Blood, 2013, 121, 530-536.                                                                           | 1.4 | 89        |
| 56 | Mast Cells Respond to Cell Injury through the Recognition of IL-33. Frontiers in Immunology, 2012, 3, 82.                                                                               | 4.8 | 74        |
| 57 | Anti-Apoptotic Bfl-1 Is the Major Effector in Activation-Induced Human Mast Cell Survival. PLoS ONE, 2012, 7, e39117.                                                                   | 2.5 | 13        |
| 58 | Fcl $\hat{\mu}$ R1-Mediated Mast Cell Reactivity Is Amplified through Prolonged Toll-Like Receptor-Ligand Treatment. PLoS ONE, 2012, 7, e43547.                                         | 2.5 | 47        |
| 59 | Expression of Prostaglandin E Synthases in Periodontitis. American Journal of Pathology, 2011, 178, 1676-1688.                                                                          | 3.8 | 46        |
| 60 | Human Cord Blood-Derived Mast Cells Are Activated by the Nod1 Agonist M-TriDAP to Release Pro-Inflammatory Cytokines and Chemokines. Journal of Innate Immunity, 2011, 3, 142-149.      | 3.8 | 48        |
| 61 | The Effect of Bacterial, Viral and Fungal Infection on Mast Cell Reactivity in the Allergic Setting.<br>Journal of Innate Immunity, 2011, 3, 120-130.                                   | 3.8 | 16        |
| 62 | Mast Cells as Sensors of Cell Injury through IL-33 Recognition. Journal of Immunology, 2011, 186, 2523-2528.                                                                            | 0.8 | 182       |
| 63 | Mast Cell Apoptosis and Survival. Advances in Experimental Medicine and Biology, 2011, 716, 47-60.                                                                                      | 1.6 | 31        |
| 64 | Mast Cell Survival and Mediator Secretion in Response to Hypoxia. PLoS ONE, 2010, 5, e12360.                                                                                            | 2.5 | 46        |
| 65 | FcÎ <sup>3</sup> RI-Mediated Activation of Human Mast Cells Promotes Survival and Induction of the Pro-survival Gene Bfl-1. Journal of Clinical Immunology, 2008, 28, 250-255.          | 3.8 | 10        |
| 66 | Fcl $\mu$ RI Aggregation Promotes Survival of Connective Tissue-Like Mast Cells but Not Mucosal-Like Mast Cells. Journal of Immunology, 2007, 178, 4177-4183.                           | 0.8 | 32        |
| 67 | Expression of 15-lipoxygenase type-1 in human mast cells. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2007, 1771, 1156-1165.                                  | 2.4 | 49        |
| 68 | Bcl-2 and Bcl-XL are indispensable for the late phase of mast cell development from mouse embryonic stem cells. Experimental Hematology, 2007, 35, 385-393.                             | 0.4 | 17        |
| 69 | Coaggregation of FcεRI with FcγRIIB Inhibits Degranulation but Not Induction of Bcl-2 Family Members A1 and Bim in Mast Cells. Allergy, Asthma and Clinical Immunology, 2006, 2, 87-97. | 2.0 | 8         |
| 70 | Mast cell CD30 ligand is upregulated in cutaneous inflammation and mediates degranulation-independent chemokine secretion. Journal of Clinical Investigation, 2006, 116, 2748-2756.     | 8.2 | 119       |
| 71 | Chemokine Receptor Expression by Mast Cells. , 2005, 87, 130-144.                                                                                                                       |     | 98        |
| 72 | Functional and phenotypic studies of two variants of a human mast cell line with a distinct set of mutations in the c-kit proto-oncogene. Immunology, 2003, 108, 89-97.                 | 4.4 | 105       |

| #  | Article                                                                                                                                                                                                                                                       | IF  | Citations |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Selective CCL5/RANTES-induced mast cell migration through interactions with chemokine receptors CCR1 and CCR4. Biochemical and Biophysical Research Communications, 2002, 297, 480-485.                                                                       | 2.1 | 72        |
| 74 | Human mast cells express two leukotriene C4 synthase isoenzymes and the CysLT1 receptor. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2002, 1583, 53-62.                                                                             | 2.4 | 31        |
| 75 | IgE-mediated mast cell degranulation and recovery monitored by time-lapse photographyâ~†. Journal of Allergy and Clinical Immunology, 2001, 108, 116-121.                                                                                                     | 2.9 | 61        |
| 76 | Mast cells express functional CD30 ligand and are the predominant CD30L-positive cells in Hodgkin's disease. British Journal of Haematology, 2001, 114, 616-623.                                                                                              | 2.5 | 116       |
| 77 | Distinct and regulated expression of Notch receptors in hematopoietic lineages and during myeloid differentiation. European Journal of Immunology, 2001, 31, 3240-3247.                                                                                       | 2.9 | 49        |
| 78 | Essential Role of the Prosurvival bcl-2 Homologue A1 in Mast Cell Survival After Allergic Activation. Journal of Experimental Medicine, 2001, 194, 1561-1570.                                                                                                 | 8.5 | 95        |
| 79 | Human mast cell migration in response to members of the transforming growth factor-β family.<br>Journal of Leukocyte Biology, 2000, 67, 350-356.                                                                                                              | 3.3 | 108       |
| 80 | Murine mast cell lines as indicators of early events in mast cell and basophil development. European Journal of Immunology, 2000, 30, 3396-3402.                                                                                                              | 2.9 | 29        |
| 81 | The chemokine receptor CXCR4 is expressed within the mast cell lineage and its ligand stromal cell-derived factor-11± acts as a mast cell chemotaxin. European Journal of Immunology, 2000, 30, 3614-3622.                                                    | 2.9 | 81        |
| 82 | Mast Cell Migratory Response to Interleukin-8 Is Mediated Through Interaction With Chemokine Receptor CXCR2/Interleukin-8RB. Blood, 1999, 93, 2791-2797.                                                                                                      | 1.4 | 93        |
| 83 | Expression of the insulin-like growth factor 1 receptor (IGF-1R) in breast cancer cells: evidence for a regulatory role of dolichyl phosphate in the transition from an intracellular to an extracellular IGF-1 pathway. Glycobiology, 1999, 9, 571-579.      | 2.5 | 32        |
| 84 | The potential of human mast cell progenitors to differentiate into mature mast cells remains after prolonged culture with flt3 ligand, interleukin-3 or granulocyte-macrophage colony stimulating factor. British Journal of Haematology, 1999, 104, 516-522. | 2.5 | 9         |
| 85 | Mast Cell Migratory Response to Interleukin-8 Is Mediated Through Interaction With Chemokine Receptor CXCR2/Interleukin-8RB. Blood, 1999, 93, 2791-2797.                                                                                                      | 1.4 | 20        |
| 86 | Human mast cells express functional TrkA and are a source of nerve growth factor. European Journal of Immunology, 1997, 27, 2295-2301.                                                                                                                        | 2.9 | 209       |
| 87 | ALTERATIONS IN MAST CELL PROTEINASES AND PROTEASE INHIBITORS IN THE PROGRESS OF CUTANEOUS HERPES ZOSTER INFECTION. , 1996, 180, 434-440.                                                                                                                      |     | 13        |
| 88 | ALTERATIONS IN MAST CELL PROTEINASES AND PROTEASE INHIBITORS IN THE PROGRESS OF CUTANEOUS HERPES ZOSTER INFECTION. Journal of Pathology, 1996, 180, 434-440.                                                                                                  | 4.5 | 3         |
| 89 | Effects of interleukin (IL)-13 on immediate-early response gene expression, phenotype and differentiation of human mast cells. Comparison with IL-4. European Journal of Immunology, 1995, 25, 870-873.                                                       | 2.9 | 67        |