

Elio Riboli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/859058/publications.pdf>

Version: 2024-02-01

809
papers

72,124
citations

419
132
h-index

1676
214
g-index

826
all docs

826
docs citations

826
times ranked

68430
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Long-term weight change and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2022, 50, 1914-1926. | 1.9 | 11 |
| 2 | Plasma concentrations of persistent organic pollutants and pancreatic cancer risk. International Journal of Epidemiology, 2022, 51, 479-490. | 1.9 | 16 |
| 3 | Evaluation of protein and amino acid intake estimates from the EPIC dietary questionnaires and 24-h dietary recalls using different food composition databases. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 80-89. | 2.6 | 8 |
| 4 | Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. European Journal of Preventive Cardiology, 2022, 29, 1618-1629. | 1.8 | 8 |
| 5 | Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2952-e2961. | 3.6 | 13 |
| 6 | Biomarkers of the transsulfuration pathway and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2022, , . | 5.1 | 1 |
| 7 | Body Size at Different Ages and Risk of 6 Cancers: A Mendelian Randomization and Prospective Cohort Study. Journal of the National Cancer Institute, 2022, 114, 1296-1300. | 6.3 | 15 |
| 8 | Comment on Muzzioli et al. Are Front-of-Pack Labels a Health Policy Tool? Nutrients 2022, 14, 771. Nutrients, 2022, 14, 2165. | 4.1 | 2 |
| 9 | Associations of body shape index (ABSI) and hip index with liver, metabolic, and inflammatory biomarkers in the UK Biobank cohort. Scientific Reports, 2022, 12, . | 3.3 | 11 |
| 10 | High Body Mass Index and Central Adiposity Is Associated with Increased Risk of Acute Pancreatitis: A Meta-Analysis. Digestive Diseases and Sciences, 2021, 66, 1249-1267. | 2.3 | 17 |
| 11 | Genetically predicted circulating concentrations of micronutrients and risk of breast cancer: A Mendelian randomization study. International Journal of Cancer, 2021, 148, 646-653. | 5.1 | 26 |
| 12 | Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. International Journal of Cancer, 2021, 148, 609-625. | 5.1 | 45 |
| 13 | Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2021, 148, 1637-1651. | 5.1 | 23 |
| 14 | Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 104-113. | 2.5 | 17 |
| 15 | Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 182-192. | 2.5 | 7 |
| 16 | Plant foods, dietary fibre and risk of ischaemic heart disease in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Epidemiology, 2021, 50, 212-222. | 1.9 | 12 |
| 17 | Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106. | 8.6 | 68 |
| 18 | Cancer survivorship, excess body fatness and weight-loss intervention—where are we in 2020?. British Journal of Cancer, 2021, 124, 1057-1065. | 6.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Cancer prevention through weight control“where are we in 2020?. British Journal of Cancer, 2021, 124, 1049-1056. | 6.4 | 12 |
| 20 | Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424. | 8.6 | 6 |
| 21 | Physical activity and the risk of heart failure: a systematic review and dose“response meta-analysis of prospective studies. European Journal of Epidemiology, 2021, 36, 367-381. | 5.7 | 35 |
| 22 | Prioritisation by FIT to mitigate the impact of delays in the 2-week wait colorectal cancer referral pathway during the COVID-19 pandemic: a UK modelling study. Gut, 2021, 70, 1053-1060. | 12.1 | 57 |
| 23 | Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. Nature Genetics, 2021, 53, 65-75. | 21.4 | 264 |
| 24 | Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. BMC Medicine, 2021, 19, 1. | 5.5 | 164 |
| 25 | Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. American Journal of Clinical Nutrition, 2021, 113, 1490-1502. | 4.7 | 27 |
| 26 | Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217. | | 0 |
| 27 | Genetic architectures of proximal and distal colorectal cancer are partly distinct. Gut, 2021, 70, 1325-1334. | 12.1 | 44 |
| 28 | Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. International Journal of Cancer, 2021, 148, 2759-2773. | 5.1 | 7 |
| 29 | Smoking Modifies Pancreatic Cancer Risk Loci on 2q21.3. Cancer Research, 2021, 81, 3134-3143. | 0.9 | 8 |
| 30 | Vegetable intake and the risk of bladder cancer in the BLadder Cancer Epidemiology and Nutritional Determinants (BLEND) international study. BMC Medicine, 2021, 19, 56. | 5.5 | 17 |
| 31 | Soft Drink and Juice Consumption and Renal Cell Carcinoma Incidence and Mortality in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 1270-1274. | 2.5 | 9 |
| 32 | A comparison of complementary measures of vitamin B6 status, function, and metabolism in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 114, 338-347. | 4.7 | 7 |
| 33 | The association between meat and fish consumption and bladder cancer risk: a pooled analysis of 11 cohort studies. European Journal of Epidemiology, 2021, 36, 781-792. | 5.7 | 11 |
| 34 | GWAS of allometric body-shape indices in UK Biobank identifies loci suggesting associations with morphogenesis, organogenesis, adrenal cell renewal and cancer. Scientific Reports, 2021, 11, 10688. | 3.3 | 68 |
| 35 | Primary sclerosing cholangitis and the risk of cancer, cardiovascular disease, and all-cause mortality: a systematic review and meta-analysis of cohort studies. Scientific Reports, 2021, 11, 10646. | 3.3 | 16 |
| 36 | Inflammatory Potential of the Diet and Risk of Breast Cancer in the European Investigation Into Cancer and Nutrition (EPIC) Study. Current Developments in Nutrition, 2021, 5, 264. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Inflammatory potential of the diet and risk of breast cancer in the European Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Epidemiology</i> , 2021, 36, 953-964. | 5.7 | 8 |
| 38 | SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021, 42, 2439-2454. | 2.2 | 491 |
| 39 | Associations between dietary amino acid intakes and blood concentration levels. <i>Clinical Nutrition</i> , 2021, 40, 3772-3779. | 5.0 | 12 |
| 40 | Tobacco Smoking and Risk of Second Primary Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2021, 16, 968-979. | 1.1 | 54 |
| 41 | A Body Shape Index (ABSI), hip index, and risk of cancer in the UK Biobank cohort. <i>Cancer Medicine</i> , 2021, 10, 5614-5628. | 2.8 | 28 |
| 42 | 88The Role of Visceral Adiposity in the Metabolic Phenotype of multi-ethnic South-East Asian population. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 0 |
| 43 | 1227Colorectal cancer risk prediction models incorporating lifestyle and biomarker data: Results from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 0 |
| 44 | The blood metabolome of incident kidney cancer: A caseâ€“control study nested within the MetKid consortium. <i>PLoS Medicine</i> , 2021, 18, e1003786. | 8.4 | 16 |
| 45 | 1007Vitamin B6 intake, its active form pyridoxal 5â€™-phosphate, and markers of B6 activity and catabolism. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 0 |
| 46 | Coffee consumption and risk of breast cancer: A Mendelian randomization study. <i>PLoS ONE</i> , 2021, 16, e0236904. | 2.5 | 9 |
| 47 | Food biodiversity and total and cause-specific mortality in 9 European countries: An analysis of a prospective cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003834. | 8.4 | 7 |
| 48 | Association of body-shape phenotypes with imaging measures of body composition in the UK Biobank cohort: relevance to colon cancer risk. <i>BMC Cancer</i> , 2021, 21, 1106. | 2.6 | 13 |
| 49 | Co-benefits from sustainable dietary shifts for population and environmental health: an assessment from a large European cohort study. <i>Lancet Planetary Health</i> , The, 2021, 5, e786-e796. | 11.4 | 42 |
| 50 | Risk Prediction for Renal Cell Carcinoma: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 507-512. | 2.5 | 6 |
| 51 | Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPICâ€™CVD Caseâ€™Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021, 10, e019814. | 3.7 | 29 |
| 52 | Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020, 146, 44-57. | 5.1 | 11 |
| 53 | Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84. | 5.1 | 9 |
| 54 | Patterns in metabolite profile are associated with risk of more aggressive prostate cancer: A prospective study of 3,057 matched caseâ€“control sets from EPIC. <i>International Journal of Cancer</i> , 2020, 146, 720-730. | 5.1 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Mediation analysis of the alcohol–postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 146, 759-768. | 5.1 | 14 |
| 56 | Dietary fibre intake and the risk of diverticular disease: a systematic review and meta-analysis of prospective studies. <i>European Journal of Nutrition</i> , 2020, 59, 421-432. | 3.9 | 30 |
| 57 | Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823. | 3.9 | 8 |
| 58 | Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>British Journal of Nutrition</i> , 2020, 123, 198-208. | 2.3 | 17 |
| 59 | Healthy lifestyle and the risk of pancreatic cancer in the EPIC study. <i>European Journal of Epidemiology</i> , 2020, 35, 975-986. | 5.7 | 42 |
| 60 | Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. <i>JAMA Oncology</i> , 2020, 6, e194107. | 7.1 | 67 |
| 61 | Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6. | 4.4 | 74 |
| 62 | Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693. | 5.1 | 52 |
| 63 | Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020, 112, 516-524. | 6.3 | 69 |
| 64 | Autoimmunity plays a role in the onset of diabetes after 40 years of age. <i>Diabetologia</i> , 2020, 63, 266-277. | 6.3 | 15 |
| 65 | A nutrient-wide association study for risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition and the Netherlands Cohort Study. <i>European Journal of Nutrition</i> , 2020, 59, 2929-2937. | 3.9 | 11 |
| 66 | Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 147, 648-661. | 5.1 | 30 |
| 67 | Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. <i>Gastroenterology</i> , 2020, 158, 1300-1312.e20. | 1.3 | 90 |
| 68 | The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020, 17, e1003394. | 8.4 | 45 |
| 69 | Alkylresorcinols (biomarkers of whole grain intake), cereal fibre intake and metabolic profile - results from a European study. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 1 |
| 70 | Unnecessary obstacles to COVID-19 mass testing. <i>Lancet, The</i> , 2020, 396, 1633. | 13.7 | 11 |
| 71 | Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. <i>Scientific Data</i> , 2020, 7, 393. | 5.3 | 19 |
| 72 | Grain and dietary fiber intake and bladder cancer risk: a pooled analysis of prospective cohort studies. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 1252-1266. | 4.7 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Effect of delays in the 2-week-wait cancer referral pathway during the COVID-19 pandemic on cancer survival in the UK: a modelling study. <i>Lancet Oncology</i> , The, 2020, 21, 1035-1044. | 10.7 | 359 |
| 74 | Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020, 43, 2660-2667. | 8.6 | 35 |
| 75 | Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ</i> , The, 2020, 370, m3173. | 6.0 | 54 |
| 76 | A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. <i>Scientific Reports</i> , 2020, 10, 14541. | 3.3 | 84 |
| 77 | Adiposity, metabolites, and colorectal cancer risk: Mendelian randomization study. <i>BMC Medicine</i> , 2020, 18, 396. | 5.5 | 76 |
| 78 | Covid-19 mass testing: throwing the baby out with the bathwater?. <i>BMJ</i> , The, 2020, 371, m4782. | 6.0 | 1 |
| 79 | Validation of an automated online 24-hour recall (myfood24) using nutrient biomarkers provides similar results to a traditional interviewer administered recall. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 0 |
| 80 | Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1475-1481. | 2.5 | 11 |
| 81 | Prospective associations between the nutritional quality of foods consumed (graded by the FSA-m-NPS) and risk of colorectal cancer: results from the EPIC cohort study. <i>BMJ</i> , The, 2020, 371, m4782. | 1.0 | 0 |
| 82 | Adherence to a Western dietary pattern and risk of bladder cancer: A pooled analysis of 13 cohort studies of the Bladder Cancer Epidemiology and Nutritional Determinants international study. <i>International Journal of Cancer</i> , 2020, 147, 3394-3403. | 5.1 | 19 |
| 83 | Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1649-1656. | 5.1 | 4 |
| 84 | Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ</i> , The, 2020, 370, m2194. | 6.0 | 75 |
| 85 | Physical activity and the risk of sudden cardiac death: a systematic review and meta-analysis of prospective studies. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 318. | 1.7 | 25 |
| 86 | Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 631-643. | 4.7 | 19 |
| 87 | The Risk of Ovarian Cancer Increases with an Increase in the Lifetime Number of Ovulatory Cycles: An Analysis from the Ovarian Cancer Cohort Consortium (OC3). <i>Cancer Research</i> , 2020, 80, 1210-1218. | 0.9 | 35 |
| 88 | The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020, 41, 2632-2640. | 2.2 | 60 |
| 89 | Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. <i>Breast Cancer Research</i> , 2020, 22, 5. | 5.0 | 30 |
| 90 | Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039. | 5.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Lifestyle factors and risk of multimorbidity of cancer and cardiometabolic diseases: a multinational cohort study. BMC Medicine, 2020, 18, 5. | 5.5 | 148 |
| 92 | Adult weight change and premenopausal breast cancer risk: A prospective pooled analysis of data from 628,463 women. International Journal of Cancer, 2020, 147, 1306-1314. | 5.1 | 17 |
| 93 | Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. International Journal of Cancer, 2020, 147, 1325-1333. | 5.1 | 6 |
| 94 | Serum levels of <i>hsa-miR-16a-5p</i> , <i>hsa-miR-29a-3p</i> , <i>hsa-miR-150a-5p</i> , <i>hsa-miR-155a-5p</i> and <i>hsa-miR-223a-3p</i> and subsequent risk of chronic lymphocytic leukemia in the EPIC study. International Journal of Cancer, 2020, 147, 1315-1324. | 5.1 | 25 |
| 95 | Universal weekly testing as the UK COVID-19 lockdown exit strategy. Lancet, The, 2020, 395, 1420-1421. | 13.7 | 127 |
| 96 | Diabetes mellitus and the risk of pancreatitis: A systematic review and meta-analysis of cohort studies. Pancreatology, 2020, 20, 602-607. | 1.1 | 18 |
| 97 | Covid-19 epidemic in Italy: evolution, projections and impact of government measures. European Journal of Epidemiology, 2020, 35, 341-345. | 5.7 | 162 |
| 98 | Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Proceedings of the Nutrition Society, 2020, 79, . | 1.0 | 1 |
| 99 | Physical activity and risks of breast and colorectal cancer: a Mendelian randomisation analysis. Nature Communications, 2020, 11, 597. | 12.8 | 193 |
| 100 | Physical activity and the risk of abdominal aortic aneurysm: a systematic review and meta-analysis of prospective studies. Scientific Reports, 2020, 10, 22287. | 3.3 | 16 |
| 101 | Exploring causality of the association between smoking and Parkinson's disease. International Journal of Epidemiology, 2019, 48, 912-925. | 1.9 | 70 |
| 102 | Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. Cancer Research, 2019, 79, 505-517. | 0.9 | 49 |
| 103 | Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 957-966. | 5.1 | 12 |
| 104 | Circulating Vitamin D and Colorectal Cancer Risk: An International Pooling Project of 17 Cohorts. Journal of the National Cancer Institute, 2019, 111, 158-169. | 6.3 | 199 |
| 105 | Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2019, 144, 240-250. | 5.1 | 21 |
| 106 | Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case-Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993. | 2.9 | 24 |
| 107 | Validation of the Oxford WebQ Online 24-Hour Dietary Questionnaire Using Biomarkers. American Journal of Epidemiology, 2019, 188, 1858-1867. | 3.4 | 109 |
| 108 | Sex specific associations in genome wide association analysis of renal cell carcinoma. European Journal of Human Genetics, 2019, 27, 1589-1598. | 2.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Tobacco smoking and the risk of pancreatitis: A systematic review and meta-analysis of prospective studies. <i>Pancreatology</i> , 2019, 19, 1009-1022. | 1.1 | 28 |
| 110 | Vitamin D-Related Genes, Blood Vitamin D Levels and Colorectal Cancer Risk in Western European Populations. <i>Nutrients</i> , 2019, 11, 1954. | 4.1 | 19 |
| 111 | Association Between Soft Drink Consumption and Mortality in 10 European Countries. <i>JAMA Internal Medicine</i> , 2019, 179, 1479. | 5.1 | 169 |
| 112 | Prospective analysis of circulating metabolites and breast cancer in EPIC. <i>BMC Medicine</i> , 2019, 17, 178. | 5.5 | 79 |
| 113 | Oneâ€carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359. | 5.1 | 6 |
| 114 | Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. <i>Journal of Nutrition</i> , 2019, 149, 1047-1055. | 2.9 | 6 |
| 115 | Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092. | 2.5 | 6 |
| 116 | Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. <i>Circulation</i> , 2019, 139, 2835-2845. | 1.6 | 103 |
| 117 | Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935. | 4.1 | 22 |
| 118 | Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1293-1303. | 3.6 | 25 |
| 119 | Predicting Circulating CA125 Levels among Healthy Premenopausal Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1076-1085. | 2.5 | 9 |
| 120 | Association of menopausal characteristics and risk of coronary heart disease: a pan-European caseâ€cohort analysis. <i>International Journal of Epidemiology</i> , 2019, 48, 1275-1285. | 1.9 | 47 |
| 121 | Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. <i>Diabetes Care</i> , 2019, 42, 568-575. | 8.6 | 29 |
| 122 | General and abdominal adiposity and the risk of Parkinson's disease: A prospective cohort study. <i>Parkinsonism and Related Disorders</i> , 2019, 62, 98-104. | 2.2 | 7 |
| 123 | Genetic variant predictors of gene expression provide new insight into risk of colorectal cancer. <i>Human Genetics</i> , 2019, 138, 307-326. | 3.8 | 44 |
| 124 | Development and validation of circulating CA125 prediction models in postmenopausal women. <i>Journal of Ovarian Research</i> , 2019, 12, 116. | 3.0 | 12 |
| 125 | Authorsâ€™ Reply: Body fatness, diabetes, physical activity and risk of kidney stones: a systematic review and meta-analysis of cohort studies. <i>European Journal of Epidemiology</i> , 2019, 34, 1177-1178. | 5.7 | 1 |
| 126 | Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>BMC Medicine</i> , 2019, 17, 221. | 5.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892. | 3.7 | 58 |
| 128 | Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433. | 7.5 | 16 |
| 129 | Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019, 145, 1510-1516. | 5.1 | 17 |
| 130 | Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131. | 5.1 | 9 |
| 131 | Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281. | 3.4 | 6 |
| 132 | Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 1122-1132. | 2.9 | 17 |
| 133 | Tobacco smoking and the risk of heart failure: A systematic review and meta-analysis of prospective studies. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 279-288. | 1.8 | 56 |
| 134 | Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019, 22, 324-335. | 2.2 | 15 |
| 135 | Breast Cancer Risk After Recent Childbirth. <i>Annals of Internal Medicine</i> , 2019, 170, 22. | 3.9 | 120 |
| 136 | Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019, 51, 76-87. | 21.4 | 377 |
| 137 | Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1323-1331.e6. | 4.4 | 99 |
| 138 | Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019, 68, 672-683. | 12.1 | 31 |
| 139 | Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539. | 2.8 | 6 |
| 140 | Abstract 1581: Gut barrier function-related genes and colorectal cancer risk in Western European populations. , 2019, , . | | 1 |
| 141 | Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. <i>International Journal of Cancer</i> , 2018, 143, 515-526. | 5.1 | 18 |
| 142 | Body mass index, abdominal fatness, weight gain and the risk of psoriasis: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 1163-1178. | 5.7 | 52 |
| 143 | Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616. | 4.7 | 50 |
| 144 | Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018, 143, 245-252. | 5.1 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Diabetes mellitus, blood glucose and the risk of atrial fibrillation: A systematic review and meta-analysis of cohort studies. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 501-511. | 2.3 | 124 |
| 146 | Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136. | 1.3 | 79 |
| 147 | High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 981-987. | 0.9 | 47 |
| 148 | Body mass index, abdominal fatness, and the risk of sudden cardiac death: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 711-722. | 5.7 | 61 |
| 149 | Tobacco smoking and the risk of sudden cardiac death: a systematic review and meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018, 33, 509-521. | 5.7 | 60 |
| 150 | Assessment of moderate coffee consumption and risk of epithelial ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2018, 47, 450-459. | 1.9 | 15 |
| 151 | Epigenome-wide association study of adiposity and future risk of obesity-related diseases. <i>International Journal of Obesity</i> , 2018, 42, 2022-2035. | 3.4 | 43 |
| 152 | Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. <i>Diabetes</i> , 2018, 67, 1200-1205. | 0.6 | 17 |
| 153 | Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case-Control Study in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 531-540. | 2.5 | 23 |
| 154 | Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018, 61, 1325-1332. | 6.3 | 20 |
| 155 | Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018, 143, 801-812. | 5.1 | 42 |
| 156 | Meat and haem iron intake in relation to glioma in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Cancer Prevention</i> , 2018, 27, 379-383. | 1.3 | 12 |
| 157 | Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018, 142, 449-459. | 5.1 | 49 |
| 158 | Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. <i>Diabetes Care</i> , 2018, 41, 277-285. | 8.6 | 15 |
| 159 | Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342. | 5.1 | 42 |
| 160 | Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201. | 5.1 | 16 |
| 161 | Ovarian cancer early detection by circulating CA125 in the context of anti-CA125 autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360. | 5.1 | 24 |
| 162 | Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018, 39, 397-406. | 2.2 | 209 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | OTU-014â€¦Reproductive factors and risk of gastric cancer by anatomical subsite: the epic study. , 2018, , . | | 0 |
| 164 | Dietary intake and blood concentrations of antioxidants and the risk of cardiovascular disease, total cancer, and all-cause mortality: a systematic review and dose-response meta-analysis of prospective studies. American Journal of Clinical Nutrition, 2018, 108, 1069-1091. | 4.7 | 232 |
| 165 | Aging, inflammation and cancer. Seminars in Immunology, 2018, 40, 74-82. | 5.6 | 103 |
| 166 | Risk prediction for estrogen receptor-specific breast cancers in two large prospective cohorts. Breast Cancer Research, 2018, 20, 147. | 5.0 | 24 |
| 167 | Diabetes mellitus and the risk of abdominal aortic aneurysm: A systematic review and meta-analysis of prospective studies. Journal of Diabetes and Its Complications, 2018, 32, 1169-1174. | 2.3 | 22 |
| 168 | Tobacco smoking and the risk of abdominal aortic aneurysm: a systematic review and meta-analysis of prospective studies. Scientific Reports, 2018, 8, 14786. | 3.3 | 62 |
| 169 | Obesity and gastrointestinal cancers â€” where do we go from here?. Nature Reviews Gastroenterology and Hepatology, 2018, 15, 651-652. | 17.8 | 8 |
| 170 | Receptor activator of nuclear factor kB ligand, osteoprotegerin, and risk of death following a breast cancer diagnosis: results from the EPIC cohort. BMC Cancer, 2018, 18, 1010. | 2.6 | 9 |
| 171 | Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651. | 8.4 | 63 |
| 172 | Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. Nutrients, 2018, 10, 654. | 4.1 | 32 |
| 173 | Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. BMJ: British Medical Journal, 2018, 361, k934. | 2.3 | 70 |
| 174 | Preâ€diagnostic circulating insulinâ€like growth factorâ€ and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2018, 143, 2351-2358. | 5.1 | 18 |
| 175 | Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. JAMA Oncology, 2018, 4, e181771. | 7.1 | 210 |
| 176 | Body fatness, diabetes, physical activity and risk of kidney stones: a systematic review and meta-analysis of cohort studies. European Journal of Epidemiology, 2018, 33, 1033-1047. | 5.7 | 87 |
| 177 | KIM-1 as a Blood-Based Marker for Early Detection of Kidney Cancer: A Prospective Nested Caseâ€Control Study. Clinical Cancer Research, 2018, 24, 5594-5601. | 7.0 | 34 |
| 178 | Prediction of acute myeloid leukaemia risk in healthy individuals. Nature, 2018, 559, 400-404. | 27.8 | 617 |
| 179 | Coffee and Tea Consumption and the Contribution of Their Added Ingredients to Total Energy and Nutrient Intakes in 10 European Countries: Benchmark Data from the Late 1990s. Nutrients, 2018, 10, 725. | 4.1 | 27 |
| 180 | Time for a European initiative for research to prevent cancer: A manifesto for Cancer Prevention Europe (CPE). Journal of Cancer Policy, 2018, 17, 15-23. | 1.4 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. JAMA Oncology, 2018, 4, e182078. | 7.1 | 109 |
| 182 | Tobacco smoking and the risk of atrial fibrillation: A systematic review and meta-analysis of prospective studies. European Journal of Preventive Cardiology, 2018, 25, 1437-1451. | 1.8 | 98 |
| 183 | HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. Cancer Research, 2018, 78, 4086-4096. | 0.9 | 34 |
| 184 | Nonsteroidal anti-inflammatory drug use and breast cancer risk in a European prospective cohort study. International Journal of Cancer, 2018, 143, 1688-1695. | 5.1 | 11 |
| 185 | Validity of an online 24-h recall tool (myfood24) for dietary assessment in population studies: comparison with biomarkers and standard interviews. BMC Medicine, 2018, 16, 136. | 5.5 | 82 |
| 186 | Coffee Drinking and Mortality in 10 European Countries. Annals of Internal Medicine, 2018, 168, 380. | 3.9 | 3 |
| 187 | Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. Nature Genetics, 2018, 50, 928-936. | 21.4 | 652 |
| 188 | Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. Nature Communications, 2018, 9, 2256. | 12.8 | 88 |
| 189 | Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. American Journal of Clinical Nutrition, 2018, 108, 117-126. | 4.7 | 26 |
| 190 | Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. European Journal of Nutrition, 2017, 56, 1157-1168. | 3.9 | 17 |
| 191 | Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. International Journal of Cancer, 2017, 140, 1976-1984. | 5.1 | 35 |
| 192 | Body mass index, abdominal fatness, fat mass and the risk of atrial fibrillation: a systematic review and dose-response meta-analysis of prospective studies. European Journal of Epidemiology, 2017, 32, 181-192. | 5.7 | 112 |
| 193 | DNA methylome analysis identifies accelerated epigenetic ageing associated with postmenopausal breast cancer susceptibility. European Journal of Cancer, 2017, 75, 299-307. | 2.8 | 154 |
| 194 | Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. British Journal of Cancer, 2017, 116, 811-820. | 6.4 | 27 |
| 195 | Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. Nature Communications, 2017, 8, 14175. | 12.8 | 75 |
| 196 | Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. Clinical Cancer Research, 2017, 23, 4181-4189. | 7.0 | 26 |
| 197 | Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 895-904. | 2.5 | 11 |
| 198 | Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. BMC Medicine, 2017, 15, 26. | 5.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Fruit and vegetable intake and prostate cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2017, 141, 287-297. | 5.1 | 34 |
| 200 | Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20. | 3.0 | 22 |
| 201 | A Pooled Analysis of 15 Prospective Cohort Studies on the Association between Fruit, Vegetable, and Mature Bean Consumption and Risk of Prostate Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1276-1287. | 2.5 | 27 |
| 202 | Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 263-275. | 4.7 | 46 |
| 203 | Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. <i>European Journal of Epidemiology</i> , 2017, 32, 419-430. | 5.7 | 17 |
| 204 | Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017, 147, 1366-1373. | 2.9 | 19 |
| 205 | The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1360-1369. | 2.5 | 23 |
| 206 | Metabolic Mediators of the Association Between Adult Weight Gain and Colorectal Cancer: Data From the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>American Journal of Epidemiology</i> , 2017, 185, 751-764. | 3.4 | 17 |
| 207 | Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortality—a systematic review and dose-response meta-analysis of prospective studies. <i>International Journal of Epidemiology</i> , 2017, 46, 1029-1056. | 1.9 | 1,491 |
| 208 | Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017, 140, 1836-1844. | 5.1 | 50 |
| 209 | <i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , 2017, 140, 1727-1735. | 5.1 | 23 |
| 210 | Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323. | 5.1 | 28 |
| 211 | Physical activity, mediating factors and risk of colon cancer: insights into adiposity and circulating biomarkers from the EPIC cohort. <i>International Journal of Epidemiology</i> , 2017, 46, 1823-1835. | 1.9 | 19 |
| 212 | Chronic disease research in Europe and the need for integrated population cohorts. <i>European Journal of Epidemiology</i> , 2017, 32, 741-749. | 5.7 | 65 |
| 213 | Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis—A Multicenter European Prospective Cohort Study (EPIC). <i>Inflammatory Bowel Diseases</i> , 2017, 23, 2072-2082. | 1.9 | 35 |
| 214 | Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534. | 1.5 | 29 |
| 215 | Coffee Drinking and Mortality in 10 European Countries. <i>Annals of Internal Medicine</i> , 2017, 167, 236-247. | 3.9 | 168 |
| 216 | Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72. | 5.5 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Fiber intake modulates the association of alcohol intake with breast cancer. International Journal of Cancer, 2017, 140, 316-321. | 5.1 | 12 |
| 218 | Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2017, 140, 1111-1118. | 5.1 | 7 |
| 219 | The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2017, 12, e0173117. | 2.5 | 21 |
| 220 | Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. PLoS ONE, 2017, 12, e0187741. | 2.5 | 34 |
| 221 | A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS Medicine, 2017, 14, e1002409. | 8.4 | 61 |
| 222 | Tall height and obesity are associated with an increased risk of aggressive prostate cancer: results from the EPIC cohort study. BMC Medicine, 2017, 15, 115. | 5.5 | 66 |
| 223 | Pre-diagnostic metabolite concentrations and prostate cancer risk in 1077 cases and 1077 matched controls in the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2017, 15, 122. | 5.5 | 47 |
| 224 | Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. BMC Medicine, 2017, 15, 203. | 5.5 | 47 |
| 225 | Vasectomy and Prostate Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of Clinical Oncology, 2017, 35, 1297-1303. | 1.6 | 18 |
| 226 | Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. Oncotarget, 2016, 7, 66328-66343. | 1.8 | 88 |
| 227 | Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094. | 8.4 | 150 |
| 228 | The Influence of Hormonal Factors on the Risk of Developing Cervical Cancer and Pre-Cancer: Results from the EPIC Cohort. PLoS ONE, 2016, 11, e0147029. | 2.5 | 102 |
| 229 | Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. Inflammatory Bowel Diseases, 2016, 22, 345-354. | 1.9 | 207 |
| 230 | Tobacco smoking-associated genome-wide DNA methylation changes in the EPIC study. Epigenomics, 2016, 8, 599-618. | 2.1 | 192 |
| 231 | Parity, breastfeeding and risk of coronary heart disease: A pan-European case-cohort study. European Journal of Preventive Cardiology, 2016, 23, 1755-1765. | 1.8 | 58 |
| 232 | Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2016, 104, 406-414. | 4.7 | 70 |
| 233 | Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. BMC Medicine, 2016, 14, 207. | 5.5 | 306 |
| 234 | How would a decision to leave the European Union affect medical research and health in the United Kingdom?. Journal of the Royal Society of Medicine, 2016, 109, 216-218. | 2.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Association of Leisure-Time Physical Activity With Risk of 26 Types of Cancer in 1.44 Million Adults. JAMA Internal Medicine, 2016, 176, 816. | 5.1 | 1,000 |
| 236 | A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. Clinical Cancer Research, 2016, 22, 4664-4675. | 7.0 | 80 |
| 237 | Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. Immunity and Ageing, 2016, 13, 5. | 4.2 | 9 |
| 238 | Association Between Low-Density Lipoprotein Cholesterolâ€“Lowering Genetic Variants and Risk of Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2016, 316, 1383. | 7.4 | 310 |
| 239 | Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768. | 4.7 | 31 |
| 240 | Flavonoid and lignan intake and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2016, 139, 1480-1492. | 5.1 | 19 |
| 241 | Anthropometry and the Risk of Lung Cancer in EPIC. American Journal of Epidemiology, 2016, 184, 129-139. | 3.4 | 23 |
| 242 | A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. Science Translational Medicine, 2016, 8, 341ra76. | 12.4 | 100 |
| 243 | Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. Nature Communications, 2016, 7, 11843. | 12.8 | 86 |
| 244 | Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. Scientific Reports, 2016, 6, 36017. | 3.3 | 31 |
| 245 | Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. Nature Communications, 2016, 7, 10933. | 12.8 | 94 |
| 246 | Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. Nature Communications, 2016, 7, 10979. | 12.8 | 50 |
| 247 | Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. BMC Medicine, 2016, 14, 87. | 5.5 | 44 |
| 248 | Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested caseâ€“control study in nonsmoking postmenopausal women from the <sc>EPIC</sc> cohort. International Journal of Cancer, 2016, 138, 1129-1138. | 5.1 | 21 |
| 249 | Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. BMJ, The, 2016, 353, i2716. | 6.0 | 628 |
| 250 | Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. Cancer Prevention Research, 2016, 9, 758-765. | 1.5 | 41 |
| 251 | Combined effects of smoking and HPV16 in oropharyngeal cancer. International Journal of Epidemiology, 2016, 45, 752-761. | 1.9 | 67 |
| 252 | Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. Cancer Causes and Control, 2016, 27, 919-927. | 1.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2016, 116, 316-325. | 2.3 | 30 |
| 254 | A treelet transform analysis to relate nutrient patterns to the risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2016, 19, 242-254. | 2.2 | 26 |
| 255 | An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016, 31, 51-60. | 5.7 | 43 |
| 256 | Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464. | 4.7 | 83 |
| 257 | Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187. | 1.9 | 38 |
| 258 | Anthropometric Factors and Thyroid Cancer Risk by Histological Subtype: Pooled Analysis of 22 Prospective Studies. <i>Thyroid</i> , 2016, 26, 306-318. | 4.5 | 148 |
| 259 | Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Caseâ€“Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 127-134. | 2.5 | 27 |
| 260 | Physical activity and risk of Amyotrophic Lateral Sclerosis in a prospective cohort study. <i>European Journal of Epidemiology</i> , 2016, 31, 255-266. | 5.7 | 49 |
| 261 | Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676. | 2.9 | 52 |
| 262 | Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016, 138, 65-73. | 5.1 | 24 |
| 263 | Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016, 39, 572-581. | 8.6 | 65 |
| 264 | Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301. | 2.5 | 28 |
| 265 | Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214. | 2.9 | 38 |
| 266 | Vegetable and fruit consumption and the risk of hormone receptorâ€“defined breast cancer in the EPIC cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 168-177. | 4.7 | 48 |
| 267 | Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 161-167. | 4.7 | 29 |
| 268 | Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2016, 55, 1359-1375. | 3.9 | 313 |
| 269 | A Nested Caseâ€“Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016, 13, e1001988. | 8.4 | 76 |
| 270 | Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0159025. | 2.5 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 372-381. | 5.1 | 72 |
| 272 | Endogenous androgens and risk of epithelial invasive ovarian cancer by tumor characteristics in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 136, 399-410. | 5.1 | 36 |
| 273 | Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. International Journal of Cancer, 2015, 136, 1218-1227. | 5.1 | 69 |
| 274 | Are primary care factors associated with hospital episodes for adverse drug reactions? A national observational study. BMJ Open, 2015, 5, e008130. | 1.9 | 5 |
| 275 | The Qatar Biobank: background and methods. BMC Public Health, 2015, 15, 1208. | 2.9 | 100 |
| 276 | Smoking, Porphyromonas gingivalis and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case-control study. BMC Musculoskeletal Disorders, 2015, 16, 331. | 1.9 | 37 |
| 277 | Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. BMC Medicine, 2015, 13, 242. | 5.5 | 93 |
| 278 | Reproductive factors and risk of mortality in the European Prospective Investigation into Cancer and Nutrition; a cohort study. BMC Medicine, 2015, 13, 252. | 5.5 | 53 |
| 279 | Circulating prolactin and in situ breast cancer risk in the European EPIC cohort: a case-control study. Breast Cancer Research, 2015, 17, 49. | 5.0 | 30 |
| 280 | Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. International Journal of Cancer, 2015, 137, 2904-2914. | 5.1 | 28 |
| 281 | Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the <scp>E</scp>uropean <scp>P</scp>rospective <scp>I</scp>nvestigation into <scp>C</scp>ancer and <scp>N</scp>utrition. International Journal of Cancer, 2015, 137, 2705-2714. | 5.1 | 45 |
| 282 | Alcohol consumption and the risk of renal cancers in the <scp>E</scp>uropean prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966. | 5.1 | 32 |
| 283 | Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition Study. Journal of Clinical Oncology, 2015, 33, 877-884. | 1.6 | 53 |
| 284 | General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 137, 646-657. | 5.1 | 79 |
| 285 | Reproductive and hormone-related risk factors for epithelial ovarian cancer by histologic pathways, invasiveness and histologic subtypes: Results from the EPIC cohort. International Journal of Cancer, 2015, 137, 1196-1208. | 5.1 | 53 |
| 286 | Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497. | 6.2 | 101 |
| 287 | Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 466-471. | 2.5 | 42 |
| 288 | A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036. | 0.6 | 98 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Variation at <i>ABO</i> histo-blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. International Journal of Cancer, 2015, 136, 880-893. | 5.1 | 28 |
| 290 | A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. International Journal of Cancer, 2015, 136, 915-927. | 5.1 | 21 |
| 291 | Anthropometry and head and neck cancer: a pooled analysis of cohort data. International Journal of Epidemiology, 2015, 44, 673-681. | 1.9 | 32 |
| 292 | A statistical framework to model the meeting-in-the-middle principle using metabolomic data: application to hepatocellular carcinoma in the EPIC study. Mutagenesis, 2015, 30, gev045. | 2.6 | 28 |
| 293 | Reproductive factors and epithelial ovarian cancer survival in the EPIC cohort study. British Journal of Cancer, 2015, 113, 1622-1631. | 6.4 | 29 |
| 294 | Parkinson's Disease Case Ascertainment in the EPIC Cohort: The NeuroEPIC4PD Study. Neurodegenerative Diseases, 2015, 15, 331-338. | 1.4 | 16 |
| 295 | Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401. | 2.5 | 31 |
| 296 | Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920. | 5.1 | 20 |
| 297 | Risk of second primary malignancies in women with breast cancer: Results from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 940-948. | 5.1 | 70 |
| 298 | Alcohol intake and breast cancer in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 137, 1921-1930. | 5.1 | 65 |
| 299 | Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621. | 4.7 | 284 |
| 300 | Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. International Journal of Cancer, 2015, 136, 1149-1161. | 5.1 | 161 |
| 301 | A Genome-wide Pleiotropy Scan for Prostate Cancer Risk. European Urology, 2015, 67, 649-657. | 1.9 | 21 |
| 302 | Vitamin D-Associated Genetic Variation and Risk of Breast Cancer in the Breast and Prostate Cancer Cohort Consortium (BPC3). Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 627-630. | 2.5 | 20 |
| 303 | Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. International Journal of Cancer, 2015, 136, E720-30. | 5.1 | 17 |
| 304 | Association of <i>CRP</i> genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. International Journal of Cancer, 2015, 136, 1181-1192. | 5.1 | 69 |
| 305 | Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. International Journal of Cancer, 2015, 136, 1899-1908. | 5.1 | 75 |
| 306 | Lag Times between Lymphoproliferative Disorder and Clinical Diagnosis of Chronic Lymphocytic Leukemia: A Prospective Analysis Using Plasma Soluble CD23. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 538-545. | 2.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, . | 6.3 | 17 |
| 308 | Integration of multiethnic fine-mapping and genomic annotation to prioritize candidate functional SNPs at prostate cancer susceptibility regions. Human Molecular Genetics, 2015, 24, 5603-5618. | 2.9 | 50 |
| 309 | Inflammatory Markers and Risk of Epithelial Ovarian Cancer by Tumor Subtypes: The EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 951-961. | 2.5 | 51 |
| 310 | Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. Breast Cancer Research, 2015, 17, 15. | 5.0 | 45 |
| 311 | Prediagnostic Sex Steroid Hormones in Relation to Male Breast Cancer Risk. Journal of Clinical Oncology, 2015, 33, 2041-2050. | 1.6 | 65 |
| 312 | Two susceptibility loci identified for prostate cancer aggressiveness. Nature Communications, 2015, 6, 6889. | 12.8 | 88 |
| 313 | Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. BMC Medicine, 2015, 13, 107. | 5.5 | 66 |
| 314 | Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 136, E423-31. | 5.1 | 20 |
| 315 | Dietary Intake of Acrylamide and Epithelial Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 291-297. | 2.5 | 16 |
| 316 | Human Papillomavirus 16 E6 Antibodies in Individuals without Diagnosed Cancer: A Pooled Analysis. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 683-689. | 2.5 | 54 |
| 317 | The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863. | 2.5 | 30 |
| 318 | Determinants of the t(14;18) translocation and their role in t(14;18)-positive follicular lymphoma. Cancer Causes and Control, 2015, 26, 1845-1855. | 1.8 | 0 |
| 319 | Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-847. | 6.4 | 20 |
| 320 | The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2015, 102, 1498-1508. | 4.7 | 63 |
| 321 | Tobacco and Alcohol in Relation to Male Breast Cancer: An Analysis of the Male Breast Cancer Pooling Project Consortium. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 520-531. | 2.5 | 19 |
| 322 | Healthy lifestyle and risk of breast cancer among postmenopausal women in the European Prospective Investigation into Cancer and Nutrition cohort study. International Journal of Cancer, 2015, 136, 2640-2648. | 5.1 | 95 |
| 323 | Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. European Journal of Epidemiology, 2015, 30, 57-70. | 5.7 | 39 |
| 324 | Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. PLoS ONE, 2014, 9, e98647. | 2.5 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. American Journal of Epidemiology, 2014, 180, 810-820. | 3.4 | 27 |
| 326 | Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. BMC Medicine, 2014, 12, 168. | 5.5 | 178 |
| 327 | Prediagnostic immunoglobulin E levels and risk of chronic lymphocytic leukemia, other lymphomas and multiple myeloma-results of the European Prospective Investigation into Cancer and Nutrition. Carcinogenesis, 2014, 35, 2716-2722. | 2.8 | 16 |
| 328 | Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890. | 2.3 | 29 |
| 329 | Genesâ€“Environment Interactions in Obesity- and Diabetes-Associated Pancreatic Cancer: A GWAS Data Analysis. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 98-106. | 2.5 | 32 |
| 330 | Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014, 11, e1001647. | 8.4 | 180 |
| 331 | Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. Journal of the National Cancer Institute, 2014, 106, . | 6.3 | 23 |
| 332 | Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. PLoS Genetics, 2014, 10, e1004129. | 3.5 | 34 |
| 333 | Dietary Intakes of Individual Flavanols and Flavonols Are Inversely Associated with Incident Type 2 Diabetes in European Populations. Journal of Nutrition, 2014, 144, 335-343. | 2.9 | 115 |
| 334 | Additive Interactions Between Susceptibility Single-Nucleotide Polymorphisms Identified in Genome-Wide Association Studies and Breast Cancer Risk Factors in the Breast and Prostate Cancer Cohort Consortium. American Journal of Epidemiology, 2014, 180, 1018-1027. | 3.4 | 36 |
| 335 | Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. Hepatology, 2014, 60, 858-871. | 7.3 | 175 |
| 336 | Prediagnostic Intake of Dairy Products and Dietary Calcium and Colorectal Cancer Survivalâ€“Results from the EPIC Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1813-1823. | 2.5 | 34 |
| 337 | Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633. | 2.9 | 90 |
| 338 | Prediagnostic plasma testosterone, sex hormoneâ€“binding globulin, IGFâ€“I and hepatocellular carcinoma: Etiological factors or risk markers?. International Journal of Cancer, 2014, 134, 164-173. | 5.1 | 33 |
| 339 | Post-GWAS geneâ€“environment interplay in breast cancer: results from the Breast and Prostate Cancer Cohort Consortium and a meta-analysis on 79 000 women. Human Molecular Genetics, 2014, 23, 5260-5270. | 2.9 | 37 |
| 340 | Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations. Diabetes Care, 2014, 37, 3164-3171. | 8.6 | 57 |
| 341 | Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. Hepatology, 2014, 60, 1222-1230. | 7.3 | 91 |
| 342 | Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. International Journal of Cancer, 2014, 135, 1949-1960. | 5.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 343 | Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2014, 135, 1470-1479. | 5.1 | 38 |
| 344 | Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 461-468. | 2.5 | 66 |
| 345 | Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862. | 8.6 | 141 |
| 346 | Dietary Intakes and Risk of Lymphoid and Myeloid Leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). Nutrition and Cancer, 2014, 66, 14-28. | 2.0 | 24 |
| 347 | Consumption of predefined “Nordic” dietary items in ten European countries “an investigation in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Public Health Nutrition, 2014, 17, 2650-2659. | 2.2 | 21 |
| 348 | Genome-wide association study of survival in patients with pancreatic adenocarcinoma. Gut, 2014, 63, 152-160. | 12.1 | 59 |
| 349 | Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 976-985. | 2.5 | 45 |
| 350 | Prolactin Determinants in Healthy Women: A Large Cross-Sectional Study within the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2532-2542. | 2.5 | 10 |
| 351 | Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. Diabetologia, 2014, 57, 63-72. | 6.3 | 54 |
| 352 | Genome-wide interaction study of smoking and bladder cancer risk. Carcinogenesis, 2014, 35, 1737-1744. | 2.8 | 50 |
| 353 | Genome-wide association study identifies multiple loci associated with bladder cancer risk. Human Molecular Genetics, 2014, 23, 1387-1398. | 2.9 | 137 |
| 354 | Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. Cancer Causes and Control, 2014, 25, 639-646. | 1.8 | 20 |
| 355 | The cancer-obesity connection: what do we know and what can we do?. BMC Biology, 2014, 12, 9. | 3.8 | 5 |
| 356 | Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1871-1888. | 5.1 | 112 |
| 357 | Genetic variants in the <i>IL1A</i> gene region contribute to intestinal-type gastric carcinoma susceptibility in European populations. International Journal of Cancer, 2014, 135, 1343-1355. | 5.1 | 11 |
| 358 | The Role of Metabolic Carcinogenesis in Cancer Causation and Prevention: Evidence from the European Prospective Investigation into Cancer and Nutrition. Cancer Treatment and Research, 2014, 159, 3-20. | 0.5 | 4 |
| 359 | Genetic association of gastric cancer with miRNA clusters including the cancer-related genes <i>MIR29</i> , <i>MIR25</i> , <i>MIR93</i> and <i>MIR106</i> : Results from the EPIC-EURGAST study. International Journal of Cancer, 2014, 135, 2065-2076. | 5.1 | 47 |
| 360 | Weight change in middle adulthood and breast cancer risk in the EPIC-PANACEA study. International Journal of Cancer, 2014, 135, 2887-2899. | 5.1 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 361 | Premenopausal serum sex hormone levels in relation to breast cancer risk, overall and by hormone receptor status-Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1947-1957. | 5.1 | 71 |
| 362 | Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. International Journal of Cancer, 2014, 135, 440-452. | 5.1 | 44 |
| 363 | Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. Journal of the National Cancer Institute, 2014, 106, dju097. | 6.3 | 84 |
| 364 | Anthropometric and Hormonal Risk Factors for Male Breast Cancer: Male Breast Cancer Pooling Project Results. Journal of the National Cancer Institute, 2014, 106, djt465-djt465. | 6.3 | 131 |
| 365 | Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2014, 135, 1662-1672. | 5.1 | 58 |
| 366 | Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. International Journal of Cancer, 2014, 135, 2918-2929. | 5.1 | 26 |
| 367 | Axonal guidance signaling pathway interacting with smoking in modifying the risk of pancreatic cancer: a gene- and pathway-based interaction analysis of GWAS data. Carcinogenesis, 2014, 35, 1039-1045. | 2.8 | 41 |
| 368 | The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. Cancer Research, 2014, 74, 5808-5818. | 0.9 | 24 |
| 369 | Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. Journal of the National Cancer Institute, 2014, 106, . | 6.3 | 92 |
| 370 | Fruit and vegetable intake and cause-specific mortality in the EPIC study. European Journal of Epidemiology, 2014, 29, 639-652. | 5.7 | 56 |
| 371 | Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. Nature Genetics, 2014, 46, 1233-1238. | 21.4 | 147 |
| 372 | Dietary fat intake and risk of epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology, 2014, 38, 528-537. | 1.9 | 16 |
| 373 | Alcohol Consumption and Survival after a Breast Cancer Diagnosis: A Literature-Based Meta-analysis and Collaborative Analysis of Data for 29,239 Cases. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 934-945. | 2.5 | 37 |
| 374 | Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2447-2454. | 2.5 | 36 |
| 375 | Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000. | 21.4 | 294 |
| 376 | A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. Nature Genetics, 2014, 46, 1103-1109. | 21.4 | 408 |
| 377 | Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology, the, 2014, 2, 810-818. | 11.4 | 431 |
| 378 | Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Epidemiology, 2014, 29, 261-275. | 5.7 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 379 | Risk factors for cancers of unknown primary site: Results from the prospective EPIC cohort. International Journal of Cancer, 2014, 135, 2475-2481. | 5.1 | 41 |
| 380 | Investigating sources of variability in metabolomic data in the EPIC study: the Principal Component Partial R-square (PC-PR2) method. Metabolomics, 2014, 10, 1074-1083. | 3.0 | 40 |
| 381 | Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. International Journal of Cancer, 2014, 135, 453-466. | 5.1 | 161 |
| 382 | t(14;18) Translocation: A Predictive Blood Biomarker for Follicular Lymphoma. Journal of Clinical Oncology, 2014, 32, 1347-1355. | 1.6 | 115 |
| 383 | Weight change later in life and colon and rectal cancer risk in participants in the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2014, 99, 139-147. | 4.7 | 33 |
| 384 | Lifetime alcohol use and overall and cause-specific mortality in the European Prospective Investigation into Cancer and nutrition (EPIC) study. BMJ Open, 2014, 4, e005245-e005245. | 1.9 | 81 |
| 385 | Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. Nature Genetics, 2014, 46, 736-741. | 21.4 | 360 |
| 386 | Non-invasive risk scores for prediction of type 2 diabetes (EPIC-InterAct): a validation of existing models. Lancet Diabetes and Endocrinology, 2014, 2, 19-29. | 11.4 | 132 |
| 387 | Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387. | 0.6 | 153 |
| 388 | A1.5â€¦Smoking is a risk factor for ACPA prior to onset of symptoms of rheumatoid arthritis in a cohort from southern europe. Annals of the Rheumatic Diseases, 2014, 73, A2.3-A3. | 0.9 | 2 |
| 389 | Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. Blood, 2014, 124, 530-535. | 1.4 | 46 |
| 390 | Abstract 2922: Prediagnostic smoking, alcohol intake, physical activity and survival after colorectal cancer diagnosis in Western European populations. , 2014, , . | | 0 |
| 391 | Abstract 2200: Plasma Fetuin-a concentration, genetic variation in the AHSG gene and risk of colorectal cancer. , 2014, , . | | 0 |
| 392 | Abstract 2214: Genome-wide gene-diabetes and gene-obesity interaction scan in the pancreatic cancer case control consortium. , 2014, , . | | 0 |
| 393 | Meat and fish consumption and risk of pancreatic cancer: Results from the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2013, 132, 617-624. | 5.1 | 65 |
| 394 | Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 635-644. | 5.1 | 34 |
| 395 | Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. International Journal of Cancer, 2013, 132, 645-657. | 5.1 | 158 |
| 396 | Association between large detectable clonal mosaicism and type 2 diabetes with vascular complications. Nature Genetics, 2013, 45, 1040-1043. | 21.4 | 106 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 397 | Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560. | 2.5 | 40 |
| 398 | Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013, 24, 1901-1909. | 1.8 | 20 |
| 399 | Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1901-1910. | 5.1 | 37 |
| 400 | Behavioral and Dietary Risk Factors for Noncommunicable Diseases. <i>New England Journal of Medicine</i> , 2013, 369, 954-964. | 27.0 | 573 |
| 401 | Evaluation of Human Papillomavirus Antibodies and Risk of Subsequent Head and Neck Cancer. <i>Journal of Clinical Oncology</i> , 2013, 31, 2708-2715. | 1.6 | 280 |
| 402 | Dietary flavonoid and lignan intake and breast cancer risk according to menopause and hormone receptor status in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Breast Cancer Research and Treatment</i> , 2013, 139, 163-176. | 2.5 | 52 |
| 403 | Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175. | 5.1 | 20 |
| 404 | The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1772-1790. | 1.9 | 117 |
| 405 | Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , 2013, 22, 4239-4239. | 2.9 | 2 |
| 406 | Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. <i>Gut</i> , 2013, 62, 1764-1770. | 12.1 | 330 |
| 407 | Dietary Glycemic Index, Glycemic Load, and Digestible Carbohydrate Intake Are Not Associated with Risk of Type 2 Diabetes in Eight European Countries. <i>Journal of Nutrition</i> , 2013, 143, 93-99. | 2.9 | 79 |
| 408 | Insulin-like growth factor pathway genes and blood concentrations, dietary protein and risk of prostate cancer in the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). <i>International Journal of Cancer</i> , 2013, 133, 495-504. | 5.1 | 28 |
| 409 | Smoking and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2013, 108, 708-714. | 6.4 | 55 |
| 410 | Genome-wide association studies identify four ER negative-specific breast cancer risk loci. <i>Nature Genetics</i> , 2013, 45, 392-398. | 21.4 | 374 |
| 411 | Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013, 45, 385-391. | 21.4 | 492 |
| 412 | Fish consumption and subsequent change in body weight in European women and men. <i>British Journal of Nutrition</i> , 2013, 109, 353-362. | 2.3 | 17 |
| 413 | Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876. | 21.4 | 179 |
| 414 | Anthropometric characteristics and risk of lymphoid and myeloid leukemia in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2013, 24, 427-438. | 1.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. <i>Cancer Causes and Control</i> , 2013, 24, 595-602. | 1.8 | 4 |
| 416 | Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602. | 3.4 | 135 |
| 417 | A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688. | 5.7 | 15 |
| 418 | A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013, 22, 408-415. | 2.9 | 118 |
| 419 | Physical activity and risk of breast cancer overall and by hormone receptor status: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1667-1678. | 5.1 | 72 |
| 420 | Plasma Carotenoid- and Retinol-Weighted Multi-SNP Scores and Risk of Breast Cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 927-936. | 2.5 | 15 |
| 421 | Dietary intakes and food sources of phenolic acids in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 110, 1500-1511. | 2.3 | 92 |
| 422 | Fine-mapping identifies multiple prostate cancer risk loci at 5p15, one of which associates with TERT expression. <i>Human Molecular Genetics</i> , 2013, 22, 2520-2528. | 2.9 | 100 |
| 423 | Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013, 34, 1244-1250. | 2.8 | 29 |
| 424 | Plasma 25-hydroxyvitamin D concentration and lymphoma risk: results of the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 827-838. | 4.7 | 35 |
| 425 | Dietary Flavonoid Intake and Esophageal Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2013, 178, 570-581. | 3.4 | 29 |
| 426 | Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2013, 109, 1498-1507. | 2.3 | 114 |
| 427 | Age at Menopause, Reproductive Life Span, and Type 2 Diabetes Risk. <i>Diabetes Care</i> , 2013, 36, 1012-1019. | 8.6 | 186 |
| 428 | The Association Between Dietary Flavonoid and Lignan Intakes and Incident Type 2 Diabetes in European Populations. <i>Diabetes Care</i> , 2013, 36, 3961-3970. | 8.6 | 108 |
| 429 | Plasma 25-hydroxyvitamin D and the risk of breast cancer in the European prospective investigation into cancer and nutrition: A nested case-control study. <i>International Journal of Cancer</i> , 2013, 133, 1689-1700. | 5.1 | 49 |
| 430 | Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2013, 133, 2429-2443. | 5.1 | 65 |
| 431 | Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: A cohort study. <i>International Journal of Cancer</i> , 2013, 132, 2619-2629. | 5.1 | 62 |
| 432 | Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2013, 133, n/a-n/a. | 5.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 433 | N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065. | 2.5 | 31 |
| 434 | Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort—A Factor Analysis. American Journal of Epidemiology, 2013, 177, 787-799. | 3.4 | 119 |
| 435 | Age at Menarche and Type 2 Diabetes Risk. Diabetes Care, 2013, 36, 3526-3534. | 8.6 | 147 |
| 436 | Dietary fiber intake and risk of hormonal receptor—defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. American Journal of Clinical Nutrition, 2013, 97, 344-353. | 4.7 | 76 |
| 437 | Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187. | 2.0 | 30 |
| 438 | North—south gradients in plasma concentrations of B-vitamins and other components of one-carbon metabolism in Western Europe: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. British Journal of Nutrition, 2013, 110, 363-374. | 2.3 | 23 |
| 439 | Consumption of Dairy Products and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS ONE, 2013, 8, e72715. | 2.5 | 85 |
| 440 | Abstract 4814: Prediagnostic anthropometric measures and survival after diagnosis with colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC).. , 2013, , . | | 1 |
| 441 | Abstract LB-23: Meta-analysis of genome-wide association studies identifies multiple loci associated with chronic lymphocytic leukemia.. , 2013, , . | | 3 |
| 442 | Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. PLoS ONE, 2013, 8, e57300. | 2.5 | 64 |
| 443 | Methylome Analysis and Epigenetic Changes Associated with Menarcheal Age. PLoS ONE, 2013, 8, e79391. | 2.5 | 36 |
| 444 | Plasma Phospholipid Fatty Acid Concentration and Incident Coronary Heart Disease in Men and Women: The EPIC-Norfolk Prospective Study. PLoS Medicine, 2012, 9, e1001255. | 8.4 | 216 |
| 445 | Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Carcinogenesis, 2012, 33, 361-367. | 2.8 | 55 |
| 446 | Long-Term Risk of Incident Type 2 Diabetes and Measures of Overall and Regional Obesity: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2012, 9, e1001230. | 8.4 | 147 |
| 447 | Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2012, 96, 345-355. | 4.7 | 67 |
| 448 | Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. American Journal of Clinical Nutrition, 2012, 96, 164-174. | 4.7 | 116 |
| 449 | Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition—Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. American Journal of Clinical Nutrition, 2012, 95, 184-193. | 4.7 | 79 |
| 450 | Fatty acid patterns and risk of prostate cancer in a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2012, 96, 1354-1361. | 4.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Prospective Study on Physical Activity and Risk of In Situ Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2209-2219. | 2.5 | 14 |
| 452 | Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593. | 2.5 | 126 |
| 453 | Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. <i>Carcinogenesis</i> , 2012, 33, 1384-1390. | 2.8 | 102 |
| 454 | Intragenic ATM Methylation in Peripheral Blood DNA as a Biomarker of Breast Cancer Risk. <i>Cancer Research</i> , 2012, 72, 2304-2313. | 0.9 | 142 |
| 455 | Prediction of breast cancer risk by genetic risk factors, overall and by hormone receptor status. <i>Journal of Medical Genetics</i> , 2012, 49, 601-608. | 3.2 | 58 |
| 456 | Lower educational level is a predictor of incident type 2 diabetes in European countries: The EPIC-InterAct study. <i>International Journal of Epidemiology</i> , 2012, 41, 1162-1173. | 1.9 | 127 |
| 457 | The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1445-1453. | 4.7 | 71 |
| 458 | Alcohol consumption and mortality in individuals with diabetes mellitus. <i>British Journal of Nutrition</i> , 2012, 108, 1307-1315. | 2.3 | 8 |
| 459 | The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 382-390. | 4.7 | 183 |
| 460 | Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1531-1541. | 2.5 | 67 |
| 461 | Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218. | 2.8 | 72 |
| 462 | Interactions Between Genome-wide Significant Genetic Variants and Circulating Concentrations of Insulin-like Growth Factor 1, Sex Hormones, and Binding Proteins in Relation to Prostate Cancer Risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2012, 175, 926-935. | 3.4 | 16 |
| 463 | Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108. | 2.3 | 90 |
| 464 | Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181. | 4.7 | 56 |
| 465 | Dietary reporting errors on 24h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012, 107, 910-920. | 2.3 | 59 |
| 466 | Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910. | 4.7 | 43 |
| 467 | Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 547-551. | 2.5 | 15 |
| 468 | Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337. | 0.9 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 469 | A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846. | 1.5 | 93 |
| 470 | Is concordance with World Cancer Research Fund/American Institute for Cancer Research guidelines for cancer prevention related to subsequent risk of cancer? Results from the EPIC study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 150-163. | 4.7 | 285 |
| 471 | Dietary flavonoid and lignan intake and gastric adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1398-1408. | 4.7 | 81 |
| 472 | Genome-Wide Association Study of Classical Hodgkin Lymphoma and Epstein-Barr Virus Status-Defined Subgroups. <i>Journal of the National Cancer Institute</i> , 2012, 104, 240-253. | 6.3 | 141 |
| 473 | Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76. | 5.0 | 94 |
| 474 | Can Noncommunicable Diseases Be Prevented? Lessons from Studies of Populations and Individuals. <i>Science</i> , 2012, 337, 1482-1487. | 12.6 | 186 |
| 475 | A meta-analysis of genome-wide association studies of breast cancer identifies two novel susceptibility loci at 6q14 and 20q11. <i>Human Molecular Genetics</i> , 2012, 21, 5373-5384. | 2.9 | 168 |
| 476 | Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. <i>PLoS ONE</i> , 2012, 7, e36910. | 2.5 | 59 |
| 477 | Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141. | 2.5 | 19 |
| 478 | Dietary Fibre Intake and Risks of Cancers of the Colon and Rectum in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2012, 7, e39361. | 2.5 | 218 |
| 479 | Serum α -Tocopherol and β -Tocopherol Concentrations and Prostate Cancer Risk in the PLCO Screening Trial: A Nested Case-Control Study. <i>PLoS ONE</i> , 2012, 7, e40204. | 2.5 | 34 |
| 480 | Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712. | 2.5 | 27 |
| 481 | A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462. | 2.9 | 81 |
| 482 | Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658. | 21.4 | 519 |
| 483 | Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427. | 5.1 | 60 |
| 484 | The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437. | 5.1 | 43 |
| 485 | Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663. | 5.1 | 37 |
| 486 | Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002. | 5.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 487 | Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 131, E544-54. | 5.1 | 73 |
| 488 | Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2012, 131, E1134-47. | 5.1 | 25 |
| 489 | Fruit and vegetable intake and the risk of gastric adenocarcinoma: A reanalysis of the european prospective investigation into cancer and nutrition (EPIC- <i>EUR</i> CAST) study after a longer follow-up. International Journal of Cancer, 2012, 131, 2910-2919. | 5.1 | 114 |
| 490 | Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14. | 5.1 | 104 |
| 491 | Association Between Genetic Variants on Chromosome 15q25 Locus and Objective Measures of Tobacco Exposure. Journal of the National Cancer Institute, 2012, 104, 740-748. | 6.3 | 198 |
| 492 | Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2012, 175, 653-663. | 3.4 | 77 |
| 493 | Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. Cancer Causes and Control, 2012, 23, 1163-1171. | 1.8 | 24 |
| 494 | Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. Preventive Medicine, 2012, 54, 183-192. | 3.4 | 26 |
| 495 | Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. International Journal of Cancer, 2012, 130, 622-630. | 5.1 | 40 |
| 496 | Parity and mortality from causes other than breast cancer in breast cancer patients. Breast Cancer Research and Treatment, 2012, 131, 1077-1081. | 2.5 | 1 |
| 497 | Validity of a short questionnaire to assess physical activity in 10 European countries. European Journal of Epidemiology, 2012, 27, 15-25. | 5.7 | 185 |
| 498 | Abstract LB-328: Plasma antibodies to oral pathogen and commensals and risk of pancreatic cancer in a large European prospective cohort study. , 2012, , . | | 1 |
| 499 | Sources of Pre-Analytical Variations in Yield of DNA Extracted from Blood Samples: Analysis of 50,000 DNA Samples in EPIC. PLoS ONE, 2012, 7, e39821. | 2.5 | 31 |
| 500 | Abstract 3585: Second primary tumors after breast cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. , 2012, , . | | 0 |
| 501 | Abstract 4045: Intragenic ATM methylation in peripheral blood DNA as a biomarker of breast cancer risk. , 2012, , . | | 0 |
| 502 | A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Human Biology, 2011, 38, 194-202. | 1.0 | 72 |
| 503 | Interactions Between Genetic Variants and Breast Cancer Risk Factors in the Breast and Prostate Cancer Cohort Consortium. Journal of the National Cancer Institute, 2011, 103, 1252-1263. | 6.3 | 147 |
| 504 | Meta-Analyses of Vitamin D Intake, 25-Hydroxyvitamin D Status, Vitamin D Receptor Polymorphisms, and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1003-1016. | 2.5 | 177 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 505 | Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, 137-144. | 4.4 | 61 |
| 506 | N-Acetyltransferase 2 Polymorphisms, Tobacco Smoking, and Breast Cancer Risk in the Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2011, 174, 1316-1322. | 3.4 | 31 |
| 507 | Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC“EURGAST). <i>Cancer Letters</i> , 2011, 311, 85-95. | 7.2 | 62 |
| 508 | Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011, 106, 1915-1925. | 2.3 | 89 |
| 509 | A Genome-Wide Association Study of Upper Aerodigestive Tract Cancers Conducted within the INHANCE Consortium. <i>PLoS Genetics</i> , 2011, 7, e1001333. | 3.5 | 158 |
| 510 | Genetic Variability of the mTOR Pathway and Prostate Cancer Risk in the European Prospective Investigation on Cancer (EPIC). <i>PLoS ONE</i> , 2011, 6, e16914. | 2.5 | 12 |
| 511 | Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011, 43, 60-65. | 21.4 | 220 |
| 512 | Variation in genes coding for AMP-activated protein kinase (AMPK) and breast cancer risk in the European Prospective Investigation on Cancer (EPIC). <i>Breast Cancer Research and Treatment</i> , 2011, 127, 761-767. | 2.5 | 13 |
| 513 | Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 487-494. | 1.8 | 34 |
| 514 | Consumption of meat and fish and risk of lung cancer: results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 909-918. | 1.8 | 26 |
| 515 | Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 1075-1084. | 1.8 | 51 |
| 516 | Menopausal hormone therapy and breast cancer risk: Impact of different treatments. <i>The European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer</i> , 2011, 128, 144-156. | 5.1 | 125 |
| 517 | Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889. | 5.1 | 28 |
| 518 | Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2011, 128, 2695-2708. | 5.1 | 58 |
| 519 | Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 2971-2979. | 5.1 | 26 |
| 520 | Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459. | 5.1 | 51 |
| 521 | Tumor necrosis factor (TNF)â€±, soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037. | 5.1 | 61 |
| 522 | Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011, 43, 785-791. | 21.4 | 265 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 523 | Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2250-2261. | 2.5 | 59 |
| 524 | Infection with Hepatitis B and C Viruses and Risk of Lymphoid Malignancies in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 208-214. | 2.5 | 64 |
| 525 | Endogenous Sex Steroids and Risk of Cervical Carcinoma: Results from the EPIC Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2532-2540. | 2.5 | 36 |
| 526 | Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011, 60, 1094-1102. | 12.1 | 187 |
| 527 | Genome-wide association study identifies new prostate cancer susceptibility loci. <i>Human Molecular Genetics</i> , 2011, 20, 3867-3875. | 2.9 | 160 |
| 528 | Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 826-835. | 4.7 | 112 |
| 529 | Fine mapping of a region of chromosome 11q13 reveals multiple independent loci associated with risk of prostate cancer. <i>Human Molecular Genetics</i> , 2011, 20, 2869-2878. | 2.9 | 43 |
| 530 | Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 869-875. | 2.5 | 30 |
| 531 | Postmenopausal Serum Sex Steroids and Risk of Hormone Receptor-Positive and -Negative Breast Cancer: a Nested Case-Control Study. <i>Cancer Prevention Research</i> , 2011, 4, 1626-1635. | 1.5 | 108 |
| 532 | Large-scale fine mapping of the HNF1B locus and prostate cancer risk. <i>Human Molecular Genetics</i> , 2011, 20, 3322-3329. | 2.9 | 28 |
| 533 | Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313. | 4.7 | 41 |
| 534 | Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 767-778. | 2.5 | 26 |
| 535 | Concentrations of IGF-I and IGFBP-3 and Brain Tumor Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 2174-2182. | 2.5 | 30 |
| 536 | Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275. | 4.7 | 90 |
| 537 | The Contribution of Risk Factors to the Higher Incidence of Invasive and In Situ Breast Cancers in Women With Higher Levels of Education in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2011, 173, 26-37. | 3.4 | 43 |
| 538 | Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318. | 3.4 | 5 |
| 539 | Single-nucleotide polymorphisms (5p15.33, 15q25.1, 6p22.1, 6q27 and 7p15.3) and lung cancer survival in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Mutagenesis</i> , 2011, 26, 657-666. | 2.6 | 20 |
| 540 | Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Prevention Research</i> , 2011, 4, 1873-1883. | 1.5 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 541 | Fruit and vegetable intake and mortality from ischaemic heart disease: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Heart study. <i>European Heart Journal</i> , 2011, 32, 1235-1243. | 2.2 | 225 |
| 542 | Occupation and risk of lymphoma: a multicentre prospective cohort study (EPIC). <i>Occupational and Environmental Medicine</i> , 2011, 68, 77-81. | 2.8 | 24 |
| 543 | Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011, 106, 1090-1099. | 2.3 | 108 |
| 544 | Hepatocellular Carcinoma Risk Factors and Disease Burden in a European Cohort: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1686-1695. | 6.3 | 197 |
| 545 | Examining the Joint Effect of Multiple Risk Factors Using Exposure Risk Profiles: Lung Cancer in Nonsmokers. <i>Environmental Health Perspectives</i> , 2011, 119, 84-91. | 6.0 | 45 |
| 546 | Anthropometric Measures, Physical Activity, and Risk of Glioma and Meningioma in a Large Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2011, 4, 1385-1392. | 1.5 | 54 |
| 547 | Ecological-Level Associations Between Highly Processed Food Intakes and Plasma Phospholipid Elaidic Acid Concentrations: Results From a Cross-Sectional Study Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). <i>Nutrition and Cancer</i> , 2011, 63, 1235-1250. | 2.0 | 34 |
| 548 | Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 555-559. | 2.5 | 45 |
| 549 | Characterizing Associations and SNP-Environment Interactions for GWAS-Identified Prostate Cancer Risk Markers—Results from BPC3. <i>PLoS ONE</i> , 2011, 6, e17142. | 2.5 | 57 |
| 550 | Food Composition of the Diet in Relation to Changes in Waist Circumference Adjusted for Body Mass Index. <i>PLoS ONE</i> , 2011, 6, e23384. | 2.5 | 84 |
| 551 | Abstract 3748: Polymorphisms in the alcohol dehydrogenase (ADH1) gene cluster, alcohol consumption, and interactions in relation to gastric cancer risk in the EPIC cohort. , 2011, , . | | 0 |
| 552 | Abstract LB-448: Genome-wide association study identifies new prostate cancer susceptibility loci. , 2011, , . | | 0 |
| 553 | Abstract 3746: Prostate stem cell antigen is associated with gastric cancer in Caucasians: Results from the EPIC-EURGAST study. , 2011, , . | | 1 |
| 554 | Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2404-2415. | 5.1 | 68 |
| 555 | Level of education and the risk of lymphoma in the European prospective investigation into cancer and nutrition. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 71-77. | 2.5 | 6 |
| 556 | Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669. | 1.8 | 57 |
| 557 | Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010, 126, 2394-2403. | 5.1 | 118 |
| 558 | Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. <i>International Journal of Cancer</i> , 2010, 126, 1928-1935. | 5.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 559 | Serum levels of IGFâ€I, IGFBPâ€3 and colorectal cancer risk: results from the EPIC cohort, plus a metaâ€analysis of prospective studies. International Journal of Cancer, 2010, 126, 1702-1715. | 5.1 | 190 |
| 560 | Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 127, 442-451. | 5.1 | 223 |
| 561 | Cigar and pipe smoking and cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2010, 127, 2402-2411. | 5.1 | 48 |
| 562 | A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. Nature Genetics, 2010, 42, 224-228. | 21.4 | 539 |
| 563 | A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. Nature Genetics, 2010, 42, 978-984. | 21.4 | 493 |
| 564 | Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1328-1340. | 2.5 | 72 |
| 565 | Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2549-2561. | 2.5 | 59 |
| 566 | Menstrual and Reproductive Factors, Exogenous Hormone Use, and Gastric Cancer Risk in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1384-1393. | 3.4 | 38 |
| 567 | Reply to CK Chow. American Journal of Clinical Nutrition, 2010, 91, 239. | 4.7 | 0 |
| 568 | Reproductive Factors and Exogenous Hormone Use in Relation to Risk of Glioma and Meningioma in a Large European Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2562-2569. | 2.5 | 113 |
| 569 | Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2278-2286. | 2.5 | 73 |
| 570 | Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. Carcinogenesis, 2010, 31, 466-472. | 2.8 | 77 |
| 571 | Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 92, 1145-1150. | 4.7 | 44 |
| 572 | Eighteen Insulin-like Growth Factor Pathway Genes, Circulating Levels of IGF-I and Its Binding Protein, and Risk of Prostate and Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2877-2887. | 2.5 | 59 |
| 573 | Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. American Journal of Clinical Nutrition, 2010, 91, 381-390. | 4.7 | 198 |
| 574 | Pooled Analysis of Phosphatidylinositol 3-Kinase Pathway Variants and Risk of Prostate Cancer. Cancer Research, 2010, 70, 2389-2396. | 0.9 | 43 |
| 575 | Refining the Prostate Cancer Genetic Association within the <i>JAZF1</i> Gene on Chromosome 7p15.2. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1349-1355. | 2.5 | 26 |
| 576 | Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 1394-1403. | 3.4 | 117 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 577 | Comprehensive analysis of common genetic variation in 61 genes related to steroid hormone and insulin-like growth factor-I metabolism and breast cancer risk in the NCI breast and prostate cancer cohort consortium. Human Molecular Genetics, 2010, 19, 3873-3884. | 2.9 | 45 |
| 578 | Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2010, 91, 1769-1776. | 4.7 | 24 |
| 579 | Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. American Journal of Clinical Nutrition, 2010, 92, 398-407. | 4.7 | 189 |
| 580 | PTGS2 and IL6 genetic variation and risk of breast and prostate cancer: results from the Breast and Prostate Cancer Cohort Consortium (BPC3). Carcinogenesis, 2010, 31, 455-461. | 2.8 | 68 |
| 581 | Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 407-418. | 3.4 | 107 |
| 582 | A comprehensive analysis of common IGF1, IGFBP1 and IGFBP3 genetic variation with prospective IGF-I and IGFBP-3 blood levels and prostate cancer risk among Caucasians. Human Molecular Genetics, 2010, 19, 3089-3101. | 2.9 | 47 |
| 583 | Region-Specific Nutrient Intake Patterns Exhibit a Geographical Gradient within and between European Countries. Journal of Nutrition, 2010, 140, 1280-1286. | 2.9 | 108 |
| 584 | Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 28-38. | 2.5 | 39 |
| 585 | Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. Endocrine-Related Cancer, 2010, 17, 1007-1019. | 3.1 | 143 |
| 586 | Serum B Vitamin Levels and Risk of Lung Cancer. JAMA - Journal of the American Medical Association, 2010, 303, 2377. | 7.4 | 147 |
| 587 | Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. American Journal of Clinical Nutrition, 2010, 92, 912-921. | 4.7 | 194 |
| 588 | A Large Study of Androgen Receptor Germline Variants and Their Relation to Sex Hormone Levels and Prostate Cancer Risk. Results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. Journal of Clinical Endocrinology and Metabolism, 2010, 95, E121-E127. | 3.6 | 48 |
| 589 | Physical activity and lung cancer among non-smokers: a pilot molecular epidemiological study within EPIC. Biomarkers, 2010, 15, 20-30. | 1.9 | 25 |
| 590 | Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537. | 6.3 | 357 |
| 591 | Dietary Determinants of Changes in Waist Circumference Adjusted for Body Mass Index - a Proxy Measure of Visceral Adiposity. PLoS ONE, 2010, 5, e11588. | 2.5 | 90 |
| 592 | Reply to W Liang and CW Binns. American Journal of Clinical Nutrition, 2009, 90, 1112-1114. | 4.7 | 1 |
| 593 | Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 1441-1452. | 4.7 | 251 |
| 594 | Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2485-2491. | 2.5 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 595 | The Role of Smoking and Diet in Explaining Educational Inequalities in Lung Cancer Incidence. Journal of the National Cancer Institute, 2009, 101, 321-330. | 6.3 | 83 |
| 596 | Plasma phospholipid fatty acid profiles and their association with food intakes: results from a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition. American Journal of Clinical Nutrition, 2009, 89, 331-346. | 4.7 | 188 |
| 597 | Insulin-like Growth Factor-II Methylation Status in Lymphocyte DNA and Colon Cancer Risk in the Northern Sweden Health and Disease Cohort. Cancer Research, 2009, 69, 5400-5405. | 0.9 | 30 |
| 598 | Serum Vitamin D and Risk of Prostate Cancer in a Case-Control Analysis Nested Within the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2009, 169, 1223-1232. | 3.4 | 87 |
| 599 | Serum Retinol and Prostate Cancer Risk: a Nested Case-Control Study in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1227-1231. | 2.5 | 33 |
| 600 | Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. Journal of Nutrition, 2009, 139, 1728-1737. | 2.9 | 144 |
| 601 | Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. American Journal of Epidemiology, 2009, 170, 403-413. | 3.4 | 298 |
| 602 | Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2009, 90, 602-612. | 4.7 | 98 |
| 603 | CYP19A1 Genetic Variation in Relation to Prostate Cancer Risk and Circulating Sex Hormone Concentrations in Men from the Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2734-2744. | 2.5 | 33 |
| 604 | Double-strand break DNA repair genotype predictive of later mortality and cancer incidence in a cohort of non-smokers. DNA Repair, 2009, 8, 60-71. | 2.8 | 4 |
| 605 | Smoking and risk for amyotrophic lateral sclerosis: Analysis of the EPIC cohort. Annals of Neurology, 2009, 65, 378-385. | 5.3 | 111 |
| 606 | A prospective analysis of the association between dietary fiber intake and prostate cancer risk in EPIC. International Journal of Cancer, 2009, 124, 245-249. | 5.1 | 33 |
| 607 | Dietary intakes of ω -6 and ω -3 polyunsaturated fatty acids and the risk of breast cancer. International Journal of Cancer, 2009, 124, 924-931. | 5.1 | 141 |
| 608 | Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 124, 1926-1934. | 5.1 | 69 |
| 609 | Physical activity and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2009, 125, 902-908. | 5.1 | 76 |
| 610 | Lifetime and baseline alcohol intake and risk of cancer of the upper aerodigestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Cancer, 2009, 125, 406-412. | 5.1 | 46 |
| 611 | A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 982-987. | 5.1 | 32 |
| 612 | Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 2643-2651. | 5.1 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 613 | Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574. | 2.5 | 20 |
| 614 | Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794. | 1.8 | 48 |
| 615 | Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 803-809. | 1.8 | 19 |
| 616 | Lifestyle factors and serum androgens among 636 middle aged men from seven countries in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 811-821. | 1.8 | 35 |
| 617 | Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. <i>Nature Genetics</i> , 2009, 41, 986-990. | 21.4 | 597 |
| 618 | Identification of a new prostate cancer susceptibility locus on chromosome 8q24. <i>Nature Genetics</i> , 2009, 41, 1055-1057. | 21.4 | 218 |
| 619 | Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373. | 3.4 | 22 |
| 620 | The emergence of networks in human genome epidemiology: challenges and opportunities. , 2009, , 120-134. | | 0 |
| 621 | A Bayesian multilevel model for estimating the diet/disease relationship in a multicenter study with exposures measured with error: The EPIC study. <i>Statistics in Medicine</i> , 2008, 27, 6037-6054. | 1.6 | 11 |
| 622 | A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008, 452, 633-637. | 27.8 | 1,169 |
| 623 | Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008, 40, 1404-1406. | 21.4 | 514 |
| 624 | DNA repair polymorphisms and the risk of stomach adenocarcinoma and severe chronic gastritis in the EPIC-EURGAST study. <i>International Journal of Epidemiology</i> , 2008, 37, 1316-1325. | 1.9 | 68 |
| 625 | The evaluation of the diet/disease relation in the EPIC study: considerations for the calibration and the disease models. <i>International Journal of Epidemiology</i> , 2008, 37, 368-378. | 1.9 | 109 |
| 626 | Diet in the Aetiology of Ulcerative Colitis: A European Prospective Cohort Study. <i>Digestion</i> , 2008, 77, 57-64. | 2.3 | 127 |
| 627 | Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366. | 2.8 | 39 |
| 628 | Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497. | 3.1 | 228 |
| 629 | Smoking and Lymphoma Risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 1081-1089. | 3.4 | 36 |
| 630 | IGF-1, IGFBP-1, and IGFBP-3 Polymorphisms Predict Circulating IGF Levels but Not Breast Cancer Risk: Findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>PLoS ONE</i> , 2008, 3, e2578. | 2.5 | 106 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 631 | Blood Pressure and Risk of Renal Cell Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2008, 167, 438-446. | 3.4 | 170 |
| 632 | Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 2008, 93, 1666-1677. | 3.5 | 78 |
| 633 | Fatty acid composition of plasma phospholipids and risk of prostate cancer in a case-control analysis nested within the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1353-1363. | 4.7 | 132 |
| 634 | Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575. | 4.7 | 77 |
| 635 | Bulky DNA adducts, 4-aminobiphenyl-haemoglobin adducts and diet in the European Prospective Investigation into Cancer and Nutrition (EPIC) prospective study. <i>British Journal of Nutrition</i> , 2008, 100, 489-495. | 2.3 | 23 |
| 636 | Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008, 93, 842-850. | 3.5 | 41 |
| 637 | Insulin-like Growth Factors, Their Binding Proteins, and Prostate Cancer Risk: Analysis of Individual Patient Data from 12 Prospective Studies. <i>Annals of Internal Medicine</i> , 2008, 149, 461. | 3.9 | 263 |
| 638 | Dietary fat intake and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1405-1413. | 4.7 | 104 |
| 639 | Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. <i>Journal of Nutrition</i> , 2008, 138, 775-781. | 2.9 | 194 |
| 640 | Lung Cancer Occurrence in Never-Smokers: An Analysis of 13 Cohorts and 22 Cancer Registry Studies. <i>PLoS Medicine</i> , 2008, 5, e185. | 8.4 | 371 |
| 641 | Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12. | 4.7 | 139 |
| 642 | Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 755-767. | 3.1 | 104 |
| 643 | Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127. | 2.5 | 88 |
| 644 | Serum IGF-I, its major binding protein (IGFBP-3) and epithelial ovarian cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2007, 14, 81-90. | 3.1 | 56 |
| 645 | Pathology findings and validation of gastric and esophageal cancer cases in a European cohort (EPIC/EUR-GAST). <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 618-627. | 1.5 | 45 |
| 646 | A Common 8q24 Variant in Prostate and Breast Cancer from a Large Nested Case-Control Study. <i>Cancer Research</i> , 2007, 67, 2951-2956. | 0.9 | 136 |
| 647 | Genetic Variation at the <i>CYP19A1</i> Locus Predicts Circulating Estrogen Levels but not Breast Cancer Risk in Postmenopausal Women. <i>Cancer Research</i> , 2007, 67, 1893-1897. | 0.9 | 140 |
| 648 | Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) <i>Tj ETQq0 0 0 rgBT /O</i> Overlock 10, Tf 50 62 | 2.2 | 121 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 649 | Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76. | 1.9 | 81 |
| 650 | Variations in Plasma Phytoestrogen Concentrations in European Adults. <i>Journal of Nutrition</i> , 2007, 137, 1294-1300. | 2.9 | 78 |
| 651 | A dietary pattern rich in olive oil and raw vegetables is associated with lower mortality in Italian elderly subjects. <i>British Journal of Nutrition</i> , 2007, 98, 406-415. | 2.3 | 59 |
| 652 | Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 255-263. | 3.6 | 191 |
| 653 | Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923. | 3.4 | 53 |
| 654 | Plasma carotenoids, retinol, and tocopherols and the risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 672-681. | 4.7 | 114 |
| 655 | Alcohol intake and colorectal cancer risk: A dose-response meta-analysis of published cohort studies. <i>International Journal of Cancer</i> , 2007, 120, 664-671. | 5.1 | 173 |
| 656 | CagA+ <i>Helicobacter pylori</i> infection and gastric cancer risk in the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 120, 859-867. | 5.1 | 114 |
| 657 | Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664. | 5.1 | 96 |
| 658 | Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355. | 5.1 | 89 |
| 659 | Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376. | 5.1 | 166 |
| 660 | Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 1103-1114. | 5.1 | 115 |
| 661 | Serum androgens and prostate cancer among 643 cases and 643 controls in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 1331-1338. | 5.1 | 80 |
| 662 | Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623. | 5.1 | 49 |
| 663 | Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072. | 5.1 | 229 |
| 664 | Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. <i>International Journal of Cancer</i> , 2007, 121, 2741-2747. | 5.1 | 46 |
| 665 | Genome-wide association scan identifies a colorectal cancer susceptibility locus on chromosome 8q24. <i>Nature Genetics</i> , 2007, 39, 989-994. | 21.4 | 676 |
| 666 | EPIC-Heart: The cardiovascular component of a prospective study of nutritional, lifestyle and biological factors in 520,000 middle-aged participants from 10 European countries. <i>European Journal of Epidemiology</i> , 2007, 22, 129-141. | 5.7 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 667 | Alcohol intake and breast cancer risk: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 361-373. | 1.8 | 104 |
| 668 | Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413. | 1.8 | 148 |
| 669 | Fruit and vegetable consumption and lymphoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Causes and Control</i> , 2007, 18, 537-549. | 1.8 | 29 |
| 670 | A comprehensive analysis of the androgen receptor gene and risk of breast cancer: results from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Breast Cancer Research</i> , 2006, 8, R54. | 5.0 | 32 |
| 671 | A Potential Inverse Association Between Insulin-Like Growth Factor I and Hypertension in a Cross-Sectional Study. <i>Annals of Epidemiology</i> , 2006, 16, 563-571. | 1.9 | 41 |
| 672 | Associations between dietary pattern and lifestyle, anthropometry and other health indicators in the elderly participants of the EPIC-Italy cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 186-201. | 2.6 | 62 |
| 673 | Dietary fish intake and plasma phospholipid ω -3 polyunsaturated fatty acid concentrations in men and women in the European Prospective Investigation into Cancerâ€“Norfolk United Kingdom cohort. <i>American Journal of Clinical Nutrition</i> , 2006, 84, 1330-1339. | 4.7 | 78 |
| 674 | Dietary intake of different types and characteristics of processed meat which might be associated with cancer risk â€“ results from the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Public Health Nutrition</i> , 2006, 9, 449-464. | 2.2 | 56 |
| 675 | A road map for efficient and reliable human genome epidemiology. <i>Nature Genetics</i> , 2006, 38, 3-5. | 21.4 | 244 |
| 676 | Intake of fruits and vegetables and risk of cancer of the upper aero-digestive tract: the prospective EPIC-study. <i>Cancer Causes and Control</i> , 2006, 17, 957-969. | 1.8 | 118 |
| 677 | The effect of occasional smoking on smoking-related cancers. <i>Cancer Causes and Control</i> , 2006, 17, 1305-1309. | 1.8 | 30 |
| 678 | Body size and risk of renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 728-738. | 5.1 | 173 |
| 679 | Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPICâ€“EURGAST). <i>International Journal of Cancer</i> , 2006, 118, 2559-2566. | 5.1 | 292 |
| 680 | Anthropometric measures, endogenous sex steroids and breast cancer risk in postmenopausal women: A study within the EPIC cohort. <i>International Journal of Cancer</i> , 2006, 118, 2832-2839. | 5.1 | 132 |
| 681 | Fruits and vegetables and renal cell carcinoma: Findings from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 118, 3133-3139. | 5.1 | 73 |
| 682 | Air pollution and risk of lung cancer in a prospective study in Europe. <i>International Journal of Cancer</i> , 2006, 119, 169-174. | 5.1 | 158 |
| 683 | Fish consumption and breast cancer risk. The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 175-182. | 5.1 | 93 |
| 684 | Serum C-peptide levels and breast cancer risk: Results from the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2006, 119, 659-667. | 5.1 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 685 | Breast cancer risk in relation to abortion: Results from the EPIC study. International Journal of Cancer, 2006, 119, 1741-1745. | 5.1 | 43 |
| 686 | Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. International Journal of Cancer, 2006, 119, 2389-2397. | 5.1 | 62 |
| 687 | Tobacco smoke and bladder cancer-in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2006, 119, 2412-2416. | 5.1 | 65 |
| 688 | Haplotype Analysis of the HSD17B1 Gene and Risk of Breast Cancer: A Comprehensive Approach to Multicenter Analyses of Prospective Cohort Studies. Cancer Research, 2006, 66, 2468-2475. | 0.9 | 64 |
| 689 | Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 920-931. | 6.3 | 485 |
| 690 | TP53 and KRAS2 Mutations in Plasma DNA of Healthy Subjects and Subsequent Cancer Occurrence: A Prospective Study. Cancer Research, 2006, 66, 6871-6876. | 0.9 | 158 |
| 691 | Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Epidemiology, 2006, 164, 1103-1114. | 3.4 | 28 |
| 692 | Erythrocyte Membrane Phospholipid Composition as a Biomarker of Dietary Fat. Annals of Nutrition and Metabolism, 2006, 50, 95-102. | 1.9 | 63 |
| 693 | Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 345-354. | 6.3 | 301 |
| 694 | Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). Carcinogenesis, 2006, 27, 2250-2257. | 2.8 | 123 |
| 695 | Diet and Cancer Prevention: Where We Are, Where We Are Going. Nutrition and Cancer, 2006, 56, 225-231. | 2.0 | 92 |
| 696 | Endogenous versus exogenous exposure to N-nitroso compounds and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST) study. Carcinogenesis, 2006, 27, 1497-1501. | 2.8 | 162 |
| 697 | Dietary patterns among older Europeans: the EPIC-Elderly study. British Journal of Nutrition, 2005, 94, 100-113. | 2.3 | 136 |
| 698 | Breast cancer risk in relation to different types of hormone replacement therapy in the E3N-EPIC cohort. International Journal of Cancer, 2005, 114, 448-454. | 5.1 | 338 |
| 699 | Epidemiologic studies of nutrition and cancer: Let us not throw out the baby with the bath water. International Journal of Cancer, 2005, 116, 662-664. | 5.1 | 20 |
| 700 | Breast cancer in HRT use. International Journal of Cancer, 2005, 116, 999-999. | 5.1 | 1 |
| 701 | Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. International Journal of Cancer, 2005, 117, 137-144. | 5.1 | 136 |
| 702 | C-peptide, IGF-I, sex-steroid hormones and adiposity: a cross-sectional study in healthy women within the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2005, 16, 561-572. | 1.8 | 90 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 703 | Genetic Variation in the HSD17B1 Gene and Risk of Prostate Cancer. PLoS Genetics, 2005, 1, e68. | 3.5 | 66 |
| 704 | Variations in Lycopene Blood Levels and Tomato Consumption across European Countries Based on the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2005, 135, 2032S-2036S. | 2.9 | 32 |
| 705 | Genetic variation in the HSD17B1 gene and risk of prostate cancer. PLoS Genetics, 2005, preprint, e68. | 3.5 | 6 |
| 706 | Serum Sex Steroids in Premenopausal Women and Breast Cancer Risk Within the European Prospective Investigation into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2005, 97, 755-765. | 6.3 | 391 |
| 707 | A Network of Investigator Networks in Human Genome Epidemiology. American Journal of Epidemiology, 2005, 162, 302-304. | 3.4 | 104 |
| 708 | RESPONSE: Re: Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 1788-1789. | 6.3 | 37 |
| 709 | Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916. | 6.3 | 716 |
| 710 | Consumption of Vegetables and Fruits and Risk of Breast Cancer. JAMA - Journal of the American Medical Association, 2005, 293, 183. | 7.4 | 227 |
| 711 | An Approach to Estimate Between- and Within-Group Correlation Coefficients in Multicenter Studies: Plasma Carotenoids as Biomarkers of Intake of Fruits and Vegetables. American Journal of Epidemiology, 2005, 162, 591-598. | 3.4 | 17 |
| 712 | DNA Adducts and Lung Cancer Risk: A Prospective Study. Cancer Research, 2005, 65, 8042-8048. | 0.9 | 109 |
| 713 | Cancers, environnements et modes de vie. Oleagineux Corps Gras Lipides, 2004, 11, 157-166. | 0.2 | 0 |
| 714 | Nutrition and Physical Activity and Chronic Disease Prevention: Research Strategies and Recommendations. Journal of the National Cancer Institute, 2004, 96, 1276-1287. | 6.3 | 86 |
| 715 | Within- and Between-Cohort Variation in Measured Macronutrient Intakes, Taking Account of Measurement Errors, in the European Prospective Investigation into Cancer and Nutrition Study. American Journal of Epidemiology, 2004, 160, 814-822. | 3.4 | 71 |
| 716 | Sexual behaviour, history of sexually transmitted diseases, and the risk of prostate cancer: a case-control study in Cuba. International Journal of Epidemiology, 2004, 34, 193-197. | 1.9 | 44 |
| 717 | Dietary Determinants of Epithelial Ovarian Cancer: A Review of the Epidemiologic Literature. Nutrition and Cancer, 2004, 50, 120-140. | 2.0 | 39 |
| 718 | Diet and cancer – the European Prospective Investigation into Cancer and Nutrition. Nature Reviews Cancer, 2004, 4, 206-215. | 28.4 | 336 |
| 719 | Circulating levels of sex steroid hormones and risk of endometrial cancer in postmenopausal women. International Journal of Cancer, 2004, 108, 425-432. | 5.1 | 209 |
| 720 | Prediagnostic levels of C-peptide, IGF-I, IGFBP -1, -2 and -3 and risk of endometrial cancer. International Journal of Cancer, 2004, 108, 262-268. | 5.1 | 165 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 721 | Fruits and vegetables and lung cancer: Findings from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2004, 108, 269-276. | 5.1 | 124 |
| 722 | Fruits and vegetables and prostate cancer: No association among 1,104 cases in a prospective study of 130,544 men in the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2004, 109, 119-124. | 5.1 | 100 |
| 723 | Anthropometry, breast cancer and menopausal status: Use of repeated measurements over 10 years of follow-up?results of the French E3N women's cohort study. International Journal of Cancer, 2004, 111, 264-269. | 5.1 | 36 |
| 724 | Biomarkers of dietary fatty acid intake and the risk of breast cancer: A meta-analysis. International Journal of Cancer, 2004, 111, 584-591. | 5.1 | 140 |
| 725 | Body size and breast cancer risk: Findings from the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2004, 111, 762-771. | 5.1 | 484 |
| 726 | Amount of DNA in plasma and cancer risk: A prospective study. International Journal of Cancer, 2004, 111, 746-749. | 5.1 | 95 |
| 727 | Plasma levels of six carotenoids in nine European countries: report from the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2004, 7, 713-722. | 2.2 | 101 |
| 728 | Risk of ovarian cancer in relation to prediagnostic levels of C-peptide, insulin-like growth factor binding proteins-1 and -2 (USA, Sweden, Italy). Cancer Causes and Control, 2003, 14, 285-292. | 1.8 | 26 |
| 729 | Circulating levels of sex steroid hormones and risk of ovarian cancer. International Journal of Cancer, 2003, 104, 636-642. | 5.1 | 75 |
| 730 | Circulating levels of insulin-like growth factor I, its binding proteins 1, 2, 3, C-peptide and risk of postmenopausal breast cancer. International Journal of Cancer, 2003, 106, 90-95. | 5.1 | 108 |
| 731 | Plasma insulin, IGF-binding proteins 1 and 2 and risk of colorectal cancer: A prospective study in Northern Sweden. International Journal of Cancer, 2003, 107, 89-93. | 5.1 | 83 |
| 732 | Smoking and the risk of gastric cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). International Journal of Cancer, 2003, 107, 629-634. | 5.1 | 209 |
| 733 | Dietary fibre in food and protection against colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC): an observational study. Lancet, The, 2003, 361, 1496-1501. | 13.7 | 988 |
| 734 | Biomarkers of dietary intake of micronutrients modulate DNA adduct levels in healthy adults. Carcinogenesis, 2003, 24, 739-746. | 2.8 | 60 |
| 735 | Epidemiologic evidence of the protective effect of fruit and vegetables on cancer risk. American Journal of Clinical Nutrition, 2003, 78, 559S-569S. | 4.7 | 942 |
| 736 | Epidemiology Studies on Diet and Cancer. Tumori, 2003, 89, 581-585. | 1.1 | 9 |
| 737 | Relationship between Plasma Fatty Acid Composition and Diet over Previous Years in the Italian Centers of the European Prospective Investigation into Cancer and Nutrition (EPIC). Tumori, 2003, 89, 624-635. | 1.1 | 25 |
| 738 | Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population. Carcinogenesis, 2002, 23, 1483-1489. | 2.8 | 96 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 739 | Bias in dietary-report instruments and its implications for nutritional epidemiology. Public Health Nutrition, 2002, 5, 915-923. | 2.2 | 330 |
| 740 | Validation and calibration of food-frequency questionnaire measurements in the Northern Sweden Health and Disease cohort. Public Health Nutrition, 2002, 5, 487-496. | 2.2 | 259 |
| 741 | Uses and limitations of statistical accounting for random error correlations, in the validation of dietary questionnaire assessments. Public Health Nutrition, 2002, 5, 969-976. | 2.2 | 139 |
| 742 | Meat consumption and colorectal cancer risk: Dose-response meta-analysis of epidemiological studies. International Journal of Cancer, 2002, 98, 241-256. | 5.1 | 418 |
| 743 | Body mass index in relation to ovarian cancer: A multi-centre nested case-control study. International Journal of Cancer, 2002, 99, 603-608. | 5.1 | 65 |
| 744 | Circulating levels of insulin-like growth factor-I and risk of ovarian cancer. International Journal of Cancer, 2002, 101, 549-554. | 5.1 | 129 |
| 745 | Prospective study of IGF-I, IGF-binding proteins, and breast cancer risk, in northern and southern Sweden. Cancer Causes and Control, 2002, 13, 307-316. | 1.8 | 185 |
| 746 | Nonlinear relationship of insulin-like growth factor (IGF)-I and IGF-I/IGF-binding protein-3 ratio with indices of adiposity and plasma insulin concentrations (Sweden). Cancer Causes and Control, 2002, 13, 509-516. | 1.8 | 70 |
| 747 | Nutrition and cancer: a complex relationship. IARC (International Agency for Research on Cancer) Scientific Publications, 2002, 156, 3-4. | 0.4 | 2 |
| 748 | Prostate cancer screening. Lancet, The, 2001, 357, 1202-1203. | 13.7 | 4 |
| 749 | NUTRITION Lipides alimentaires et risque de cancer chez l'homme : revue des études épidémiologiques biochimiques. Oleagineux Corps Gras Lipides, 2001, 8, 111-116. | 0.2 | 2 |
| 750 | The European Prospective Investigation into Cancer and Nutrition (EPIC): Plans and Progress. Journal of Nutrition, 2001, 131, 170S-175S. | 2.9 | 54 |
| 751 | Plasma Carotenoids in Relation to Food Consumption in Granada (Southern Spain) and Malmö (Southern Sweden). International Journal for Vitamin and Nutrition Research, 2001, 71, 97-102. | 1.5 | 12 |
| 752 | Comparison of Fatty Acid Profile in Plasma Phospholipids in Women from Granada (southern Spain) and Malmö (southern Sweden). International Journal for Vitamin and Nutrition Research, 2001, 71, 237-242. | 1.5 | 13 |
| 753 | Serum carotenoids as biomarkers of fruit and vegetable consumption in the New York Women's Health Study. Public Health Nutrition, 2001, 4, 829-835. | 2.2 | 82 |
| 754 | Cancer prevention and diet: opportunities in Europe. Public Health Nutrition, 2001, 4, 475-484. | 2.2 | 31 |
| 755 | Plasma prolactin and prostate cancer risk: A prospective study. International Journal of Cancer, 2001, 92, 463-465. | 5.1 | 58 |
| 756 | A prospective study of insulin-like growth factor-I, IGF-binding proteins-1, -2 and -3 and lung cancer risk in women. International Journal of Cancer, 2001, 92, 888-892. | 5.1 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 757 | Carotenoids, alpha-tocopherols, and retinol in plasma and breast cancer risk in northern Sweden. <i>Cancer Causes and Control</i> , 2001, 12, 529-537. | 1.8 | 62 |
| 758 | Determinants of circulating insulin-like growth factor (IGF)-I and IGF binding proteins 1-3 in premenopausal women: physical activity and anthropometry (Netherlands). <i>Cancer Causes and Control</i> , 2001, 12, 951-958. | 1.8 | 50 |
| 759 | Erythrocyte Membrane Fatty Acids and Subsequent Breast Cancer: a Prospective Italian Study. <i>Journal of the National Cancer Institute</i> , 2001, 93, 1088-1095. | 6.3 | 180 |
| 760 | Ratios of IGF-I, IGF Binding Protein-3, and Prostate-Specific Antigen in Prostate Cancer Detection. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 5745-5748. | 3.6 | 8 |
| 761 | Meat Consumption and Colorectal Cancer: A Review of Epidemiologic Evidence. <i>Nutrition Reviews</i> , 2001, 59, 37-47. | 5.8 | 104 |
| 762 | Standardization of Food Composition Databases for the European Prospective Investigation into Cancer and Nutrition (EPIC): General Theoretical Concept. <i>Journal of Food Composition and Analysis</i> , 2000, 13, 567-584. | 3.9 | 34 |
| 763 | Risk of Iron Overload among Middle-aged Women. <i>International Journal for Vitamin and Nutrition Research</i> , 2000, 70, 119-125. | 1.5 | 39 |
| 764 | Diet, smoking and anthropometric indices and postmenopausal bone fractures: a prospective study. <i>International Journal of Epidemiology</i> , 2000, 29, 85-92. | 1.9 | 62 |
| 765 | Serum C-Peptide, Insulin-Like Growth Factor (IGF)-I, IGF-Binding Proteins, and Colorectal Cancer Risk in Women. <i>Journal of the National Cancer Institute</i> , 2000, 92, 1592-1600. | 6.3 | 558 |
| 766 | Plasma Insulin-Like Growth Factor-I, Insulin-Like Growth Factor-Binding Proteins, and Prostate Cancer Risk: a Prospective Study. <i>Journal of the National Cancer Institute</i> , 2000, 92, 1910-1917. | 6.3 | 336 |
| 767 | Epidemiologic correlates with menstrual cycle length in middle aged women. <i>European Journal of Epidemiology</i> , 1999, 15, 809-814. | 5.7 | 73 |
| 768 | Intake of specific carotenoids and flavonoids and the risk of gastric cancer in Spain. <i>Cancer Causes and Control</i> , 1999, 10, 71-75. | 1.8 | 170 |
| 769 | Structure of the standardized computerized 24-h diet recall interview used as reference method in the 22 centers participating in the EPIC project. <i>Computer Methods and Programs in Biomedicine</i> , 1999, 58, 251-266. | 4.7 | 280 |
| 770 | Iron intake, body iron stores and colorectal cancer risk in women: a nested case-control study. , 1999, 80, 693-698. | | 95 |
| 771 | Fatty-acid composition in serum phospholipids and risk of breast cancer: An incident case-control study in Sweden. <i>International Journal of Cancer</i> , 1999, 83, 585-590. | 5.1 | 127 |
| 772 | High Intake of Specific Carotenoids and Flavonoids Does Not Reduce the Risk of Bladder Cancer. <i>Nutrition and Cancer</i> , 1999, 35, 212-214. | 2.0 | 67 |
| 773 | Breast-cancer incidence in relation to height, weight and body-fat distribution in the Dutch "DOM" cohort. , 1998, 76, 647-651. | | 106 |
| 774 | Nutrient intake patterns and gastric cancer risk: A case-control study in Belgium. , 1998, 78, 415-420. | | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 775 | Intake of specific carotenoids and flavonoids and the risk of lung cancer in women in Barcelona, Spain. <i>Nutrition and Cancer</i> , 1998, 32, 154-158. | 2.0 | 111 |
| 776 | The role of multi-centre cohort studies in studying the relation between diet and cancer. <i>Cancer Letters</i> , 1997, 114, 263-270. | 7.2 | 8 |
| 777 | The relationship between dietary fat intake and risk of colorectal cancer: evidence from the combined analysis of 13 case-control studies. <i>Cancer Causes and Control</i> , 1997, 8, 215-228. | 1.8 | 163 |
| 778 | Simultaneous measurement of seven carotenoids, retinol and α -tocopherol in serum by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1997, 694, 71-81. | 1.7 | 96 |
| 779 | Diet and cancers of the larynx and hypopharynx: the IARC multi-center study in southwestern Europe. <i>Cancer Causes and Control</i> , 1996, 7, 240-252. | 1.8 | 91 |
| 780 | Epithelial, possibly precancerous, lesions of the lung in relation to smoking, passive smoking, and socio-demographic variables. <i>Scandinavian Journal of Public Health</i> , 1996, 24, 259-263. | 0.6 | 9 |
| 781 | Calibration of Dietary Intake Measurements in Prospective Cohort Studies. <i>American Journal of Epidemiology</i> , 1995, 142, 548-556. | 3.4 | 115 |
| 782 | Sample Size Requirements for Calibration Studies of Dietary Intake Measurements in Prospective Cohort Investigations. <i>American Journal of Epidemiology</i> , 1995, 142, 557-565. | 3.4 | 24 |
| 783 | A case-control study of gastric cancer and nutritional factors in Marseille, France. <i>European Journal of Epidemiology</i> , 1995, 11, 55-65. | 5.7 | 56 |
| 784 | Nitrosamine, nitrate and nitrite in relation to gastric cancer: A case-control study in Marseille, France. <i>European Journal of Epidemiology</i> , 1995, 11, 67-73. | 5.7 | 80 |
| 785 | Validity of Urinary Biomarkers of Exposure to Tobacco Smoke following Prolonged Storage. <i>International Journal of Epidemiology</i> , 1995, 24, 354-358. | 1.9 | 30 |
| 786 | Estimating the accuracy of dietary questionnaire assessments: Validation in terms of structural equation models. <i>Statistics in Medicine</i> , 1994, 13, 127-142. | 1.6 | 83 |
| 787 | Nutritional Factors and Gastric Cancer in Spain. <i>American Journal of Epidemiology</i> , 1994, 139, 466-473. | 3.4 | 126 |
| 788 | Bladder Cancer and Coffee Consumption in Smokers and Non-Smokers in Spain. <i>International Journal of Epidemiology</i> , 1993, 22, 38-44. | 1.9 | 28 |
| 789 | Indoor Air Pollution and Lung Cancer in Guangzhou, People's Republic of China. <i>American Journal of Epidemiology</i> , 1993, 137, 145-154. | 3.4 | 135 |
| 790 | Measurement of Past Diet: Review of Previous and Proposed Methods. <i>Epidemiologic Reviews</i> , 1992, 14, 177-196. | 3.5 | 123 |
| 791 | Diet and gastric cancer. A case-control study in Belgium. <i>International Journal of Cancer</i> , 1992, 51, 1-6. | 5.1 | 153 |
| 792 | Urinary infection, renal lithiasis and bladder cancer in Spain. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 498-500. | 0.7 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 793 | A case-control study of air pollution and tobacco smoking in lung cancer among women in Athens. Preventive Medicine, 1991, 20, 271-278. | 3.4 | 54 |
| 794 | Cancer and Polyps of the Colorectum and Lifetime Consumption of Beer and Other Alcoholic Beverages. American Journal of Epidemiology, 1991, 134, 157-166. | 3.4 | 86 |
| 795 | Tobacco Smoke Inhalation Pattern, Tobacco Type, and Bladder Cancer in Spain. American Journal of Epidemiology, 1991, 134, 830-839. | 3.4 | 51 |
| 796 | The association between alcohol and breast cancer risk: Evidence from the combined analysis of six dietary case-control studies. International Journal of Cancer, 1991, 47, 707-710. | 5.1 | 93 |
| 797 | Diet and bladder cancer in Spain: A multi-centre case-control study. International Journal of Cancer, 1991, 49, 214-219. | 5.1 | 134 |
| 798 | Dietary factors and stomach cancer in Spain: A multi-centre case-control study. International Journal of Cancer, 1991, 49, 513-519. | 5.1 | 86 |
| 799 | A Community Study of Alcohol Consumption and Dietary Habits in Middle-Aged Italian Women. International Journal of Epidemiology, 1991, 20, 663-670. | 1.9 | 17 |
| 800 | Exposure of nonsmoking women to environmental tobacco smoke: a 10-country collaborative study. Cancer Causes and Control, 1990, 1, 243-252. | 1.8 | 127 |
| 801 | Hospital versus Neighbourhood Controls in the Assessment of Dietary Risk Factors. International Journal of Epidemiology, 1990, 19, 354-361. | 1.9 | 19 |
| 802 | Occupation and Bladder Cancer in Spain: A Multi-Centre Case-Control Study. International Journal of Epidemiology, 1989, 18, 569-577. | 1.9 | 75 |
| 803 | Passive smoking and lung cancer: current evidence and ongoing studies at the International Agency for Research on Cancer. Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure, 1989, 222, 117-127. | 1.2 | 57 |
| 804 | Bladder cancer among workers in the textile industry: Results of a spanish case-control study. American Journal of Industrial Medicine, 1988, 14, 673-680. | 2.1 | 44 |
| 805 | IARC approaches to monitoring exposure of passive smoking. Toxicology Letters, 1987, 35, 29-33. | 0.8 | 1 |
| 806 | Passive smoking and lung cancer: Epidemiological evidence and ongoing international collaborative studies. Toxicology Letters, 1987, 35, 19-27. | 0.8 | 12 |
| 807 | Colorectal polyps and diet: A case-control study in Marseilles. International Journal of Cancer, 1987, 40, 179-188. | 5.1 | 135 |
| 808 | Case-control study on colorectal cancer and diet in marseilles. International Journal of Cancer, 1986, 38, 183-191. | 5.1 | 261 |
| 809 | Proportion of lung cancers due to occupational exposure. International Journal of Cancer, 1984, 33, 231-237. | 5.1 | 74 |