

Michael Nickel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8609100/publications.pdf>

Version: 2024-02-01

24
papers

1,534
citations

471509

17
h-index

677142

22
g-index

25
all docs

25
docs citations

25
times ranked

3656
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Profiling cellular diversity in sponges informs animal cell type and nervous system evolution. <i>Science</i> , 2021, 374, 717-723. | 12.6 | 111 |
| 2 | A New Flow-Regulating Cell Type in the Demosponge <i>Tethya wilhelma</i> – Functional Cellular Anatomy of a Leuconoid Canal System. <i>PLoS ONE</i> , 2014, 9, e113153. | 2.5 | 23 |
| 3 | Deep metazoan phylogeny: When different genes tell different stories. <i>Molecular Phylogenetics and Evolution</i> , 2013, 67, 223-233. | 2.7 | 242 |
| 4 | The need for data standards in zoomorphology. <i>Journal of Morphology</i> , 2013, 274, 793-808. | 1.2 | 23 |
| 5 | Cell death and renewal during prey capture and digestion in the carnivorous sponge <i>Asbestopluma hypogea</i> (Porifera: Poecilosclerida). <i>Journal of Experimental Biology</i> , 2012, 215, 3937-43. | 1.7 | 15 |
| 6 | The non-hierarchical, non-uniformly branching topology of a leuconoid sponge aquiferous system revealed by 3D reconstruction and morphometrics using corrosion casting and X-ray microtomography. <i>Acta Zoologica</i> , 2012, 93, 160-170. | 0.8 | 13 |
| 7 | Independent evolution of striated muscles in cnidarians and bilaterians. <i>Nature</i> , 2012, 487, 231-234. | 27.8 | 221 |
| 8 | RNA interference in marine and freshwater sponges: actin knockdown in <i>Tethya wilhelma</i> and <i>Ephydatia muelleri</i> ingested dsRNA expressing bacteria. <i>BMC Biotechnology</i> , 2011, 11, 67. | 3.3 | 49 |
| 9 | The contractile sponge epithelium <i>sensu lato</i> – body contraction of the demosponge <i>Tethya wilhelma</i> is mediated by the pinacoderm. <i>Journal of Experimental Biology</i> , 2011, 214, 1692-1698. | 1.7 | 81 |
| 10 | Evolutionary emergence of synaptic nervous systems: what can we learn from the non-synaptic, nerveless Porifera?. <i>Invertebrate Biology</i> , 2010, 129, 1-16. | 0.9 | 82 |
| 11 | Description and molecular phylogeny of <i>Tethya leysae</i> sp. nov. (Porifera, Demospongiae, Hadromerida) from the Canadian Northeast Pacific with remarks on the use of microtomography in sponge taxonomy. <i>Zootaxa</i> , 2010, 2422, 1. | 0.5 | 14 |
| 12 | The Pre-Nervous System and Beyond – Poriferan Milestones in the Early Evolution of the Metazoan Nervous System. , 2010, , 85-126. | | 0 |
| 13 | Sponge budding is a spatiotemporal morphological patterning process: Insights from synchrotron radiation-based x-ray microtomography into the asexual reproduction of <i>Tethya wilhelma</i> . <i>Frontiers in Zoology</i> , 2009, 6, 19. | 2.0 | 22 |
| 14 | High density resolution synchrotron radiation based x-ray microtomography (SR μ CT) for quantitative 3D-morphometrics in zoological sciences. , 2008, , . | | 6 |
| 15 | Phylogeny of the genus <i>Tethya</i> (Tethyidae: Hadromerida: Porifera): molecular and morphological aspects. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 1615-1627. | 0.8 | 16 |
| 16 | GABA and glutamate specifically induce contractions in the sponge <i>Tethya wilhelma</i> . <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2007, 193, 1-11. | 1.6 | 65 |
| 17 | Neuroactive substances specifically modulate rhythmic body contractions in the nerveless metazoan <i>Tethya wilhelma</i> (Demospongiae, Porifera). <i>Frontiers in Zoology</i> , 2006, 3, 7. | 2.0 | 64 |
| 18 | Functional morphology of <i>Tethya</i> species (Porifera): 1. Quantitative 3D-analysis of <i>Tethya wilhelma</i> by synchrotron radiation based X-ray microtomography. <i>Zoomorphology</i> , 2006, 125, 209-223. | 0.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Functional morphology of <i>Tethya</i> species (Porifera): 2. Three-dimensional morphometrics on spicules and skeleton superstructures of <i>T. minuta</i> . <i>Zoomorphology</i> , 2006, 125, 225-239. | 0.8 | 17 |
| 20 | Like a 'rolling stone': quantitative analysis of the body movement and skeletal dynamics of the sponge <i>Tethya wilhelma</i> . <i>Journal of Experimental Biology</i> , 2006, 209, 2839-2846. | 1.7 | 26 |
| 21 | Kinetics and rhythm of body contractions in the sponge <i>Tethya wilhelma</i> (Porifera: Demospongiae). <i>Journal of Experimental Biology</i> , 2004, 207, 4515-4524. | 1.7 | 107 |
| 22 | In vitro sponge fragment culture of <i>Chondrosia reniformis</i> (Nardo, 1847). <i>Journal of Biotechnology</i> , 2003, 100, 147-159. | 3.8 | 60 |
| 23 | Comparative studies on two potential methods for the biotechnological production of sponge biomass. <i>Journal of Biotechnology</i> , 2001, 92, 169-178. | 3.8 | 34 |
| 24 | Primmorphs generated from dissociated cells of the sponge <i>Suberites domuncula</i> : a model system for studies of cell proliferation and cell death. <i>Mechanisms of Ageing and Development</i> , 1998, 105, 45-59. | 4.6 | 172 |