

Lianbin Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8620180/publications.pdf>

Version: 2024-02-01

37
papers

4,075
citations

394421

19
h-index

361022

35
g-index

37
all docs

37
docs citations

37
times ranked

4134
citing authors

#	ARTICLE	IF	CITATIONS
1	Stable electrically conductive, highly flame-retardant foam composites generated from reduced graphene oxide and silicone resin coatings. <i>Soft Matter</i> , 2021, 17, 68-82.	2.7	13
2	One-Step Covalent Surface Modification to Achieve Oil/Water Separation Performance of a Non-Fluorinated Durable Superhydrophobic Fabric. <i>ACS Omega</i> , 2021, 6, 24139-24146.	3.5	5
3	Impact of the boron substituent on the molecular structures and electronic properties of N-heterocycle-substituted indolyboranes. <i>Dyes and Pigments</i> , 2021, 196, 109807.	3.7	0
4	Exceptionally flame-retardant flexible polyurethane foam composites: synergistic effect of the silicone resin/graphene oxide coating. <i>Frontiers of Chemical Science and Engineering</i> , 2021, 15, 969-983.	4.4	14
5	Fabrication and performance of a superhydrophobic fluorine-modified porous silicon based on photocatalytic hydrosilylation. <i>Microporous and Mesoporous Materials</i> , 2021, 330, 111561.	4.4	1
6	Facile fabrication of mechanically stable non-iridescent structural color coatings. <i>Journal of Materials Science</i> , 2020, 55, 2353-2364.	3.7	24
7	Superhydrophobic Self-Healing Coatings Comprised of Hemispherical Particles Arrays Decorated by Fluorocarbon-Coated Nanoscale Fe ₂ O ₃ Rods and SiO ₂ Particles. <i>ACS Applied Nano Materials</i> , 2020, 3, 10342-10348.	5.0	11
8	Facile Generation of Durable Superhydrophobic Fabrics toward Oil/Water Separation via Thiol-Ene Click Chemistry. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 6130-6140.	3.7	24
9	Facile fabrication of superhydrophobic polyurethane sponge towards oil-water separation with exceptional flame-retardant performance. <i>Separation and Purification Technology</i> , 2019, 229, 115801.	7.9	72
10	Efficient Flame Detection and Early Warning Sensors on Combustible Materials Using Hierarchical Graphene Oxide/Silicone Coatings. <i>ACS Nano</i> , 2018, 12, 416-424.	14.6	227
11	A novel and facile strategy for highly flame retardant polymer foam composite materials: Transforming silicone resin coating into silica self-extinguishing layer. <i>Journal of Hazardous Materials</i> , 2017, 336, 222-231.	12.4	87
12	Superhydrophobic and Superparamagnetic Composite Coatings: A Comparative Study on Dual-Sized Functional Magnetite Nanoparticles/Silicone Rubber. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2017, 27, 1816-1825.	3.7	6
13	Influence of processing conditions on dispersion, electrical and mechanical properties of graphene-filled-silicone rubber composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016, 91, 53-64.	7.6	89
14	Polymer grafted reduced graphene oxide sheets for improving stress transfer in polymer composites. <i>Composites Science and Technology</i> , 2016, 134, 144-152.	7.8	103
15	Facile Surface Modification of Hydroxylated Silicon Nanostructures Using Heterocyclic Silanes. <i>Journal of the American Chemical Society</i> , 2016, 138, 15106-15109.	13.7	68
16	Silane bonded graphene aerogels with tunable functionality and reversible compressibility. <i>Carbon</i> , 2016, 107, 573-582.	10.3	83
17	Fabrication and characterisation of hydrophobic magnetite composite nanoparticles for oil/water separation. <i>Materials Technology</i> , 2016, 31, 38-43.	3.0	9
18	Fabrication and properties of chemically bonded polysilsesquioxane/polyacrylate/silica hybrid latex films with high silicon content. <i>Polymer Composites</i> , 2015, 36, 389-396.	4.6	6

#	ARTICLE	IF	CITATIONS
19	Temperature dependence of creep and recovery behaviors of polymer composites filled with chemically reduced graphene oxide. <i>Composites Part A: Applied Science and Manufacturing</i> , 2015, 69, 288-298.	7.6	103
20	Mechanical properties and fracture behaviors of epoxy composites with phase-separation formed liquid rubber and preformed powdered rubber nanoparticles: A comparative study. <i>Polymer Composites</i> , 2015, 36, 785-799.	4.6	43
21	Stabilization Mechanism of the Reconstituted Emulsion of Polyacrylate Redispersible Powder. <i>Chemical Engineering Communications</i> , 2015, 202, 1245-1250.	2.6	8
22	Synthesis of vinyl end-capped polydimethylsiloxane by ring opening polymerization of octamethylcyclotetrasiloxane (D4) catalyzed by rare earth solid super acid SO ₄ ²⁻ /TiO ₂ /Ln ³⁺ . <i>Polymer International</i> , 2014, 63, 347-351.	3.1	10
23	Creep and recovery of polystyrene composites filled with graphene additives. <i>Composites Science and Technology</i> , 2014, 91, 63-70.	7.8	123
24	Grafting of epoxy chains onto graphene oxide for epoxy composites with improved mechanical and thermal properties. <i>Carbon</i> , 2014, 69, 467-480.	10.3	677
25	Fabrication and characterization of chemically bonded polysilsesquioxane-polyacrylate hybrid latex particles. <i>Composite Interfaces</i> , 2014, 21, 455-465.	2.3	4
26	Toward effective and tunable interphases in graphene oxide/epoxy composites by grafting different chain lengths of polyetheramine onto graphene oxide. <i>Journal of Materials Chemistry A</i> , 2014, 2, 15058.	10.3	217
27	Modeling Spray Drying of Redispersible Polyacrylate Powder. <i>Drying Technology</i> , 2014, 32, 222-235.	3.1	11
28	Mechanical properties of epoxy composites filled with silane-functionalized graphene oxide. <i>Composites Part A: Applied Science and Manufacturing</i> , 2014, 64, 79-89.	7.6	525
29	Mechanical properties and fracture behaviors of epoxy composites with multi-scale rubber particles. <i>Materials Chemistry and Physics</i> , 2013, 141, 333-342.	4.0	85
30	Fracture toughness and electrical conductivity of epoxy composites filled with carbon nanotubes and spherical particles. <i>Composites Part A: Applied Science and Manufacturing</i> , 2013, 45, 95-101.	7.6	156
31	The effect of graphene dispersion on the mechanical properties of graphene/epoxy composites. <i>Carbon</i> , 2013, 60, 16-27.	10.3	954
32	Improved dispersion and interface in the graphene/epoxy composites via a facile surfactant-assisted process. <i>Composites Science and Technology</i> , 2013, 82, 60-68.	7.8	293
33	Preparation and properties of fluorine-containing polysiloxanes obtained via ring-opening copolymerization of trifluoropropyltrimethylcyclotrisiloxane with cyclotetrasiloxane catalyzed by rare earth solid superacid SO ₄ ²⁻ /TiO ₂ /Ln ³⁺ . <i>Polymer International</i> , 2012, 61, 1627-1633.	3.1	8
34	Bithiazole-bridged polysilsesquioxane and its metal complexes: synthesis and magnetic properties. <i>Journal of Sol-Gel Science and Technology</i> , 2011, 60, 214-220.	2.4	4
35	SYNTHESIS OF POLY[³ -(2-THIAZOLE-UREIDO)PROPYL]-METHYLDIETHOXYSILANE METAL COMPLEXES AND THEIR MAGNETIC PROPERTIES. <i>Acta Polymerica Sinica</i> , 2010, 010, 377-382.	0.0	1
36	'LIVING' RADICAL POLYMERIZATION OF METHYL METHACRYLATE IN [mim][HCOO] IONIC LIQUID SYSTEM. <i>Acta Polymerica Sinica</i> , 2006, 006, 549-552.	0.0	4

#	ARTICLE	IF	CITATIONS
37	Facile generation of highly durable thiol-functionalized polyhedral oligomeric silsesquioxane based superhydrophobic melamine foam. <i>Frontiers of Chemical Science and Engineering</i> , 0, , 1.	4.4	7