Vanvimon Saksmerprome

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8621048/publications.pdf

Version: 2024-02-01

471509 477307 30 888 17 29 citations h-index g-index papers 31 31 31 912 docs citations citing authors all docs times ranked

#	Article	IF	CITATIONS
1	Probiotics expressing double-stranded RNA targeting VP28 efficiently protect shrimps from WSSV infection. Aquaculture Reports, 2022, 23, 101067.	1.7	7
2	Refolded recombinant major capsid protein (MCP) from Infectious Spleen and Kidney Necrosis Virus (ISKNV) effectively stimulates serum specific antibody and immune related genes response in Nile tilapia (Oreochromis niloticus). Protein Expression and Purification, 2021, 184, 105876.	1.3	9
3	Infectious cell culture system for concurrent propagation and purification of Megalocytivirus ISKNV and nervous necrosis virus from Asian Sea bass (Lates calcarifer). Aquaculture, 2020, 520, 734931.	3.5	10
4	Effective suppression of yellow head virus replication in Penaeus monodon hemocytes using constitutive expression vector for long-hairpin RNA (lhRNA). Journal of Invertebrate Pathology, 2020, 175, 107442.	3.2	6
5	Double-Loop-Mediated Isothermal Amplification (D-LAMP) using colourimetric gold nanoparticle probe for rapid detection of infectious Penaeus stylirostris densovirus (PstDNV) with reduced false-positive results from endogenous viral elements. Aquaculture, 2019, 510, 131-137.	3.5	9
6	Generation of microalga Chlamydomonas reinhardtii expressing shrimp antiviral dsRNA without supplementation of antibiotics. Scientific Reports, 2019, 9, 3164.	3.3	36
7	Applications of Microalgal Biotechnology for Disease Control in Aquaculture. Biology, 2018, 7, 24.	2.8	71
8	Feasibility of dsRNA treatment for post-clearing SPF shrimp stocks of newly discovered viral infections using Laem Singh virus (LSNV) as a model. Virus Research, 2017, 235, 73-76.	2.2	4
9	Probiotic bacteria (Lactobacillus plantarum) expressing specific double-stranded RNA and its potential for controlling shrimp viral and bacterial diseases. Aquaculture International, 2017, 25, 1679-1692.	2.2	22
10	Nile tilapia reared under full-strength seawater: Hemato-immunological changes and susceptibility to pathogens. Aquaculture, 2017, 480, 42-50.	3 . 5	10
11	Detection of natural infection of infectious spleen and kidney necrosis virus in farmed tilapia by hydroxynapthol blue-loop-mediated isothermal amplification assay. Journal of Applied Microbiology, 2016, 121, 55-67.	3.1	45
12	Use of microalgae Chlamydomonas reinhardtii for production of double-stranded RNA against shrimp virus. Aquaculture Reports, 2016, 3, 178-183.	1.7	40
13	In situ DIG-labeling, loop-mediated DNA Amplification (ISDL) for highly sensitive detection of infectious hypodermal and hematopoietic necrosis virus (IHHNV). Aquaculture, 2016, 456, 36-43.	3 . 5	10
14	Evidence of vertical transmission and tissue tropism of Streptococcosis from naturally infected red tilapia (Oreochromis spp.). Aquaculture Reports, 2016, 3, 58-66.	1.7	29
15	Large-scale production and antiviral efficacy of multi-target double-stranded RNA for the prevention of white spot syndrome virus (WSSV) in shrimp. BMC Biotechnology, 2015, 15, 110.	3.3	44
16	Shewanella putrefaciens in cultured tilapia detected by a new calcein-loop-mediated isothermal amplification (Ca-LAMP) method. Diseases of Aquatic Organisms, 2015, 117, 133-143.	1.0	9
17	Naturally concurrent infections of bacterial and viral pathogens in disease outbreaks in cultured Nile tilapia (Oreochromis niloticus) farms. Aquaculture, 2015, 448, 427-435.	3 . 5	135
18	Biology, Genome Organization, and Evolution of Parvoviruses in Marine Shrimp. Advances in Virus Research, 2014, 89, 85-139.	2.1	37

#	Article	IF	CITATIONS
19	Persistence of Penaeus stylirostris densovirus delays mortality caused by white spot syndrome virus infection in black tiger shrimp (Penaeus monodon). BMC Veterinary Research, 2013, 9, 33.	1.9	13
20	Using double-stranded RNA for the control of Laem-Singh Virus (LSNV) in Thai P. monodon. Journal of Biotechnology, 2013, 164, 449-453.	3.8	31
21	Therapeutic effect of Artemia enriched with Escherichia coli expressing double-stranded RNA in the black tiger shrimp Penaeus monodon. Antiviral Research, 2013, 100, 202-206.	4.1	24
22	Chitosan and its quaternized derivative as effective long dsRNA carriers targeting shrimp virus in Spodoptera frugiperda 9 cells. Journal of Biotechnology, 2012, 160, 97-104.	3.8	29
23	Additional random, single to multiple genome fragments of Penaeus stylirostris densovirus in the giant tiger shrimp genome have implications for viral disease diagnosis. Virus Research, 2011, 160, 180-190.	2.2	46
24	Rapid and sensitive detection of infectious hypodermal and hematopoietic necrosis virus by loop-mediated isothermal amplification combined with a lateral flow dipstick. Journal of Virological Methods, 2011, 171, 21-25.	2.1	47
25	Detection of infectious hypodermal and haematopoietic necrosis virus (IHHNV) in farmed Australian Penaeus monodon by PCR analysis and DNA sequencing. Aquaculture, 2010, 298, 190-193.	3.5	29
26	A novel and inexpensive application of RNAi technology to protect shrimp from viral disease. Journal of Virological Methods, 2009, 162, 213-217.	2.1	54
27	Artificial tertiary motifs stabilize trans-cleaving hammerhead ribozymes under conditions of submillimolar divalent ions and high temperatures. Rna, 2004, 10, 1916-1924.	3.5	60
28	Deprotonation Stimulates Productive Folding in Allosteric TRAP Hammerhead Ribozymes. Journal of Molecular Biology, 2004, 341, 685-694.	4.2	9
29	Structural Flexibility and the Thermodynamics of Helix Exchange Constrain Attenuation and Allosteric Activation of Hammerhead Ribozyme TRAPs. Biochemistry, 2003, 42, 13879-13886.	2.5	12
30	Zebrafish U6 promoter driving shortâ€hairpin RNA expression for PmRab7 knockdown to inhibit yellow head virus infection in shrimp hemocytes. Journal of the World Aquaculture Society, 0, , .	2.4	0