

# Jian Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8621359/publications.pdf>

Version: 2024-02-01

21  
papers

310  
citations

1040056

9  
h-index

888059

17  
g-index

22  
all docs

22  
docs citations

22  
times ranked

462  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Ventricular arrhythmias originating from the aortomitral continuity: an uncommon variant of left ventricular outflow tract tachycardia. <i>Europace</i> , 2012, 14, 388-395.  | 1.7 | 43        |
| 2  | Catheter ablation for atrial fibrillation: results from the first European Snapshot Survey on Procedural Routines for Atrial Fibrillation Ablation (ESS-PRAFA) Part II. <i>Europace</i> , 2015, 17, 1727-1732.  | 1.7 | 36        |
| 3  | Ablation Effect Indicated by Impedance Fall is Correlated with Contact Force Level During Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 1210-1215.   | 1.7 | 32        |
| 4  | Clinical management of arrhythmias in elderly patients: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015, 17, 314-317.   | 1.7 | 30        |
| 5  | Treatment of atrial fibrillation by silencing electrical activity in the posterior inter-pulmonary-vein atrium. <i>Europace</i> , 2008, 10, 265-272.  | 1.7 | 28        |
| 6  | Global Right Atrial Mapping Delineates Double Posterior Lines of Block in Patients with Typical Atrial Flutter. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 1041-1048.   | 1.7 | 22        |
| 7  | Three-Dimensional Noncontact Mapping Defines Two Zones of Slow Conduction in the Circuit of Typical Atrial Flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 318-322.  | 1.2 | 17        |
| 8  | Incidence and clinical predictors of subsequent atrial fibrillation requiring additional ablation after cavotricuspid isthmus ablation for typical atrial flutter. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 123-128.  | 1.2 | 15        |
| 9  | Cryoballoon vs. radiofrequency catheter ablation: insights from Norwegian randomized study of PERSistent Atrial Fibrillation (NO-PERSAF study). <i>Europace</i> , 2022, 24, 226-233.  | 1.7 | 14        |
| 10 | A Clinical Study of Patients with and Without Recurrence of Paroxysmal Atrial Fibrillation After Pulmonary Vein Isolation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, S86-S89.   | 1.2 | 10        |
| 11 | Initial rhythm control with cryoballoon ablation vs drug therapy: Impact on quality of life and symptoms. <i>American Heart Journal</i> , 2021, 242, 103-114.   | 2.7 | 10        |
| 12 | Acute resumption of conduction in the cavotricuspid isthmus after catheter ablation in patients with common atrial flutter. Real-time evaluation and long-term follow-up. <i>Europace</i> , 2002, 4, 255-263.   | 1.7 | 9         |
| 13 | Spatial Relationships between the Pulmonary Veins and Sites of Complex Fractionated Atrial Electrograms During Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S190-3.   | 1.2 | 9         |
| 14 | Management of patients with ventricular tachycardia in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015, 17, 1294-1299.  | 1.7 | 9         |
| 15 | Identification of extremely slow conduction in the cavotricuspid isthmus during common atrial flutter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2002, 7, 67-75.  | 1.3 | 7         |
| 16 | The impacts of contact force, power and application time on ablation effect indicated by serial measurements of impedance drop in both conventional and high-power short-duration ablation settings of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, 64, 333-339. | 1.3 | 5         |
| 17 | Long-term outcomes of adjunctive complex fractionated electrogram ablation to pulmonary vein isolation as treatment for non-paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 38, 19-26.   | 1.3 | 4         |
| 18 | Effect of Postablation Monitoring Strategy on Long-Term Outcome for Catheter Ablation of Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008682.  | 4.8 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Completeness of Linear or Fractionated Electrogram Ablation in Addition to Pulmonary Vein Isolation on Ablation Outcome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e010146.  | 4.8 | 3         |
| 20 | Incidence of Concurrent Atrial Fibrillation in Patients Who Present With Atrial Tachycardia and Atrial Flutter Postablation for Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e008683. | 4.8 | 2         |
| 21 | Effect of flecainide on the extension and localization of complex fractionated electrogram during atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 168-175.  | 1.2 | 1         |