

Jian Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8621359/publications.pdf>

Version: 2024-02-01

21
papers

310
citations

1040056

9
h-index

888059

17
g-index

22
all docs

22
docs citations

22
times ranked

462
citing authors

#	ARTICLE	IF	CITATIONS
1	The impacts of contact force, power and application time on ablation effect indicated by serial measurements of impedance drop in both conventional and high-power short-duration ablation settings of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2022, 64, 333-339.	1.3	5
2	Cryoballoon vs. radiofrequency catheter ablation: insights from NORwegian randomized study of PERSistent Atrial Fibrillation (NO-PERSAF study). <i>Europace</i> , 2022, 24, 226-233.	1.7	14
3	Incidence of Concurrent Atrial Fibrillation in Patients Who Present With Atrial Tachycardia and Atrial Flutter Postablation for Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e008683.	4.8	2
4	Completeness of Linear or Fractionated Electrogram Ablation in Addition to Pulmonary Vein Isolation on Ablation Outcome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2021, 14, e010146.	4.8	3
5	Initial rhythm control with cryoballoon ablation vs drug therapy: Impact on quality of life and symptoms. <i>American Heart Journal</i> , 2021, 242, 103-114.	2.7	10
6	Effect of Postablation Monitoring Strategy on Long-Term Outcome for Catheter Ablation of Persistent Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008682.	4.8	3
7	Incidence and clinical predictors of subsequent atrial fibrillation requiring additional ablation after cavotricuspid isthmus ablation for typical atrial flutter. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 123-128.	1.2	15
8	Clinical management of arrhythmias in elderly patients: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015, 17, 314-317.	1.7	30
9	Effect of flecainide on the extension and localization of complex fractionated electrogram during atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2015, 49, 168-175.	1.2	1
10	Catheter ablation for atrial fibrillation: results from the first European Snapshot Survey on Procedural Routines for Atrial Fibrillation Ablation (ESS-PRAFA) Part II. <i>Europace</i> , 2015, 17, 1727-1732.	1.7	36
11	Management of patients with ventricular tachycardia in Europe: results of the European Heart Rhythm Association survey. <i>Europace</i> , 2015, 17, 1294-1299.	1.7	9
12	Long-term outcomes of adjunctive complex fractionated electrogram ablation to pulmonary vein isolation as treatment for non-paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013, 38, 19-26.	1.3	4
13	Ablation Effect Indicated by Impedance Fall is Correlated with Contact Force Level During Ablation for Atrial Fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 1210-1215.	1.7	32
14	Ventricular arrhythmias originating from the aortomitral continuity: an uncommon variant of left ventricular outflow tract tachycardia. <i>Europace</i> , 2012, 14, 388-395.	1.7	43
15	Spatial Relationships between the Pulmonary Veins and Sites of Complex Fractionated Atrial Electrograms During Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, S190-3.	1.2	9
16	Treatment of atrial fibrillation by silencing electrical activity in the posterior inter-pulmonary-vein atrium. <i>Europace</i> , 2008, 10, 265-272.	1.7	28
17	A Clinical Study of Patients with and Without Recurrence of Paroxysmal Atrial Fibrillation After Pulmonary Vein Isolation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, S86-S89.	1.2	10
18	Global Right Atrial Mapping Delineates Double Posterior Lines of Block in Patients with Typical Atrial Flutter. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 1041-1048.	1.7	22

#	ARTICLE	IF	CITATIONS
19	Three-Dimensional Noncontact Mapping Defines Two Zones of Slow Conduction in the Circuit of Typical Atrial Flutter. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 318-322.	1.2	17
20	Acute resumption of conduction in the cavotricuspid isthmus after catheter ablation in patients with common atrial flutter. Real-time evaluation and long-term follow-up. <i>Europace</i> , 2002, 4, 255-263.	1.7	9
21	Identification of extremely slow conduction in the cavotricuspid isthmus during common atrial flutter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2002, 7, 67-75.	1.3	7