Xiao-shi Zhang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8622544/publications.pdf

Version: 2024-02-01

304743 276875 53 1,854 22 41 citations h-index g-index papers 54 54 54 3160 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Tumor-derived exosomes promote tumor progression and T-cell dysfunction through the regulation of enriched exosomal microRNAs in human nasopharyngeal carcinoma. Oncotarget, 2014, 5, 5439-5452.	1.8	303
2	The density of macrophages in the invasive front is inversely correlated to liver metastasis in colon cancer. Journal of Translational Medicine, 2010, 8, 13.	4.4	180
3	Safety, Efficacy, and Biomarker Analysis of Toripalimab in Previously Treated Advanced Melanoma: Results of the POLARIS-01 Multicenter Phase II Trial. Clinical Cancer Research, 2020, 26, 4250-4259.	7.0	104
4	LMP1-mediated glycolysis induces myeloid-derived suppressor cell expansion in nasopharyngeal carcinoma. PLoS Pathogens, 2017, 13, e1006503.	4.7	103
5	A Phase Ib Study of Pembrolizumab as Second-Line Therapy for Chinese Patients With Advanced or Metastatic Melanoma (KEYNOTE-151). Translational Oncology, 2019, 12, 828-835.	3.7	90
6	STING signaling remodels the tumor microenvironment by antagonizing myeloid-derived suppressor cell expansion. Cell Death and Differentiation, 2019, 26, 2314-2328.	11.2	81
7	COX-2 promotes metastasis in nasopharyngeal carcinoma by mediating interactions between cancer cells and myeloid-derived suppressor cells. Oncolmmunology, 2015, 4, e1044712.	4.6	79
8	Myeloid-derived suppressor cells inhibit T cell proliferation in human extranodal NK/T cell lymphoma: a novel prognostic indicator. Cancer Immunology, Immunotherapy, 2015, 64, 1587-1599.	4.2	71
9	Phase I trial of adoptively transferred tumor-infiltrating lymphocyte immunotherapy following concurrent chemoradiotherapy in patients with locoregionally advanced nasopharyngeal carcinoma. Oncolmmunology, 2015, 4, e976507.	4.6	61
10	Defined tumor antigen-specific T cells potentiate personalized TCR-T cell therapy and prediction of immunotherapy response. Cell Research, 2022, 32, 530-542.	12.0	54
11	Galectin-9 promotes a suppressive microenvironment in human cancer by enhancing STING degradation. Oncogenesis, 2020, 9, 65.	4.9	52
12	Paradoxical role of CBX8 in proliferation and metastasis of colorectal cancer. Oncotarget, 2014, 5, 10778-10790.	1.8	48
13	Co-expression of nuclear and cytoplasmic HMGB1 is inversely associated with infiltration of CD45RO+T cells and prognosis in patients with stage IIIB colon cancer. BMC Cancer, 2010, 10, 496.	2.6	47
14	PD-1 blockade in neoadjuvant setting of DNA mismatch repair-deficient/microsatellite instability-high colorectal cancer. Oncolmmunology, 2020, 9, 1711650.	4.6	37
15	Reactive oxygen species mediate oxaliplatin-induced epithelial-mesenchymal transition and invasive potential in colon cancer. Tumor Biology, 2016, 37, 8413-8423.	1.8	34
16	The experience of immune checkpoint inhibitors in Chinese patients with metastatic melanoma: a retrospective case series. Cancer Immunology, Immunotherapy, 2017, 66, 1153-1162.	4.2	34
17	Multifactorial Analysis of Prognostic Factors and Survival Rates Among 706 Mucosal Melanoma Patients. Annals of Surgical Oncology, 2018, 25, 2184-2192.	1.5	34
18	Sphingosine 1 phosphate receptor-1 (S1P1) promotes tumor-associated regulatory T cell expansion: leading to poor survival in bladder cancer. Cell Death and Disease, 2019, 10, 50.	6.3	34

#	Article	IF	Citations
19	Chinese Guidelines on the Diagnosis and Treatment of Melanoma (2015 Edition). Annals of Translational Medicine, 2015, 3, 322.	1.7	32
20	<i>PDSS2</i> Deficiency Induces Hepatocarcinogenesis by Decreasing Mitochondrial Respiration and Reprogramming Glucose Metabolism. Cancer Research, 2018, 78, 4471-4481.	0.9	26
21	CD33+/p-STAT1+ double-positive cell as a prognostic factor for stage Illa gastric cancer. Medical Oncology, 2013, 30, 442.	2.5	25
22	Time-varying pattern of recurrence risk for gastric cancer patients. Medical Oncology, 2013, 30, 514.	2.5	23
23	Cryoablation combined with transarterial infusion of pembrolizumab (CATAP) for liver metastases of melanoma: an ambispective, proof-of-concept cohort study. Cancer Immunology, Immunotherapy, 2020, 69, 1713-1724.	4.2	22
24	Targeted therapy: resistance and re-sensitization. Chinese Journal of Cancer, 2015, 34, 496-501.	4.9	21
25	Safety of immune checkpoint inhibitors in Chinese patients with melanoma. Melanoma Research, 2016, 26, 284-289.	1.2	21
26	Prognostic Factors and Recurrence Patterns in T4 Gastric Cancer Patients after Curative Resection. Journal of Cancer, 2019, 10, 1181-1188.	2.5	21
27	The clinical significance of transforming acidic coiled-coil protein 3 expression in non-small cell lung cancer. Oncology Reports, 2016, 35, 436-446.	2.6	19
28	Ectopic expression of B and T lymphocyte attenuator in gastric cancer: A potential independent prognostic factor in patients with gastric cancer. Molecular Medicine Reports, 2015, 11, 658-664.	2.4	18
29	Late-stage inhibition of autophagy enhances calreticulin surface exposure. Oncotarget, 2016, 7, 80842-80854.	1.8	18
30	The Mutation Profiles of Common Oncogenes Involved in Melanoma in Southern China. Journal of Investigative Dermatology, 2012, 132, 1935-1937.	0.7	15
31	An Evidence-Based Staging System for Mucosal Melanoma: A Proposal. Annals of Surgical Oncology, 2022, 29, 5221-5234.	1.5	15
32	Efficacy and safety of anti-PD-1 inhibitor combined with nab-paclitaxel in Chinese patients with refractory melanoma. Journal of Cancer Research and Clinical Oncology, 2022, 148, 1159-1169.	2.5	13
33	Prognostic potential of an immune score based on the density of CD8+ T cells, CD20+ B cells, and CD33+/p-STAT1+ double-positive cells and HMGB1 expression within cancer nests in stage IIIA gastric cancer patients. Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association. Beijing Institute for Cancer Research. 2016. 28. 543-552.	2.2	12
34	Vemurafenib in Chinese patients with BRAFV600 mutation–positive unresectable or metastatic melanoma: an open-label, multicenter phase I study. BMC Cancer, 2018, 18, 520.	2.6	10
35	Overall Survival of Patients With Unresectable or Metastatic BRAF V600-Mutant Acral/Cutaneous Melanoma Administered Dabrafenib Plus Trametinib: Long-Term Follow-Up of a Multicenter, Single-Arm Phase Ila Trial. Frontiers in Oncology, 2021, 11, 720044.	2.8	9
36	Cellular immunity augmentation in mainstream oncologic therapy. Cancer Biology and Medicine, 2017, 14, 121.	3.0	8

3

#	Article	IF	CITATIONS
37	Efficacy and safety of primary surgery with postoperative radiotherapy in head and neck mucosal melanoma: a single-arm Phase II study. Cancer Management and Research, 2018, Volume 10, 6985-6996.	1.9	8
38	A favorable outcome of advanced dermatofibrosarcoma protuberans under treatment with sunitinib after imatinib failure. OncoTargets and Therapy, 2018, Volume 11, 2439-2443.	2.0	8
39	Neoadjuvant Immune Checkpoint Inhibition Improves Organ Preservation in T4bM0 Colorectal Cancer With Mismatch Repair Deficiency: A Retrospective Observational Study. Diseases of the Colon and Rectum, 2023, 66, e996-e1005.	1.3	8
40	Association between immune-related adverse events and efficacy of PD-1 inhibitors in Chinese patients with advanced melanoma. Aging, 2020, 12, 10663-10675.	3.1	7
41	Next-generation sequencing in advanced Chinese melanoma reveals therapeutic targets and prognostic biomarkers for immunotherapy. Scientific Reports, 2022, 12, .	3.3	7
42	Time-varying pattern of recurrence risk for localized melanoma in China. World Journal of Surgical Oncology, 2020, 18, 6.	1.9	6
43	Adjuvant <scp>PD</scp> â€1 inhibitor versus highâ€dose interferon αâ€2b for Chinese patients with cutaneous and acral melanoma: A retrospective cohort analysis. Dermatologic Therapy, 2021, 34, e15067.	1.7	6
44	Rejection of adenovirus infection is independent of coxsackie and adenovirus receptor expression in cisplatin-resistant human lung cancer cells. Oncology Reports, 2016, 36, 715-720.	2.6	5
45	Transcatheter arterial infusion of anti-programmed cell death 1 antibody pembrolizumab combined with temozolomide or nab-paclitaxel in patient with primary anorectal malignant melanoma. Journal of Cancer Research and Therapeutics, 2020, 16, 387-392.	0.9	5
46	The absence of the ERBB4 hotspot mutations in melanomas in patients from southern China. Chinese Journal of Cancer, 2013, 32, 410-414.	4.9	5
47	Efficacy and safety of nab-paclitaxel combined with carboplatin in Chinese patients with melanoma. Medical Oncology, 2015, 32, 234.	2.5	4
48	Clinical significance of aberrant mammalian target of rapamycin expression in stage IIIB colon cancer. Oncology Letters, 2014, 8, 1080-1086.	1.8	3
49	Melanoma liver metastases with special imaging features on magnetic resonance imaging after microwave ablations: How to evaluate technical efficacy?. Journal of Cancer Research and Therapeutics, 2019, 15, 1501.	0.9	3
50	Bilirubin Restrains the Anticancer Effect of Vemurafenib on BRAF-Mutant Melanoma Cells Through ERK-MNK1 Signaling. Frontiers in Oncology, 2021, 11, 698888.	2.8	2
51	Inducible Regulatory T Cell Predicts Efficacy of PD†Blockade Therapy in Melanoma. Advanced Therapeutics, 2022, 5, .	3.2	2
52	Correction: Paradoxical role of CBX8 in proliferation and metastasis of colorectal cancer. Oncotarget, 2021, , .	1.8	0
53	ASO Visual Abstract: An Evidence-Based Staging System for Mucosal Melanoma: a Proposal. Annals of Surgical Oncology, 2022, , .	1.5	0