

Carlotta Franchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/862524/publications.pdf>

Version: 2024-02-01

83
papers

2,373
citations

236925

25
h-index

233421

45
g-index

84
all docs

84
docs citations

84
times ranked

4075
citing authors

#	ARTICLE	IF	CITATIONS
1	Prescription Appropriateness of Drugs for Peptic Ulcer and Gastro-Esophageal Reflux Disease: Baseline Assessment in the LAPTOP-PPI Cluster Randomized Trial. <i>Frontiers in Pharmacology</i> , 2022, 13, 803809.	3.5	4
2	Inverse Association between Canned Fish Consumption and Colorectal Cancer Risk: Analysis of Two Large Caseâ€“Control Studies. <i>Nutrients</i> , 2022, 14, 1663.	4.1	6
3	Multiple Medication Adherence and Related Outcomes in Community-Dwelling Older People on Chronic Polypharmacy: A Retrospective Cohort Study on Administrative Claims Data. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5692.	2.6	8
4	Pattern of comorbidities and 1-year mortality in elderly patients with COPD hospitalized in internal medicine wards: data from the RePoSI Registry. <i>Internal and Emergency Medicine</i> , 2021, 16, 389-400.	2.0	18
5	Medication adherence in community-dwelling older people exposed to chronic polypharmacy. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 854-859.	3.7	20
6	Use of Lipid-Lowering Drugs and Associated Outcomes According to Health State Profiles in Hospitalized Older Patients. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 1251-1264.	2.9	7
7	The role of diet on the risk of dementia in the oldest old: The Monzino 80-plus population-based study. <i>Clinical Nutrition</i> , 2021, 40, 4783-4791.	5.0	10
8	Antibiotic use and associated factors in adult outpatients from 2000 to 2019. <i>Pharmacology Research and Perspectives</i> , 2021, 9, e00878.	2.4	7
9	Use and prescription appropriateness of drugs for peptic ulcer and gastrooesophageal reflux disease in hospitalized older people. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 459-465.	1.9	13
10	Pain and Frailty in Hospitalized Older Adults. <i>Pain and Therapy</i> , 2020, 9, 727-740.	3.2	22
11	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2019, 68, e7-e11.	2.2	2
12	Simulation-Based Education for Physicians to Increase Oral Anticoagulants in Hospitalized Elderly Patients with Atrial Fibrillation. <i>American Journal of Medicine</i> , 2019, 132, e634-e647.	1.5	8
13	Patterns of infections in older patients acutely admitted to medical wards: data from the REPOSI register. <i>Internal and Emergency Medicine</i> , 2019, 14, 1347-1352.	2.0	1
14	Inappropriate prescription of benzodiazepines in acutely hospitalized older patients. <i>European Neuropsychopharmacology</i> , 2019, 29, 871-879.	0.7	9
15	Appropriateness of prescription of oral anticoagulant therapy in acutely hospitalized older people with atrial fibrillation. Secondary analysis of the SIMâ€“AF cluster randomized clinical trial. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2134-2142.	2.4	15
16	Antibiotic use and associated factors in a large sample of hospitalised older people. <i>Journal of Global Antimicrobial Resistance</i> , 2019, 19, 167-172.	2.2	6
17	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1313-1317.e9.	2.5	5
18	Need for Deprescribing in Hospital Elderly Patients Discharged with a Limited Life Expectancy: The REPOSI Study. <i>Medical Principles and Practice</i> , 2019, 28, 501-508.	2.4	5

#	ARTICLE	IF	CITATIONS
19	Use of oral anticoagulant drugs in older patients with atrial fibrillation in internal medicine wards. <i>European Journal of Internal Medicine</i> , 2018, 52, e12-e14.	2.2	8
20	Risk factors for three-month mortality after discharge in a cohort of non-oncologic hospitalized elderly patients: Results from the REPOSI study. <i>Archives of Gerontology and Geriatrics</i> , 2018, 74, 169-173.	3.0	14
21	Living alone as an independent predictor of prolonged length of hospital stay and non-home discharge in older patients. <i>European Journal of Internal Medicine</i> , 2018, 57, 25-31.	2.2	13
22	Appropriateness of oral anticoagulant therapy prescription and its associated factors in hospitalized older people with atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2010-2019.	2.4	30
23	The complexity of patients hospitalized in Internal Medicine wards evaluated by FADOI-COMPLIMED score(s). A hypothetical approach. <i>PLoS ONE</i> , 2018, 13, e0195805.	2.5	14
24	Choices of factor <scp>VIII</scp> products in previously untreated patients with haemophilia A: A global survey. <i>Haemophilia</i> , 2018, 24, e266-e268.	2.1	0
25	Implementation of the Frailty Index in hospitalized older patients: Results from the REPOSI register. <i>European Journal of Internal Medicine</i> , 2018, 56, 11-18.	2.2	19
26	Emergency department visits in older people: pattern of use, contributing factors, geographical differences and outcomes. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 319-326.	2.9	19
27	Antipsychotic prescription and mortality in hospitalized older persons. <i>Psychogeriatrics</i> , 2017, 17, 397-405.	1.2	9
28	Prevalence and Determinants of the Use of Lipid-Lowering Agents in a Population of Older Hospitalized Patients: the Findings from the REPOSI (REGistro POLiterapie Societ� Italiana di Medicina) Tj ETQq0 0 0.7gBT /Overlock 10 T	2.7	10
29	Pattern of in-hospital changes in drug use in the older people from 2010 to 2016. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1534-1539.	1.9	11
30	Appropriateness of antiplatelet therapy for primary and secondary cardiovascular and cerebrovascular prevention in acutely hospitalized older people. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2528-2540.	2.4	17
31	Adult-Onset Epilepsy in Presymptomatic Alzheimer's Disease: A Retrospective Study. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1267-1274.	2.6	57
32	Prognostic value of degree and types of anaemia on clinical outcomes for hospitalised older patients. <i>Archives of Gerontology and Geriatrics</i> , 2017, 69, 21-30.	3.0	17
33	Antiepileptic drug discontinuation by people with epilepsy in the general population. <i>Epilepsia</i> , 2017, 58, 1524-1532.	5.1	19
34	Changes in clinical outcomes for community-dwelling older people exposed to incident chronic polypharmacy: a comparison between 2001 and 2009. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 204-211.	1.9	43
35	Long-term prognosis of epilepsy, prognostic patterns and drug resistance: a population-based study. <i>European Journal of Neurology</i> , 2016, 23, 1218-1227.	3.3	24
36	Defining Aging Phenotypes and Related Outcomes: Clues to Recognize Frailty in Hospitalized Older Patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 72, glw188.	3.6	41

#	ARTICLE	IF	CITATIONS
37	Angiotensin-converting enzyme inhibitors and motor neuron disease: An unconfirmed association. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2016, 17, 385-388.	1.7	7
38	Therapeutic Duplicates in a Cohort of Hospitalized Elderly Patients: Results from the REPOSI Study. <i>Drugs and Aging</i> , 2016, 33, 647-654.	2.7	4
39	E-learning in order to improve drug prescription for hospitalized older patients: a cluster-randomized controlled study. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 53-63.	2.4	31
40	Comparison of Health Care Resource Utilization by Immigrants Versus Native Elderly People. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 1-7.	1.6	14
41	Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. <i>Drugs and Aging</i> , 2016, 33, 53-61.	2.7	24
42	Attitudes towards polypharmacy and medication withdrawal among older inpatients in Italy. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 454-461.	2.1	73
43	A Multicomponent Intervention to Optimize Psychotropic Drug Prescription in Elderly Nursing Home Residents: An Italian Multicenter, Prospective, Pilot Study. <i>Drugs and Aging</i> , 2016, 33, 143-149.	2.7	26
44	A population-based study of active and drug-resistant epilepsies in Northern Italy. <i>Epilepsy and Behavior</i> , 2016, 55, 30-37.	1.7	28
45	Gender difference in drug use in hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2015, 26, 483-490.	2.2	25
46	Brain and kidney, victims of atrial microembolism in elderly hospitalized patients? Data from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2015, 26, 243-249.	2.2	14
47	Adherence to antibiotic treatment guidelines and outcomes in the hospitalized elderly with different types of pneumonia. <i>European Journal of Internal Medicine</i> , 2015, 26, 330-337.	2.2	25
48	Prevalence of dementia in the oldest old: The Monzino 80+plus population based study. <i>Alzheimer's and Dementia</i> , 2015, 11, 258.	0.8	56
49	The Drug Prescription Network: A System-Level View of Drug Co-Prescription in Community-Dwelling Elderly People. <i>Rejuvenation Research</i> , 2015, 18, 153-161.	1.8	5
50	Electrocardiographic monitoring for new prescriptions of quetiapine co-prescribed with acetylcholinesterase inhibitors or memantine from 2005 to 2009. A population study on community-dwelling older people in Italy. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1487-1494.	1.9	1
51	Prevalence and incidence of epilepsy in a well-defined population of Northern Italy. <i>Epilepsia</i> , 2014, 55, 1526-1533.	5.1	28
52	Changes in drug prescribing to Italian community-dwelling elderly people: the EPIFARM "Elderly Project 2000-2010. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 437-443.	1.9	47
53	Prognostic value of estimated glomerular filtration rate in hospitalized elderly patients. <i>Internal and Emergency Medicine</i> , 2014, 9, 735-747.	2.0	16
54	E-learning to improve the drug prescribing in the hospitalized elderly patients: the ELICADHE feasibility pilot study. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 435-443.	2.9	8

#	ARTICLE	IF	CITATIONS
55	Gout, allopurinol intake and clinical outcomes in the hospitalized multimorbid elderly. <i>European Journal of Internal Medicine</i> , 2014, 25, 847-852.	2.2	1
56	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014, 39, 511-515.	1.5	59
57	Inappropriate prescription of allopurinol and febuxostat and risk of adverse events in the elderly: results from the REPOSI registry. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 1495-1503.	1.9	25
58	Gender-differences in disease distribution and outcome in hospitalized elderly: Data from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2014, 25, 617-623.	2.2	75
59	Medication Non-Adherence Among Elderly Patients Newly Discharged and Receiving Polypharmacy. <i>Drugs and Aging</i> , 2014, 31, 283-289.	2.7	188
60	Geographical differences in the prevalence of chronic polypharmacy in older people: eleven years of the EPIFARM-Elderly Project. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1477-1483.	1.9	41
61	New prescriptions of spironolactone associated with angiotensin-converting-enzyme inhibitors and/or angiotensin receptor blockers and their laboratory monitoring from 2001 to 2008: a population study on older people living in the community in Italy. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 909-917.	1.9	4
62	Association of Anticholinergic Burden with Cognitive and Functional Status in a Cohort of Hospitalized Elderly: Comparison of the Anticholinergic Cognitive Burden Scale and Anticholinergic Risk Scale. <i>Drugs and Aging</i> , 2013, 30, 103-112.	2.7	140
63	Caregivers' perceptions of the therapeutic benefits of drug treatments for dementia. <i>Aging Clinical and Experimental Research</i> , 2013, 25, 677-683.	2.9	3
64	Joint use of cardio-embolic and bleeding risk scores in elderly patients with atrial fibrillation. <i>European Journal of Internal Medicine</i> , 2013, 24, 800-806.	2.2	12
65	Risk factors for hospital readmission of elderly patients. <i>European Journal of Internal Medicine</i> , 2013, 24, 45-51.	2.2	72
66	Prevention of Inappropriate Prescribing in Hospitalized Older Patients Using a Computerized Prescription Support System (INTERcheck®). <i>Drugs and Aging</i> , 2013, 30, 821-828.	2.7	76
67	Antipsychotics Prescription and Cerebrovascular Events in Italian Older Persons. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 542-545.	1.4	8
68	Comparison of Disease Clusters in Two Elderly Populations Hospitalized in 2008 and 2010. <i>Gerontology</i> , 2013, 59, 307-315.	2.8	14
69	Validation of healthcare administrative data for the diagnosis of epilepsy. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 1019-1024.	3.7	41
70	Drug-drug interactions in a cohort of hospitalized elderly patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 1054-1060.	1.9	53
71	The Declining Use of Reboxetine in Years 2000 to 2006. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 303-305.	1.4	0
72	Changes in trend of antipsychotics prescription in patients treated with cholinesterase inhibitors after warnings from Italian Medicines Agency. Results from the EPIFARM-Elderly Project. <i>European Neuropsychopharmacology</i> , 2012, 22, 569-577.	0.7	24

#	ARTICLE	IF	CITATIONS
73	Bifeprunox: a partial agonist at dopamine D ₂ and serotonin _{1A} receptors, influences nicotine-seeking behaviour in response to drug-associated stimuli in rats. <i>Addiction Biology</i> , 2012, 17, 274-286.	2.6	12
74	Association between clusters of diseases and polypharmacy in hospitalized elderly patients: Results from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2011, 22, 597-602.	2.2	104
75	Polypharmacy, length of hospital stay, and in-hospital mortality among elderly patients in internal medicine wards. The REPOSI study. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 507-519.	1.9	255
76	Antidepressants utilization among elderly in Lombardy from 2000 to 2007: dispensing trends and appropriateness. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 1077-1083.	1.9	36
77	Differences in outpatient antibiotic prescription in Italy's Lombardy region. <i>Infection</i> , 2011, 39, 299-308.	4.7	27
78	A Population-based study of dementia in the oldest old: the Monzino 80-plus Study. <i>BMC Neurology</i> , 2011, 11, 54.	1.8	24
79	Drug utilization and polypharmacy in an Italian elderly population: the EPIFARM ^{elderly} project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 488-496.	1.9	56
80	Cholinesterase inhibitor use in Alzheimer's disease: the EPIFARM ^{elderly} Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 497-505.	1.9	20
81	Gamma-hydroxybutyrate does not maintain self-administration but induces conditioned place preference when injected in the ventral tegmental area. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 143.	2.1	8
82	Single session of cocaine intravenous self-administration shapes goal-oriented behaviours and up-regulates Arc mRNA levels in rat medial prefrontal cortex. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 423.	2.1	32
83	S.08.02 Role of Arc/Arg3.1 in the actions of psychostimulant drugs. <i>European Neuropsychopharmacology</i> , 2009, 19, S190.	0.7	0