

# Jian Shi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8627908/publications.pdf>

Version: 2024-02-01

82  
papers

6,096  
citations

66343

42  
h-index

69250

77  
g-index

88  
all docs

88  
docs citations

88  
times ranked

6460  
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular dynamics simulations of heterogeneous hydrogen bond environment in hydrophobic deep eutectic solvents. <i>AIChE Journal</i> , 2022, 68, e17382.	3.6	17
2	Characterization of the Composition, Structure, and Mechanical Properties of Endocarp Biomass. , 2022, 65, 67-74.		0
3	Controlling bacterial contamination during fuel ethanol fermentation using thermochemically depolymerized lignin bio-oils. <i>Green Chemistry</i> , 2021, 23, 6477-6489.	9.0	5
4	Biodegradable Cellulose Film Prepared From Banana Pseudo-Stem Using an Ionic Liquid for Mango Preservation. <i>Frontiers in Plant Science</i> , 2021, 12, 625878.	3.6	39
5	Structure and hydrogen bonds of hydrophobic deep eutectic <sc>solventâ€œaqueous liquidâ€œliquid</sc> interfaces. <i>AIChE Journal</i> , 2021, 67, e17427.	3.6	12
6	Fractionation, Characterization, and Valorization of Lignin Derived from Engineered Plants. , 2021, , 245-288.		0
7	Effects of water on the solvation and structure of lipase in deep eutectic solvents containing a protein destabilizer and stabilizer. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 23372-23379.	2.8	8
8	The multiscale solvation effect on the reactivity of Î²-O-4 of lignin dimers in deep eutectic solvents. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 25699-25705.	2.8	5
9	Antimicrobial Properties of Corn Stover Lignin Fractions Derived from Catalytic Transfer Hydrogenolysis in Supercritical Ethanol with a Ru/C Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 18455-18467.	6.7	20
10	Characterization and Enzyme Engineering of a Hyperthermophilic Laccase Toward Improving Its Activity in Ionic Liquid. <i>Frontiers in Energy Research</i> , 2020, 8, .	2.3	12
11	Effect of Substrate Characteristics on the Growth and Sporulation of Two Biocontrol Microorganisms during Solid State Cultivation. <i>Fermentation</i> , 2020, 6, 69.	3.0	3
12	Heterogeneous and Homogeneous Components in Gas-Phase Pyrolysis of Hydrolytic Lignin. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12891-12901.	6.7	3
13	Comparative Evaluation of Industrial Hemp Cultivars: Agronomical Practices, Feedstock Characterization, and Potential for Biofuels and Bioproducts. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 6200-6210.	6.7	22
14	Natural deep eutectic solvent mediated extrusion for continuous high-solid pretreatment of lignocellulosic biomass. <i>Green Chemistry</i> , 2020, 22, 6372-6383.	9.0	58
15	Mechanistic Insight into Lignin Slow Pyrolysis by Linking Pyrolysis Chemistry and Carbon Material Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 15843-15854.	6.7	22
16	Modulating Mechanical Properties of Collagenâ€œLignin Composites. <i>ACS Applied Bio Materials</i> , 2019, 2, 3562-3572.	4.6	15
17	Biocatalysis in ionic liquids for lignin valorization: Opportunities and recent developments. <i>Biotechnology Advances</i> , 2019, 37, 107418.	11.7	36
18	Rapid microwave-assisted biomass delignification and lignin depolymerization in deep eutectic solvents. <i>Energy Conversion and Management</i> , 2019, 196, 1080-1088.	9.2	117

#	ARTICLE	IF	CITATIONS
19	Understanding Laccase-Ionic Liquid Interactions toward Biocatalytic Lignin Conversion in Aqueous Ionic Liquids. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 15928-15938.	6.7	45
20	Sequential Extraction and Characterization of Lignin-Derived Compounds from Thermochemically Processed Biorefinery Lignins. <i>Energy &amp; Fuels</i> , 2019, 33, 4322-4330.	5.1	14
21	Hydrogels derived from lignocellulosic compounds: Evaluation of the compositional, structural, mechanical and antimicrobial properties. <i>Industrial Crops and Products</i> , 2019, 128, 323-330.	5.2	60
22	Understanding Lignin Fractionation and Characterization from Engineered Switchgrass Treated by an Aqueous Ionic Liquid. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6612-6623.	6.7	56
23	Linking lignin source with structural and electrochemical properties of lignin-derived carbon materials. <i>RSC Advances</i> , 2018, 8, 38721-38732.	3.6	42
24	Fractionation and characterization of lignin streams from unique high-lignin content endocarp feedstocks. <i>Biotechnology for Biofuels</i> , 2018, 11, 304.	6.2	63
25	A Novel Platform for Biougrading of Lignin to Valuable Nutraceuticals and Pharmaceuticals. , 2018, , .		3
26	&lt;i&gt;Effect of Substrate Characteristics on Bacterial Growth and Sporulation of Two Biocontrol Microorganisms during Solid State Cultivation&lt;/i&gt;. , 2018, , .		0
27	Characterization and Catalytic Transfer Hydrogenolysis of Deep Eutectic Solvent Extracted Sorghum Lignin to Phenolic Compounds. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 10408-10420.	6.7	62
28	Impact of Dilute Sulfuric Acid, Ammonium Hydroxide, and Ionic Liquid Pretreatments on the Fractionation and Characterization of Engineered Switchgrass. <i>Bioenergy Research</i> , 2017, 10, 1079-1093.	3.9	21
29	Industrial hemp as a potential bioenergy crop in comparison with kenaf, switchgrass and biomass sorghum. <i>Bioresource Technology</i> , 2017, 244, 641-649.	9.6	83
30	Efficient dehydration and recovery of ionic liquid after lignocellulosic processing using pervaporation. <i>Biotechnology for Biofuels</i> , 2017, 10, 154.	6.2	72
31	Dynamic changes of substrate reactivity and enzyme adsorption on partially hydrolyzed cellulose. <i>Biotechnology and Bioengineering</i> , 2017, 114, 503-515.	3.3	24
32	Catalytic Oxidation and Depolymerization of Lignin in Aqueous Ionic Liquid. <i>Frontiers in Energy Research</i> , 2017, 5, .	2.3	40
33	Principles and Development of Lignocellulosic Biomass Pretreatment for Biofuels. <i>Advances in Bioenergy</i> , 2017, , 1-68.	1.3	44
34	CO2 enabled process integration for the production of cellulosic ethanol using bionic liquids. <i>Energy and Environmental Science</i> , 2016, 9, 2822-2834.	30.8	63
35	Impact of engineered lignin composition on biomass recalcitrance and ionic liquid pretreatment efficiency. <i>Green Chemistry</i> , 2016, 18, 4884-4895.	9.0	64
36	Transforming biomass conversion with ionic liquids: process intensification and the development of a high-gravity, one-pot process for the production of cellulosic ethanol. <i>Energy and Environmental Science</i> , 2016, 9, 1042-1049.	30.8	201

#	ARTICLE	IF	CITATIONS
37	Impact of different ratios of feedstock to liquid anaerobic digestion effluent on the performance and microbiome of solid-state anaerobic digesters digesting corn stover. <i>Bioresource Technology</i> , 2016, 200, 744-752.	9.6	47
38	Densification and Pyrolysis of Lignocellulosic Biomass for Renewable Energy. <i>Current Organic Chemistry</i> , 2016, 20, 2480-2488.	1.6	5
39	Impact of Pretreatment Technologies on Saccharification and Isopentenol Fermentation of Mixed Lignocellulosic Feedstocks. <i>Bioenergy Research</i> , 2015, 8, 1004-1013.	3.9	40
40	Theoretical Insights into the Role of Water in the Dissolution of Cellulose Using IL/Water Mixed Solvent Systems. <i>Journal of Physical Chemistry B</i> , 2015, 119, 14339-14349.	2.6	46
41	How Alkyl Chain Length of Alcohols Affects Lignin Fractionation and Ionic Liquid Recycle During Lignocellulose Pretreatment. <i>Bioenergy Research</i> , 2015, 8, 973-981.	3.9	17
42	Design of low-cost ionic liquids for lignocellulosic biomass pretreatment. <i>Green Chemistry</i> , 2015, 17, 1728-1734.	9.0	384
43	CHAPTER 3. Ionic Liquid Pretreatment of Lignocellulosic Biomass for Biofuels and Chemicals. <i>RSC Green Chemistry</i> , 2015, , 65-94.	0.1	14
44	Effects of microbial and non-microbial factors of liquid anaerobic digestion effluent as inoculum on solid-state anaerobic digestion of corn stover. <i>Bioresource Technology</i> , 2014, 157, 188-196.	9.6	72
45	Rapid Kinetic Characterization of Glycosyl Hydrolases Based on Oxime Derivatization and Nanostructure-Initiator Mass Spectrometry (NIMS). <i>ACS Chemical Biology</i> , 2014, 9, 1470-1479.	3.4	36
46	Efficient biomass pretreatment using ionic liquids derived from lignin and hemicellulose. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E3587-95.	7.1	285
47	Understanding the role of water during ionic liquid pretreatment of lignocellulose: co-solvent or anti-solvent?. <i>Green Chemistry</i> , 2014, 16, 3830-3840.	9.0	129
48	Understanding pretreatment efficacy of four cholinium and imidazolium ionic liquids by chemistry and computation. <i>Green Chemistry</i> , 2014, 16, 2546-2557.	9.0	138
49	Interactions between fungal growth, substrate utilization, and enzyme production during solid substrate cultivation of <i>Phanerochaete chrysosporium</i> on cotton stalks. <i>Bioprocess and Biosystems Engineering</i> , 2014, 37, 2463-2473.	3.4	12
50	Understanding cost drivers and economic potential of two variants of ionic liquid pretreatment for cellulosic biofuel production. <i>Biotechnology for Biofuels</i> , 2014, 7, 86.	6.2	120
51	One-pot ionic liquid pretreatment and saccharification of switchgrass. <i>Green Chemistry</i> , 2013, 15, 2579.	9.0	175
52	Sophocarpine alleviates hepatocyte steatosis through activating AMPK signaling pathway. <i>Toxicology in Vitro</i> , 2013, 27, 1065-1071.	2.4	30
53	Comparison of different liquid anaerobic digestion effluents as inocula and nitrogen sources for solid-state batch anaerobic digestion of corn stover. <i>Waste Management</i> , 2013, 33, 26-32.	7.4	109
54	Reactor performance and microbial community dynamics during solid-state anaerobic digestion of corn stover at mesophilic and thermophilic conditions. <i>Bioresource Technology</i> , 2013, 136, 574-581.	9.6	116

#	ARTICLE	IF	CITATIONS
55	Impact of mixed feedstocks and feedstock densification on ionic liquid pretreatment efficiency. <i>Biofuels</i> , 2013, 4, 63-72.	2.4	80
56	Methane production from solid-state anaerobic digestion of lignocellulosic biomass. <i>Biomass and Bioenergy</i> , 2012, 46, 125-132.	5.7	211
57	Comparison of solid-state to liquid anaerobic digestion of lignocellulosic feedstocks for biogas production. <i>Bioresource Technology</i> , 2012, 124, 379-386.	9.6	280
58	Enzymatic Digestibility of Corn Stover Fractions in Response to Fungal Pretreatment. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 7153-7159.	3.7	16
59	Interactions between fungal growth, substrate utilization and enzyme production during shallow stationary cultivation of <i>Phanerochaete chrysosporium</i> on cotton stalks. <i>Enzyme and Microbial Technology</i> , 2012, 51, 1-8.	3.2	16
60	Comparison of alkaline- and fungi-assisted wet-storage of corn stover. <i>Bioresource Technology</i> , 2012, 109, 98-104.	9.6	40
61	Production of Renewable Aromatic Compounds by Catalytic Fast Pyrolysis of Lignocellulosic Biomass with Bifunctional Ga/ZSM-5 Catalysts. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 1387-1390.	13.8	338
62	Renewable gasoline from aqueous phase hydrodeoxygenation of aqueous sugar solutions prepared by hydrolysis of maple wood. <i>Green Chemistry</i> , 2011, 13, 91-101.	9.0	113
63	Investigation of enzyme formulation on pretreated switchgrass. <i>Bioresource Technology</i> , 2011, 102, 11072-11079.	9.6	21
64	Effects of enzyme loading and $\beta$ -glucosidase supplementation on enzymatic hydrolysis of switchgrass processed by leading pretreatment technologies. <i>Bioresource Technology</i> , 2011, 102, 11115-11120.	9.6	52
65	Surface and ultrastructural characterization of raw and pretreated switchgrass. <i>Bioresource Technology</i> , 2011, 102, 11097-11104.	9.6	62
66	Comparative material balances around pretreatment technologies for the conversion of switchgrass to soluble sugars. <i>Bioresource Technology</i> , 2011, 102, 11063-11071.	9.6	117
67	Application of cellulase and hemicellulase to pure xylan, pure cellulose, and switchgrass solids from leading pretreatments. <i>Bioresource Technology</i> , 2011, 102, 11080-11088.	9.6	54
68	Comparative study on enzymatic digestibility of switchgrass varieties and harvests processed by leading pretreatment technologies. <i>Bioresource Technology</i> , 2011, 102, 11089-11096.	9.6	93
69	Comparative data on effects of leading pretreatments and enzyme loadings and formulations on sugar yields from different switchgrass sources. <i>Bioresource Technology</i> , 2011, 102, 11052-11062.	9.6	121
70	Enhancing the solid-state anaerobic digestion of fallen leaves through simultaneous alkaline treatment. <i>Bioresource Technology</i> , 2011, 102, 8828-8834.	9.6	163
71	Sugar yields from dilute sulfuric acid and sulfur dioxide pretreatments and subsequent enzymatic hydrolysis of switchgrass. <i>Bioresource Technology</i> , 2011, 102, 8930-8938.	9.6	65
72	Process and technoeconomic analysis of leading pretreatment technologies for lignocellulosic ethanol production using switchgrass. <i>Bioresource Technology</i> , 2011, 102, 11105-11114.	9.6	274

#	ARTICLE	IF	CITATIONS
73	Solid-state anaerobic digestion of spent wheat straw from horse stall. <i>Bioresource Technology</i> , 2011, 102, 9432-9437.	9.6	92
74	Comparison of microwaves to fluidized sand baths for heating tubular reactors for hydrothermal and dilute acid batch pretreatment of corn stover. <i>Bioresource Technology</i> , 2011, 102, 5952-5961.	9.6	54
75	Effect of microbial pretreatment on enzymatic hydrolysis and fermentation of cotton stalks for ethanol production. <i>Biomass and Bioenergy</i> , 2009, 33, 88-96.	5.7	227
76	Microbial pretreatment of cotton stalks by submerged cultivation of <i>Phanerochaete chrysosporium</i> . <i>Bioresource Technology</i> , 2009, 100, 4388-4395.	9.6	42
77	Autohydrolysis pretreatment of Coastal Bermuda grass for increased enzyme hydrolysis. <i>Bioresource Technology</i> , 2009, 100, 6434-6441.	9.6	98
78	Microbial pretreatment of cotton stalks by solid state cultivation of <i>Phanerochaete chrysosporium</i> . <i>Bioresource Technology</i> , 2008, 99, 6556-6564.	9.6	194
79	Challenges in Quantification of Ligninolytic Enzymes from <i>Phanerochaete chrysosporium</i> Cultivation for Pretreatment of Cotton Stalks. <i>Transactions of the ASABE</i> , 2007, 50, 2347-2354.	1.1	1
80	Biofuels from cellulosic biomass via aqueous processing. , 0, , 336-348.		2
81	Engineering Lignin-Derived Carbon-Silicon Nanocomposite Electrodes: Insight into the Copyrolysis Mechanism and Process-Structure-Property-Performance Relationships. <i>ACS Sustainable Chemistry and Engineering</i> , 0, , .	6.7	5
82	Modifying Surface Charges of a Thermophilic Laccase Toward Improving Activity and Stability in Ionic Liquid. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .	4.1	5