

# Mohsen Janghorbani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8628791/publications.pdf>

Version: 2024-02-01

122  
papers

4,712  
citations

147726

31  
h-index

110317

64  
g-index

123  
all docs

123  
docs citations

123  
times ranked

7258  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of serum and follicular fluid leptin and in vitro Fertilization/ ICSI outcome: A systematic review and meta-analysis. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2021, 50, 101924.	0.6	3
2	Chest Computed Tomography Severity Score to Predict Adverse Outcomes of Patients with COVID-19. <i>Infection and Chemotherapy</i> , 2021, 53, 308.	1.0	18
3	Reference Intervals for Thyroid Hormones During the First Trimester of Gestation: A Report from an Area with a Sufficient Iodine Level. <i>Hormone and Metabolic Research</i> , 2021, 53, 634-637.	0.7	0
4	Irfahan Thyroid Cohort Study (ITCS). <i>Archives of Iranian Medicine</i> , 2021, 24, 788-795.	0.2	1
5	Overweight, underweight, and obesity among male long-distance professional drivers in Iran. <i>Journal of Occupational Health</i> , 2020, 62, e12114.	1.0	6
6	Is Individualism Suicidogenic? Findings From a Multinational Study of Young Adults From 12 Countries. <i>Frontiers in Psychiatry</i> , 2020, 11, 259.	1.3	10
7	Cross-sectional and longitudinal assessments of risk factors associated with hypertension and moderately increased albuminuria comorbidity in patients with type 2 diabetes: a 9-year open cohort study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1123-1139.	1.1	4
8	Reference Intervals for Thyroid Hormones During the First Trimester of Gestation: A Report from an Area with a Sufficient Iodine Level. <i>Hormone and Metabolic Research</i> , 2019, 51, 165-171.	0.7	8
9	Thyroid-stimulating hormone (TSH) serum levels and risk of spontaneous abortion: A prospective population-based cohort study. <i>Clinical Endocrinology</i> , 2019, 91, 163-169.	1.2	14
10	The Role of Religion in Suicidal Behavior, Attitudes and Psychological Distress Among University Students: A Multinational Study. <i>Transcultural Psychiatry</i> , 2019, 56, 853-877.	0.9	26
11	Effect of flaxseed or psyllium vs. placebo on management of constipation, weight, glycemia, and lipids: A randomized trial in constipated patients with type 2 diabetes. <i>Clinical Nutrition ESPEN</i> , 2019, 29, 41-48.	0.5	45
12	Prevalence, Incidence and Ecological Determinants of Diabetic Retinopathy in Iran: Systematic Review and Meta-analysis. <i>Journal of Ophthalmic and Vision Research</i> , 2019, 14, 321-335.	0.7	4
13	Low-density lipoprotein cholesterol and risk of type 2 diabetes: The Isfahan diabetes prevention study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2018, 12, 715-719.	1.8	11
14	Incidence, risk factors, and pregnancy outcomes of gestational diabetes mellitus using one-step versus two-step diagnostic approaches: A population-based cohort study in Isfahan, Iran. <i>Diabetes Research and Clinical Practice</i> , 2018, 140, 288-294.	1.1	23
15	Comparison of risk factors and pregnancy outcomes of gestational diabetes mellitus diagnosed during early and late pregnancy. <i>Midwifery</i> , 2018, 66, 64-69.	1.0	25
16	A randomized trial of the effects of flaxseed to manage constipation, weight, glycemia, and lipids in constipated patients with type 2 diabetes. <i>Nutrition and Metabolism</i> , 2018, 15, 36.	1.3	34
17	Systematic review and meta-analysis of diagnosing gestational diabetes mellitus with one-step or two-step approaches and associations with adverse pregnancy outcomes. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 143, 137-144.	1.0	19
18	Quality of life of men and women with gender identity disorder. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 167.	1.0	35

#	ARTICLE	IF	CITATIONS
19	Thyroid function test reference ranges in the first trimester of gestation and pregnancy outcomes: Protocol and preliminary results for cohort population-based study Isfahan, Iran. <i>Journal of Research in Medical Sciences</i> , 2018, 23, 99.	0.4	3
20	Comparison of the effect of the Dietary Approaches to Stop Hypertension diet with usual dietary advice on expression of peroxisome proliferators-activated receptor gamma gene in women: A randomized controlled clinical trial. <i>ARYA Atherosclerosis</i> , 2018, 14, 24-31.	0.4	1
21	Comparison of Different Obesity Indices for Predicting Incident Hypertension. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2017, 24, 157-166.	1.0	31
22	Risk of diabetes according to the metabolic health status and degree of obesity. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2017, 11, S439-S444.	1.8	23
23	Utility of the Visceral Adiposity Index and Hypertriglyceridemic Waist Phenotype for Predicting Incident Hypertension. <i>Endocrinology and Metabolism</i> , 2017, 32, 221.	1.3	26
24	Hypertension in Non-Type 2 Diabetes in Isfahan, Iran: Incidence and Risk Factors. <i>International Journal of Hypertension</i> , 2017, 2017, 1-7.	0.5	1
25	Response: Utility of the Visceral Adiposity Index and Hypertriglyceridemic Waist Phenotype for Predicting Incident Hypertension ( <i>Endocrinol Metab</i> 2017;32:221-9, Mohsen Janghorbani et al.). <i>Endocrinology and Metabolism</i> , 2017, 32, 485.	1.3	0
26	Relationship Between Serum Uric Acid and Incident Hypertension in Patients with Type 2 Diabetes. <i>Review of Diabetic Studies</i> , 2017, 14, 354-363.	0.5	2
27	Association between Obesity and Bone Mineral Density by Gender and Menopausal Status. <i>Endocrinology and Metabolism</i> , 2016, 31, 547.	1.3	67
28	The Visceral Adiposity Index in Comparison with Easily Measurable Anthropometric Markers Did Not Improve Prediction of Diabetes. <i>Canadian Journal of Diabetes</i> , 2016, 40, 393-398.	0.4	30
29	Utility of hypertriglyceridemic waist phenotype for predicting incident type 2 diabetes: The Isfahan Diabetes Prevention Study. <i>Journal of Diabetes Investigation</i> , 2016, 7, 860-866.	1.1	23
30	Cross-national comparisons of attitudes towards suicide and suicidal persons in university students from 12 countries. <i>Scandinavian Journal of Psychology</i> , 2016, 57, 554-563.	0.8	45
31	Utility of Continuous Metabolic Syndrome Score in Assessing Risk of Type 2 Diabetes: The Isfahan Diabetes Prevention Study. <i>Annals of Nutrition and Metabolism</i> , 2016, 68, 19-25.	1.0	12
32	Suicidal Behavior and Psychological Distress in University Students: A 12-nation Study. <i>Archives of Suicide Research</i> , 2016, 20, 369-388.	1.2	157
33	Utility of serum lipid ratios for predicting incident type 2 diabetes: the Isfahan Diabetes Prevention Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 572-580.	1.7	18
34	Risk of diabetes in combined metabolic abnormalities and body mass index categories. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016, 10, S71-S78.	1.8	3
35	Low Levels of High-Density Lipoprotein Cholesterol Do Not Predict the Incidence of Type 2 Diabetes in an Iranian High-Risk Population: The Isfahan Diabetes Prevention Study. <i>Review of Diabetic Studies</i> , 2016, 13, 187-196.	0.5	1
36	Barriers to Implementing Evidence-Based Intrapartum Care: A Descriptive Exploratory Qualitative Study. <i>Iranian Red Crescent Medical Journal</i> , 2016, 18, e21471.	0.5	13

#	ARTICLE	IF	CITATIONS
37	Current status of glucose, blood pressure and lipid management in type 2 diabetes clinic attendees in Isfahan, Iran. <i>Journal of Diabetes Investigation</i> , 2015, 6, 716-725.	1.1	13
38	The product of triglycerides and glucose in comparison with fasting plasma glucose did not improve diabetes prediction. <i>Acta Diabetologica</i> , 2015, 52, 781-788.	1.2	27
39	Low-density lipoprotein cholesterol and metabolic syndrome in an Iranian high-risk population. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2015, 9, 91-97.	1.8	4
40	Glucose and the risk of hypertension in first-degree relatives of patients with type 2 diabetes. <i>Hypertension Research</i> , 2015, 38, 349-354.	1.5	15
41	Progression from optimal blood glucose and pre-diabetes to type 2 diabetes in a high risk population with or without hypertension in Isfahan, Iran. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 414-422.	1.1	7
42	Women's needs and expectations during normal labor and delivery. <i>Journal of Education and Health Promotion</i> , 2015, 4, 6.	0.3	39
43	Dietary approaches to stop hypertension influence on insulin receptor substrate-1 gene expression: A randomized controlled clinical trial. <i>Journal of Research in Medical Sciences</i> , 2015, 20, 832.	0.4	3
44	Efficacy of high-dose vitamin D3 supplementation in vitamin D deficient pregnant women with multiple sclerosis: Preliminary findings of a randomized-controlled trial. <i>Iranian Journal of Neurology</i> , 2015, 14, 67-73.	0.5	25
45	An overview of systematic reviews of normal labor and delivery management. <i>Iranian Journal of Nursing and Midwifery Research</i> , 2015, 20, 293-303.	0.2	9
46	Effects of vitamin D on retinal nerve fiber layer in vitamin D deficient patients with optic neuritis: Preliminary findings of a randomized, placebo-controlled trial. <i>Journal of Research in Medical Sciences</i> , 2015, 20, 372-8.	0.4	16
47	Compare the Effectiveness of PLISSIT and Sexual Health Models on Women's Sexual Problems in Tehran, Iran: A Randomized Controlled Trial. <i>Journal of Sexual Medicine</i> , 2014, 11, 2679-2689.	0.3	40
48	Effects of a psychoeducation intervention on fear and anxiety about surgery: Randomized trial in patients undergoing coronary artery bypass grafting. <i>Psychology, Health and Medicine</i> , 2014, 19, 375-383.	1.3	24
49	Systematic review and meta-analysis of age at menarche and risk of type 2 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 519-528.	1.2	89
50	Systematic review and metaanalysis of air pollution exposure and risk of diabetes. <i>European Journal of Epidemiology</i> , 2014, 29, 231-242.	2.5	86
51	Hepatitis A seropositivity among newly admitted medical students of Isfahan, Kermanshah, and Hamedan: A seroprevalence study. <i>Journal of Research in Medical Sciences</i> , 2014, 19, S9-S12.	0.4	5
52	The comparative survey of Hounsfield units of stone composition in urolithiasis patients. <i>Journal of Research in Medical Sciences</i> , 2014, 19, 650-3.	0.4	6
53	Conversion from radiologically isolated syndrome to multiple sclerosis. <i>International Journal of Preventive Medicine</i> , 2014, 5, 1379-86.	0.2	7
54	Finnish Diabetes Risk Score to predict type 2 diabetes in the Isfahan diabetes prevention study. <i>Diabetes Research and Clinical Practice</i> , 2013, 102, 202-209.	1.1	22

#	ARTICLE	IF	CITATIONS
55	Effect of preemptive and preventive acetaminophen on postoperative pain score: a randomized, double-blind trial of patients undergoing lower extremity surgery. <i>Journal of Clinical Anesthesia</i> , 2013, 25, 188-192.	0.7	79
56	Comparison of the effect of baclofen and transcutaneous electrical nerve stimulation for the treatment of spasticity in multiple sclerosis. <i>Neurological Research</i> , 2013, 35, 636-641.	0.6	18
57	Evaluation of the Finnish Diabetes Risk Score (FINDRISC) as a Screening Tool for the Metabolic Syndrome. <i>Review of Diabetic Studies</i> , 2013, 10, 283-292.	0.5	30
58	Relationship between Weight, Body Mass Index, and Bone Mineral Density in Men Referred for Dual-Energy X-Ray Absorptiometry Scan in Isfahan, Iran. <i>Journal of Osteoporosis</i> , 2013, 2013, 1-7.	0.1	62
59	Association between air pollution and preterm birth among neonates born in Isfahan, Iran. <i>Journal of Research in Medical Sciences</i> , 2013, 18, 875-81.	0.4	7
60	Glycated Hemoglobin As a Predictor for Metabolic Syndrome in an Iranian Population with Normal Glucose Tolerance. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 430-436.	0.5	5
61	Patterns and Predictors of Long-Term Glycemic Control in Patients with Type 2 Diabetes. <i>Isrn Endocrinology</i> , 2012, 2012, 1-9.	2.0	10
62	Comparison of the effect of aspirin and amantadine for the treatment of fatigue in multiple sclerosis: a randomized, blinded, crossover study. <i>Neurological Research</i> , 2012, 34, 854-858.	0.6	60
63	Hip circumference, height and risk of type 2 diabetes: systematic review and meta-analysis. <i>Obesity Reviews</i> , 2012, 13, 1172-1181.	3.1	53
64	Incidence of Metabolic Syndrome and Its Risk Factors among Type 2 Diabetes Clinic Attenders in Isfahan, Iran. <i>Isrn Endocrinology</i> , 2012, 2012, 1-8.	2.0	7
65	Comparison of glycated hemoglobin with fasting plasma glucose in definition of glycemic component of the metabolic syndrome in an Iranian population. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2012, 6, 136-139.	1.8	6
66	Incidence of type 2 diabetes by HbA1c and OGTT: the Isfahan Diabetes Prevention Study. <i>Acta Diabetologica</i> , 2012, 49, 73-79.	1.2	11
67	Associations of hip circumference and height with incidence of type 2 diabetes: the Isfahan diabetes prevention study. <i>Acta Diabetologica</i> , 2012, 49, 107-114.	1.2	26
68	A 12-month clinical evaluation of pit-and-fissure sealants placed with and without etch-and-rinse and self-etch adhesive systems in newly-erupted teeth. <i>Journal of Applied Oral Science</i> , 2012, 20, 352-356.	0.7	17
69	Effects of Chewing Different Flavored Gums on Salivary Flow Rate and pH. <i>International Journal of Dentistry</i> , 2012, 2012, 1-4.	0.5	23
70	Orbital Doppler Evaluation of Blood Flow Velocities in Optic Neuritis. <i>Korean Journal of Ophthalmology: KJO</i> , 2012, 26, 116.	0.5	28
71	Systematic Review and Meta-analysis of Insulin Therapy and Risk of Cancer. <i>Hormones and Cancer</i> , 2012, 3, 137-146.	4.9	64
72	Orbital Doppler Evaluation of Blood Flow Velocities in Patients with Diabetic Retinopathy. <i>Review of Diabetic Studies</i> , 2012, 9, 104-111.	0.5	38

#	ARTICLE	IF	CITATIONS
73	Incidence of metabolic syndrome and its risk factors among type 2 diabetes clinic attenders in Isfahan, Iran. <i>Endokrynologia Polska</i> , 2012, 63, 372-80.	0.3	2
74	Metabolic syndrome in first degree relatives of patients with type 2 diabetes: Incidence and risk factors. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2011, 5, 201-206.	1.8	8
75	Predictors of switching to insulin from non-insulin therapy in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2011, 92, 111-117.	1.1	6
76	Effects of adjunct intrathecal magnesium sulfate to bupivacaine for spinal anesthesia: a randomized, double-blind trial in patients undergoing lower extremity surgery. <i>Journal of Anesthesia</i> , 2011, 25, 892-897.	0.7	40
77	Weight Change, Blood Pressure, Lipids and Glycemic Control among Patients with Type 2 Diabetes. <i>Annals of Nutrition and Metabolism</i> , 2011, 58, 141-149.	1.0	7
78	Normal Fasting Plasma Glucose and Risk of Prediabetes and Type 2 Diabetes: The Isfahan Diabetes Prevention Study. <i>Review of Diabetic Studies</i> , 2011, 8, 490-498.	0.5	20
79	Comparison of systolic and diastolic blood pressure with pulse pressure and mean arterial pressure for prediction of type 2 diabetes: the Isfahan Diabetes Prevention Study. <i>Endokrynologia Polska</i> , 2011, 62, 324-30.	0.3	5
80	Effects of adjunct glucosamine sulfate on relapsing&#x2014;remitting multiple sclerosis progression: Preliminary findings of a randomized, placebo-controlled trial. <i>Neurological Research</i> , 2010, 32, 981-985.	0.6	3
81	Comparison of body mass index with abdominal obesity indicators and waist-to-stature ratio for prediction of type 2 diabetes: The Isfahan diabetes prevention study. <i>Obesity Research and Clinical Practice</i> , 2010, 4, e25-e32.	0.8	9
82	Normalization of glucose intolerance in first-degree relatives of patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 295-301.	1.1	8
83	Effects of zinc supplementation during pregnancy on pregnancy outcome in women with history of preterm delivery: A double-blind randomized, placebo-controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 403-408.	0.7	19
84	Effects of zinc supplementation during pregnancy on pregnancy outcome in women with history of preterm delivery: A double-blind randomized, placebo-controlled trial. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1-7.	0.7	16
85	Patterns and Predictors of Long-Term Weight Change in Patients with Type 2 Diabetes Mellitus. <i>Annals of Nutrition and Metabolism</i> , 2009, 54, 111-118.	1.0	6
86	Progression to impaired glucose metabolism in first&#x2014;degree relatives of patients with type 2 diabetes in Isfahan, Iran. <i>Diabetes/Metabolism Research and Reviews</i> , 2009, 25, 748-755.	1.7	10
87	A Case Series of Abuse of a New Opioid Combination, Norjizak. <i>Journal of Addictive Diseases</i> , 2009, 28, 180-185.	0.8	4
88	Comparison of metabolic syndrome with glucose measurement for prediction of type 2 diabetes: The Isfahan Diabetes Prevention Study. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2009, 3, 84-89.	1.8	2
89	Sensory Complaints of the Upper Extremities in Multiple Sclerosis: Relative Efficacy of Nortriptyline and Transcutaneous Electrical Nerve Stimulation. <i>Clinical Journal of Pain</i> , 2009, 25, 281-285.	0.8	32
90	Comparison of Fasting Glucose with Post-Load Glucose Values and Glycated Hemoglobin for Prediction of Type 2 Diabetes: The Isfahan Diabetes Prevention Study. <i>Review of Diabetic Studies</i> , 2009, 6, 117-123.	0.5	15

#	ARTICLE	IF	CITATIONS
91	The prevalence and correlates of hearing loss in drivers in Isfahan, Iran. Archives of Iranian Medicine, 2009, 12, 128-34.	0.2	15
92	The prevalence of thyroid dysfunction in an iodine-sufficient area in Iran. Archives of Iranian Medicine, 2009, 12, 262-70.	0.2	19
93	Effects of Rivastigmine on Memory and Cognition in Multiple Sclerosis. Canadian Journal of Neurological Sciences, 2008, 35, 476-481.	0.3	66
94	Nationwide survey of prevalence and risk factors of prehypertension and hypertension in Iranian adults. Journal of Hypertension, 2008, 26, 419-426.	0.3	64
95	Gender Differential in the Association of Body Mass Index and Abdominal Obesity with Prehypertension and Hypertension in Iranian Adults. Nature Precedings, 2008, , .	0.1	0
96	Effects of Gender and Height on the Oral Glucose Tolerance Test: The Isfahan Diabetes Prevention Study. Review of Diabetic Studies, 2008, 5, 163-170.	0.5	25
97	Association of body mass index and abdominal obesity with marital status in adults. Archives of Iranian Medicine, 2008, 11, 274-81.	0.2	34
98	Prospective Study of Type 1 and Type 2 Diabetes and Risk of Stroke Subtypes: The Nurses' Health Study. Diabetes Care, 2007, 30, 1730-1735.	4.3	175
99	Metabolic Syndrome in Type 2 Diabetes Mellitus in Isfahan, Iran: Prevalence and Risk Factors. Metabolic Syndrome and Related Disorders, 2007, 5, 243-254.	0.5	27
100	Systematic Review of Type 1 and Type 2 Diabetes Mellitus and Risk of Fracture. American Journal of Epidemiology, 2007, 166, 495-505.	1.6	1,014
101	First Nationwide Survey of Prevalence of Overweight, Underweight, and Abdominal Obesity in Iranian Adults. Obesity, 2007, 15, 2797-2808.	1.5	224
102	Diabetes and Impaired Glucose Regulation in First-Degree Relatives of Patients with Type 2 Diabetes in Isfahan, Iran: Prevalence and Risk Factors. Review of Diabetic Studies, 2007, 4, 169-176.	0.5	58
103	First-Degree Relatives of Patients with Type 2 Diabetes Mellitus and Risk of Non-Alcoholic Fatty Liver Disease. Review of Diabetic Studies, 2007, 4, 236-241.	0.5	13
104	Prevalence of Multiple Sclerosis in Isfahan, Iran. Neuroepidemiology, 2006, 27, 39-44.	1.1	117
105	Prospective Study of Diabetes and Risk of Hip Fracture: The Nurses' Health Study. Diabetes Care, 2006, 29, 1573-1578.	4.3	305
106	Coronary heart disease in type 2 diabetes mellitus in Isfahan, Iran. Acta Cardiologica, 2006, 61, 13-20.	0.3	19
107	Neighbourhood deprivation and excess coronary heart disease mortality and hospital admissions in Plymouth, UK. Acta Cardiologica, 2006, 61, 313-320.	0.3	10
108	Comparison of the Effect of Topiramate and Sodium Valproate in Migraine Prevention: A Randomized Blinded Crossover Study. Headache, 2006, 46, 642-648.	1.8	75

#	ARTICLE	IF	CITATIONS
109	A decade of in-hospital resuscitation: Outcomes and prediction of survival?. Resuscitation, 2006, 68, 231-237.	1.3	142
110	Neighborhood deprivation and preterm birth in Plymouth, UK. Journal of Maternal-Fetal and Neonatal Medicine, 2006, 19, 85-91.	0.7	22
111	Gestational diabetes mellitus in Plymouth, U.K.: prevalence, seasonal variation and associated factors. Journal of reproductive medicine, The, 2006, 51, 128-34.	0.2	21
112	Hypertension in type 2 diabetes mellitus in Isfahan, Iran: Incidence and risk factors. Diabetes Research and Clinical Practice, 2005, 70, 71-80.	1.1	21
113	Cataract in type 2 diabetes mellitus in Isfahan, Iran: Incidence and risk factors. Ophthalmic Epidemiology, 2004, 11, 347-358.	0.8	33
114	Does Bromocriptine Improve Glycemic Control of Obese Type-2 Diabetics?. Hormone Research in Paediatrics, 2004, 62, 55-59.	0.8	28
115	Sexual media use by young adults in Hong Kong: prevalence and associated factors. Archives of Sexual Behavior, 2003, 32, 545-553.	1.2	47
116	Prevalence and correlates of alcohol use: a population-based study in Hong Kong. Addiction, 2003, 98, 215-224.	1.7	38
117	Voluntary HIV antibody testing amongst youth in Hong Kong. International Journal of STD and AIDS, 2003, 14, 132-138.	0.5	9
118	Incidence of and risk factors for diabetic retinopathy in Isfahan, Iran. Ophthalmic Epidemiology, 2003, 10, 81-95.	0.8	44
119	Incidence of and risk factors for diabetic retinopathy in diabetic clinic attenders. Ophthalmic Epidemiology, 2001, 8, 309-325.	0.8	12
120	Incidence of and risk factors for proliferative retinopathy and its association with blindness among diabetes clinic attenders. Ophthalmic Epidemiology, 2000, 7, 225-241.	0.8	23
121	A prospective population based study of gender differential in mortality from cardiovascular disease and "causes" in asymptomatic hyperglycaemics. Journal of Clinical Epidemiology, 1994, 47, 397-405.	2.4	25
122	Gender Differential in All-Cause and Cardiovascular Disease Mortality. International Journal of Epidemiology, 1993, 22, 1056-1063.	0.9	52