

Raphael Wurm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8630432/publications.pdf>

Version: 2024-02-01

47
papers

871
citations

567281

15
h-index

501196

28
g-index

48
all docs

48
docs citations

48
times ranked

1623
citing authors

#	ARTICLE	IF	CITATIONS
1	Refining the prognostic impact of functional mitral regurgitation in chronic heart failure. <i>European Heart Journal</i> , 2018, 39, 39-46.	2.2	261
2	Low- and High-renin Heart Failure Phenotypes with Clinical Implications. <i>Clinical Chemistry</i> , 2018, 64, 597-608.	3.2	52
3	Efficacy, immunogenicity, and safety of IC43 recombinant <i>Pseudomonas aeruginosa</i> vaccine in mechanically ventilated intensive care patients—a randomized clinical trial. <i>Critical Care</i> , 2020, 24, 74.	5.8	41
4	Evolution of secondary mitral regurgitation. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 622-629.	1.2	40
5	CABG Improves Outcomes in Patients With Ischemic Cardiomyopathy. <i>JACC: Heart Failure</i> , 2019, 7, 878-887.	4.1	37
6	Sublingual functional capillary rarefaction in chronic heart failure. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12869.	3.4	34
7	Targeted multiple biomarker approach in predicting cardiovascular events in patients with diabetes. <i>Heart</i> , 2016, 102, 1963-1968.	2.9	33
8	Serum neurofilament light chain withstands delayed freezing and repeated thawing. <i>Scientific Reports</i> , 2020, 10, 19982.	3.3	30
9	GDF-15 Is Associated with Cancer Incidence in Patients with Type 2 Diabetes. <i>Clinical Chemistry</i> , 2016, 62, 1612-1620.	3.2	26
10	Renin-Angiotensin System Fingerprints of Heart Failure With Reduced Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2016, 68, 2912-2914.	2.8	24
11	The inflammation-based modified Glasgow prognostic score is associated with survival in stable heart failure patients. <i>ESC Heart Failure</i> , 2020, 7, 654-662.	3.1	23
12	Performance of the recommended ESC/EASD cardiovascular risk stratification model in comparison to SCORE and NT-proBNP as a single biomarker for risk prediction in type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2021, 20, 34.	6.8	20
13	The circulating form of neprilysin is not a general biomarker for overall survival in treatment-naïve cancer patients. <i>Scientific Reports</i> , 2019, 9, 2554.	3.3	18
14	Myocardial Angiotensin Metabolism in End-Stage Heart Failure. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1731-1743.	2.8	18
15	Proteomics-Enriched Prediction Model for Poor Neurologic Outcome in Cardiac Arrest Survivors*. <i>Critical Care Medicine</i> , 2020, 48, 167-175.	0.9	16
16	Cardiovascular safety of metformin and sulfonylureas in patients with different cardiac risk profiles. <i>Heart</i> , 2016, 102, 1544-1551.	2.9	15
17	Subclinical involvement of the liver is associated with prognosis in treatment naïve cancer patients. <i>Oncotarget</i> , 2017, 8, 81250-81260.	1.8	15
18	Release of mitochondrial DNA is associated with mortality in severe acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 419-428.	1.0	14

#	ARTICLE	IF	CITATIONS
19	Non-occlusive mesenteric ischaemia in out of hospital cardiac arrest survivors. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 450-458.	1.0	13
20	Argyrophilic grain disease in individuals younger than 75 years: clinical variability in an under-recognized limbic tauopathy. <i>European Journal of Neurology</i> , 2020, 27, 1856-1866.	3.3	13
21	Pro-oxidant HDL predicts poor outcome in patients with ST-elevation acute coronary syndrome. <i>Thrombosis and Haemostasis</i> , 2015, 114, 133-138.	3.4	11
22	Peri-interventional endothelin-A receptor blockade improves long-term outcome in patients with ST-elevation acute myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2014, 112, 176-182.	3.4	10
23	GDF-15 in solid vs non-solid treatment-naïve malignancies. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13168.	3.4	10
24	Hereditary ATTR Amyloidosis in Austria: Prevalence and Epidemiological Hot Spots. <i>Journal of Clinical Medicine</i> , 2020, 9, 2234.	2.4	10
25	Imbalance between plasma double-stranded DNA and deoxyribonuclease activity predicts mortality after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2020, 151, 26-32.	3.0	10
26	Polyunsaturated fatty acids supplementation impairs anti-oxidant high-density lipoprotein function in heart failure. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12998.	3.4	9
27	25Years of endothelin research: the next generation. <i>Life Sciences</i> , 2014, 118, 77-86.	4.3	8
28	Gender-related impact on outcomes of high density lipoprotein in acute ST-elevation myocardial infarction. <i>Atherosclerosis</i> , 2016, 251, 460-466.	0.8	8
29	N-terminal B-type natriuretic peptide (NT-proBNP) is associated with disease severity in multiple myeloma. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12905.	3.4	8
30	Impaired High-Density Lipoprotein Anti-Oxidant Function Predicts Poor Outcome in Critically Ill Patients. <i>PLoS ONE</i> , 2016, 11, e0151706.	2.5	8
31	Outcome of conservative management vs. assist device implantation in patients with advanced refractory heart failure. <i>European Journal of Clinical Investigation</i> , 2016, 46, 34-41.	3.4	6
32	Prediction of Neurological Recovery After Cardiac Arrest Using Neurofilament Light Chain is Improved by a Proteomics-Based Multimarker Panel. <i>Neurocritical Care</i> , 2021, , 1.	2.4	5
33	Effects of endothelin A receptor blockade in patients with ST-elevation acute coronary syndrome – A rhythmologic substudy. <i>Life Sciences</i> , 2014, 118, 430-434.	4.3	4
34	Gastric regurgitation predicts neurological outcome in out-of-hospital cardiac arrest survivors. <i>European Journal of Internal Medicine</i> , 2021, 83, 54-57.	2.2	4
35	Changes in the prognostic values of modern cardiovascular biomarkers in relation to duration of diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107990.	2.3	4
36	Reduction of physical activity during the COVID-19 pandemic is related to increased neuropsychiatric symptoms in memory clinic patients. <i>Clinical Medicine</i> , 2022, 22, 177-180.	1.9	4

#	ARTICLE	IF	CITATIONS
37	Increased risk of death associated with the use of protonâ€pump inhibitors in patients with dementia and controls â€“ a pharmacoepidemiological claims data analysis. <i>European Journal of Neurology</i> , 2020, 27, 1422-1428.	3.3	3
38	P3543Refining the prognostic impact of functional mitral regurgitation in chronic heart failure. <i>European Heart Journal</i> , 2017, 38, .	2.2	2
39	Epidemiology of dementiaâ€”the epidemic we saw coming. <i>Wiener Medizinische Wochenschrift</i> , 2021, 171, 247-248.	1.1	2
40	Quality of medical therapy in heart failure patients undergoing elective revascularisation: A protective effect of disease modifying therapy at discharge. <i>Scientific Reports</i> , 2017, 7, 14909.	3.3	1
41	Catalase Predicts In-Hospital Mortality after Out-of-Hospital Cardiac Arrest. <i>Journal of Clinical Medicine</i> , 2021, 10, 3906.	2.4	1
42	Endothelin-A receptor blockade and long-term outcome in patients with ST-elevation acute coronary syndrome. <i>European Heart Journal</i> , 2013, 34, P1294-P1294.	2.2	0
43	Impact of short-term endothelin-A receptor blockade on plasma markers for remodeling in patients with ST-elevation acute coronary syndrome. <i>European Heart Journal</i> , 2013, 34, P2252-P2252.	2.2	0
44	P1464Extreme RAS regulation in HF _{rEF} already on optimal treatment: the low and high renin phenotype heart failure. <i>European Heart Journal</i> , 2017, 38, .	2.2	0
45	P1661The myocardial tissue Renin-Angiotensin-System (RAS) of the failing heart. <i>European Heart Journal</i> , 2019, 40, .	2.2	0
46	Frequency of comedication in patients with dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, e039493.	0.8	0
47	Validation of the ESC/EASD cardiovascular risk stratification model in diabetic patients. <i>European Heart Journal</i> , 2020, 41, .	2.2	0