

JosÃ© Roberto Trigo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8630800/publications.pdf>

Version: 2024-02-01

81
papers

2,163
citations

186265

28
h-index

265206

42
g-index

82
all docs

82
docs citations

82
times ranked

2277
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical convergence between a guild of facultative myrmecophilous caterpillars and host plants. <i>Ecological Entomology</i> , 2021, 46, 66-75.	2.2	7
2	Danaus butterflies of the Americas do not perform leaf-scratching. <i>Arthropod-Plant Interactions</i> , 2020, 14, 521-529.	1.1	3
3	The geographical and seasonal mosaic in a plant-herbivore interaction: patterns of defences and herbivory by a specialist and a non-specialist. <i>Scientific Reports</i> , 2019, 9, 15206.	3.3	6
4	The specialization continuum: Decision-making in butterflies with different diet requirements. <i>Behavioural Processes</i> , 2019, 165, 14-22.	1.1	5
5	Volatiles released by damaged leaves of <i>Piper mollicomum</i> (Piperaceae) act as cues for predaceous wasps: evidence using plasticine dummies as herbivore model. <i>Arthropod-Plant Interactions</i> , 2019, 13, 593-601.	1.1	6
6	<i>Pterodon pubescens</i> and <i>Cordia verbenacea</i> association promotes a synergistic response in antinociceptive model and improves the anti-inflammatory results in animal models. <i>Biomedicine and Pharmacotherapy</i> , 2019, 112, 108693.	5.6	18
7	Coenzyme Q ₁₀ protects against cell toxicity induced by pravastatin treatment of hypercholesterolemia. <i>Journal of Cellular Physiology</i> , 2019, 234, 11047-11059.	4.1	10
8	Native or nonnative host plants: What is better for a specialist moth?. <i>Biological Invasions</i> , 2018, 20, 849-860.	2.4	3
9	Ants visiting extrafloral nectaries and pyrrolizidine alkaloids may shape how a specialist herbivore feeds on its host plants. <i>Arthropod-Plant Interactions</i> , 2017, 11, 629-639.	1.1	4
10	The relationship between queen execution and cuticular hydrocarbons in stingless bee <i>Melipona scutellaris</i> (Hymenoptera: Meliponini). <i>Chemoecology</i> , 2017, 27, 25-32.	1.1	4
11	The gut microbiota of insecticide-resistant insects houses insecticide-degrading bacteria: A potential source for biotechnological exploitation. <i>PLoS ONE</i> , 2017, 12, e0174754.	2.5	125
12	Pyrrolizidine Alkaloids in the Pericopine Moth <i>Sciarctia figulina</i> (Erebidae: Arctiinae): Metabolism and Chemical Defense. <i>Journal of the Brazilian Chemical Society</i> , 2016, , .	0.6	1
13	Pyrrolizidine Alkaloids Negatively Affect a Generalist Herbivore Feeding on the Chemically Protected Legume <i>Crotalaria pallida</i> . <i>Neotropical Entomology</i> , 2016, 45, 252-257.	1.2	12
14	The selective florivory of <i>Erioscelis emarginata</i> matches its role as a pollinator of <i>Ptilodendron</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2015, 156, 290-300.	1.4	11
15	Feeding on Host Plants with Different Concentrations and Structures of Pyrrolizidine Alkaloids Impacts the Chemical-Defense Effectiveness of a Specialist Herbivore. <i>PLoS ONE</i> , 2015, 10, e0141480.	2.5	30
16	Southern Monarchs do not Develop Learned Preferences for Flowers With Pyrrolizidine Alkaloids. <i>Journal of Chemical Ecology</i> , 2015, 41, 662-669.	1.8	10
17	Hiding in Plain Sight: Cuticular Compound Profile Matching Conceals a Larval Tortoise Beetle in its Host Chemical Cloud. <i>Journal of Chemical Ecology</i> , 2014, 40, 341-354.	1.8	6
18	Ants have a negative rather than a positive effect on extrafloral nectaried <i>Crotalaria pallida</i> performance. <i>Acta Oecologica</i> , 2013, 51, 49-53.	1.1	23

#	ARTICLE	IF	CITATIONS
19	Anti-inflammatory intestinal activity of <i>Arctium lappa</i> L. (Asteraceae) in TNBS colitis model. <i>Journal of Ethnopharmacology</i> , 2013, 146, 300-310.	4.1	73
20	Are Aristolochic Acids Responsible for the Chemical Defence of Aposematic Larvae of <i>Battus polydamas</i> (L.) (Lepidoptera: Papilionidae)? <i>Neotropical Entomology</i> , 2013, 42, 558-564.	1.2	10
21	Preference for high concentrations of plant pyrrolizidine alkaloids in the specialist arctiid moth <i>Utetheisa ornatrix</i> depends on previous experience. <i>Arthropod-Plant Interactions</i> , 2013, 7, 169-175.	1.1	10
22	A free lunch? No cost for acquiring defensive plant pyrrolizidine alkaloids in a specialist arctiid moth (<i>Utetheisa ornatrix</i>). <i>Molecular Ecology</i> , 2012, 21, 6152-6162.	3.9	39
23	Anti-Ulcerogenic Mechanisms of the Sesquiterpene Lactone Onopordopicrin-Enriched Fraction from <i>Arctium lappa</i> L. (Asteraceae): Role of Somatostatin, Gastrin, and Endogenous Sulfhydryls and Nitric Oxide. <i>Journal of Medicinal Food</i> , 2012, 15, 378-383.	1.5	27
24	Methyl Jasmonate Increases the Tropane Alkaloid Scopolamine and Reduces Natural Herbivory in <i>Brugmansia suaveolens</i> : Is Scopolamine Responsible for Plant Resistance? <i>Neotropical Entomology</i> , 2012, 41, 2-8.	1.2	9
25	Varying Herbivore Population Structure Correlates with Lack of Local Adaptation in a Geographic Variable Plant-Herbivore Interaction. <i>PLoS ONE</i> , 2011, 6, e29220.	2.5	18
26	Host Plant Invests in Growth Rather than Chemical Defense When Attacked by a Specialist Herbivore. <i>Journal of Chemical Ecology</i> , 2011, 37, 492-495.	1.8	6
27	Effects of pyrrolizidine alkaloids through different trophic levels. <i>Phytochemistry Reviews</i> , 2011, 10, 83-98.	6.5	81
28	Bottom-up effects on a plant-endophyte-parasitoid system: The role of flower head size and chemistry. <i>Austral Ecology</i> , 2010, 35, 104-115.	1.5	10
29	Attracting Predators without Falling Prey: Chemical Camouflage Protects Honeydew-Producing Treehoppers from Ant Predation. <i>American Naturalist</i> , 2010, 175, 261-268.	2.1	33
30	Sabotaging behaviour and minimal latex of <i>Asclepias curassavica</i> incur no cost for larvae of the southern monarch butterfly <i>Danaus erippus</i> . <i>Ecological Entomology</i> , 2010, 35, 504-513.	2.2	7
31	Chemical tools to distinguish the fire ant species <i>Solenopsis invicta</i> and <i>S. saevissima</i> (Formicidae): Tj ETQq1 1 0.784314 rgBT / Overlock 1.3 13		
32	Pyrrolizidine alkaloid profiles in <i>Crotalaria</i> species from Brazil: Chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2009, 37, 459-469.	1.3	43
33	Faecal shield chemical defence is not important in larvae of the tortoise beetle <i>Chelymorpha reimoseri</i> (Chrysomelidae: Cassidinae: Stolaini). <i>Chemoecology</i> , 2009, 19, 63-66.	1.1	7
34	Chemical Variation in the Volatiles of <i>Copaifera reticulata</i> Ducke (Leguminosae) Growing Wild in the States of Pará and Amapá, Brazil. <i>Journal of Essential Oil Research</i> , 2009, 21, 501-503.	2.7	15
35	Volatiles of Oleoresins of <i>Copaifera paupera</i> (Herzog) Dwyer, <i>C. piresii</i> Dwyer and <i>C. pubiflora</i> Benth. (Leguminosae). <i>Journal of Essential Oil Research</i> , 2009, 21, 403-404.	2.7	13
36	Chemical defence of the warningly coloured caterpillars of <i>Methona themisto</i> (Lepidoptera): Tj ETQq0 0 0 rgBT / Overlock 1.2 10 6 50 62 Td		

#	ARTICLE	IF	CITATIONS
37	Sex Pheromone of the American Warble Fly, <i>Dermatobia hominis</i> : The Role of Cuticular Hydrocarbons. <i>Journal of Chemical Ecology</i> , 2008, 34, 636-646.	1.8	13
38	Encapsulation and release of a fluorescent probe, khusimyl dansylate, obtained from vetiver oil by complex coacervation. <i>Flavour and Fragrance Journal</i> , 2008, 23, 7-15.	2.6	24
39	Chemical composition and antimicrobial activity of the essential oils of the Amazon <i>Guatterioopsis</i> species. <i>Phytochemistry</i> , 2008, 69, 1895-1899.	2.9	77
40	Essential Oil Composition of <i>Bacopa imbricate</i> (Benth.) Pennel Collected at Wet and Dry Amazonian Seasons. <i>Journal of Essential Oil Research</i> , 2008, 20, 3-4.	2.7	0
41	Variation in Volatiles of <i>Ocimum campechianum</i> Mill. and <i>Ocimum gratissimum</i> L. Cultivated in the North of Brazil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 229-240.	1.9	13
42	Volatiles of Inflorescences, Leaves, Stems and Roots of <i>Ageratum conyzoides</i> L. growing Wild in the North of Brazil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007, 10, 297-303.	1.9	2
43	Scopolamine in <i>Brugmansia suaveolens</i> (Solanaceae): Defense, Allocation, Costs, and Induced Response. <i>Journal of Chemical Ecology</i> , 2007, 33, 297-309.	1.8	66
44	Differential Attractiveness of Potato Tuber Volatiles to <i>Phthorimaea operculella</i> (Gelechiidae) and the Predator <i>Orius insidiosus</i> (Anthocoridae). <i>Journal of Chemical Ecology</i> , 2007, 33, 1845-1855.	1.8	31
45	Extrafloral nectaries as a deterrent mechanism against seed predators in the chemically protected weed <i>Crotalaria pallida</i> (Leguminosae). <i>Austral Ecology</i> , 2006, 31, 776-782.	1.5	32
46	Why do larvae of <i>Utetheisa ornatrix</i> penetrate and feed in pods of <i>Crotalaria</i> species? Larval performance vs. chemical and physical constraints. <i>Entomologia Experimentalis Et Applicata</i> , 2006, 121, 23-29.	1.4	35
47	Chemical and phylogenetic relationships among <i>Aristolochia</i> L. (Aristolochiaceae) from southeastern Brazil. <i>Biochemical Systematics and Ecology</i> , 2006, 34, 291-302.	1.3	10
48	Identification of sex pheromones of <i>Lutzomyia longipalpis</i> (Lutz & Neiva, 1912) populations from the state of São Paulo, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2006, 101, 113-115.	1.6	20
49	Faecal shield of the tortoise beetle <i>Plagiometriona aff. flavescens</i> (Chrysomelidae: Cassidinae) as chemically mediated defence against predators. <i>Journal of Tropical Ecology</i> , 2005, 21, 189-194.	1.1	26
50	Sesquiterpene and polyacetylene profile of the <i>Bidens pilosa</i> complex (Asteraceae: Heliantheae) from Southeast of Brazil. <i>Biochemical Systematics and Ecology</i> , 2005, 33, 479-486.	1.3	32
51	Similarity of Cuticular Lipids Between a Caterpillar and Its Host Plant: A Way to Make Prey Undetectable for Predatory Ants?. <i>Journal of Chemical Ecology</i> , 2005, 31, 2551-2561.	1.8	42
52	Host-plant flowering status and the concentration of sugar in phloem sap: Effects on an ant-treehopper interaction. <i>European Journal of Entomology</i> , 2005, 102, 201-208.	1.2	9
53	Semiochemicals derived from pyrrolizidine alkaloids in male ithomiine butterflies (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.3	50
54	Pyrrolizidine alkaloids in three <i>Senecio</i> species from southern Brazil. <i>Biochemical Systematics and Ecology</i> , 2004, 32, 1219-1222.	1.3	10

#	ARTICLE	IF	CITATIONS
55	Modulation of gastrin and epidermal growth factor by pyrrolizidine alkaloids obtained from <i>Senecio brasiliensis</i> in acute and chronic induced gastric ulcers. <i>Canadian Journal of Physiology and Pharmacology</i> , 2004, 82, 319-325.	1.4	15
56	Preventive activity of pyrrolizidine alkaloids from <i>Senecio brasiliensis</i> (Asteraceae) on gastric and duodenal induced ulcer on mice and rats. <i>Journal of Ethnopharmacology</i> , 2004, 95, 345-351.	4.1	44
57	Quinolizidine alkaloids in <i>Ormosia arborea</i> seeds inhibit predation but not hoarding by agoutis (<i>Dasyprocta leporina</i>). <i>Journal of Chemical Ecology</i> , 2003, 29, 1065-1072.	1.8	34
58	Chemotaxonomic value of pyrrolizidine alkaloids in southern Brazil <i>Senecio</i> (Senecioneae): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td	1.3	33
59	Do fecal shields provide physical protection to larvae of the tortoise beetles <i>Plagiometriona flavescens</i> and <i>Stolas chalybea</i> against natural enemies?. <i>Entomologia Experimentalis Et Applicata</i> , 2002, 104, 203-206.	1.4	18
60	Structure-activity relationships of pyrrolizidine alkaloids in insect chemical defense against the orb-weaving spider <i>Nephila clavipes</i> . <i>Journal of Chemical Ecology</i> , 2002, 28, 657-668.	1.8	24
61	The essential amino acid lysine acts as precursor of glutamate in the mammalian central nervous system. <i>FEBS Letters</i> , 2001, 488, 34-38.	2.8	75
62	Determination of drug levels and the effect of diazepam on the growth of necrophagous flies of forensic importance in southeastern Brazil. <i>Forensic Science International</i> , 2001, 120, 140-144.	2.2	83
63	The role of nectar production, flower pigments and odour in the pollination of four species of <i>Passiflora</i> (Passifloraceae) in south-eastern Brazil. <i>Botanical Journal of the Linnean Society</i> , 2001, 136, 139-152.	1.6	61
64	Variation of diastereoisomeric pyrrolizidine alkaloids in <i>Pleurothallis</i> (Orchidaceae). <i>Biochemical Systematics and Ecology</i> , 2001, 29, 45-52.	1.3	12
65	The role of nectar production, flower pigments and odour in the pollination of four species of <i>Passiflora</i> (Passifloraceae) in south-eastern Brazil. <i>Botanical Journal of the Linnean Society</i> , 2001, 136, 139-152.	1.6	18
66	New records of pyrrolizidine alkaloid-feeding insects. Hemiptera and Coleoptera on <i>Senecio brasiliensis</i> . <i>Biochemical Systematics and Ecology</i> , 2000, 28, 313-318.	1.3	26
67	Storage and metabolism of radioactively labeled pyrrolizidine alkaloids by butterflies and larvae of <i>Mechanitis polymnia</i> (Lepidoptera: Nymphalidae, Ithomiinae). <i>Chemoecology</i> , 2000, 10, 25-32.	1.1	19
68	The chemistry of antipredator defense by secondary compounds in neotropical lepidoptera: facts, perspectives and caveats. <i>Journal of the Brazilian Chemical Society</i> , 2000, 11, 551-561.	0.6	92
69	Insect mortality in <i>Spathodea campanulata</i> Beauv. (Bignoniaceae) flowers. <i>Revista Brasileira De Biologia</i> , 2000, 60, 537-538.	0.3	21
70	Qualitative patterns of pyrrolizidine alkaloids in ithomiinae butterflies. <i>Biochemical Systematics and Ecology</i> , 1996, 24, 181-188.	1.3	43
71	Pyrrolizidine alkaloids necine bases: Ab initio, semiempirical, and molecular mechanics approaches to molecular properties. <i>Journal of Computational Chemistry</i> , 1996, 17, 156-166.	3.3	10
72	Tropane and pyrrolizidine alkaloids in the ithomiines <i>Placidula euryanassa</i> and <i>Miraleria cymothoe</i> (Lepidoptera: Nymphalidae). <i>Chemoecology</i> , 1996, 7, 61-67.	1.1	34

#	ARTICLE	IF	CITATIONS
73	Sequestration of pyrrolizidine alkaloids by larvae of <i>Tellervo zoilus</i> (Lepidoptera: Ithomiinae) and their role in the chemical protection of adults against the spider <i>Nephila maculata</i> (Araneidae). <i>Chemoecology</i> , 1996, 7, 68-73.	1.1	35
74	Pyrrolizidine alkaloids: different acquisition and use patterns in Apocynaceae and Solanaceae feeding ithomiine butterflies (Lepidoptera: Nymphalidae). <i>Biological Journal of the Linnean Society</i> , 1996, 58, 99-123.	1.6	77
75	Pyrrolizidine alkaloids: different acquisition and use patterns in Apocynaceae and Solanaceae feeding ithomiine butterflies (Lepidoptera: Nymphalidae). <i>Biological Journal of the Linnean Society</i> , 1996, 58, 99-123.	1.6	4
76	Chapter 4 The Ecological Activity of Alkaloids. <i>Alkaloids: Chemistry and Pharmacology</i> , 1995, 47, 227-354.	0.2	11
77	Multi-level complexity in the use of plant allelochemicals by aposematic insects. <i>Chemoecology</i> , 1994, 5-6, 119-126.	1.1	7
78	Stereochemical inversion of pyrrolizidine alkaloids by <i>Mechanitis polymnia</i> (Lepidoptera: Nymphalidae:). <i>Tj ETQq0 0 0 ggBT /Overlock 10 T</i>	1.8	41
79	Pyrrolizidine alkaloids in the arctiid moth <i>Hyalurga syma</i> . <i>Journal of Chemical Ecology</i> , 1993, 19, 669-679.	1.8	57
80	Evolutionary implications of pyrrolizidine alkaloid assimilation by danaine and ithomiine larvae (Lepidoptera: Nymphalidae). <i>Experientia</i> , 1990, 46, 332-334.	1.2	26
81	Variation of pyrrolizidine alkaloids in Ithomiinae: A comparative study between species feeding on Apocynaceae and Solanaceae. <i>Chemoecology</i> , 1990, 1, 22-29.	1.1	46