
Michaela Golic

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8631610/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intrauterine Exposure to Diabetic Milieu Does Not Induce Diabetes and Obesity in Male Adulthood in a Novel Rat Model. Hypertension, 2021, 77, 202-215.	2.7	4
2	Diabetic pregnancy as a novel risk factor for cardiac dysfunction in the offspring—the heart as a target for fetal programming in rats. Diabetologia, 2021, 64, 2829-2842.	6.3	6
3	Statins Reverse Postpartum Cardiovascular Dysfunction in a Rat Model of Preeclampsia. Hypertension, 2020, 75, 202-210.	2.7	27
4	RNA interference therapeutics targeting angiotensinogen ameliorate preeclamptic phenotype in rodent models. Journal of Clinical Investigation, 2020, 130, 2928-2942.	8.2	25
5	Diabetes Mellitus in Pregnancy Leads to Growth Restriction and Epigenetic Modification of the <i>Srebf2</i> Gene in Rat Fetuses. Hypertension, 2018, 71, 911-920.	2.7	30
6	Continuous Blood Glucose Monitoring Reveals Enormous Circadian Variations in Pregnant Diabetic Rats. Frontiers in Endocrinology, 2018, 9, 271.	3.5	5
7	Influence of transvaginal ultrasound examination on quantitative vaginal fibronectin measurements: a prospective evaluation study. Journal of Perinatal Medicine, 2017, 45, 85-89.	1.4	5
8	Placental expression of sFlt-1 and PlGF in early preeclampsia vs. early IUGR vs. age-matched healthy pregnancies. Hypertension in Pregnancy, 2017, 36, 151-160.	1.1	33
9	Increased placental sFlt-1 but unchanged PIGF expression in late-onset preeclampsia. Hypertension in Pregnancy, 2017, 36, 175-185.	1.1	15
10	Disturbed Placental Imprinting in Preeclampsia Leads to Altered Expression of DLX5, a Human-Specific Early Trophoblast Marker. Circulation, 2017, 136, 1824-1839.	1.6	58
11	The TetO rat as a new translational model for type 2 diabetic retinopathy by inducible insulin receptor knockdown. Diabetologia, 2017, 60, 202-211.	6.3	10
12	CD74-Downregulation of Placental Macrophage-Trophoblastic Interactions in Preeclampsia. Circulation Research, 2016, 119, 55-68.	4.5	73
13	Tumor Necrosis Factor-α, Uterine Natural Killer Cells, and Pregnancy. Hypertension, 2016, 68, 1108-1109.	2.7	1
14	Vitamin D depletion does not affect key aspects of the preeclamptic phenotype in a transgenic rodent model for preeclampsia. Journal of the American Society of Hypertension, 2016, 10, 597-607.e1.	2.3	6
15	Natural Killer Cell Reduction and Uteroplacental Vasculopathy. Hypertension, 2016, 68, 964-973.	2.7	14
16	Placental endoplasmic reticulum stress in gestational diabetes: the potential for therapeutic intervention with chemical chaperones and antioxidants. Diabetologia, 2016, 59, 2240-2250.	6.3	72
17	Relaxin Treatment in an Ang-II-Based Transgenic Preeclamptic-Rat Model. PLoS ONE, 2016, 11, e0150743.	2.5	8
18	Regulatory T Cells Ameliorate Intrauterine Growth Retardation in a Transgenic Rat Model for Preeclampsia. Hypertension, 2015, 65, 1298-1306.	2.7	27

MICHAELA GOLIC

#	Article	IF	CITATIONS
19	Suppression of Intratumoral CCL22 by Type I Interferon Inhibits Migration of Regulatory T Cells and Blocks Cancer Progression. Cancer Research, 2015, 75, 4483-4493.	0.9	59
20	Testing for HIV during pregnancy: 5Âyears after changing German pregnancy guidelines. Archives of Gynecology and Obstetrics, 2013, 288, 29-32.	1.7	5
21	CD103 is a hallmark of tumorâ€infiltrating regulatory T cells. International Journal of Cancer, 2011, 129, 2417-2426.	5.1	104
22	Targeting CpG Oligonucleotides to the Lymph Node by Nanoparticles Elicits Efficient Antitumoral Immunity. Journal of Immunology, 2008, 181, 2990-2998.	0.8	150