Koutaro Yokote

List of Publications by Year
in descending order

111 papers	3,262 citations	186265 28 h-index	168389 53 g-index
119 all docs	119 docs citations	119 times ranked	4507 citing authors

#	Article	IF	Citations
1	International Consensus on Risk Management of Diabetic Ketoacidosis in Patients With Type 1 Diabetes Treated With Sodiumâ€“Glucose Cotransporter (SGLT) Inhibitors. Diabetes Care, 2019, 42, 1147-1154.	8.6	249
2	Fatty acid metabolic reprogramming via mTOR-mediated inductions of PPARÎ³ directs early activation of T cells. Nature Communications, 2016, 7, 13683.	12.8	194
3	Obesity Drives Th17 Cell Differentiation by Inducing the Lipid Metabolic Kinase, ACC1. Cell Reports, 2015, 12, 1042-1055.	6.4	182
4	Cell biology of diabetic nephropathy: Roles of endothelial cells, tubulointerstitial cells and podocytes. Journal of Diabetes Investigation, 2015, 6, 3-15.	2.4	161
5	Weight regain and cardiometabolic effects after withdrawal of semaglutide: The <scp>STEP</scp> 1 trial extension. Diabetes, Obesity and Metabolism, 2022, 24, 1553-1564.	4.4	151
6	Effects of K-877, a novel selective PPARÎ± modulator (SPPARMÎ±), in dyslipidaemic patients: A randomized, double blind, active- and placebo-controlled, phase 2 trial. Atherosclerosis, 2016, 249, 36-43.	0.8	146
7	Efficacy and safety of pemafibrate (K-877), aÂselective peroxisome proliferator-activated receptor Î± modulator, in patients with dyslipidemia: Results from a 24-week, randomized, double blind, active-controlled, phase 3 trial. Journal of Clinical Lipidology, 2018, 12, 173-184.	1.5	127
8	Effects of Pemafibrate, a Novel Selective PPARÎ± Modulator, on Lipid and Glucose Metabolism in Patients With Type 2 Diabetes and Hypertriglyceridemia: A Randomized, Double-Blind, Placebo-Controlled, Phase 3 Trial. Diabetes Care, 2018, 41, 538-546.	8.6	122
9	Enhanced Expression of Osteopontin in Human Diabetic Artery and Analysis of Its Functional Role in Accelerated Atherogenesis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 624-628.	2.4	108
10	Antibody responses to BNT162b2 mRNA COVID-19 vaccine and their predictors among healthcare workers in a tertiary referral hospital in Japan. Clinical Microbiology and Infection, 2021, 27, 1861.e1-1861.e5.	6.0	107
11	Efficacy and safety of K-877, a novel selective peroxisome proliferator-activated receptor Î± modulator (SPPARMÎ±), in combination with statin treatment: Two randomised, double-blind, placebo-controlled clinical trials in patients with dyslipidaemia. Atherosclerosis, 2017, 261, 144-152.	0.8	101
12	Efficacy and Safety of Pemafibrate Versus Fenofibrate in Patients with High Triglyceride and Low HDL Cholesterol Levels: A Multicenter, Placebo-Controlled, Double-Blind, Randomized Trial. Journal of Atherosclerosis and Thrombosis, 2018, 25, 521-538.	2.0	97
13	WRNMutation Update: Mutation Spectrum, Patient Registries, and Translational Prospects. Human Mutation, 2017, 38, 7-15.	2.5	79
14	The obesity-related pathology and Th17 cells. Cellular and Molecular Life Sciences, 2017, 74, 1231-1245.	5.4	65
15	The phospholipase-A2 reaction leads to increased monocyte adhesion of endothelial cells via the expression of adhesion molecules. FEBS Journal, 1993, 217, 723-729.	0.2	53
16	Long-Term Efficacy and Safety of Pemafibrate, a Novel Selective Peroxisome Proliferator-Activated Receptor-Î± Modulator (SPPARMÎ±), in Dyslipidemic Patients with Renal Impairment. International Journal of Molecular Sciences, 2019, 20, 706.	4.1	53
17	Fibroblast growth factor receptor-1 mediates chemotaxis independently of direct SH2-domain protein binding. Oncogene, 1998, 17, 283-291.	5.9	52
18	Diabetic Control and Progression of Retinopathy in Elderly Patients: Fiveâ€Year Followâ€up Study. Journal of the American Geriatrics Society, 1994, 42, 142-145.	2.6	45

#	Article	IF	Citations
19	p53-inducible DPYSL4 associates with mitochondrial supercomplexes and regulates energy metabolism in adipocytes and cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 8370-8375.	7.1	41
20	Superoxide Dismutase 1 Loss Disturbs Intracellular Redox Signaling, Resulting in Global Age-Related Pathological Changes. BioMed Research International, 2014, 2014, 1-10.	1.9	38
21	Association of serum levels of antibodies against MMP1, CBX1, and CBX5 with transient ischemic attack and cerebral infarction. Oncotarget, 2018, 9, 5600-5613.	1.8	38
22	Efficacy and safety of pemafibrate in people with type 2 diabetes and elevated triglyceride levels: 52â€week data from the PROVIDE study. Diabetes, Obesity and Metabolism, 2019, 21, 1737-1744.	4.4	35
23	Werner Syndrome-specific induced pluripotent stem cells: recovery of telomere function by reprogramming. Frontiers in Genetics, 2015, 6, 10.	2.3	32
24	Cushing Syndrome Due to ACTH-Secreting Pheochromocytoma, Aggravated by Glucocorticoid-Driven Positive-Feedback Loop. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 841-846.	3.6	32
25	Effects of a novel selective peroxisome proliferatorâ€activated receptorâ€Î± modulator, pemafibrate, on hepatic and peripheral glucose uptake in patients with hypertriglyceridemia and insulin resistance. Journal of Diabetes Investigation, 2018, 9, 1323-1332.	2.4	32
26	Development of the Dementia Assessment Sheet for Communityâ€based Integrated Care System 8â€items, a short version of the Dementia Assessment Sheet for Communityâ€based Integrated Care System 21â€items, for the assessment of cognitive and daily functions. Geriatrics and Gerontology International, 2018, 18, 1458-1462.	1.5	32
27	Enhanced Expression of Osteopontin by High Glucose: Involvement of Osteopontin in Diabetic Macroangiopathy^a. Annals of the New York Academy of Sciences, 2000, 902, 357-363.	3.8	30
28	Sod1 Loss Induces Intrinsic Superoxide Accumulation Leading to p53-Mediated Growth Arrest and Apoptosis. International Journal of Molecular Sciences, 2013, 14, 10998-11010.	4.1	30
29	Altered cerebral blood flow in the anterior cingulate cortex is associated with neuropathic pain. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 1082-1087.	1.9	30
30	Comparing the effects of ipragliflozin versus metformin on visceral fat reduction and metabolic dysfunction in Japanese patients with type 2 diabetes treated with sitagliptin: A prospective, multicentre, openâ€label, blindedâ€endpoint, randomized controlled study (PRIMEâ€V study). Diabetes, Obesity and Metabolism, 2019, 21, 1990-1995.	4.4	28
31	Efficacy and Safety of Pemafibrate, a Novel Selective Peroxisome Proliferator-Activated Receptor Î± Modulator (SPPARMÎ±): Pooled Analysis of Phase 2 and 3 Studies in Dyslipidemic Patients with or without Statin Combination. International Journal of Molecular Sciences, 2019, 20, 5537.	4.1	27
32	NKâ€104, a 3â€hydroxyâ€3â€methylglutaryl coenzyme A reductase inhibitor, reduces osteopontin expression by rat aortic smooth muscle cells. British Journal of Pharmacology, 2001, 133, 83-88.	5.4	25
33	Tetraspanin CD9 modulates ADAM17-mediated shedding of LR11 in leukocytes. Experimental and Molecular Medicine, 2014, 46, e89-e89.	7.7	25
34	Continuous glucose monitoring reveals hypoglycemia risk in elderly patients with type 2 diabetes mellitus. Journal of Diabetes Investigation, 2018, 9, 69-74.	2.4	25
35	Syringaresinol Reverses Age-Related Skin Atrophy by Suppressing FoxO3a-Mediated Matrix Metalloproteinaseâ€“2 ActivationÂinÂCopper/Zinc Superoxide Dismutaseâ€“Deficient Mice. Journal of Investigative Dermatology, 2019, 139, 648-655.	0.7	25
36	A Toxic Conformer of AÎ²42 with a Turn at 22â€“23 is a Novel Therapeutic Target for Alzheimerâ€™s Disease. Scientific Reports, 2017, 7, 11811.	3.3	23

#	Article	IF	Citations
37	Transcription Factor 21 Is Required for Branching Morphogenesis and Regulates the Gdnf-Axis in Kidney Development. Journal of the American Society of Nephrology: JASN, 2018, 29, 2795-2808.	6.1	23
38	KDM2B in polycomb repressive complex 1.1 functions as a tumor suppressor in the initiation of T-cell leukemogenesis. Blood Advances, 2019, 3, 2537-2549.	5.2	22
39	Efficacy and safety of the dipeptidyl peptidaseâ€4 inhibitor sitagliptin compared with alphaâ€glucosidase inhibitor in Japanese patients with typeÂ2 diabetes inadequately controlled on metformin or pioglitazone alone (Study for an Ultimate Combination Therapy to Control Diabetes with Sitagliptinâ€1): A multicenter, randomized, openâ€label, nonâ€inferiority trial. Journal of Diabetes Investigation, 2015, 6, 182-191.	2.4	18
40	Pituitary Adenylate Cyclase-Activating Polypeptide Protects Glomerular Podocytes from Inflammatory Injuries. Journal of Diabetes Research, 2015, 2015, 1-10.	2.3	18
41	Postpartum risk of diabetes and predictive factors for glucose intolerance in East Asian women with gestational diabetes. Diabetes Research and Clinical Practice, 2018, 140, 1-8.	2.8	18
42	Elevation of autoantibody level against PDCD11 in patients with transient ischemic attack. Oncotarget, 2018, 9, 8836-8848.	1.8	18
43	Doseâ€dependent reduction in body weight with LIK066 (licogliflozin) treatment in Japanese patients with obesity. Diabetes, Obesity and Metabolism, 2020, 22, 1102-1110.	4.4	18
44	Effect of empagliflozin on cardiorenal outcomes and mortality according to body mass index: A subgroup analysis of the <scp>EMPAâ€REG OUTCOME</scp> trial with a focus on Asia. Diabetes, Obesity and Metabolism, 2021, 23, 1886-1891.	4.4	18
45	The Role of Smad3-Dependent TGF-Î² Signal in Vascular Response to Injury. Trends in Cardiovascular Medicine, 2006, 16, 240-245.	4.9	17
46	Aldosterone Reduction Rate After Saline Infusion Test May Be a Novel Prediction in Patients With Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e319-e327.	3.6	17
47	Comparison of Visceral Fat Reduction by Ipragliflozin and Metformin in Elderly Type 2 Diabetes Patients: Sub-Analysis of a Randomized-Controlled Study. Diabetes Therapy, 2021, 12, 183-196.	2.5	17
48	Astaxanthin Improves Nonalcoholic Fatty Liver Disease in Werner Syndrome with Diabetes Mellitus. Journal of the American Geriatrics Society, 2015, 63, 1271-1273.	2.6	16
49	Serum antiâ€LRPAP1 is a common biomarker for digestive organ cancers and atherosclerotic diseases. Cancer Science, 2020, 111, 4453-4464.	3.9	16
50	Elevated levels of autoantibodies against DNAJC2 in sera of patients with atherosclerotic diseases. Heliyon, 2020, 6, e04661.	3.2	16
51	Effects of pemafibrate on glucose metabolism markers and liver function tests in patients with hypertriglyceridemia: a pooled analysis of six phase 2 and phase 3 randomized doubleâ€blind placeboâ€controlled clinical trials. Cardiovascular Diabetology, 2021, 20, 96.	6.8	16
52	Possible role of intragenic DNA hypermethylation in gene silencing of the tumor suppressor gene NR4A3 in acute myeloid leukemia. Leukemia Research, 2016, 50, 85-94.	0.8	15
53	Metabolic surgery in treatment of obese Japanese patients with type 2 diabetes: a joint consensus statement from the Japanese Society for Treatment of Obesity, the Japan Diabetes Society, and the Japan Society for the Study of Obesity. Diabetology International, 2022, 13, 1-30.	1.4	15
54	Unsuppressed lipolysis in adipocytes is linked with enhanced gluconeogenesis and altered bile acid physiology in InsrP1195L/+ mice fed high-fat-diet. Scientific Reports, 2015, 5, 17565.	3.3	14

#	Article	IF	Citations
55	Comparison in decision-making between bulimia nervosa, anorexia nervosa, and healthy women: influence of mood status and pathological eating concerns. Journal of Eating Disorders, 2015, 3, 14.	2.7	14
56	Prednisolone-responsive Postpartum IgG4-related Hypophysitis. Internal Medicine, 2018, 57, 367-375.	0.7	14
57	Effects of ipragliflozin versus metformin in combination with sitagliptin on bone and muscle in Japanese patients with typeÂ2 diabetes mellitus: Subanalysis of a prospective, randomized, controlled study (PRIMEâ€V study). Journal of Diabetes Investigation, 2021, 12, 200-206.	2.4	14
58	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. Scientific Reports, 2021, 11, 13450.	3.3	14
59	Recent Trends in WRN Gene Mutation Patterns in Individuals with Werner Syndrome. Journal of the American Geriatrics Society, 2017, 65, 1853-1856.	2.6	13
60	RECQ helicase disease and related progeroid syndromes: RECQ2018 meeting. Mechanisms of Ageing and Development, 2018, 173, 80-83.	4.6	13
61	Multidrug use positively correlates with high-risk prescriptions in the Japanese elderly: a longitudinal study. Journal of Pharmaceutical Health Care and Sciences, 2019, 5, 20.	1.0	13
62	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. BMC Medicine, 2021, 19, 131.	5.5	13
63	Elevated Adiponectin Antibody Levels in Sera of Patients with Atherosclerosis-Related Coronary Artery Disease, Cerebral Infarction and Diabetes Mellitus. Journal of Circulating Biomarkers, 2016, 5, 8.	1.3	12
64	Glucagonoma With Necrolytic Migratory Erythema: Metabolic Profile and Detection of Biallelic Inactivation of DAXX Gene. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 2417-2423.	3.6	12
65	Association between serum antiâ€ASXL2 antibody levels and acute ischemic stroke, acute myocardial infarction, diabetes mellitus, chronic kidney disease and digestive organ cancer, and their possible association with atherosclerosis and hypertension. International Journal of Molecular Medicine, 2020, 46, 1274-1288.	4.0	11
66	Lipoprotein(a) Is a Risk Factor for Diabetic Retinopathy in the Elderly. Journal of the American Geriatrics Society, 1994, 42, 965-967.	2.6	10
67	Altered serum level of matrix metalloproteinaseâ€9 and its association with decisionâ€making in eating disorders. Psychiatry and Clinical Neurosciences, 2017, 71, 124-134.	1.8	10
68	Sodium-Glucose Cotransporter 2 Inhibitors Improve Chronic Diabetic Macular Edema. Case Reports in Ophthalmological Medicine, 2020, 2020, 1-6.	0.5	10
69	Distinct Differences in Lipoprotein Particle Number Evaluation between GP-HPLC and NMR: Analysis in Dyslipidemic Patients Administered a Selective PPARÎ± Modulator, Pemafibrate. Journal of Atherosclerosis and Thrombosis, 2021, 28, 974-996.	2.0	10
70	Generation of disease-specific and CRISPR/Cas9-mediated gene-corrected iPS cells from a patient with adult progeria Werner syndrome. Stem Cell Research, 2021, 53, 102360.	0.7	8
71	Soluble LR11, a Novel Acute Leukemia Marker, Drastically Induces WT1 mRNA Expression Together with Synergic Activation of Gatas, and the Migration Activity. Blood, 2012, 120, 4795-4795.	1.4	8
72	A Novel Approach to the Treatment of Plasma Protein Deficiency: <i>Ex Vivo</i>-Manipulated Adipocytes for Sustained Secretion of Therapeutic Proteins. Chemical and Pharmaceutical Bulletin, 2018, 66, 217-224.	1.3	7

#	Article	IF	Citations
73	Distinct roles of systemic and local actions of insulin on pancreatic Î²-cells. Metabolism: Clinical and Experimental, 2018, 82, 100-110.	3.4	7
74	Characteristics of benign adrenocortical adenomas with 18F-FDG PET accumulation. European Journal of Endocrinology, 2021, 185, 155-165.	3.7	7
75	Helicobacter cinaedi infection in patients with diabetes: a case report. SpringerPlus, 2015, 4, 72.	1.2	6
76	Improved Glycemic Control and Vascular Function and Reduction of Abdominal Fat Accumulation with Liraglutide in a Case of Werner Syndrome with Diabetes Mellitus. Journal of the American Geriatrics Society, 2016, 64, 687-688.	2.6	6
77	Efficacy and safety of ipragliflozin and metformin for visceral fat reduction in patients with type 2 diabetes receiving treatment with dipeptidyl peptidase-4 inhibitors in Japan: a study protocol for a prospective, multicentre, blinded-endpoint phase IV randomised controlled trial (PRIME-V study). BMJ Open, 2017, 7, e015766.	1.9	6
78	Femoral osteoporosis is more common than lumbar osteoporosis in patients with Werner syndrome. Geriatrics and Gerontology International, 2017, 17, 854-856.	1.5	6
79	Sitagliptin but not alpha glucosidase inhibitor reduced the serum soluble CD163, a marker for activated macrophage, in individuals with type 2 diabetes mellitus. Diabetes Research and Clinical Practice, 2017, 126, 138-143.	2.8	5
80	Biallelic WRN Mutations in Newly Identified Japanese Werner Syndrome Patients. Molecular Syndromology, 2018, 9, 214-218.	0.8	5
81	Detailed analysis of lipolytic enzymes in a Japanese woman of familial lipoprotein lipase deficiency â€“ Effects of pemafibrate treatment. Clinica Chimica Acta, 2020, 510, 216-219.	1.1	5
82	Pioglitazone Improves Fat Tissue Distribution and Hyperglycemia in a Case of Cockayne Syndrome With Diabetes. Diabetes Care, 2015, 38, e76-e76.	8.6	4
83	Accelerated oligosaccharide absorption and altered serum metabolites during oral glucose tolerance test in young Japanese with impaired glucose tolerance. Journal of Diabetes Investigation, 2018, 9, 512-521.	2.4	4
84	Association between glycemic control and cardiovascular events in older Japanese adults with diabetes mellitus: An analysis of the Japanese medical administrative database. Journal of Diabetes Investigation, 2021, 12, 2036-2045.	2.4	4
85	A Case of Hashimotoâ€™s Thyroiditis with Multiple Drug Resistance and High Expression of Efflux Transporters. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 399-406.	3.6	3
86	A case of generalized lipodystrophy-associated progeroid syndrome treated by leptin replacement with short and long-term monitoring of the metabolic and endocrine profiles. Endocrine Journal, 2020, 67, 211-218.	1.6	3
87	Guidelines on the Clinical Evaluation of Medicinal Products for Treatment of Dyslipidemia. Journal of Atherosclerosis and Thrombosis, 2020, 27, 1246-1254.	2.0	3
88	Low dose red yeast rice with monacolin K lowers LDL cholesterol and blood pressure in Japanese with mild dyslipidemia: A multicenter, randomized trial. Asia Pacific Journal of Clinical Nutrition, 2021, 30, 424-435.	0.4	3
89	Immunological features that associate with the strength of antibody responses to BNT162b2 mRNA vaccine against SARS-CoV-2. Vaccine, 2022, 40, 2129-2133.	3.8	2
90	Calcification in Werner syndrome associated with lymphatic vessels aging. Aging, 2021, 13, 25717-25728.	3.1	2

#	Article	IF	Citations
91	Clinical Usefulness of the Growth Hormoneâ€“Releasing Peptide-2 Test for Hypothalamic-Pituitary Disorder. Journal of the Endocrine Society, 2022, 6, .	0.2	2
92	Efficacy of HMG-CoA reductase inhibitors in the prevention of cerebrovascular attack in 1016 patients older than 75 years among 4014 type 2 diabetic individuals. International Journal of Cardiology, 2014, 177, 860-866.	1.7	1
93	A method for estimating visceral fat from the elasticity of lumbar subcutaneous fat. Artificial Life and Robotics, 2014, 19, 1-8.	1.2	1
94	Comparison of Drug Use Between Clinical Practice and Regulatory Approval: Results in Older Japanese Patients With Rheumatoid Arthritis, Diabetes, High Blood Pressure, or Depression. Therapeutic Innovation and Regulatory Science, 2016, 50, 743-750.	1.6	1
95	Efficacy of Pemafibrate on Atherogenic Dyslipidemia: Results of a Pooled Analysis of Pemafibrate Phase II/III Clinical Trials Compared with Placebo. Atherosclerosis Supplements, 2018, 32, 25-26.	1.2	1
96	Characteristic Clinical Features of Werner Syndrome with a Novel Compound Heterozygous WRN Mutation c.1720+1G>A Plus c.3139-1G>C. Internal Medicine, 2019, 58, 1033-1036.	0.7	1
97	Determinants and impact of physical impairment in patient-reported outcomes among older patients with type 2 diabetes mellitus in Japan. Current Medical Research and Opinion, 2021, 37, 393-402.	1.9	1
98	ICAM1-Negative Intravascular Large B-Cell Lymphoma of the Pituitary Gland: A Case Report and Literature Review. AACE Clinical Case Reports, 2021, 7, 249-255.	1.1	1
99	Identification of clonal immunoglobulin Î» light-chain gene rearrangements in AL amyloidosis using next-generation sequencing. Experimental Hematology, 2021, 101-102, 34-41.e4.	0.4	1
100	Serum HDL-C values: An extremely useful marker for differentiating homozygous lipoprotein lipase deficiency from severe hypertriglyceridemia with other causes in Japan. Clinica Chimica Acta, 2021, 521, 85-89.	1.1	1
101	LCAT-trial-24 weeks: Protocol for a clinical study to evaluate the safety of regenerative medicine and gene therapy by the autologous transplantation of human lecithin:cholesterol acyltransferase gene-transduced human pre-adipocytes. Contemporary Clinical Trials Communications, 2022, 28, 100946.	1.1	1
102	Efficacy and Safety of Once-Weekly Subcutaneous Semaglutide 2.4 MG in Adults With Overweight or Obesity (STEP 1). Journal of the Endocrine Society, 2021, 5, A10-A10.	0.2	0
103	2â€ƒEfficacy and Safety of Once-Weekly Subcutaneous Semaglutide 2.4â€‰mg in Adults With Overweight or Obesity (STEP 1). Adipositas - Ursachen Folgeerkrankungen Therapie, 2021, 15, .	0.2	0
104	Ezh2 Plays a Critical Role in the Progression of MLL-AF9-Induced Acute Myeloid Leukemia. Blood, 2011, 118, 57-57.	1.4	0
105	Platinum and Palladium Nanoparticles Regulate the Redox Balance and Protect Against Age-Related Skin Changes in Mice. , 2015, , 1-11.		0
106	Platinum and Palladium Nanoparticles Regulate the Redox Balance and Protect Against Age-Related Skin Changes in Mice. , 2017, , 457-467.		0
107	Generation of Endothelial and Smooth Muscle Cells from Werner Syndrome-Specific Induced Pluripotent Stem Cells. Juntendo Medical Journal, 2018, 64, 207-215.	0.1	0
108	Discussion on Management of Metabolic and Endocrine Disorders for General Practitioners. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 729-746.	0.0	0

#	Article	IF	Citations
109	Metabolism and Endocrinology as Crossroads of Generalism and Specialism. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 663-665.	0.0	0
110	6. Update for the Management of Dyslipidemia. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 1896-1901.	0.0	0
111	Predictive model and risk engine web application for surgical site infection risk in perioperative patients with type 2 diabetes. Diabetology International, 0, , .	1.4	0