Lijia Yan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8635518/publications.pdf

Version: 2024-02-01

| | | 567281 | 642732 |
|----------|----------------|--------------|----------------|
| 23 | 938 | 15 | 23 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 23 | 23 | 23 | 1544 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|---|-------------------|-------------|
| 1 | Side-chain engineering of green color electrochromic polymer materials: toward adaptive camouflage application. Journal of Materials Chemistry C, 2016, 4, 2269-2273. | 5.5 | 155 |
| 2 | Anthracene-based semiconductors for organic field-effect transistors. Journal of Materials Chemistry C, 2018, 6, 7416-7444. | 5.5 | 129 |
| 3 | A Unique Blend of 2â€Fluorenylâ€⊋â€anthracene and 2â€Anthrylâ€⊋â€anthracence Showing White Emission and High Charge Mobility. Angewandte Chemie - International Edition, 2017, 56, 722-727. | 13.8 | 94 |
| 4 | Effects of heteroatom substitution in spiro-bifluorene hole transport materials. Chemical Science, 2016, 7, 5007-5012. | 7.4 | 86 |
| 5 | A Unique Blend of 2â€Fluorenylâ€2â€anthracene and 2â€Anthrylâ€2â€anthracence Showing White Emission and High Charge Mobility. Angewandte Chemie, 2017, 129, 740-745. | 2.0 | 70 |
| 6 | Polarâ€Electrodeâ€Bridged Electroluminescent Displays: 2D Sensors Remotely Communicating Optically. Advanced Materials, 2017, 29, 1703552. | 21.0 | 49 |
| 7 | High Performance OTFTs Fabricated Using a Calamitic Liquid Crystalline Material of 2â€(4â€Dodecyl) Tj ETQq1 1 0 |).784314 r 5.1 | gBT /Overlo |
| 8 | Accelerating the Screening of Perovskite Compositions for Photovoltaic Applications through Highâ€Throughput Inkjet Printing. Advanced Functional Materials, 2019, 29, 1905487. | 14.9 | 37 |
| 9 | Efficient Charge Injection in Organic Fieldâ€Effect Transistors Enabled by Lowâ€Temperature Atomic Layer Deposition of Ultrathin VO _x Interlayer. Advanced Functional Materials, 2016, 26, 4456-4463. | 14.9 | 35 |
| 10 | Influence of heteroatoms on the charge mobility of anthracene derivatives. Journal of Materials Chemistry C, 2016, 4, 3517-3522. | 5.5 | 34 |
| 11 | A thermally stable anthracene derivative for application in organic thin film transistors. Organic Electronics, 2017, 43, 105-111. | 2.6 | 34 |
| 12 | Highly responsive phototransistors based on 2,6-bis(4-methoxyphenyl)anthracene single crystal. Journal of Materials Chemistry C, 2017, 5, 5304-5309. | 5.5 | 34 |
| 13 | Investigating the single crystal OFET and photo-responsive characteristics based on an anthracene linked benzo[b]benzo[4,5]thieno[2,3-d]thiophene semiconductor. Organic Electronics, 2019, 72, 1-5. | 2.6 | 22 |
| 14 | A Redoxâ€Dependent Electrochromic Material: <i>Tetri</i> àê€DOT Substituted Thieno[3,2â€ <i>b</i>]thiophene. Macromolecular Rapid Communications, 2016, 37, 1344-1351. | 3.9 | 19 |
| 15 | In-plane isotropic charge transport characteristics of single-crystal FETs with high mobility based on 2,6-bis(4-methoxyphenyl)anthracene: experimental cum theoretical assessment. Journal of Materials Chemistry C, 2017, 5, 370-375. | 5.5 | 18 |
| 16 | A Wide Band Gap Naphthalene Semiconductor for Thinâ€Film Transistors. Advanced Electronic Materials, 2017, 3, 1600556. | 5.1 | 15 |
| 17 | Unlocking the potential of diketopyrrolopyrrole-based solar cells by a pre-solvent annealing method in all-solution processing. RSC Advances, 2016, 6, 53587-53595. | 3.6 | 14 |
| 18 | 2D and 3D Crystal Formation of 2,6â€Bis[4â€ethylphenyl]anthracene with Isotropic High Chargeâ€Carrier Mobility. Advanced Electronic Materials, 2017, 3, 1700282. | 5.1 | 13 |

| # | Article | IF | CITATIONS |
|----|--|---------------------|--------------|
| 19 | Polysiloxane–poly(vinyl alcohol) composite dielectrics for high-efficiency low voltage organic thin film transistors. Journal of Materials Chemistry C, 2019, 7, 4879-4886. | 5.5 | 13 |
| 20 | An unusual photoconductive property of polyiodide and enhancement by catenating with 3-thiophenemethylamine salt. Chemical Communications, 2017, 53, 432-435. | 4.1 | 11 |
| 21 | Self-supported hysteresis-free flexible organic thermal transistor based on commercial graphite paper. Applied Physics Letters, 2018, 112, 253301. | 3.3 | 9 |
| 22 | Liquid Crystals: High Performance OTFTs Fabricated Using a Calamitic Liquid Crystalline Material of 2â€(4â€Dodecyl phenyl)[1]benzothieno[3,2â€ <i>b</i>][1]benzothiophene (Adv. Electron. Mater. 9/2016). Advanced Electronic Materials, 2016, 2, . | 5.1 | 2 |
| 23 | Metal/Organic Interfaces: Efficient Charge Injection in Organic Fieldâ€Effect Transistors Enabled by Lowâ€Temperature Atomic Layer Deposition of Ultrathin VO _x Interlayer (Adv. Funct. Mater.) Tj ETC | Qq11 4.9. 78 | 4314 rgBT /C |