

Djillali Annane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/863997/publications.pdf>

Version: 2024-02-01

171
papers

49,252
citations

22099

59
h-index

5663

162
g-index

192
all docs

192
docs citations

192
times ranked

37843
citing authors

#	ARTICLE	IF	CITATIONS
1	High parasternal intercostal muscle thickening prior to intubation in COVID-19 infection. <i>Radiology Case Reports</i> , 2022, 17, 843-846.	0.2	1
2	Diaphragm Ultrasound in Cardiac Surgery: State of the Art. <i>Medicines (Basel, Switzerland)</i> , 2022, 9, 5.	0.7	4
3	Treatment of COVID-19-associated ARDS with mesenchymal stromal cells: a multicenter randomized double-blind trial. <i>Critical Care</i> , 2022, 26, 48.	2.5	62
4	Population Pharmacokinetics of Hydroxychloroquine and 3 Metabolites in COVID-19 Patients and Pharmacokinetic/Pharmacodynamic Application. <i>Pharmaceuticals</i> , 2022, 15, 256.	1.7	3
5	COVID-19 associated EBV reactivation and effects of ganciclovir treatment. <i>Immunity, Inflammation and Disease</i> , 2022, 10, e597.	1.3	30
6	Current practice and evolving concepts in septic shock resuscitation. <i>Intensive Care Medicine</i> , 2022, 48, 148-163.	3.9	55
7	Lessening Organ Dysfunction With Vitamin C (LOVIT) Trial: Statistical Analysis Plan. <i>JMIR Research Protocols</i> , 2022, 11, e36261.	0.5	3
8	Cross-sectional study on COVID-19 vaccine hesitancy and determinants in healthcare students: interdisciplinary trainings on vaccination are needed. <i>BMC Medical Education</i> , 2022, 22, 299.	1.0	17
9	Precision medicine for corticotherapy in COVID-19. <i>Intensive Care Medicine</i> , 2022, 48, 926-929.	3.9	2
10	Intravenous Vitamin C in Adults with Sepsis in the Intensive Care Unit. <i>New England Journal of Medicine</i> , 2022, 386, 2387-2398.	13.9	146
11	Sepsis in the critically ill patient: current and emerging management strategies. <i>Expert Review of Anti-Infective Therapy</i> , 2021, 19, 635-647.	2.0	12
12	Response to Letter to the Editor: "Prevention of Adrenal Crisis: Cortisol Response to Major Stress Compared to Stress Dose Hydrocortisone Delivery" <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e404-e406.	1.8	1
13	Aspirin for the primary prevention of sepsis. <i>Lancet Respiratory Medicine</i> , 2021, 9, 121-122.	5.2	0
14	Population pharmacokinetics of lopinavir/ritonavir in Covid-19 patients. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 389-397.	0.8	15
15	Metabolomics of exhaled breath in critically ill COVID-19 patients: A pilot study. <i>EBioMedicine</i> , 2021, 63, 103154.	2.7	143
16	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021, 11, 21.	2.2	35
17	Impact of Coronavirus Disease 2019 in a French Cohort of Myasthenia Gravis. <i>Neurology</i> , 2021, 96, e2109-e2120.	1.5	38
18	Association between prophylactic angiotensin-converting enzyme inhibitors and overall survival in Duchenne muscular dystrophy" analysis of registry data. <i>European Heart Journal</i> , 2021, 42, 1976-1984.	1.0	25

#	ARTICLE	IF	CITATIONS
19	Intensive care units, the Achilles heel of France in the COVID-19 battle. <i>Lancet Regional Health - Europe, The</i> , 2021, 2, 100046.	3.0	9
20	SARS-CoV-2 reinfections among hospital staff in the greater Paris area. <i>Journal of Travel Medicine</i> , 2021, 28, .	1.4	6
21	Risk factors for secondary hemophagocytic lymphohistiocytosis in severe coronavirus disease 2019 adult patients. <i>BMC Infectious Diseases</i> , 2021, 21, 398.	1.3	14
22	Corticosteroids in COVID-19 and non-COVID-19 ARDS: a systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2021, 47, 521-537.	3.9	148
23	Vagus Nerve Stimulation: A Potential Adjunct Therapy for COVID-19. <i>Frontiers in Medicine</i> , 2021, 8, 625836.	1.2	27
24	Impact of Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Receptor Blockers in Hypertensive Patients with COVID-19 (COVIDECA Study). <i>American Journal of Cardiology</i> , 2021, 147, 58-60.	0.7	4
25	Intravenous immunoglobulin treatment for patients with severe COVID-19: a retrospective multicentre study. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1488-1493.	2.8	16
26	Complement inhibition in severe COVID-19 “ Blocking C5a seems to be key: Author's reply. <i>EClinicalMedicine</i> , 2021, 35, 100866.	3.2	7
27	Nutritional status, swallowing disorders, and respiratory prognosis in adult Duchenne muscular dystrophy patients. <i>Pediatric Pulmonology</i> , 2021, 56, 2146-2154.	1.0	7
28	Duration of antibiotic treatment using procalcitonin-guided treatment algorithms in older patients: a patient-level meta-analysis from randomized controlled trials. <i>Age and Ageing</i> , 2021, 50, 1546-1556.	0.7	6
29	Impact of early low-calorie low-protein versus standard-calorie standard-protein feeding on outcomes of ventilated adults with shock: design and conduct of a randomised, controlled, multicentre, open-label, parallel-group trial (NUTRIREA-3). <i>BMJ Open</i> , 2021, 11, e045041.	0.8	6
30	The pandemic in French intensive care units” Author's response. <i>Lancet Regional Health - Europe, The</i> , 2021, 5, 100134.	3.0	0
31	The cuff leak test in critically ill patients: An international survey of intensivists. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 1087-1094.	0.7	3
32	Glucocorticoid-Glucocorticoid Receptor Response to Severe Acute Respiratory Syndrome Coronavirus 2. <i>Critical Care Medicine</i> , 2021, Publish Ahead of Print, 2157-2160.	0.4	1
33	Monocyte distribution width as a biomarker of resistance to corticosteroids in patients with sepsis: the MOCORSEP observational study. <i>Intensive Care Medicine</i> , 2021, 47, 1161-1164.	3.9	5
34	Corticosteroids for COVID-19. <i>Journal of Intensive Medicine</i> , 2021, 1, 14-25.	0.8	40
35	Complement Inhibition and COVID-19: The Story so Far. <i>ImmunoTargets and Therapy</i> , 2021, Volume 10, 273-284.	2.7	16
36	Efficacy of Thymosin Alpha 1 in the Treatment of COVID-19: A Multicenter Cohort Study. <i>Frontiers in Immunology</i> , 2021, 12, 673693.	2.2	9

#	ARTICLE	IF	CITATIONS
37	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 385, 790-802.	13.9	778
38	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021, 385, 777-789.	13.9	712
39	Association of kidney function with effectiveness of procalcitonin-guided antibiotic treatment: a patient-level meta-analysis from randomized controlled trials. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 441-453.	1.4	13
40	COVID-19 Lung Pathogenesis in SARS-CoV-2 Autopsy Cases. <i>Frontiers in Immunology</i> , 2021, 12, 735922.	2.2	35
41	Effect of Convalescent Plasma on Organ Support-Free Days in Critically Ill Patients With COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1690.	3.8	169
42	Response to Letter to the Editor from Chee et al: "Prevention of Adrenal Crisis: Cortisol Response to Major Stress Compared to Stress Dose Hydrocortisone Delivery". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e407-e408.	1.8	0
43	Equilibrating SSC guidelines with individualized care. <i>Critical Care</i> , 2021, 25, 397.	2.5	38
44	SARS-CoV-2 in coronary blood from thrombus aspiration in a patient with myocardial infarction. <i>Coronary Artery Disease</i> , 2021, Publish Ahead of Print, .	0.3	1
45	Pannexin-1 channel opening is critical for COVID-19 pathogenesis. <i>IScience</i> , 2021, 24, 103478.	1.9	28
46	Corticosteroids for treating sepsis in children and adults. <i>Emergencias</i> , 2021, 33, 137-138.	0.6	0
47	Lessening Organ dysfunction with Vitamin C (LOVIT): protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 42.	0.7	19
48	Overexpression of GILZ in macrophages limits systemic inflammation while increasing bacterial clearance in sepsis in mice. <i>European Journal of Immunology</i> , 2020, 50, 589-602.	1.6	19
49	Randomized Controlled Study Evaluating Efficiency of Low Intensity Transcranial Direct Current Stimulation (tDCS) for Dyspnea Relief in Mechanically Ventilated COVID-19 Patients in ICU: The tDCS-DYSP-COVID Protocol. <i>Frontiers in Medicine</i> , 2020, 7, 372.	1.2	10
50	Effects of low-dose hydrocortisone and hydrocortisone plus fludrocortisone in adults with septic shock: a protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2020, 10, e040931.	0.8	3
51	Eculizumab as an emergency treatment for adult patients with severe COVID-19 in the intensive care unit: A proof-of-concept study. <i>EClinicalMedicine</i> , 2020, 28, 100590.	3.2	129
52	Intravenous fluid therapy in the perioperative and critical care setting: Executive summary of the International Fluid Academy (IFA). <i>Annals of Intensive Care</i> , 2020, 10, 64.	2.2	134
53	Effect of Hydrocortisone on 21-Day Mortality or Respiratory Support Among Critically Ill Patients With COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1298.	3.8	388
54	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 1330.	3.8	1,855

#	ARTICLE	IF	CITATIONS
55	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. <i>Trials</i> , 2020, 21, 734.	0.7	30
56	Association Between Anxiety and New Organ Failure, Independently of Critical Illness Severity and Respiratory Status: A Prospective Multicentric Cohort Study. <i>Critical Care Medicine</i> , 2020, 48, 1471-1479.	0.4	12
57	Myorelaxants in ARDS patients. <i>Intensive Care Medicine</i> , 2020, 46, 2357-2372.	3.9	30
58	Pharmacological principles guiding prolonged glucocorticoid treatment in ARDS. <i>Intensive Care Medicine</i> , 2020, 46, 2284-2296.	3.9	79
59	Prevention of Adrenal Crisis: Cortisol Responses to Major Stress Compared to Stress Dose Hydrocortisone Delivery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 2262-2274.	1.8	68
60	Assessment of Machine Learning to Estimate the Individual Treatment Effect of Corticosteroids in Septic Shock. <i>JAMA Network Open</i> , 2020, 3, e2029050.	2.8	31
61	Corticosteroid treatment in severe COVID-19 patients with acute respiratory distress syndrome. <i>Journal of Clinical Investigation</i> , 2020, 130, 6417-6428.	3.9	96
62	Quantification of plasma remdesivir and its metabolite GS-441524 using liquid chromatography coupled to tandem mass spectrometry. Application to a Covid-19 treated patient. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 1461-1468.	1.4	36
63	Early abolition of cough reflex predicts mortality in deeply sedated brain-injured patients. <i>PeerJ</i> , 2020, 8, e10326.	0.9	1
64	Metabolic support in the critically ill: a consensus of 19. <i>Critical Care</i> , 2019, 23, 318.	2.5	55
65	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019, 9, 20.	2.2	109
66	Corticosteroids for treating sepsis in children and adults. <i>The Cochrane Library</i> , 2019, 2019, CD002243.	1.5	67
67	Why My Steroid Trials in Septic Shock Were "Positive". <i>Critical Care Medicine</i> , 2019, 47, 1789-1793.	0.4	16
68	Academic conflict of interest. <i>Intensive Care Medicine</i> , 2019, 45, 13-20.	3.9	6
69	Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. <i>New England Journal of Medicine</i> , 2018, 378, 809-818.	13.9	606
70	Time for a new definition of death?. <i>Resuscitation</i> , 2018, 127, e14-e15.	1.3	5
71	Are systematic reviews and meta-analyses still useful research? Yes. <i>Intensive Care Medicine</i> , 2018, 44, 512-514.	3.9	14
72	The Endocrine System in Sepsis. , 2018, , 61-79.		1

#	ARTICLE	IF	CITATIONS
73	EMA recommendation to suspend HES is hazardous. <i>Lancet, The</i> , 2018, 391, 736-738.	6.3	33
74	Diaphragm: Pathophysiology and Ultrasound Imaging in Neuromuscular Disorders. <i>Journal of Neuromuscular Diseases</i> , 2018, 5, 1-10.	1.1	57
75	Body temperature in sepsis: a hot topic. <i>Lancet Respiratory Medicine</i> , the, 2018, 6, 162-163.	5.2	9
76	Targeting skeletal muscle tissue oxygenation (StO ₂) in adults with severe sepsis and septic shock: a randomised controlled trial (OTO-StS Study). <i>BMJ Open</i> , 2018, 8, e017581.	0.8	17
77	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part II): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Intensive Care Medicine</i> , 2018, 44, 474-477.	3.9	48
78	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part II): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Critical Care Medicine</i> , 2018, 46, 146-148.	0.4	40
79	Enteral versus parenteral early nutrition in ventilated adults with shock: a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). <i>Lancet, The</i> , 2018, 391, 133-143.	6.3	371
80	Discrepancies in guidelines for acute respiratory distress syndrome. <i>Lancet, The</i> , 2018, 392, 2550-2551.	6.3	1
81	Timing of Renal-Replacement Therapy in Patients with Acute Kidney Injury and Sepsis. <i>New England Journal of Medicine</i> , 2018, 379, 1431-1442.	13.9	417
82	Do I have a conflict of interest? Yes. <i>Intensive Care Medicine</i> , 2018, 44, 1741-1743.	3.9	6
83	Circulating biomarkers may be unable to detect infection at the early phase of sepsis in ICU patients: the CAPTAIN prospective multicenter cohort study. <i>Intensive Care Medicine</i> , 2018, 44, 1061-1070.	3.9	60
84	Value and mechanisms of EEG reactivity in the prognosis of patients with impaired consciousness: a systematic review. <i>Critical Care</i> , 2018, 22, 184.	2.5	73
85	Corticosteroids in Sepsis: An Updated Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2018, 46, 1411-1420.	0.4	193
86	Prolonged corticosteroid treatment in acute respiratory distress syndrome: impact on mortality and ventilator-free days. <i>Critical Care</i> , 2018, 22, 135.	2.5	4
87	Physiological predictors of respiratory and cough assistance needs after extubation. <i>Annals of Intensive Care</i> , 2018, 8, 18.	2.2	23
88	Effect of procalcitonin-guided antibiotic treatment on clinical outcomes in intensive care unit patients with infection and sepsis patients: a patient-level meta-analysis of randomized trials. <i>Critical Care</i> , 2018, 22, 191.	2.5	163
89	Immune Effects of Corticosteroids in Sepsis. <i>Frontiers in Immunology</i> , 2018, 9, 1736.	2.2	77
90	Corticosteroid therapy for sepsis: a clinical practice guideline. <i>BMJ: British Medical Journal</i> , 2018, 362, k3284.	2.4	76

#	ARTICLE	IF	CITATIONS
91	A global perspective on vasoactive agents in shock. <i>Intensive Care Medicine</i> , 2018, 44, 833-846.	3.9	69
92	Left bundle branch block in Duchenne muscular dystrophy: Prevalence, genetic relationship and prognosis. <i>PLoS ONE</i> , 2018, 13, e0190518.	1.1	6
93	Is the literature inconclusive about the harm from HES? Yes. <i>Intensive Care Medicine</i> , 2017, 43, 1520-1522.	3.9	6
94	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Intensive Care Medicine</i> , 2017, 43, 304-377.	3.9	4,590
95	Neurophysiological assessment of brain dysfunction in critically ill patients: an update. <i>Neurological Sciences</i> , 2017, 38, 715-726.	0.9	17
96	Early impairment of intracranial conduction time predicts mortality in deeply sedated critically ill patients: a prospective observational pilot study. <i>Annals of Intensive Care</i> , 2017, 7, 63.	2.2	16
97	Corticosteroids in septic shock: a systematic review and network meta-analysis. <i>Critical Care</i> , 2017, 21, 78.	2.5	97
98	Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Intensive Care Medicine</i> , 2017, 43, 1751-1763.	3.9	220
99	Guidelines for the Diagnosis and Management of Critical Illness-Related Corticosteroid Insufficiency (CIRCI) in Critically Ill Patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. <i>Critical Care Medicine</i> , 2017, 45, 2078-2088.	0.4	234
100	Critical illness-related corticosteroid insufficiency (CIRCI): a narrative review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Intensive Care Medicine</i> , 2017, 43, 1781-1792.	3.9	132
101	Critical Illness-Related Corticosteroid Insufficiency (CIRCI): A Narrative Review from a Multispecialty Task Force of the Society of Critical Care Medicine (SCCM) and the European Society of Intensive Care Medicine (ESICM). <i>Critical Care Medicine</i> , 2017, 45, 2089-2098.	0.4	53
102	Corticosteroids in sepsis: an updated systematic review and meta-analysis (protocol). <i>BMJ Open</i> , 2017, 7, e016847.	0.8	9
103	Brainstem response patterns in deeply-sedated critically-ill patients predict 28-day mortality. <i>PLoS ONE</i> , 2017, 12, e0176012.	1.1	30
104	Outcomes of Hospitalised Muscular Dystrophy Patients. <i>Journal of Neuromuscular Diseases</i> , 2017, 4, 165-168.	1.1	1
105	The Role of ACTH and Corticosteroids for Sepsis and Septic Shock: An Update. <i>Frontiers in Endocrinology</i> , 2016, 7, 70.	1.5	57
106	Beta-blockers in septic shock to optimize hemodynamics? We are not sure. <i>Intensive Care Medicine</i> , 2016, 42, 1613-1614.	3.9	6
107	Adjunctive treatment in septic shock: What's next?. <i>Presse Medicale</i> , 2016, 45, e105-e109.	0.8	5
108	What patient data should be collected in this randomized controlled trial in sepsis?. <i>Intensive Care Medicine</i> , 2016, 42, 2011-2013.	3.9	6

#	ARTICLE	IF	CITATIONS
109	Cardiac implantable electronic devices in tracheotomized muscular dystrophy patients: Safety and risks. <i>International Journal of Cardiology</i> , 2016, 222, 975-977.	0.8	11
110	Pharmacokinetics of oral fludrocortisone in septic shock. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 1509-1516.	1.1	26
111	Design and conduct of the activated protein C and corticosteroids for human septic shock (APROCCHSS) trial. <i>Annals of Intensive Care</i> , 2016, 6, 43.	2.2	13
112	Light therapy and chronobiology in critical illness. <i>Lancet Respiratory Medicine</i> , 2016, 4, 167-168.	5.2	7
113	Steroids are part of rescue therapy in ARDS patients with refractory hypoxemia: yes. <i>Intensive Care Medicine</i> , 2016, 42, 918-920.	3.9	12
114	The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). <i>JAMA - Journal of the American Medical Association</i> , 2016, 315, 801.	3.8	16,554
115	Emerging drugs for the treatment of sepsis. <i>Expert Opinion on Emerging Drugs</i> , 2016, 21, 27-37.	1.0	24
116	Prospective Cohort Study Evaluating the Prognostic Value of Simple EEG Parameters in Postanoxic Coma. <i>Clinical EEG and Neuroscience</i> , 2016, 47, 75-82.	0.9	22
117	Corticosteroids for treating sepsis. <i>The Cochrane Library</i> , 2015, , CD002243.	1.5	111
118	Evidence to Practice Gap. <i>Critical Care Medicine</i> , 2015, 43, 2259-2260.	0.4	0
119	Judging quality of current septic shock definitions and criteria. <i>Critical Care</i> , 2015, 19, 445.	2.5	20
120	Corticosteroids and pneumonia: time to change practice. <i>Lancet</i> , 2015, 385, 1484-1485.	6.3	9
121	Cognitive decline after sepsis. <i>Lancet Respiratory Medicine</i> , 2015, 3, 61-69.	5.2	222
122	Paving a New Road for Generating Evidence-Based Care in Sepsis*. <i>Critical Care Medicine</i> , 2014, 42, 1743-1744.	0.4	1
123	Diastolic function in Steinert's disease. <i>Neurology International</i> , 2014, 6, 5140.	1.3	6
124	Mortality in Patients With Hypovolemic Shock Treated With Colloids or Crystalloids—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1069.	3.8	2
125	Successful cardiac resynchronisation therapy in Duchenne muscular dystrophy: A 5-year follow-up. <i>Presse Medicale</i> , 2014, 43, 330-331.	0.8	13
126	Effects of Fluid Resuscitation With Colloids vs Crystalloids on Mortality in Critically Ill Patients Presenting With Hypovolemic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1809.	3.8	594

#	ARTICLE	IF	CITATIONS
127	Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock, 2012. <i>Intensive Care Medicine</i> , 2013, 39, 165-228.	3.9	3,906
128	Recombinant Human Activated Protein C for Adults with Septic Shock. A Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 1091-1097.	2.5	69
129	The authors reply. <i>Critical Care Medicine</i> , 2013, 41, e483.	0.4	2
130	Thirst Perception and Osmoregulation of Vasopressin Secretion Are Altered During Recovery From Septic Shock. <i>PLoS ONE</i> , 2013, 8, e80190.	1.1	15
131	Vasopressin for treatment of vasodilatory shock: an ESICM systematic review and meta-analysis. <i>Intensive Care Medicine</i> , 2012, 38, 9-19.	3.9	88
132	Designing and conducting a randomized trial for pandemic critical illness: the 2009 H1N1 influenza pandemic. <i>Intensive Care Medicine</i> , 2012, 38, 29-39.	3.9	26
133	Brainstem responses can predict death and delirium in sedated patients in intensive care unit*. <i>Critical Care Medicine</i> , 2011, 39, 1960-1967.	0.4	68
134	Hyperbaric oxygen therapy for acute domestic carbon monoxide poisoning: two randomized controlled trials: reply to comment by Birmingham and Hoffman. <i>Intensive Care Medicine</i> , 2011, 37, 1219-1219.	3.9	2
135	Effects of esmolol on systemic and pulmonary hemodynamics and on oxygenation in pigs with hypodynamic endotoxin shock. <i>Intensive Care Medicine</i> , 2011, 37, 1344-1351.	3.9	64
136	Corticosteroids for severe sepsis: an evidence-based guide for physicians. <i>Annals of Intensive Care</i> , 2011, 1, 7.	2.2	64
137	The Absence of Adrenal Gland Enlargement during Septic Shock Predicts Mortality. <i>Anesthesiology</i> , 2011, 115, 334-343.	1.3	37
138	Changes in CRH and ACTH Synthesis during Experimental and Human Septic Shock. <i>PLoS ONE</i> , 2011, 6, e25905.	1.1	42
139	Osmoregulation of vasopressin secretion is altered in the postacute phase of septic shock*. <i>Critical Care Medicine</i> , 2010, 38, 1962-1969.	0.4	34
140	Human and experimental septic shock are characterized by depletion of lipid droplets in the adrenals. <i>Intensive Care Medicine</i> , 2010, 36, 1852-1858.	3.9	37
141	Adjunct Therapy for Sepsis: How Early?. <i>Current Infectious Disease Reports</i> , 2010, 12, 361-367.	1.3	6
142	Vasopressin Synthesis by the Magnocellular Neurons is Different in the Supraoptic Nucleus and in the Paraventricular Nucleus in Human and Experimental Septic Shock. <i>Brain Pathology</i> , 2010, 20, 613-622.	2.1	24
143	Corticosteroid Treatment and Intensive Insulin Therapy for Septic Shock in Adults. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 341.	3.8	247
144	Steroids in Patients With Septic Shock. <i>Chest</i> , 2009, 136, 323-324.	0.4	1

#	ARTICLE	IF	CITATIONS
145	Multicenter comparison of cortisol as measured by different methods in samples of patients with septic shock. <i>Intensive Care Medicine</i> , 2009, 35, 2151-2156.	3.9	85
146	Sepsis-associated delirium: the pro and con of C5a blockade. <i>Critical Care</i> , 2009, 13, 135.	2.5	10
147	Bench-to-bedside review: β -Adrenergic modulation in sepsis. <i>Critical Care</i> , 2009, 13, 230.	2.5	115
148	Improving clinical trials in the critically ill: Unique challenge of Sepsis. <i>Critical Care Medicine</i> , 2009, 37, S117-S128.	0.4	44
149	Activation and Regulation of Systemic Inflammation in ARDS. <i>Chest</i> , 2009, 136, 1631-1643.	0.4	233
150	Endocrine effects of vasopressin in critically ill patients. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2008, 22, 265-273.	1.7	15
151	Hydrocortisone Therapy for Patients with Septic Shock. <i>New England Journal of Medicine</i> , 2008, 358, 111-124.	13.9	2,900
152	Incidence and Prognosis of Sustained Arrhythmias in Critically Ill Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 178, 20-25.	2.5	174
153	Recommendations for the diagnosis and management of corticosteroid insufficiency in critically ill adult patients: Consensus statements from an international task force by the American College of Critical Care Medicine. <i>Critical Care Medicine</i> , 2008, 36, 1937-1949.	0.4	1,405
154	Does intensive insulin therapy affect the cortisol response of critically ill patients?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007, 3, 336-337.	2.9	0
155	Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock: a randomised trial. <i>Lancet, The</i> , 2007, 370, 676-684.	6.3	508
156	Colloids in Septic Patients. <i>Transfusion Alternatives in Transfusion Medicine</i> , 2006, 8, 21-21.	0.2	0
157	Diagnosis of Adrenal Insufficiency in Severe Sepsis and Septic Shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006, 174, 1319-1326.	2.5	350
158	Effect of low doses of corticosteroids in septic shock patients with or without early acute respiratory distress syndrome*. <i>Critical Care Medicine</i> , 2006, 34, 22-30.	0.4	303
159	Etomidate and intensive care physicians. <i>Intensive Care Medicine</i> , 2005, 31, 1454-1454.	3.9	27
160	Septic shock. <i>Lancet, The</i> , 2005, 365, 63-78.	6.3	1,282
161	Managing toxic shock syndrome with antibiotics. <i>Expert Opinion on Pharmacotherapy</i> , 2004, 5, 1701-1710.	0.9	18
162	The Neuropathology of Septic Shock. <i>Brain Pathology</i> , 2004, 14, 21-33.	2.1	275

#	ARTICLE	IF	CITATIONS
163	Current Epidemiology of Septic Shock. American Journal of Respiratory and Critical Care Medicine, 2003, 168, 165-172.	2.5	615
164	Clinical review: corticotherapy in sepsis. Critical Care, 2003, 8, 122.	2.5	95
165	Apoptosis of neurons in cardiovascular autonomic centres triggered by inducible nitric oxide synthase after death from septic shock. Lancet, The, 2003, 362, 1799-1805.	6.3	313
166	Circulating vasopressin levels in septic shock. Critical Care Medicine, 2003, 31, 1752-1758.	0.4	379
167	Effect of Treatment With Low Doses of Hydrocortisone and Fludrocortisone on Mortality in Patients With Septic Shock. JAMA - Journal of the American Medical Association, 2002, 288, 862.	3.8	2,698
168	Multifocal necrotizing leukoencephalopathy in septic shock. Critical Care Medicine, 2002, 30, 2371-2375.	0.4	83
169	Cortisol replacement for severe sepsis and septic shock: what should I do?. Critical Care, 2002, 6, 190.	2.5	16
170	A 3-Level Prognostic Classification in Septic Shock Based on Cortisol Levels and Cortisol Response to Corticotropin. JAMA - Journal of the American Medical Association, 2000, 283, 1038.	3.8	886
171	Inappropriate Sympathetic Activation at Onset of Septic Shock. American Journal of Respiratory and Critical Care Medicine, 1999, 160, 458-465.	2.5	294