

Alice Barkan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8640737/publications.pdf>

Version: 2024-02-01

98
papers

9,649
citations

34105

52
h-index

38395

95
g-index

104
all docs

104
docs citations

104
times ranked

6106
citing authors

#	ARTICLE	IF	CITATIONS
1	CFM1, a member of the CRM domain protein family, functions in chloroplast group II intron splicing in <i>Setaria viridis</i> . <i>Plant Journal</i> , 2021, 105, 639-648.	5.7	4
2	<i>In vivo</i> stabilization of endogenous chloroplast RNAs by customized artificial pentatricopeptide repeat proteins. <i>Nucleic Acids Research</i> , 2021, 49, 5985-5997.	14.5	14
3	Ribosome profiling elucidates differential gene expression in bundle sheath and mesophyll cells in maize. <i>Plant Physiology</i> , 2021, 187, 59-72.	4.8	6
4	Use of plant chloroplast RNA-binding proteins as orthogonal activators of chloroplast transgenes in the green alga <i>Chlamydomonas reinhardtii</i> . <i>Algal Research</i> , 2021, 60, 102535.	4.6	2
5	Exploring the proteome associated with the mRNA encoding the D1 reaction center protein of Photosystem II in plant chloroplasts. <i>Plant Journal</i> , 2020, 102, 369-382.	5.7	19
6	The PPR-SMR Protein ATP4 Is Required for Editing the Chloroplast <i>rps8</i> mRNA in Rice and Maize. <i>Plant Physiology</i> , 2020, 184, 2011-2021.	4.8	20
7	Light-induced <i>psbA</i> translation in plants is triggered by photosystem II damage via an assembly-linked autoregulatory circuit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 21775-21784.	7.1	48
8	Exploring the Link between Photosystem II Assembly and Translation of the Chloroplast <i>psbA</i> mRNA. <i>Plants</i> , 2020, 9, 152.	3.5	26
9	Dynamic localization of SPO11-1 and conformational changes of meiotic axial elements during recombination initiation of maize meiosis. <i>PLoS Genetics</i> , 2020, 16, e1007881.	3.5	28
10	Functional Analysis of PSRP1, the Chloroplast Homolog of a Cyanobacterial Ribosome Hibernation Factor. <i>Plants</i> , 2020, 9, 209.	3.5	2
11	Ribonucleoprotein Capture by <i>In Vivo</i> Expression of a Designer Pentatricopeptide Repeat Protein in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2019, 31, 1723-1733.	6.6	45
12	Engineered PPR proteins as inducible switches to activate the expression of chloroplast transgenes. <i>Nature Plants</i> , 2019, 5, 505-511.	9.3	49
13	Engineered RNA-binding protein for transgene activation in non-green plastids. <i>Nature Plants</i> , 2019, 5, 486-490.	9.3	36
14	The <i>Arabidopsis</i> pentatricopeptide repeat protein LPE1 and its maize ortholog are required for translation of the chloroplast <i>psbJ</i> RNA. <i>Plant Journal</i> , 2019, 99, 56-66.	5.7	31
15	An RNA Chaperone-Like Protein Plays Critical Roles in Chloroplast mRNA Stability and Translation in <i>Arabidopsis</i> and Maize. <i>Plant Cell</i> , 2019, 31, 1308-1327.	6.6	25
16	Stabilization and translation of synthetic operon-derived <i>scp</i> mRNAs in chloroplasts by sequences representing <i>scp</i> PPR protein binding sites. <i>Plant Journal</i> , 2018, 94, 8-21.	5.7	40
17	RNA-binding specificity landscapes of designer pentatricopeptide repeat proteins elucidate principles of PPR-RNA interactions. <i>Nucleic Acids Research</i> , 2018, 46, 2613-2623.	14.5	45
18	Ribosome Profiling in Maize. <i>Methods in Molecular Biology</i> , 2018, 1676, 165-183.	0.9	20

#	ARTICLE	IF	CITATIONS
19	Effects of RNA structure and salt concentration on the affinity and kinetics of interactions between pentatricopeptide repeat proteins and their RNA ligands. <i>PLoS ONE</i> , 2018, 13, e0209713.	2.5	18
20	Efficient Replication of the Plastid Genome Requires an Organellar Thymidine Kinase. <i>Plant Physiology</i> , 2018, 178, 1643-1656.	4.8	13
21	Multilevel effects of light on ribosome dynamics in chloroplasts program genome-wide and psbA-specific changes in translation. <i>PLoS Genetics</i> , 2018, 14, e1007555.	3.5	67
22	Unexpected functional versatility of the pentatricopeptide repeat proteins PGR3, PPR5 and PPR10. <i>Nucleic Acids Research</i> , 2018, 46, 10448-10459.	14.5	37
23	RNA-binding specificity landscape of the pentatricopeptide repeat protein PPR10. <i>Rna</i> , 2017, 23, 586-599.	3.5	35
24	PSA3, a Protein on the Stromal Face of the Thylakoid Membrane, Promotes Photosystem I Accumulation in Cooperation with the Assembly Factor PYG7. <i>Plant Physiology</i> , 2017, 174, 1850-1862.	4.8	31
25	Translation and Co-translational Membrane Engagement of Plastid-encoded Chlorophyll-binding Proteins Are Not Influenced by Chlorophyll Availability in Maize. <i>Frontiers in Plant Science</i> , 2017, 8, 385.	3.6	22
26	Dynamics of Chloroplast Translation during Chloroplast Differentiation in Maize. <i>PLoS Genetics</i> , 2016, 12, e1006106.	3.5	121
27	A PPR protein in the PLS subfamily stabilizes the 5' end of processed <i>rpl16</i> mRNAs in maize chloroplasts. <i>Nucleic Acids Research</i> , 2016, 44, 4278-4288.	14.5	45
28	Codon Optimization to Enhance Expression Yields Insights into Chloroplast Translation. <i>Plant Physiology</i> , 2016, 172, 62-77.	4.8	51
29	The PPR protein SMR protein PPR53 enhances the stability and translation of specific chloroplast RNAs in maize. <i>Plant Journal</i> , 2016, 85, 594-606.	5.7	63
30	Zmp TAC 12 binds single-stranded nucleic acids and is essential for accumulation of the plastid-encoded polymerase complex in maize. <i>New Phytologist</i> , 2015, 206, 1024-1037.	7.3	48
31	Large-scale genetic analysis of chloroplast biogenesis in maize. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2015, 1847, 1004-1016.	1.0	68
32	The solution structure of the pentatricopeptide repeat protein PPR10 upon binding atpH RNA. <i>Nucleic Acids Research</i> , 2015, 43, 1918-1926.	14.5	56
33	Redesigning photosynthesis to sustainably meet global food and bioenergy demand. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8529-8536.	7.1	751
34	Genome-wide analysis of thylakoid-bound ribosomes in maize reveals principles of cotranslational targeting to the thylakoid membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1678-87.	7.1	62
35	A Thylakoid Membrane Protein Harboring a DnaJ-type Zinc Finger Domain Is Required for Photosystem I Accumulation in Plants. <i>Journal of Biological Chemistry</i> , 2014, 289, 30657-30667.	3.4	64
36	An mTERF domain protein functions in group II intron splicing in maize chloroplasts. <i>Nucleic Acids Research</i> , 2014, 42, 5033-5042.	14.5	86

#	ARTICLE	IF	CITATIONS
37	A Major Role for the Plastid-Encoded RNA Polymerase Complex in the Expression of Plastid Transfer RNAs. <i>Plant Physiology</i> , 2014, 164, 239-248.	4.8	46
38	Pentatricopeptide Repeat Proteins in Plants. <i>Annual Review of Plant Biology</i> , 2014, 65, 415-442.	18.7	842
39	A protein with an inactive pterin-4-carbinolamine dehydratase domain is required for Rubisco biogenesis in plants. <i>Plant Journal</i> , 2014, 80, 862-869.	5.7	58
40	A Rapid Ribosome Profiling Method Elucidates Chloroplast Ribosome Behavior in Vivo. <i>Plant Cell</i> , 2013, 25, 2265-2275.	6.6	122
41	An RNA recognition motif-containing protein is required for plastid RNA editing in <i>Arabidopsis</i> and maize. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E1169-78.	7.1	131
42	RNA processing and decay in plastids. <i>Wiley Interdisciplinary Reviews RNA</i> , 2013, 4, 295-316.	6.4	102
43	POGs2: A Web Portal to Facilitate Cross-Species Inferences About Protein Architecture and Function in Plants. <i>PLoS ONE</i> , 2013, 8, e82569.	2.5	19
44	A Combinatorial Amino Acid Code for RNA Recognition by Pentatricopeptide Repeat Proteins. <i>PLoS Genetics</i> , 2012, 8, e1002910.	3.5	455
45	Nucleoid-Enriched Proteomes in Developing Plastids and Chloroplasts from Maize Leaves: A New Conceptual Framework for Nucleoid Functions. <i>Plant Physiology</i> , 2012, 158, 156-189.	4.8	216
46	Chloroplast RH3 DEAD Box RNA Helicases in Maize and Arabidopsis Function in Splicing of Specific Group II Introns and Affect Chloroplast Ribosome Biogenesis. <i>Plant Physiology</i> , 2012, 159, 961-974.	4.8	122
47	RNA binding and RNA remodeling activities of the half-a-tetratricopeptide (HAT) protein HCF107 underlie its effects on gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5651-5656.	7.1	88
48	A short PPR protein required for the splicing of specific group II introns in angiosperm chloroplasts. <i>Rna</i> , 2012, 18, 1197-1209.	3.5	88
49	Ribulose-1,5-Bis-Phosphate Carboxylase/Oxygenase Accumulation Factor1 Is Required for Holoenzyme Assembly in Maize. <i>Plant Cell</i> , 2012, 24, 3435-3446.	6.6	97
50	PPR8522 encodes a chloroplast-targeted pentatricopeptide repeat protein necessary for maize embryogenesis and vegetative development. <i>Journal of Experimental Botany</i> , 2012, 63, 5843-5857.	4.8	66
51	Protein-mediated protection as the predominant mechanism for defining processed mRNA termini in land plant chloroplasts. <i>Nucleic Acids Research</i> , 2012, 40, 3092-3105.	14.5	116
52	Effects of Reduced Chloroplast Gene Copy Number on Chloroplast Gene Expression in Maize. <i>Plant Physiology</i> , 2012, 160, 1420-1431.	4.8	60
53	The pentatricopeptide repeat-5SMR protein ATP4 promotes translation of the chloroplast <i>atpB</i> mRNA. <i>Plant Journal</i> , 2012, 72, 547-558.	5.7	63
54	required to maintain repression2 Is a Novel Protein That Facilitates Locus-Specific Paramutation in Maize. <i>Plant Cell</i> , 2012, 24, 1761-1775.	6.6	33

#	ARTICLE	IF	CITATIONS
55	A PORR domain protein required for <i>rpl2</i> and <i>ccmF</i> intron splicing and for the biogenesis of <i>c</i> cytochromes in Arabidopsis mitochondria. <i>Plant Journal</i> , 2012, 69, 996-1005.	5.7	99
56	Expression of Plastid Genes: Organelle-Specific Elaborations on a Prokaryotic Scaffold. <i>Plant Physiology</i> , 2011, 155, 1520-1532.	4.8	258
57	APO1 Promotes the Splicing of Chloroplast Group II Introns and Harbors a Plant-Specific Zinc-Dependent RNA Binding Domain. <i>Plant Cell</i> , 2011, 23, 1082-1092.	6.6	50
58	Mechanism of RNA stabilization and translational activation by a pentatricopeptide repeat protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 415-420.	7.1	262
59	Studying the Structure and Processing of Chloroplast Transcripts. <i>Methods in Molecular Biology</i> , 2011, 774, 183-197.	0.9	21
60	Use of Illumina sequencing to identify transposon insertions underlying mutant phenotypes in high-copy Mutator lines of maize. <i>Plant Journal</i> , 2010, 63, no-no.	5.7	131
61	A plant-specific RNA-binding domain revealed through analysis of chloroplast group II intron splicing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4537-4542.	7.1	116
62	Site-specific binding of a PPR protein defines and stabilizes 5' and 3' mRNA termini in chloroplasts. <i>EMBO Journal</i> , 2009, 28, 2042-2052.	7.8	302
63	Genome-Wide Analysis of RNA-Protein Interactions in Plants. <i>Methods in Molecular Biology</i> , 2009, 553, 13-37.	0.9	38
64	A member of the Whirly family is a multifunctional RNA- and DNA-binding protein that is essential for chloroplast biogenesis. <i>Nucleic Acids Research</i> , 2008, 36, 5152-5165.	14.5	154
65	Sequence-specific binding of a chloroplast pentatricopeptide repeat protein to its native group II intron ligand. <i>Rna</i> , 2008, 14, 1930-1941.	3.5	97
66	The Pentatricopeptide Repeat Protein PPR5 Stabilizes a Specific tRNA Precursor in Maize Chloroplasts. <i>Molecular and Cellular Biology</i> , 2008, 28, 5337-5347.	2.3	162
67	Two CRM protein subfamilies cooperate in the splicing of group IIB introns in chloroplasts. <i>Rna</i> , 2008, 14, 2319-2332.	3.5	62
68	A CRM Domain Protein Functions Dually in Group I and Group II Intron Splicing in Land Plant Chloroplasts. <i>Plant Cell</i> , 2008, 19, 3864-3875.	6.6	85
69	POGs/PlantRBP: a resource for comparative genomics in plants. <i>Nucleic Acids Research</i> , 2007, 35, D852-D856.	14.5	31
70	A Ribonuclease III Domain Protein Functions in Group II Intron Splicing in Maize Chloroplasts. <i>Plant Cell</i> , 2007, 19, 2606-2623.	6.6	100
71	Formation of the CRS2-CAF2 Group II Intron Splicing Complex Is Mediated by a 22-Amino Acid Motif in the COOH-terminal Region of CAF2. <i>Journal of Biological Chemistry</i> , 2006, 281, 4732-4738.	3.4	33
72	Arabidopsis Orthologs of Maize Chloroplast Splicing Factors Promote Splicing of Orthologous and Species-Specific Group II Introns. <i>Plant Physiology</i> , 2006, 142, 1656-1663.	4.8	108

#	ARTICLE	IF	CITATIONS
73	The CRM domain: An RNA binding module derived from an ancient ribosome-associated protein. <i>Rna</i> , 2006, 13, 55-64.	3.5	98
74	A Pentatricopeptide Repeat Protein Facilitates the trans-Splicing of the Maize Chloroplast rps12 Pre-mRNA. <i>Plant Cell</i> , 2006, 18, 2650-2663.	6.6	249
75	CRS1, a Chloroplast Group II Intron Splicing Factor, Promotes Intron Folding through Specific Interactions with Two Intron Domains. <i>Plant Cell</i> , 2005, 17, 241-255.	6.6	92
76	RNA Immunoprecipitation and Microarray Analysis Show a Chloroplast Pentatricopeptide Repeat Protein to Be Associated with the 5' Region of mRNAs Whose Translation It Activates. <i>Plant Cell</i> , 2005, 17, 2791-2804.	6.6	235
77	Structural Analysis of the Group II Intron Splicing Factor CRS2 Yields Insights into its Protein and RNA Interaction Surfaces. <i>Journal of Molecular Biology</i> , 2005, 345, 51-68.	4.2	41
78	Maize Mutants Lacking Chloroplast FtsY Exhibit Pleiotropic Defects in the Biogenesis of Thylakoid Membranes[W]. <i>Plant Cell</i> , 2004, 16, 201-214.	6.6	69
79	Genetics and genomics of chloroplast biogenesis: maize as a model system. <i>Trends in Plant Science</i> , 2004, 9, 293-301.	8.8	124
80	Group II intron splicing factors derived by diversification of an ancient RNA-binding domain. <i>EMBO Journal</i> , 2003, 22, 3919-3929.	7.8	135
81	A chloroplast-localized PPR protein required for plastid ribosome accumulation. <i>Plant Journal</i> , 2003, 36, 675-686.	5.7	148
82	Crystal Structure of <i>E. coli</i> YhbY. <i>Structure</i> , 2002, 10, 1593-1601.	3.3	31
83	CRS1 is a novel group II intron splicing factor that was derived from a domain of ancient origin. <i>Rna</i> , 2001, 7, 1227-1238.	3.5	119
84	Duplication and Suppression of Chloroplast Protein Translocation Genes in Maize. <i>Genetics</i> , 2001, 157, 349-360.	2.9	25
85	Participation of nuclear genes in chloroplast gene expression. <i>Biochimie</i> , 2000, 82, 559-572.	2.6	295
86	A Nuclear Gene in Maize Required for the Translation of the Chloroplast atpB/E mRNA. <i>Plant Cell</i> , 1999, 11, 1709-1716.	6.6	64
87	The Maize <i>tha4</i> Gene Functions in Sec-Independent Protein Transport in Chloroplasts and Is Related to <i>hcf106</i> , <i>tatA</i> , and <i>tatB</i> . <i>Journal of Cell Biology</i> , 1999, 147, 267-276.	5.2	83
88	Molecular cloning of the maize gene <i>crp1</i> reveals similarity between regulators of mitochondrial and chloroplast gene expression. <i>EMBO Journal</i> , 1999, 18, 2621-2630.	7.8	238
89	A Nuclear Gene in Maize Required for the Translation of the Chloroplast atpB/E mRNA. <i>Plant Cell</i> , 1999, 11, 1709.	6.6	2
90	[4] Approaches to investigating nuclear genes that function in chloroplast biogenesis in land plants. <i>Methods in Enzymology</i> , 1998, , 38-57.	1.0	109

#	ARTICLE	IF	CITATIONS
91	A SecY Homologue Is Required for the Elaboration of the Chloroplast Thylakoid Membrane and for Normal Chloroplast Gene Expression. <i>Journal of Cell Biology</i> , 1998, 141, 385-395.	5.2	93
92	Nuclear Mutations That Block Group II RNA Splicing in Maize Chloroplasts Reveal Several Intron Classes with Distinct Requirements for Splicing Factors. <i>Plant Cell</i> , 1997, 9, 283.	6.6	25
93	Transposon-Disruption of a Maize Nuclear Gene, <i>tha1</i> , Encoding a Chloroplast SecA Homologue: <i>In Vivo</i> Role of cp-SecA in Thylakoid Protein Targeting. <i>Genetics</i> , 1997, 145, 467-478.	2.9	78
94	Nuclear genes required for post-translational steps in the biogenesis of the chloroplast cytochrome <i>b6/f</i> complex in maize. <i>Molecular Genetics and Genomics</i> , 1995, 249, 507-514.	2.4	32
95	Genetic analysis of chloroplast biogenesis in higher plants. <i>Physiologia Plantarum</i> , 1995, 93, 163-170.	5.2	44
96	Nuclear Mutants of Maize with Defects in Chloroplast Polysome Assembly Have Altered Chloroplast RNA Metabolism. <i>Plant Cell</i> , 1993, 5, 389.	6.6	81
97	Transcriptional and post-transcriptional control of plastid mRNA levels in higher plants. <i>Trends in Genetics</i> , 1988, 4, 258-263.	6.7	92
98	The maize plastid <i>psbB-psbF-petB-petD</i> gene cluster: spliced and unspliced <i>petB</i> and <i>petD</i> RNAs encode alternative products. <i>Current Genetics</i> , 1987, 12, 69-77.	1.7	112