
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8641142/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data metaâ€analysis. Acta Psychiatrica Scandinavica, 2013, 128, 149-162.	4.5	481
2	The effect of chronic antidepressant treatment on serum brain-derived neurotrophic factor levels in depressed patients: a preliminary study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2005, 29, 261-265.	4.8	282
3	The International Society for Bipolar Disorders–Battery for Assessment of Neurocognition (ISBDâ€BANC). Bipolar Disorders, 2010, 12, 351-363.	1.9	218
4	Oxidative stress in schizophrenia: a case-control study on the effects on social cognition and neurocognition. BMC Psychiatry, 2014, 14, 268.	2.6	92
5	Executive dysfunction and cognitive subgroups in a large sample of euthymic patients with bipolar disorder. European Neuropsychopharmacology, 2016, 26, 1338-1347.	0.7	91
6	Sağlık Anksiyetesi Ölçeği'nin Türkçe için Güvenilirlik ve Geçerlilik Çalışması. Noropsikiya 325-331.	tri Arsivi, 2 0.7	2013, 50,
7	Depression and Anxiety in Hyperthyroidism. Archives of Medical Research, 2002, 33, 552-556.	3.3	82
8	Serum BDNF Levels in Suicide Attempters Related to Psychosocial Stressors: A Comparative Study with Depression. Neuropsychobiology, 2007, 56, 93-97.	1.9	71
9	Alterations in BDNF (brain derived neurotrophic factor) and GDNF (glial cell line-derived) Tj ETQq1 1 0.784314 rgB Disorders, 2014, 166, 193-200.	T /Overloc 4.1	k 10 Tf 50 4
10	Metacognition in psychosis: Comparison of schizophrenia with bipolar disorder. Psychiatry Research, 2014, 219, 464-469.	3.3	54
11	Serum brain-derived neurotrophic factor level in dysthymia: A comparative study with major depressive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1023-1026.	4.8	51
12	Public attitudes to schizophrenia in rural Turkey. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 586-592.	3.1	48
13	Residual symptoms in bipolar disorder: The effect of the last episode after remission. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1387-1392.	4.8	48
14	Sexual dysfunction in patients with allergic rhinoconjunctivitis. Annals of Allergy, Asthma and Immunology, 2005, 95, 525-529.	1.0	45
15	The Impact of Co-Morbid Conditions on the SF-36: A Primary-Care-Based Study Among Hypertensives. Archives of Medical Research, 2005, 36, 136-141.	3.3	44
16	Adaptation and Reliability of the Structured Clinical Interview for DSM-5-Disorders - Clinician Version (SCID-5/CV) to the Turkish Language. Turk Psikiyatri Dergisi, 2019, , .	0.2	35
17	Towards an integrative approach to understanding quality of life in schizophrenia: the role of neurocognition, social cognition, and psychopathology. Comprehensive Psychiatry, 2013, 54, 262-268.	3.1	34
18	Validation of Turkish version of brief negative symptom scale. International Journal of Psychiatry in Clinical Practice. 2016. 20. 265-271.	2.4	29

#	Article	IF	CITATIONS
19	Oxidative stress markers, cognitive functions, and psychosocial functioning in bipolar disorder: an empirical cross-sectional study. Revista Brasileira De Psiquiatria, 2014, 36, 293-297.	1.7	27
20	Serum brain-derived neurotrophic factor levels in conversion disorder: Comparative study with depression. Psychiatry and Clinical Neurosciences, 2007, 61, 571-573.	1.8	26
21	Turkish validity and reliability study of the Weiss Functional Impairment Rating Scale-Parent Report. ADHD Attention Deficit and Hyperactivity Disorders, 2015, 7, 129-139.	1.7	26
22	Psychiatric Morbidity and Depressive Symptomatology in Patients with Permanent Pacemakers. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 1628-1632.	1.2	25
23	Association of social anxiety with stigmatisation and low self-esteem in remitted bipolar patients. Acta Neuropsychiatrica, 2011, 23, 224-228.	2.1	23
24	Burnout: Risk Factors. , 2013, , 119-143.		19
25	Reliability and validity of Turkish form of SCOFF Eating Disorders Scale. Anadolu Psikiyatri Dergisi, 2015, 16, 31.	0.3	18
26	The role of the kynurenine pathway and quinolinic acid in adolescent major depressive disorder. International Journal of Clinical Practice, 2021, 75, e13739.	1.7	16
27	Developing a quality of life instrument in patients with psoriasis: the Psoriasis Quality of Life Questionnaire (PQLQ). International Journal of Dermatology, 2006, 45, 234-238.	1.0	15
28	Reliability and validity of Turkish Form of DSM-5 Self-Rated Level 1 Cross-Cutting Symptom Scale-Adult Version. Anadolu Psikiyatri Dergisi, 2017, 18, 5.	0.3	15
29	Different patterns of manic/hypomanic symptoms in depression: A pilot modification of the hypomania checklist-32 to assess mixed depression. Journal of Affective Disorders, 2015, 172, 355-360.	4.1	14
30	Psychometric Properties of the Turkish PTSD-Short Scale in a Sample of Undergraduate Students. Journal of Microbiology and Biotechnology, 2016, 26, 294-302.	2.1	14
31	A multinational study to pilot the modified Hypomania Checklist (mHCL) in the assessment of mixed depression. Journal of Affective Disorders, 2014, 152-154, 478-482.	4.1	13
32	Validating the Sexual Adjustment and Body Image Scale (Sabis) with Breast Cancer Patients. Sexuality and Disability, 2015, 33, 253-267.	1.0	11
33	Temperament characteristics in patients with panic disorder and their first-degree relatives. Comprehensive Psychiatry, 2015, 60, 73-77.	3.1	9
34	Effect of facial emotion recognition on subjective psychosocial functioning in bipolar patients. Acta Psychiatrica Scandinavica, 2013, 127, 412-413.	4.5	8
35	Static/Unchangeable and Dynamic/Changeable Nature of Personality According to the Nine Types Temperament Model: A Proposal. International Journal of Emergency Mental Health, 2015, 17, .	0.3	8
36	Evaluation of Emotional Adverse Effects of Antidepressants. Journal of Clinical Psychopharmacology, 2020, 40, 594-598.	1.4	7

#	Article	IF	CITATIONS
37	Reliability and validity of Turkish Form of Severity of Acute Stress Symptoms Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 38.	0.3	7
38	Development of a quality of life scale specific for patients with benign prostatic hyperplasia. International Urology and Nephrology, 2013, 45, 339-346.	1.4	6
39	The relationship between Nine Types Temperament Model with Psychobiological Personality Model and Affective Temperament Model. Anadolu Psikiyatri Dergisi, 2015, 16, 95.	0.3	6
40	Reliability and validity of Turkish Form of Sleep Disorder Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 79.	0.3	6
41	Validation of the Turkish Form of Short Form-12 health survey version 2 (SF-12v2). Archives of Rheumatology, 2021, 36, 280-286.	0.9	5
42	Reliability and validity of Turkish Version of DSM-5 Depression Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 51.	0.3	5
43	Reliability and Validity of the Bipolar Prodrome Symptom Interview and Scale-Full Prospective in Its Turkish Translation. Journal of Child and Adolescent Psychopharmacology, 2022, 32, 178-186.	1.3	5
44	Aretaeus of Cappadocia. Acta Neuropsychiatrica, 2007, 19, 62-63.	2.1	4
45	Factor structure of the Subjective Well-being under Neuroleptic treatment Scale-short form in schizophrenic outpatients: Five factors or only one?. Nordic Journal of Psychiatry, 2014, 68, 259-265.	1.3	4
46	Validity and reliability of the Turkish version of CRAFFT Substance Abuse Screening Test among adolescents. Neuropsychiatric Disease and Treatment, 2015, 11, 1505.	2.2	4
47	The Associations Between Endogenous Oxytocin Levels and Emotion Recognition in Bipolar Disorder. Journal of Microbiology and Biotechnology, 2015, 25, 19-26.	2.1	4
48	Validity and Reliability of the Turkish version of DSM-5 Social Anxiety Disorder Severity Scale- Child Form. Noropsikiyatri Arsivi, 2017, 54, 354-357.	0.3	4
49	Validity and Reliability of the Turkish Version of DSM-5 Level 2 Somatic Symptom Scale (Child Form for) Tj ETQq1	10,7843 0.3	314 ₄ rgBT /Ove
50	Majör Depresif Bozukluğun Akut Dönem Tedavisinde Sitalopram ve Essitalopram'ın Yaşam Kalitesi Üzer Etkisi: Karşılaştırmalı Açık Bir Şalışma. Journal of Microbiology and Biotechnology, 2011, 21, 21	ine. 0-218.	3
51	Reliability and Validity of Subjective Well-Being Under Neuroleptics Scale-Short Form-Turkish Version. Journal of Microbiology and Biotechnology, 2012, 22, 235-243.	2.1	3
52	Reliability and validity of the Turkish version <scp>of comprehensive</scp> assessment of at risk mental states. Microbial Biotechnology, 2021, 15, 1028-1032.	1.7	3
53	The Turkish Adaptation, Validity, and Reliability of the Internal States Scale. Noropsikiyatri Arsivi, 2016, 53, 222-228.	0.7	3
54	Validity and Reliability of the Turkish Version of DSM-5 Level 2 Anxiety Scale (Child Form for 11-17 Years) Tj ETQo	10 8 9 rgB	T /gverlock 1

#	Article	IF	CITATIONS
55	Psychometric Properties of the Turkish Version of the World Health Organization Quality of Life Instrument for People with Intellectual and Physical Disabilities (WHOQOL-DIS-TR). Turk Psikiyatri Dergisi, 2017, , .	0.2	3
56	Validity and reliability of the Turkish version of the Severity Measure for Specific Phobia – Child Form according to DSM-5. Dusunen Adam, 2018, 31, 340-346.	0.2	3
57	Major Depresif Bozuklukta Tedavi Hedefleri ve Tedavinin İzlenmesi. Journal of Microbiology and Biotechnology, 2011, 21, S1-S9.	2.1	2
58	9th International Congress on Psychopharmacology & 5th International Symposium on Child and Adolescent Psychopharmacology. Journal of Theoretical Social Psychology, 2017, 27, 47-84.	1.9	2
59	Examination of plasma zonulin levels in bipolar I disorder: a case–control study with follow-up. Journal of Neural Transmission, 2020, 127, 1419-1426.	2.8	2
60	Psychometric properties of the Turkish Versions of Perceived Deficit Questionnaire - Depression and British Columbia Cognitive Complaints Inventory. Anadolu Psikiyatri Dergisi, 2017, , 1.	0.3	2
61	Reliability and validity of Turkish Form of DSM-5 Severity Measure for Specific Phobia. Anadolu Psikiyatri Dergisi, 2017, 18, 31.	0.3	2
62	Reliability and validity of Turkish Form of Panic Disorder Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 13.	0.3	2
63	Validity and reliability of DSM-5 Level 1 Cross-Cutting Symptom Scale Turkish Version (Child Form for) Tj ETQq1	. 1 0,7843 0.3	14 rgBT /Ove
64	Reliability and validity of Turkish version of DSM-5 generalized anxiety disorder scale (tur). Klinik Psikiyatri Dergisi, 2019, 22, 389-395.	0.2	2
65	RELIABILITY AND VALIDITY STUDY OF THE TURKISH VERSION OF HYPOMANIA CHECKLIST-32-REVISED. Turk Psikiyatri Dergisi, 2016, , .	0.2	2
66	Validity and Reliability of the Turkish version of DSM-5 "Severity of Acute Stress Symptoms-Child Age 11–17―Form. Dusunen Adam, 2017, , 32-38.	0.2	2
67	Validity and Reliability of the Turkish Version of the Adult ADHD Self-Report Screening Scale for DSM-5. Balkan Medical Journal, 2021, 38, 111-115.	0.8	2
68	Validation of the Turkish version of the self-evaluation of negative symptoms scale (SNS). International Journal of Psychiatry in Clinical Practice, 2022, 26, 221-227.	2.4	2
69	The Impact of Psychotropic Drugs on Psychosocial Functioning in Bipolar Disorder. Journal of Microbiology and Biotechnology, 2014, 24, 122-127.	2.1	1
70	Validity and reliability of the Turkish version of the DSM-5 Generalized Anxiety Disorder Severity Scale for children aged 11–17 years. Turkish Journal of Medical Sciences, 2018, 48, 74-79.	0.9	1
71	Validity and Reliability of the Turkish Version of the DSM-5 Posttraumatic Stress Symptom Severity Scale-Child Form. Noropsikiyatri Arsivi, 2017, 54, 205-208.	0.3	1
72	Reliability and validity of Turkish Form of Level 2 Anxiety Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 45.	0.3	1

#	Article	IF	CITATIONS
73	Reliability and Validity Study of the Turkish Version of the Clinical Opiate Clinical Scale. Noropsikiyatri Arsivi, 2015, 52, 89-94.	0.7	1
74	Validity-Reliability of Nine Types Temperament Scale Adolescent Form (NTTS-A) and Relationship between Temperament Types and Attention Deficit Hyperactivity Disorder. Egitim Ve Bilim, 2015, 40, .	0.3	1
75	Reliability and validity of Turkish Version of DSM-5 Psychosis Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 68.	0.3	1
76	Reliability and validity of Turkish Form of DSM-5 Mania Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 73.	0.3	1
77	Psychometric Properties of the Turkish Version of the World Health Organization Quality of Life Instrument for People with Intellectual and Physical Disabilities (WHOQOL-DIS-TR). Turk Psikiyatri Dergisi, 2018, 29, 36-46.	0.2	1
78	The impact of self-stigmatization on functioning in bipolar disorder. Journal of Mood Disorders, 2013, 3, 141.	0.1	0
79	Validity and reliability of the Turkish version of theDSM-5Dissociative Symptoms Severity Scale–Child Form. Journal of Trauma and Dissociation, 2016, 18, 1-11.	1.9	Ο
80	Oral Research Presentations. Journal of Theoretical Social Psychology, 2018, 28, 1-73.	1.9	0
81	Validity and reliability of the Turkish version of the DSM-5 Separation Anxiety Disorder Severity Scale–child form. Journal of Theoretical Social Psychology, 2019, 29, 197-203.	1.9	Ο
82	Correlation of Alexithymia with Grief and Depression Symptom Severity in Persistent Complex Bereavement Disorder. Journal of Rational - Emotive and Cognitive - Behavior Therapy, 2021, 39, 602-619.	1.7	0
83	Subjective cognitive assessments and N-back are not correlated, and they are differentially affected by anxiety and depression. Applied Neuropsychology Adult, 2023, 30, 591-601.	1.2	Ο
84	Dokuz Tip Mizaç Modeli'nin kişilik bozukluklarıyla ilişkisi. Dusunen Adam, 2016, , 15-28.	0.2	0
85	Bipolar bozuklukta iÅŸleyiÅŸ ve yaÅŸam kalitesi. Dusunen Adam, 2016, , 1-7.	0.2	Ο
86	Reliability and validity of Turkish Form of Somatic Symptom Scale and Level 2 Somatic Symptom Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 63.	0.3	0
87	Reliability and validity of the Turkish Version of DSM-5 Level 2 Anger Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 85.	0.3	0
88	Validity and Reliability of the Turkish version of DSM-5 Depression Severity Scale-Child Form. Anadolu Psikiyatri Dergisi, 2017, , 1.	0.3	0
89	Reliability and validity of Turkish version of DSM-5 Level 2 Depression Adult Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 57.	0.3	0
90	Reliability and validity of Turkish Form of Agoraphobia Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 24.	0.3	0

#	Article	IF	CITATIONS
91	Validity and reliability of the Turkish version of DSM-5 Level 2 Repetitive Thoughts and Behaviors Scale-Child Form. Anadolu Psikiyatri Dergisi, 2017, 18, 107.	0.3	0
92	Reliability and validity of Turkish Form of Repetitive Thoughts and Behaviors Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 18.	0.3	0
93	Reliability and Validity Study of the Turkish Version of Bipolar Prodrome Symptom Scale. Turk Psikiyatri Dergisi, 2017, , .	0.2	0
94	Validity and reliability of the Turkish Version of the Clinician Rated Severity of Autism Spectrum and Social Communication Disorders Scale. Anadolu Psikiyatri Dergisi, 2017, 18, 92.	0.3	0
95	DSM-5 Level 2 Sleep Disorders Scale Validity and Reliability of Turkish Form (Form for Children Aged) Tj ETQq1 1	0.784314 0.3	rgßT /Overlo
96	Validity and Reliability of the Turkish Version of the DSM-5 "Severity Measure for Agoraphobia—Child Age 11–17― Dusunen Adam, 2017, , .	0.2	0
97	Validity and Reliability of the Turkish Version for DSM-5 Level 2 Anger Scale (Child Form for Children) Tj ETQq1 1	0.784314 0.3	rgBT /Overlo
98	Seasonality in Bipolar Disorder: Impact on Mood Symptoms, Psychosocial Functioning, Neurocognition, and Biological Rhythm. Noropsikiyatri Arsivi, 2020, 58, 41-47.	0.3	0
99	Validity and Reliability of the Turkish Version of the Weiss Functional Impairment Rating Scale- Self Report Form (WFIRSS- TR) Turk Psikiyatri Dergisi, 2021, 32, 261-266.	0.2	0
100	Adaptation and the Psychometric Properties of Turkish version of the Structured Clinical Interview for the DSM-5-Personality Disorders - Clinician Version (SCID-5-PD/CV) Turk Psikiyatri Dergisi, 2021, 32, 267-274.	0.2	0