

# Tiziana Triulzi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8641482/publications.pdf>

Version: 2024-02-01

67  
papers

3,090  
citations

201674

27  
h-index

182427

51  
g-index

69  
all docs

69  
docs citations

69  
times ranked

5600  
citing authors

#	ARTICLE	IF	CITATIONS
1	The TRAR gene classifier to predict response to neoadjuvant therapy in HER2 <sup>+</sup> positive and ER <sup>+</sup> positive breast cancer patients: an explorative analysis from the NeoSphere trial. <i>Molecular Oncology</i> , 2022, 16, 2355-2366.	4.6	3
2	Abstract P2-13-12: High CD36 expression predicts worse event free survival in HER2-positive breast cancer patients treated with neoadjuvant trastuzumab-based therapy: An exploratory analysis of the NeoALTTO study. <i>Cancer Research</i> , 2022, 82, P2-13-12-P2-13-12.	0.9	1
3	What if the future of HER2 <sup>+</sup> positive breast cancer patients was written in miRNAs? An exploratory analysis from NeoALTTO study. <i>Cancer Medicine</i> , 2022, 11, 332-339.	2.8	6
4	Abstract P5-13-26: The future of HER2-positive breast cancer patients might be written in miRNAs: An exploratory analysis from the NeoALTTO study. <i>Cancer Research</i> , 2022, 82, P5-13-26-P5-13-26.	0.9	0
5	Gut Microbiota Condition the Therapeutic Efficacy of Trastuzumab in HER2-Positive Breast Cancer. <i>Cancer Research</i> , 2021, 81, 2195-2206.	0.9	63
6	Cancer-Associated Adipocytes in Breast Cancer: Causes and Consequences. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3775.	4.1	41
7	Lipofilling in Breast Oncological Surgery: A Safe Opportunity or Risk for Cancer Recurrence?. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3737.	4.1	11
8	Integrated Molecular and Immune Phenotype of HER2-Positive Breast Cancer and Response to Neoadjuvant Therapy: A NeoALTTO Exploratory Analysis. <i>Clinical Cancer Research</i> , 2021, 27, 6307-6313.	7.0	8
9	Antibiotic-induced disturbances of the gut microbiota result in accelerated breast tumor growth. <i>IScience</i> , 2021, 24, 103012.	4.1	41
10	Immune system and angiogenesis-related potential surrogate biomarkers of response to everolimus-based treatment in hormone receptor-positive breast cancer: an exploratory study. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 421-431.	2.5	9
11	Rapid, Cost-Effective Peptide/Nucleic Acid-Based Platform for Therapeutic Antibody Monitoring in Clinical Samples. <i>ACS Sensors</i> , 2020, 5, 3109-3115.	7.8	11
12	Deep Into Breast Cancer Heterogeneity to Increase Immunotherapeutic Effectiveness. <i>JCO Precision Oncology</i> , 2020, 4, 1267-1268.	3.0	2
13	Collagen ultrastructural symmetry and its malignant alterations in human breast cancer revealed by polarization <sup>+</sup> resolved second <sup>+</sup> harmonic generation microscopy. <i>Journal of Biophotonics</i> , 2020, 13, e202000159.	2.3	24
14	Infrared Spectroscopic Imaging Visualizes a Prognostic Extracellular Matrix-Related Signature in Breast Cancer. <i>Scientific Reports</i> , 2020, 10, 5442.	3.3	6
15	Adipocytes in Breast Cancer, the Thick and the Thin. <i>Cells</i> , 2020, 9, 560.	4.1	54
16	Combined targeting of EGFR and HER2 against prostate cancer stem cells. <i>Cancer Biology and Therapy</i> , 2020, 21, 463-475.	3.4	13
17	Extracellular Matrix Features Discriminate Aggressive HER2-Positive Breast Cancer Patients Who Benefit from Trastuzumab Treatment. <i>Cells</i> , 2020, 9, 434.	4.1	4
18	Infiltrating Mast Cell <sup>+</sup> Mediated Stimulation of Estrogen Receptor Activity in Breast Cancer Cells Promotes the Luminal Phenotype. <i>Cancer Research</i> , 2020, 80, 2311-2324.	0.9	28

#	ARTICLE	IF	CITATIONS
19	Abstract P3-02-01: Fatty acid uptake as a potentially new resistance mechanism to anti-HER2 treatments in HER2-positive breast cancer. , 2020, , .		0
20	Abstract P4-10-32: Commensal gut microbiota influences efficacy of trastuzumab in patients with HER2-positive breast carcinoma. , 2020, , .		0
21	Local Administration of Caloric Restriction Mimetics to Promote the Immune Control of Lung Metastases. <i>Journal of Immunology Research</i> , 2019, 2019, 1-8.	2.2	15
22	The 41-gene classifier TRAR predicts response of HER2 positive breast cancer patients in the NeoALTO study. <i>European Journal of Cancer</i> , 2019, 118, 1-9.	2.8	11
23	Tumor Extracellular Matrix Remodeling: New Perspectives as a Circulating Tool in the Diagnosis and Prognosis of Solid Tumors. <i>Cells</i> , 2019, 8, 81.	4.1	69
24	Wound Healing Fluid Reflects the Inflammatory Nature and Aggressiveness of Breast Tumors. <i>Cells</i> , 2019, 8, 181.	4.1	19
25	Association between antibiotic-immunotherapy exposure ratio and outcome in metastatic non small cell lung cancer. <i>Lung Cancer</i> , 2019, 132, 72-78.	2.0	54
26	Exploiting Fasting-mimicking Diet and MEtformin to Improve the Efficacy of Platinum-pemetrexed Chemotherapy in Advanced LKB1-inactivated Lung Adenocarcinoma: The FAME Trial. <i>Clinical Lung Cancer</i> , 2019, 20, e413-e417.	2.6	27
27	HER2 signaling regulates the tumor immune microenvironment and trastuzumab efficacy. <i>Onc Immunology</i> , 2019, 8, e1512942.	4.6	57
28	Abstract 4959: The gut microbiota contributes to the effectiveness of HER2-targeted therapy. , 2019, , .		0
29	Extracellular matrix proteins as diagnostic markers of breast carcinoma. <i>Journal of Cellular Physiology</i> , 2018, 233, 6280-6290.	4.1	49
30	Early immune modulation by single-agent trastuzumab as a marker of trastuzumab benefit. <i>British Journal of Cancer</i> , 2018, 119, 1487-1494.	6.4	33
31	Modulation of Pulmonary Microbiota by Antibiotic or Probiotic Aerosol Therapy: A Strategy to Promote Immunosurveillance against Lung Metastases. <i>Cell Reports</i> , 2018, 24, 3528-3538.	6.4	141
32	Cancer acidity: An ultimate frontier of tumor immune escape and a novel target of immunomodulation. <i>Seminars in Cancer Biology</i> , 2017, 43, 74-89.	9.6	414
33	Breast cancer-secreted miR-939 downregulates VE-cadherin and destroys the barrier function of endothelial monolayers. <i>Cancer Letters</i> , 2017, 384, 94-100.	7.2	131
34	Pathobiological implications of the d16HER2 splice variant for stemness and aggressiveness of HER2-positive breast cancer. <i>Oncogene</i> , 2017, 36, 1721-1732.	5.9	36
35	Predicting the Efficacy of HER2-Targeted Therapies: A Look at the Host. <i>Disease Markers</i> , 2017, 2017, 1-14.	1.3	24
36	Expression and prognostic significance of the autoimmune regulator gene in breast cancer cells. <i>Cell Cycle</i> , 2016, 15, 3220-3229.	2.6	16

#	ARTICLE	IF	CITATIONS
37	Predictive biomarkers in the treatment of HER2-positive breast cancer: an ongoing challenge. <i>Future Oncology</i> , 2016, 12, 1413-1428.	2.4	24
38	Taxanes enhance trastuzumab-mediated ADCC on tumor cells through NKG2D-mediated NK cell recognition. <i>Oncotarget</i> , 2016, 7, 255-265.	1.8	39
39	Abstract 748: Targeting the crosstalk between tumor cells and adipocytes to block breast cancer progression. , 2016, , .		0
40	Abstract 3924: AIRE is expressed and associated with good prognosis in breast cancer. , 2016, , .		0
41	Abstract 3826: Phenethyl isothiocyanate hampers growth and progression of HER2-positive breast cancers. , 2016, , .		0
42	Sulfurtransferase and thioredoxin specifically interact as demonstrated by bimolecular fluorescence complementation analysis and biochemical tests. <i>FEBS Open Bio</i> , 2015, 5, 832-843.	2.3	10
43	Biomimicking of the Breast Tumor Microenvironment. <i>Current Molecular Biology Reports</i> , 2015, 1, 71-76.	1.6	2
44	Whole-transcriptome analysis links trastuzumab sensitivity of breast tumors to both HER2 dependence and immune cell infiltration. <i>Oncotarget</i> , 2015, 6, 28173-28182.	1.8	34
45	Abstract P4-15-06: Correlation between ERBB2 mRNA levels, HER2-dependence and susceptibility to trastuzumab in human breast cancer. , 2015, , .		0
46	Abstract 2314: d16HER2 splice variant regulates the activity of HER2-positive breast cancer-initiating cells. , 2015, , .		0
47	Abstract 5015: Tumor dependence on HER2 signaling as a player in immune infiltration required for trastuzumab activity. , 2015, , .		0
48	Maspin influences response to doxorubicin by changing the tumor microenvironment organization. <i>International Journal of Cancer</i> , 2014, 134, 2789-2797.	5.1	13
49	Stromal Responses among Carcinomas Letter. <i>Clinical Cancer Research</i> , 2014, 20, 1396-1396.	7.0	0
50	Activated d16HER2 Homodimers and SRC Kinase Mediate Optimal Efficacy for Trastuzumab. <i>Cancer Research</i> , 2014, 74, 6248-6259.	0.9	63
51	PDGFR <sup>2</sup> and FGFR2 mediate endothelial cell differentiation capability of triple negative breast carcinoma cells. <i>Molecular Oncology</i> , 2014, 8, 968-981.	4.6	37
52	Abstract 5207: miR-491 and miR-218: Two possible tools to reduce FOXP3 expression in breast carcinomas. , 2014, , .		0
53	FOXP3 expression in tumor cells and implications for cancer progression. <i>Journal of Cellular Physiology</i> , 2013, 228, 30-35.	4.1	87
54	Neoplastic and Stromal Cells Contribute to an Extracellular Matrix Gene Expression Profile Defining a Breast Cancer Subtype Likely to Progress. <i>PLoS ONE</i> , 2013, 8, e56761.	2.5	41

#	ARTICLE	IF	CITATIONS
55	microRNA: New Players in Metastatic Process. , 2013, , .		2
56	Oncosuppressive role of p53-induced miR-205 in triple negative breast cancer. Molecular Oncology, 2012, 6, 458-472.	4.6	142
57	Abstract 4269: Opposite effect of ECM features in breast carcinoma progression according to tumor cell differentiation. , 2012, , .		0
58	P5-14-06: Interaction between Stoma and Tumor Characteristics as a New Prognostic and Predictive Marker in Breast Carcinomas.. , 2011, , .		0
59	Expression Profile of Tyrosine Phosphatases in HER2 Breast Cancer Cells and Tumors. Analytical Cellular Pathology, 2010, 32, 361-372.	1.4	5
60	Expression profile of tyrosine phosphatases in HER2 breast cancer cells and tumors. Cellular Oncology, 2010, 32, 361-72.	1.9	48
61	microRNA-205 Regulates HER3 in Human Breast Cancer. Cancer Research, 2009, 69, 2195-2200.	0.9	334
62	FOXP3 Expression and Overall Survival in Breast Cancer. Journal of Clinical Oncology, 2009, 27, 1746-1752.	1.6	271
63	Molecular profiling and characterization of luminal-like and basal-like <i>in vivo</i> breast cancer xenograft models. Molecular Oncology, 2009, 3, 469-482.	4.6	96
64	Extracellular matrix signature identifies breast cancer subgroups with different clinical outcome. Journal of Pathology, 2008, 214, 357-367.	4.5	311
65	Radiation Effects on Development of HER2-Positive Breast Carcinomas. Clinical Cancer Research, 2007, 13, 46-51.	7.0	64
66	Fusarium head blight evaluation in wheat transgenic plants expressing the maize b-32 antifungal gene. European Journal of Plant Pathology, 2007, 117, 129-140.	1.7	39
67	The Link Between the Microbiota and HER2+ Breast Cancer: The New Challenge of Precision Medicine. Frontiers in Oncology, 0, 12, .	2.8	7