

Won Jai Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8643953/publications.pdf>

Version: 2024-02-01

123
papers

2,124
citations

257450

24
h-index

315739

38
g-index

123
all docs

123
docs citations

123
times ranked

2799
citing authors

#	ARTICLE	IF	CITATIONS
1	Particulate matter-induced atmospheric skin aging is aggravated by UVA and inhibited by a topical ascorbic acid compound. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2022, 38, 123-131.	1.5	11
2	Super-thin ALT flap elevation using preoperative color doppler ultrasound planning: Identification of horizontally running pathway at the deep adipofascial layers. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2022, 75, 665-673.	1.0	6
3	Perforating patterns of cutaneous perforator vessels in anterolateral thigh flaps for head and neck reconstruction and clinical outcomes. <i>Archives of Craniofacial Surgery</i> , 2022, 23, 64-70.	1.3	1
4	Effect of Mortalin on Scar Formation in Human Dermal Fibroblasts and a Rat Incisional Scar Model. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7918.	4.1	2
5	A prospective comparative study of radiotherapy effect upon scar quality. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, 74, 1801-1806.	1.0	1
6	Synergistic Effect of 300 μ m Needle-Depth Fractional Microneedling Radiofrequency on the Treatment of Senescence-Induced Aging Hyperpigmentation of the Skin. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7480.	4.1	6
7	Anterolateral thigh free flaps and radial forearm free flaps in head and neck reconstruction: A 20-year analysis from a single institution. <i>Archives of Plastic Surgery</i> , 2021, 48, 49-54.	0.9	10
8	Anterior skull base reconstruction using an anterolateral thigh free flap. <i>Archives of Craniofacial Surgery</i> , 2021, 22, 232-238.	1.3	4
9	Metformin Inhibits Transforming Growth Factor β -Induced Fibrogenic Response of Human Dermal Fibroblasts and Suppresses Fibrosis in Keloid Spheroids. <i>Annals of Plastic Surgery</i> , 2021, 86, 406-411.	0.9	5
10	Outcomes of grafted skin on the dorsum of the foot after car-tire friction injuries. <i>Archives of Plastic Surgery</i> , 2021, 48, 678-684.	0.9	0
11	The effect of early arm exercise on drainage volume after total mastectomy and tissue expander insertion in breast cancer patients: a prospective study. <i>Archives of Plastic Surgery</i> , 2021, 48, 583-589.	0.9	1
12	Dickkopf 2-Expressing Adenovirus Increases the Survival of Random-Pattern Flaps and Promotes Vasculogenesis in a Rat Model. <i>Annals of Plastic Surgery</i> , 2020, 84, 588-594.	0.9	2
13	Safety of Combined Fractional Microneedle Radiofrequency and CO ₂ as an Early Intervention for Inflammatory Acne and Scarring Treated With Concomitant Isotretinoin. <i>Dermatologic Surgery</i> , 2020, 46, e71-e77.	0.8	20
14	Inhibition of Wnt signaling pathway suppresses radiation-induced dermal fibrosis. <i>Scientific Reports</i> , 2020, 10, 13594.	3.3	8
15	A Prospective Randomized Study: The Usefulness and Efficacy of Negative Pressure Wound Therapy with Lipidocolloid Polyester Mesh Compared to Traditional Negative Pressure Wound Therapy for Treatment of Pressure Ulcers. <i>Pharmaceutics</i> , 2020, 12, 813.	4.5	5
16	Huge Anterior Skull Base Defect Reconstruction on Communicating Between Cranium and Nasal Cavity. <i>Journal of Craniofacial Surgery</i> , 2020, 31, 436-439.	0.7	3
17	Sustained Release of Decoy Wnt Receptor (sLRP6E1E2)-Expressing Adenovirus Using Gel-Encapsulation for Scar Remodeling in Pig Model. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2242.	4.1	5
18	Sex-related and racial variations in orbital floor anatomy. <i>Archives of Craniofacial Surgery</i> , 2020, 21, 219-224.	1.3	10

#	ARTICLE	IF	CITATIONS
19	Modified rat limb transplantation model for VCA experiments: difficulties and know-how of vascularized bone marrow flap. <i>Korean Journal of Transplantation</i> , 2020, 34, S176-S176.	0.1	0
20	Analysis for factors of brain death donor processing for face and hand transplantation in Korea: how much time will be available from brain death to transplantation?. <i>Korean Journal of Transplantation</i> , 2020, 34, S31-S31.	0.1	0
21	Tissue-remodelling M2 Macrophages Recruits Matrix Metalloproteinase-9 for Cryotherapy-induced Fibrotic Resolution during Keloid Treatment. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00306.	1.3	7
22	A Novel Technique of Asian Tip Plasty: Rein-Shaped Columellar Strut Graft. <i>Aesthetic Plastic Surgery</i> , 2019, 43, 1301-1309.	0.9	8
23	Antifibrotic Effects of High-Mobility Group Box 1 Protein Inhibitor (Glycyrrhizin) on Keloid Fibroblasts and Keloid Spheroids through Reduction of Autophagy and Induction of Apoptosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4134.	4.1	15
24	Three-Dimensionally Printed Breast Reconstruction Devices Facilitate Nanostructure Surface-Guided Healthy Lipogenesis. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 4962-4969.	5.2	6
25	Hypoxia-Induced Epithelial-To-Mesenchymal Transition Mediates Fibroblast Abnormalities via ERK Activation in Cutaneous Wound Healing. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2546.	4.1	29
26	Development of novel biocompatible thermosensitive anti-adhesive agents using human-derived acellular dermal matrix. <i>PLoS ONE</i> , 2019, 14, e0212583.	2.5	9
27	Regulation of MMP and TIMP expression in synovial fibroblasts from knee osteoarthritis with flexion contracture using adenovirus-mediated relaxin gene therapy. <i>Knee</i> , 2019, 26, 317-329.	1.6	21
28	Radially patterned polycaprolactone nanofibers as an active wound dressing agent. <i>Archives of Plastic Surgery</i> , 2019, 46, 399-404.	0.9	7
29	Robotic Microsurgery Training for Robot Assisted Reconstructive Surgery. <i>Archives of Hand and Microsurgery</i> , 2019, 24, 358.	0.1	0
30	Combined Therapeutic Strategies for Keloid Treatment. <i>Dermatologic Surgery</i> , 2019, 45, 802-810.	0.8	41
31	Comparison of the efficacy and safety of povidone-iodine foam dressing (Betafoam), hydrocellular foam dressing (Allevyn), and petrolatum gauze for split-thickness skin graft donor site dressing. <i>International Wound Journal</i> , 2019, 16, 379-386.	2.9	17
32	Effect of Relaxin Expression from an Alginate Gel-Encapsulated Adenovirus on Scar Remodeling in a Pig Model. <i>Yonsei Medical Journal</i> , 2019, 60, 854.	2.2	6
33	Analysis of factors involved in brain-death donor processing for face transplantation in Korea: How much time is available from brain death to transplantation?. <i>Archives of Plastic Surgery</i> , 2019, 46, 405-413.	0.9	4
34	Sequential reconstruction for recurrent head and neck cancer: A 10-year experience. <i>Archives of Plastic Surgery</i> , 2019, 46, 449-454.	0.9	10
35	Use of Topical Rapamycin as Maintenance Treatment after a Single Session of Fractionated CO2 Laser Ablation: A Method to Enhance Percutaneous Drug Delivery. <i>Annals of Dermatology</i> , 2019, 31, 555.	0.9	2
36	Extended temporalis flap for skull base reconstruction. <i>Archives of Craniofacial Surgery</i> , 2019, 20, 126-129.	1.3	4

#	ARTICLE	IF	CITATIONS
37	Preventive effect of polynucleotide on postthyroidectomy scars: A randomized, double-blind, controlled trial. <i>Lasers in Surgery and Medicine</i> , 2018, 50, 755-762.	2.1	10
38	Proposal of a Classification System for the Assessment and Treatment of Prominent Ear Deformity. <i>Aesthetic Plastic Surgery</i> , 2018, 42, 759-765.	0.9	7
39	Scaffold Free Bone Regeneration Using Platelet-Rich Fibrin in Calvarial Defect Model. <i>Journal of Craniofacial Surgery</i> , 2018, 29, 251-254.	0.7	13
40	Usefulness of Cross-Linked Human Acellular Dermal Matrix as an Implant for Dorsal Augmentation in Rhinoplasty. <i>Aesthetic Plastic Surgery</i> , 2018, 42, 288-294.	0.9	18
41	Oral propranolol therapy in 23 infants with infantile hemangioma. <i>Archives of Plastic Surgery</i> , 2018, 45, 517-524.	0.9	5
42	Microsurgical reconstruction of posttraumatic large soft tissue defects on face. <i>Journal of the Korean Medical Association</i> , 2018, 61, 724.	0.3	1
43	Development of an easy-to-handle murine model for the characterization of radiation-induced gross and molecular changes in skin. <i>Archives of Plastic Surgery</i> , 2018, 45, 403-410.	0.9	6
44	Metformin Alleviates Radiation-Induced Skin Fibrosis via the Downregulation of FOXO3. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 959-970.	1.6	26
45	High-Mobility Group Box 1 Mediates Fibroblast Activity via RAGE-MAPK and NF- κ B Signaling in Keloid Scar Formation. <i>International Journal of Molecular Sciences</i> , 2018, 19, 76.	4.1	25
46	Profibrogenic effect of high-mobility group box protein-1 in human dermal fibroblasts and its excess in keloid tissues. <i>Scientific Reports</i> , 2018, 8, 8434.	3.3	25
47	Double-sided folded internal pudendal artery perforator flap for the repair of a recurrent rectovaginal fistula. <i>Archives of Plastic Surgery</i> , 2018, 45, 90-92.	0.9	4
48	Incorporating a continuous suction system as a preventive measure against fistula-related complications in head and neck reconstructive surgery. <i>Archives of Plastic Surgery</i> , 2018, 45, 449-457.	0.9	5
49	Treatment of fibrous dysplasia of the zygomaticomaxillary complex with radical resection and three-dimensional reconstruction with autologous calvarial bone graft. <i>Archives of Craniofacial Surgery</i> , 2018, 19, 200-204.	1.3	9
50	Epithelial-mesenchymal transition in keloid tissue. <i>Archives of Plastic Surgery</i> , 2018, 45, 600-601.	0.9	2
51	Long-term functional outcomes after total tongue reconstruction: Consideration of flap types, volume, and functional results. <i>Microsurgery</i> , 2017, 37, 190-196.	1.3	29
52	Comparative Skin Evaluation After Split-Thickness Skin Grafts Using 2 Different Acellular Dermal Matrices to Cover Composite Forearm Defects. <i>Journal of Hand Surgery</i> , 2017, 42, 297.e1-297.e10.	1.6	11
53	Mortalin deficiency suppresses fibrosis and induces apoptosis in keloid spheroids. <i>Scientific Reports</i> , 2017, 7, 12957.	3.3	12
54	Use of Acellular Allogenic Dermal Matrix (MegaDerm) in Orbital Wall Reconstruction: A Comparison With Absorbable Mesh Plate and Porous Polyethylene. <i>Journal of Craniofacial Surgery</i> , 2017, 28, e644-e649.	0.7	10

#	ARTICLE	IF	CITATIONS
55	Micronized Cross-Linked Human Acellular Dermal Matrices: An Effective Scaffold for Collagen Synthesis and Promising Material for Tissue Augmentation. <i>Tissue Engineering and Regenerative Medicine</i> , 2017, 14, 517-523.	3.7	8
56	Decoy Wnt receptor (sLRP6E1E2)-expressing adenovirus induces anti-fibrotic effect via inhibition of Wnt and TGF- β signaling. <i>Scientific Reports</i> , 2017, 7, 15070.	3.3	7
57	Adipose Tissue Formation Utilizing Fat Flap Distraction Technique. <i>Scientific Reports</i> , 2017, 7, 5174.	3.3	5
58	The Effect of Red Ginseng Extract Intake on Ischemic Flaps. <i>Journal of Investigative Surgery</i> , 2017, 30, 19-25.	1.3	3
59	Scar Prevention and Enhanced Wound Healing Induced by Polydeoxyribonucleotide in a Rat Incisional Wound-Healing Model. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1698.	4.1	53
60	Effect of Relaxin Expressing Adenovirus on Scar Remodeling: A Preliminary Study. <i>Archives of Craniofacial Surgery</i> , 2017, 18, 9-15.	1.3	0
61	Research, Plastic Surgery, and Archives of Plastic Surgery. <i>Archives of Plastic Surgery</i> , 2017, 44, 359-360.	0.9	2
62	Quantitative Mandibular Angle Osteotomy Facilitated by Oscillating-Blade Saw With Scalable Guide. <i>Journal of Craniofacial Surgery</i> , 2016, 27, 194-197.	0.7	2
63	Comparing the Effect of Nonactivated Platelet-Rich Plasma, Activated Platelet-Rich Plasma, and Bone Morphogenetic Protein-2 on Calvarial Bone Regeneration. <i>Journal of Craniofacial Surgery</i> , 2016, 27, 317-321.	0.7	14
64	TSLP Is a Potential Initiator of Collagen Synthesis and an Activator of CXCR4/SDF-1 Axis in Keloid Pathogenesis. <i>Journal of Investigative Dermatology</i> , 2016, 136, 507-515.	0.7	43
65	Orbital floor reconstruction using a tensor fascia lata sling after total maxillectomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016, 44, 648-653.	1.7	7
66	Surgical Management of Gynecomastia: Subcutaneous Mastectomy and Liposuction. <i>Aesthetic Plastic Surgery</i> , 2016, 40, 877-884.	0.9	29
67	Acceleration of osteogenesis by platelet-rich plasma with acellular dermal matrix in a calvarial defect model. <i>Child's Nervous System</i> , 2016, 32, 1653-1659.	1.1	13
68	Hepatocyte growth factor-expressing adenovirus upregulates matrix metalloproteinase-1 expression in keloid fibroblasts. <i>International Journal of Dermatology</i> , 2016, 55, 356-361.	1.0	5
69	Reconstruction of Large Defects in the Perineal Area Using Multiple Perforator Flaps. <i>Archives of Plastic Surgery</i> , 2016, 43, 446-450.	0.9	9
70	<i>In vivo</i> relative quantitative proteomics reveals HMGB1 as a downstream mediator of oestrogen-stimulated keratinocyte migration. <i>Experimental Dermatology</i> , 2015, 24, 478-480.	2.9	6
71	Heat Shock Protein 90 Inhibitor Decreases Collagen Synthesis of Keloid Fibroblasts and Attenuates the Extracellular Matrix on the Keloid Spheroid Model. <i>Plastic and Reconstructive Surgery</i> , 2015, 136, 328e-337e.	1.4	18
72	Endothelial-mesenchymal transition induced by Wnt 3a in keloid pathogenesis. <i>Wound Repair and Regeneration</i> , 2015, 23, 435-442.	3.0	60

#	ARTICLE	IF	CITATIONS
73	Heat Shock Protein 90 Inhibitor (17-AAG) Induces Apoptosis and Decreases Cell Migration/Motility of Keloid Fibroblasts. <i>Plastic and Reconstructive Surgery</i> , 2015, 136, 44e-53e.	1.4	25
74	The Effect of Polydeoxyribonucleotide on Ischemic Rat Skin Flap Survival. <i>Annals of Plastic Surgery</i> , 2015, 75, 84-90.	0.9	15
75	Hsp70 Knockdown by siRNA Decreased Collagen Production in Keloid Fibroblasts. <i>Yonsei Medical Journal</i> , 2015, 56, 1619.	2.2	21
76	Functional Outcomes of Multiple Sural Nerve Grafts for Facial Nerve Defects after Tumor-Ablative Surgery. <i>Archives of Plastic Surgery</i> , 2015, 42, 461-468.	0.9	30
77	Characterization and tissue incorporation of cross-linked human acellular dermal matrix. <i>Biomaterials</i> , 2015, 44, 195-205.	11.4	63
78	Decorin-expressing adenovirus decreases collagen synthesis and upregulates MMP expression in keloid fibroblasts and keloid spheroids. <i>Experimental Dermatology</i> , 2015, 24, 591-597.	2.9	32
79	Lateral Oropharyngeal Wall Coverage with Buccinator Myomucosal and Buccal Fat Pad Flaps. <i>Archives of Plastic Surgery</i> , 2015, 42, 453-460.	0.9	13
80	Reconstruction of Ankle and Heel Defects with Peroneal Artery Perforator-Based Pedicled Flaps. <i>Archives of Plastic Surgery</i> , 2015, 42, 619.	0.9	17
81	Treatment of Ischial Pressure Sores with Both Profunda Femoris Artery Perforator Flaps and Muscle Flaps. <i>Archives of Plastic Surgery</i> , 2014, 41, 387-393.	0.9	18
82	The Use of Matriderm and Autologous Skin Graft in the Treatment of Full Thickness Skin Defects. <i>Archives of Plastic Surgery</i> , 2014, 41, 330-336.	0.9	97
83	Gene Therapy Using Hepatocyte Growth Factor Expressing Adenovirus Improves Skin Flap Survival in a Rat Model. <i>Journal of Korean Medical Science</i> , 2014, 29, S228.	2.5	9
84	Multilayered implantation using acellular dermal matrix into nude mice. <i>Journal of Materials Science: Materials in Medicine</i> , 2014, 25, 2669-2676.	3.6	10
85	Altered vimentin protein expression in human dermal microvascular endothelial cells after ultraviolet or intense pulsed light treatment. <i>Lasers in Surgery and Medicine</i> , 2014, 46, 431-438.	2.1	12
86	The Effect of Platelet-Rich Plasma on Composite Graft Survival. <i>Plastic and Reconstructive Surgery</i> , 2014, 134, 239-246.	1.4	28
87	Internal Jugular Vein Reconstruction in Bilateral Radical Neck Dissection followed by Free Flap Reconstruction: A Case Report. <i>Journal of Reconstructive Microsurgery</i> , 2014, 30, 359-362.	1.8	1
88	Extramarginal excision is preferable for hypertrophic scars. <i>International Journal of Dermatology</i> , 2014, 53, 1138-1144.	1.0	8
89	Acellular Dermal Matrix to Treat Full Thickness Skin Defects: Follow-Up Subjective and Objective Skin Quality Assessments. <i>Archives of Craniofacial Surgery</i> , 2014, 15, 14.	1.3	20
90	Palatal Mucoperiosteal Island Flaps for Palate Reconstruction. <i>Archives of Craniofacial Surgery</i> , 2014, 15, 70.	1.3	9

#	ARTICLE	IF	CITATIONS
91	Free Flap Reconstruction After Robot-Assisted Neck Dissection Via a Modified Face-Lift or Retroauricular Approach. <i>Annals of Surgical Oncology</i> , 2013, 20, 891-898.	1.5	35
92	A novel three-dimensional model system for keloid study: Organotypic multicellular scar model. <i>Wound Repair and Regeneration</i> , 2013, 21, 155-165.	3.0	24
93	Proteomic Profiling Reveals Upregulated Protein Expression of Hsp70 in Keloids. <i>BioMed Research International</i> , 2013, 2013, 1-9.	1.9	16
94	Development of a porcine skin injury model and characterization of the dose-dependent response to high-dose radiation. <i>Journal of Radiation Research</i> , 2013, 54, 823-831.	1.6	22
95	Skin-Fat Composite Grafts on Full-Thickness Facial Skin Defects. <i>Annals of Plastic Surgery</i> , 2013, 71, 176-180.	0.9	4
96	Reconstruction of Various Perinasal Defects Using Facial Artery Perforator-Based Nasolabial Island Flaps. <i>Archives of Plastic Surgery</i> , 2013, 40, 754.	0.9	16
97	The Effects of Botulinum Toxin A on Collagen Synthesis, Expression of MMP (matrix) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 507 <i>Archives of Aesthetic Plastic Surgery</i> , 2013, 19, 114.	0.2	7
98	Relaxin-Expressing Adenovirus Decreases Collagen Synthesis and Up-Regulates Matrix Metalloproteinase Expression in Keloid Fibroblasts. <i>Plastic and Reconstructive Surgery</i> , 2012, 130, 407e-417e.	1.4	17
99	Penoscrotal Reconstruction With Gracilis Muscle Flap and Internal Pudendal Artery Perforator Flap Transposition. <i>Urology</i> , 2012, 79, 1390-1396.	1.0	31
100	Effect of Human Adipose Derived Stem Cells on Scar Formation and Remodeling in a Pig Model: A Pilot Study. <i>Dermatologic Surgery</i> , 2012, 38, 1678-1688.	0.8	106
101	Reconstruction of a Total Soft Palatal Defect Using a Folded Radial Forearm Free Flap and Palmaris Longus Tendon Sling. <i>Archives of Plastic Surgery</i> , 2012, 39, 25-30.	0.9	12
102	Reconstruction of Pretibial Defect Using Pedicled Perforator Flaps. <i>Archives of Plastic Surgery</i> , 2012, 39, 360.	0.9	22
103	Lower Extremity Reconstruction Using Vastus Lateralis Myocutaneous Flap versus Anterolateral Thigh Fasciocutaneous Flap. <i>Archives of Plastic Surgery</i> , 2012, 39, 367-375.	0.9	27
104	Current Status of Face Transplantation: Where Do We Stand in Korea?. <i>Archives of Craniofacial Surgery</i> , 2012, 13, 85.	1.3	3
105	Effects of Hepatocyte Growth Factor on Collagen Synthesis and Matrix Metalloproteinase Production in Keloids. <i>Journal of Korean Medical Science</i> , 2011, 26, 1081.	2.5	21
106	Early Postoperative Treatment of Thyroidectomy Scars Using a Fractional Carbon Dioxide Laser. <i>Dermatologic Surgery</i> , 2011, 37, 217-223.	0.8	68
107	Augmentation of rat skin flap viability by relaxin-expressing adenovirus. <i>Wound Repair and Regeneration</i> , 2011, 19, 709-717.	3.0	8
108	Evaluation of the Efficacy of Microsurgical Practice Through Time Factor Added Protocol. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 876-881.	0.7	23

#	ARTICLE	IF	CITATIONS
109	The Effect of Human Placenta Extract in a Wound Healing Model. <i>Annals of Plastic Surgery</i> , 2010, 65, 96-100.	0.9	80
110	Correlation of Neotongue Volume Changes With Functional Outcomes After Long-Term Follow-Up of Total Glossectomy. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 111-116.	0.7	91
111	First Percutaneous Reduction and Next External Suspension With Steinmann Pin and Kirschner Wire of Isolated Zygomatic Fractures. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1060-1065.	0.7	14
112	Effectiveness of the Trapezius Vein in the Reconstruction of Intraoral Defects With Bare Neck. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1423-1427.	0.7	1
113	Use of a Collagen Patch for Management of Pharyngocutaneous Fistula After Hypopharyngeal Reconstruction. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 1674-1676.	0.7	10
114	Objective and Quantitative Evaluation of Scar Color Using the L*a*b* Color Coordinates. <i>Journal of Craniofacial Surgery</i> , 2010, 21, 679-684.	0.7	18
115	Perineal reconstruction using a bilobed pudendal artery perforator flap. <i>Gynecologic Oncology</i> , 2010, 118, 313-316.	1.4	16
116	Enhanced Chondrogenic Responses of Human Articular Chondrocytes Onto Silk Fibroin/Wool Keratose Scaffolds Treated With Microwave-Induced Argon Plasma. <i>Artificial Organs</i> , 2010, 34, 384-392.	1.9	35
117	Skin color analysis using a spectrophotometer in Asians. <i>Skin Research and Technology</i> , 2010, 16, 311-5.	1.6	42
118	Gluteal artery perforator flap: a viable alternative for sacral radiation ulcer and osteoradionecrosis. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2010, 63, 642-647.	1.0	25
119	Radial forearm palmaris longus tenocutaneous free flap; implication in the repair of the moderate-sized postoncologic soft palate defect. <i>Head and Neck</i> , 2009, 31, 1220-1227.	2.0	17
120	Inferior gluteal artery perforator flap: a viable alternative for ischial pressure sores. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009, 62, 1347-1354.	1.0	48
121	Hypopharyngeal Reconstruction Using Remnant Narrow Pharyngeal Wall as Omega-Shaped Radial Forearm Free Flap. <i>Journal of Craniofacial Surgery</i> , 2009, 20, 1334-1340.	0.7	22
122	Pectoralis major-rectus abdominis bipedicle muscle flap in the treatment of poststernotomy mediastinitis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 618-622.	0.8	19
123	The tie-over dressing using skin-staples and round rubber bands. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2005, 58, 751-752.	1.1	8