

Feng Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8646111/publications.pdf>

Version: 2024-02-01

76
papers

2,751
citations

236925

25
h-index

189892

50
g-index

77
all docs

77
docs citations

77
times ranked

2919
citing authors

#	ARTICLE	IF	CITATIONS
1	Lupus Nephritis With Obvious IgA Deposits in the Kidneys. <i>American Journal of the Medical Sciences</i> , 2022, 363, 174-184.	1.1	2
2	Renal mTORC1 activation is associated with disease activity and prognosis in lupus nephritis. <i>Rheumatology</i> , 2022, 61, 3830-3840.	1.9	20
3	EZH2, a prominent orchestrator of genetic and epigenetic regulation of solid tumor microenvironment and immunotherapy. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2022, 1877, 188700.	7.4	26
4	Proteomic profiling of kidney samples in patients with pure membranous and proliferative lupus nephritis. <i>Lupus</i> , 2022, 31, 837-847.	1.6	2
5	Early alterations in cortical morphology after neoadjuvant chemotherapy in breast cancer patients: A longitudinal magnetic resonance imaging study. <i>Human Brain Mapping</i> , 2022, 43, 4513-4528.	3.6	4
6	Genetic Variant CFH rs6677604 Might Play a Protective Role in lupus Nephritis. <i>American Journal of the Medical Sciences</i> , 2021, 361, 336-343.	1.1	0
7	The Spectrum of C4d Deposition in Renal Biopsies of Lupus Nephritis Patients. <i>Frontiers in Immunology</i> , 2021, 12, 654652.	4.8	11
8	Effectiveness and Tolerability of Nifedipine GITS in Patients with Chronic Kidney Disease and Uncontrolled Hypertension: A Prospective, Multicenter, Observational Study (ADRENAL). <i>Advances in Therapy</i> , 2021, 38, 4771-4785.	2.9	2
9	von Willebrand factor variants in C3 glomerulopathy: A Chinese cohort study. <i>Clinical Immunology</i> , 2021, 229, 108794.	3.2	0
10	Patient-specific iPSC-derived endothelial cells reveal aberrant p38 MAPK signaling in atypical hemolytic uremic syndrome. <i>Stem Cell Reports</i> , 2021, 16, 2305-2319.	4.8	3
11	Posterior Reversible Encephalopathy Syndrome in a Patient With Microscopic Polyangiitis: A Case Report and Literature Review. <i>Frontiers in Medicine</i> , 2021, 8, 792744.	2.6	1
12	Discovery of NEU1 as a candidate renal biomarker for proliferative lupus nephritis chronicity. <i>Lupus Science and Medicine</i> , 2021, 8, e000569.	2.7	3
13	Neoadjuvant radiotherapy for soft tissue sarcoma in China: a preliminary result. <i>Annals of Translational Medicine</i> , 2021, 10, 0-0.	1.7	0
14	Normal range of complement components during pregnancy: A prospective study. <i>American Journal of Reproductive Immunology</i> , 2020, 83, e13202.	1.2	24
15	Renal microvascular lesions in lupus nephritis. <i>Renal Failure</i> , 2020, 42, 19-29.	2.1	29
16	A rare case of malignant hypertension with splenic rupture and thrombotic microangiopathy. <i>Medicine (United States)</i> , 2020, 99, e20581.	1.0	0
17	Executive summary for China Kidney Disease Network (CK-NET) 2016 Annual Data Report. <i>Kidney International</i> , 2020, 98, 1419-1423.	5.2	56
18	Podocyte Involvement in Renal Thrombotic Microangiopathy: A Clinicopathological Study. <i>American Journal of Nephrology</i> , 2020, 51, 752-760.	3.1	14

#	ARTICLE	IF	CITATIONS
19	Anti-complement factor H autoantibodies may be protective in lupus nephritis. <i>Clinica Chimica Acta</i> , 2020, 508, 1-8.	1.1	8
20	Circulating anti-C3b IgG in lupus nephritis: A large cohort study. <i>Clinical Immunology</i> , 2020, 217, 108514.	3.2	4
21	C1q A08 Is a Half-Cryptic Epitope of Anti-C1q A08 Antibodies in Lupus Nephritis and Important for the Activation of Complement Classical Pathway. <i>Frontiers in Immunology</i> , 2020, 11, 848.	4.8	5
22	The predictive value of crescents in the disease progression of lupus nephritis based on the 2018 International Society of Nephrology/Renal Pathology Society Revision System: a large cohort study from China. <i>Renal Failure</i> , 2020, 42, 166-172.	2.1	14
23	Genetic and functional analysis of two missense mutations in CD46 predispose to postpartum atypical hemolytic uremic syndrome. <i>Clinica Chimica Acta</i> , 2020, 503, 61-69.	1.1	0
24	A Validation of the 2018 Revision of International Society of Nephrology/Renal Pathology Society Classification for Lupus Nephritis: A Cohort Study from China. <i>American Journal of Nephrology</i> , 2020, 51, 483-492.	3.1	16
25	Evaluation of 12 different assays for detecting ANCA in Chinese patients with GPA and MPA: a multicenter study in China. <i>Clinical Rheumatology</i> , 2019, 38, 3477-3483.	2.2	5
26	A novel mutation in complement 2 accompanied by susceptibility variants in C3 glomerulonephritis: A case study. <i>Nefrologia</i> , 2019, 39, 664-671.	0.4	0
27	Executive summary for the 2015 Annual Data Report of the China Kidney Disease Network (CK-NET). <i>Kidney International</i> , 2019, 95, 501-505.	5.2	103
28	A novel mutation in complement 2 accompanied by susceptibility variants in C3 glomerulonephritis: A case study. <i>Nefrologia</i> , 2019, 39, 664-671.	0.4	0
29	Acute tubulointerstitial nephritis with germinal centers in antineutrophil cytoplasmic antibody-associated vasculitis. <i>Medicine (United States)</i> , 2019, 98, e18178.	1.0	10
30	Renal involvement in a silicosis patient – case report and literature review. <i>Renal Failure</i> , 2019, 41, 1045-1053.	2.1	6
31	Monoclonal immunoglobulin mediates complement activation in monoclonal gammopathy associated-C3 glomerulonephritis. <i>BMC Nephrology</i> , 2019, 20, 459.	1.8	8
32	Immunological features and functional analysis of anti-CFH autoantibodies in patients with atypical hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2019, 34, 269-281.	1.7	22
33	Myeloperoxidase influences the complement regulatory activity of complement factor H. <i>Rheumatology</i> , 2018, 57, 2213-2224.	1.9	18
34	Complement Factor H Inhibits Anti-Neutrophil Cytoplasmic Autoantibody-Induced Neutrophil Activation by Interacting With Neutrophils. <i>Frontiers in Immunology</i> , 2018, 9, 559.	4.8	26
35	The pregnancy outcomes in patients with stage 3-4 chronic kidney disease and the effects of pregnancy in the long-term kidney function. <i>Journal of Nephrology</i> , 2018, 31, 953-960.	2.0	21
36	Does Wrist Arthrodesis With Structural Iliac Crest Bone Graft After Wide Resection of Distal Radius Giant Cell Tumor Result in Satisfactory Function and Local Control?. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 767-775.	1.5	40

#	ARTICLE	IF	CITATIONS
37	Complement Alternative Pathway Activation in Patients With Lupus Nephritis. American Journal of the Medical Sciences, 2017, 353, 247-257.	1.1	54
38	Anti-pentraxin 3 auto-antibodies might be protective in lupus nephritis: a large cohort study. Renal Failure, 2017, 39, 465-473.	2.1	14
39	Sphingosine-1-phosphate and its receptors in anti-neutrophil cytoplasmic antibody-associated vasculitis. Nephrology Dialysis Transplantation, 2017, 32, 1313-1322.	0.7	14
40	Anti-glomerular basement membrane glomerulonephritis with thrombotic microangiopathy: a case report. Immunologic Research, 2017, 65, 769-773.	2.9	4
41	The clinical and laboratory features of Chinese Han anti-factor H autoantibody-associated hemolytic uremic syndrome. Pediatric Nephrology, 2017, 32, 811-822.	1.7	21
42	The functional activities of complement factor H are impaired in patients with ANCA-positive vasculitis. Clinical Immunology, 2017, 175, 41-50.	3.2	20
43	Redefining lupus nephritis: clinical implications of pathophysiologic subtypes. Nature Reviews Nephrology, 2017, 13, 483-495.	9.6	245
44	Serum A08 C1q antibodies are associated with disease activity and prognosis in Chinese patients with lupus nephritis. Kidney International, 2016, 90, 1357-1367.	5.2	22
45	Antibodies to $\alpha 5$ chain of collagen IV are pathogenic in Goodpasture's disease. Journal of Autoimmunity, 2016, 70, 1-11.	6.5	19
46	Rare Variants in the Complement Factor H-Related Protein 5 Gene Contribute to Genetic Susceptibility to IgA Nephropathy. Journal of the American Society of Nephrology: JASN, 2016, 27, 2894-2905.	6.1	56
47	Plasma complement factor H is associated with disease activity of patients with ANCA-associated vasculitis. Arthritis Research and Therapy, 2015, 17, 129.	3.5	53
48	Overactivation of Complement Alternative Pathway in Postpartum Atypical Hemolytic Uremic Syndrome Patients with Renal Involvement. American Journal of Reproductive Immunology, 2015, 74, 345-356.	1.2	17
49	Renal Interstitial Arteriosclerotic Lesions in Lupus Nephritis Patients: A Cohort Study from China. PLoS ONE, 2015, 10, e0141547.	2.5	15
50	Rhein Elicits In Vitro Cytotoxicity in Primary Human Liver HL-7702 Cells by Inducing Apoptosis through Mitochondria-Mediated Pathway. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-19.	1.2	24
51	Clinicopathologic Characteristics and Outcomes of Renal Thrombotic Microangiopathy in Anti-Neutrophil Cytoplasmic Autoantibody-Associated Glomerulonephritis. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 750-758.	4.5	30
52	Radiofrequency ablation under 3D intraoperative Iso-C C-arm navigation for the treatment of osteoid osteomas. British Journal of Radiology, 2015, 88, 20140535.	2.2	15
53	Variants in Complement Factor H and Complement Factor H-Related Protein Genes, CFHR3 and CFHR1, Affect Complement Activation in IgA Nephropathy. Journal of the American Society of Nephrology: JASN, 2015, 26, 1195-1204.	6.1	124
54	Clinical and Renal Biopsy Findings Predicting Outcome in Renal Thrombotic Microangiopathy: A Large Cohort Study from a Single Institute in China. Scientific World Journal, The, 2014, 2014, 1-9.	2.1	25

#	ARTICLE	IF	CITATIONS
55	Clinicopathological Characteristics and Outcomes of Chinese Patients with Scanty Immune Deposits Lupus Nephritis: A Large Cohort Study from a Single Center. <i>Scientific World Journal</i> , The, 2014, 2014, 1-11.	2.1	5
56	Podocyte involvement in lupus nephritis based on the 2003 ISN/RPS system: a large cohort study from a single centre. <i>Rheumatology</i> , 2014, 53, 1235-1244.	1.9	53
57	Anti-C1q autoantibodies from active lupus nephritis patients could inhibit the clearance of apoptotic cells and complement classical pathway activation mediated by C1q in vitro. <i>Immunobiology</i> , 2014, 219, 980-989.	1.9	40
58	Methylenetetrahydrofolate reductase C677T and A1298C polymorphisms and gastric cancer susceptibility. <i>World Journal of Gastroenterology</i> , 2014, 20, 11429.	3.3	23
59	Serum levels and renal deposition of C1q complement component and its antibodies reflect disease activity of lupus nephritis. <i>BMC Nephrology</i> , 2013, 14, 63.	1.8	53
60	A method of purifying intact complement factor H from human plasma. <i>Protein Expression and Purification</i> , 2013, 91, 105-111.	1.3	12
61	Inclusion of renal vascular lesions in the 2003 ISN/RPS system for classifying lupus nephritis improves renal outcome predictions. <i>Kidney International</i> , 2013, 83, 715-723.	5.2	135
62	Circulating complement activation in patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Kidney International</i> , 2013, 83, 129-137.	5.2	210
63	Treadmill exercise slows cognitive deficits in aging rats by antioxidation and inhibition of amyloid production. <i>NeuroReport</i> , 2013, 24, 342-347.	1.2	31
64	Asymmetric Michael Addition of Substituted Rhodanines to α,β -Unsaturated Ketones Catalyzed by Bulky Primary Amines. <i>Organic Letters</i> , 2012, 14, 2038-2041.	4.6	56
65	Serum complement factor H is associated with clinical and pathological activities of patients with lupus nephritis. <i>Rheumatology</i> , 2012, 51, 2269-2277.	1.9	51
66	Combination of anti-C1q and anti-dsDNA antibodies is associated with higher renal disease activity and predicts renal prognosis of patients with lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3552-3559.	0.7	57
67	Interference of antimodified C-reactive protein autoantibodies from lupus nephritis in the biofunctions of modified C-reactive protein. <i>Human Immunology</i> , 2012, 73, 156-163.	2.4	21
68	Tubulointerstitial lesions of patients with lupus nephritis classified by the 2003 International Society of Nephrology and Renal Pathology Society system. <i>Kidney International</i> , 2010, 77, 820-829.	5.2	204
69	Lupus nephritis combined with renal injury due to thrombotic thrombocytopenic purpura-haemolytic uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 145-152.	0.7	26
70	A highly efficient asymmetric Michael addition of α,β -disubstituted aldehydes to maleimides catalyzed by primary amine thiourea salt. <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 4767.	2.8	75
71	Enantioselective Michael addition of ketones to maleimides catalyzed by bifunctional monosulfonyl DPEN salt. <i>Chemical Communications</i> , 2010, 46, 4589.	4.1	54
72	Clinicopathological characteristics and outcomes of patients with crescentic lupus nephritis. <i>Kidney International</i> , 2009, 76, 307-317.	5.2	93

#	ARTICLE	IF	CITATIONS
73	Detection of anti-C1q antibodies and anti-C1q globular head domain antibodies in sera from Chinese patients with lupus nephritis. <i>Molecular Immunology</i> , 2009, 46, 2178-2182.	2.2	19
74	Anti-C1q antibodies and IgG subclass distribution in sera from Chinese patients with lupus nephritis. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 172-178.	0.7	52
75	Complement deposition in renal histopathology of patients with ANCA-associated pauci-immune glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 1247-1252.	0.7	105
76	Antineutrophil Cytoplasmic Autoantibodyâ€“Negative Pauci-immune Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 599-605.	6.1	101