## Gary R Bauchan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8646175/publications.pdf

Version: 2024-02-01

		147801	175258
136	3,459	31	52
papers	citations	h-index	g-index
136	136	136	3776
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	<i>Varroa destructor</i> feeds primarily on honey bee fat body tissue and not hemolymph. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 1792-1801.	7.1	379
2	Characterization of Two Species of Trypanosomatidae from the Honey Bee <i>Apis mellifera</i> : <i>Crithidia mellificae</i> Langridge and McGhee, and <i>Lotmaria passim</i> n. gen., n. sp Journal of Eukaryotic Microbiology, 2015, 62, 567-583.	1.7	152
3	Superoxide anion and hydrogen peroxide in the yeast antagonist–fruit interaction: A new role for reactive oxygen species in postharvest biocontrol?. Postharvest Biology and Technology, 2010, 58, 194-202.	6.0	129
4	<p><strong><em>Brevipalpus phoenicis</em> (Geijskes) species complex (Acari:) Tj ETQo</strong></p>	70 0 0 ggBT	Overlock 10
5	Genetic Mapping of Biomass Production in Tetraploid Alfalfa. Crop Science, 2007, 47, 1-10.	1.8	113
6	ICTV Virus Taxonomy Profile: Baculoviridae. Journal of General Virology, 2018, 99, 1185-1186.	2.9	101
7	Role Bending: Complex Relationships Between Viruses, Hosts, and Vectors Related to Citrus Leprosis, an Emerging Disease. Phytopathology, 2015, 105, 1013-1025.	2.2	96
8	Enhanced Inactivation of Salmonella and Pseudomonas Biofilms on Stainless Steel by Use of T-128, a Fresh-Produce Washing Aid, in Chlorinated Wash Solutions. Applied and Environmental Microbiology, 2012, 78, 6789-6798.	3.1	82
9	Role of Curli and Cellulose Expression in Adherence of (i>Escherichia coli (/i>O157:H7 to Spinach Leaves. Foodborne Pathogens and Disease, 2012, 9, 160-167.	1.8	81
10	Comprehensive phylogeny of acariform mites (Acariformes) provides insights on the origin of the four-legged mites (Eriophyoidea), a long branch. Molecular Phylogenetics and Evolution, 2018, 119, 105-117.	2.7	80
11	North American Lauraceae: Terpenoid Emissions, Relative Attraction and Boring Preferences of Redbay Ambrosia Beetle, Xyleborus glabratus (Coleoptera: Curculionidae: Scolytinae). PLoS ONE, 2014, 9, e102086.	2.5	<b>7</b> 9
12	Triple-acting Lytic Enzyme Treatment of Drug-Resistant and Intracellular Staphylococcus aureus. Scientific Reports, 2016, 6, 25063.	3.3	77
13	Effect of Spinach Cultivar and Bacterial Adherence Factors on Survival of Escherichia coli O157:H7 on Spinach Leaves. Journal of Food Protection, 2013, 76, 1829-1837.	1.7	65
14	A Core Collection for the United States Annual <i>Medicago</i> Germplasm Collection. Crop Science, 1994, 34, 279-285.	1.8	64
15	Genetic Mapping Forage Yield, Plant Height, and Regrowth at Multiple Harvests in Tetraploid Alfalfa (Medicago sativa L.). Crop Science, 2007, 47, 11-18.	1.8	62
16	î±-Copaene is an attractant, synergistic with quercivorol, for improved detection of Euwallacea nr. fornicatus (Coleoptera: Curculionidae: Scolytinae). PLoS ONE, 2017, 12, e0179416.	<b>2.</b> 5	61
17	<i>Spinacia oleracea</i> L. Leaf Stomata Harboring <i>Cryptosporidium parvum</i> Oocysts: a Potential Threat to Food Safety. Applied and Environmental Microbiology, 2010, 76, 555-559.	3.1	59
18	Ectopic expression of AtPAD4broadens resistance of soybean to soybean cyst and root-knot nematodes. BMC Plant Biology, 2013, 13, 67.	3 <b>.</b> 6	52

#	Article	IF	Citations
19	Immunoenhancing effects of Montanideâ, \$\psi\$ ISA oil-based adjuvants on recombinant coccidia antigen vaccination against Eimeria acervulina infection. Veterinary Parasitology, 2010, 172, 221-228.	1.8	51
20	Fabrication of Biomimetically Patterned Surfaces and Their Application to Probing Plant–Bacteria Interactions. ACS Applied Materials & Eamp; Interfaces, 2014, 6, 12467-12478.	8.0	49
21	A new genus and species of Nematalycidae (Acari: Endeostigmata). Journal of Natural History, 2014, 48, 1359-1373.	0.5	44
22	Proliferation of Escherichia coli 0157:H7 in Soil-Substitute and Hydroponic Microgreen Production Systems. Journal of Food Protection, 2015, 78, 1785-1790.	1.7	43
23	Development of Metal–Organic Framework for Gaseous Plant Hormone Encapsulation To Manage Ripening of Climacteric Produce. Journal of Agricultural and Food Chemistry, 2016, 64, 5164-5170.	5.2	42
24	Identification and utilization of a sow thistle powdery mildew as a poorly adapted pathogen to dissect post-invasion non-host resistance mechanisms in Arabidopsis. Journal of Experimental Botany, 2011, 62, 2117-2129.	4.8	39
25	The Genus Medicago and the Origin of the Medicago sativa Comp. Agronomy, 2015, , 93-124.	0.2	39
26	Trachymolgus purpureus sp. n., an armored snout mite (Acari, Bdellidae) from the Ozark highlands: morphology, development, and key to Trachymolgus Berlese. ZooKeys, 2011, 125, 1-34.	1.1	37
27	Ralstonia insidiosa serves as bridges in biofilm formation by foodborne pathogens Listeria monocytogenes, Salmonella enterica, and Enterohemorrhagic Escherichia coli. Food Control, 2016, 65, 14-20.	5.5	36
28	Mutation of a chloroplast-targeting signal in Alternanthera mosaic virus TGB3 impairs cell-to-cell movement and eliminates long-distance virus movement. Journal of General Virology, 2010, 91, 2102-2115.	2.9	35
29	Insights into Alternanthera mosaic virus TGB3 Functions: Interactions with Nicotiana benthamiana PsbO Correlate with Chloroplast Vesiculation and Veinal Necrosis Caused by TGB3 Over-Expression. Frontiers in Plant Science, 2013, 4, 5.	3.6	35
30	Apical blebs on sperm storage tubule epithelial cell microvilli: Their release and interaction with resident sperm in the turkey hen oviduct. Theriogenology, 2015, 83, 1438-1444.	2.1	35
31	Infectivity of Cryptosporidium parvum Oocysts after Storage of Experimentally Contaminated Apples. Journal of Food Protection, 2010, 73, 1824-1829.	1.7	34
32	Drought Responses of Foliar Metabolites in Three Maize Hybrids Differing in Water Stress Tolerance. PLoS ONE, 2013, 8, e77145.	2.5	34
33	Beech leaf disease symptoms caused by newly recognized nematode subspecies <i>Litylenchus crenatae mccannii</i> (Anguinata) described from <i>Fagus grandifolia</i> in North America. Forest Pathology, 2020, 50, e12580.	1.1	34
34	Inhibition of Escherichia coli O157:H7 and Salmonella enterica virulence factors by benzyl isothiocyanate. Food Microbiology, 2020, 86, 103303.	4.2	30
35	The role of eriophyoids in fungal pathogen epidemiology, mere association or true interaction?. Experimental and Applied Acarology, 2010, 51, 191-204.	1.6	29
36	Antibacterial Activity of Cinnamaldehyde and Sporan against <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> . Journal of Food Processing and Preservation, 2014, 38, 749-757.	2.0	29

3

#	Article	IF	CITATIONS
37	<strong>Tenuipalpidae (Acari: Trombidiformes) from Casuarinaceae (Fagales) /strong&gt;. Zootaxa, 2014, 3778, 1.</strong>	0.5	28
38	Effects of Environmental Parameters on the Dual-Species Biofilms Formed by Escherichia coli O157:H7 and Ralstonia insidiosa, a Strong Biofilm Producer Isolated from a Fresh-Cut Produce Processing Plant. Journal of Food Protection, 2015, 78, 121-127.	1.7	27
39	Immunopathology and cytokine responses in commercial broiler chickens with gangrenous dermatitis. Avian Pathology, 2010, 39, 255-264.	2.0	26
40	Sources of Resistance to Anthracnose in the Annual Medicago Core Collection. Plant Disease, 2000, 84, 261-267.	1.4	24
41	Functional analysis of tomato calmodulin gene family during fruit development and ripening. Horticulture Research, $2014,1,14057.$	6.3	23
42	Wound responses of wild apples suggest multiple resistance mechanism against blue mold decay. Postharvest Biology and Technology, 2016, 117, 132-140.	6.0	23
43	Reinstatement of the genus <i>Colopalpus</i> Pritchard and Baker (1958) and re-description of <i>Colopalpus matthyssei</i> Pritchard and Baker (1958), the type species of the genus (Acari,) Tj ETQq1 1 0.	.784 <b>3.1</b> 4 rg	gBT <b>20</b> verlock
44	Blistering 1 Modulates Penicillium expansum Virulence Via Vesicle-mediated Protein Secretion. Molecular and Cellular Proteomics, 2020, 19, 344-361.	3.8	22
45	Role of Extracellular Structures of Escherichia coli O157:H7 in Initial Attachment to Biotic and Abiotic Surfaces. Applied and Environmental Microbiology, 2015, 81, 4720-4727.	3.1	21
46	Ralstonia insidiosa induces cell aggregation of Listeria monocytogenes. Food Control, 2016, 67, 303-309.	5.5	21
47	The Operophtera brumata Nucleopolyhedrovirus (OpbuNPV) Represents an Early, Divergent Lineage within Genus Alphabaculovirus. Viruses, 2017, 9, 307.	3.3	20
48	Accumulation of zinc and cadmium and localization of zinc in Picris divaricata Vant Environmental and Experimental Botany, 2013, 87, 1-9.	4.2	19
49	Catalogue of snout mites (Acariformes: Bdellidae) of the world. Zootaxa, 2016, 4152, 1.	0.5	19
50	A Multi-Microscopy Approach to Discover the Feeding Site and Host Tissue Consumed by Varroa destructor on Host Honey Bees. Microscopy and Microanalysis, 2018, 24, 1258-1259.	0.4	19
51	New species of Daidalotarsonemus and Excelsotarsonemus (Acari, Tarsonemidae) from the Brazilian rainforest. ZooKeys, 2015, 475, 1-36.	1.1	18
52	Chromosome numbers of the Medicago sativa complex in Turkey. Canadian Journal of Botany, 1984, 62, 749-752.	1.1	17
53	Reactions in the Annual Medicago spp. Core Germ Plasm Collection to Phoma medicaginis. Plant Disease, 2003, 87, 557-562.	1.4	17
54	Genetic transformation of Fusarium oxysporum f.sp. gladioli with Agrobacterium to study pathogenesis in Gladiolus. European Journal of Plant Pathology, 2012, 133, 729-738.	1.7	17

#	Article	IF	CITATIONS
55	On the Eyes of Male Coffee Berry Borers as Rudimentary Organs. PLoS ONE, 2014, 9, e85860.	2.5	16
56	Expression of a synthetic antimicrobial peptide, D4E1, in Gladiolus plants for resistance to Fusarium oxysporum f. sp. gladioli. Plant Cell, Tissue and Organ Culture, 2015, 121, 459-467.	2.3	16
57	Aggregative adherence fimbriae I (AAF/I) mediate colonization of fresh produce and abiotic surface by Shiga toxigenic enteroaggregative Escherichia coli O104:H4. International Journal of Food Microbiology, 2016, 229, 44-51.	4.7	16
58	Definition of <i>Tenuipalpus</i> sensu stricto (Acari, Tenuipalpidae), with redescription of <i>Tenuipalpus caudatus</i> (DugÃ's) and description of a new species from Costa Rica. International Journal of Acarology, 2016, 42, 106-126.	0.7	16
59	The Complete Genome Sequence of a Second Distinct Betabaculovirus from the True Armyworm, Mythimna unipuncta. PLoS ONE, 2017, 12, e0170510.	2.5	16
60	Facile and template-free solvothermal synthesis of mesoporous/macroporous metal–organic framework nanosheets. RSC Advances, 2018, 8, 33059-33064.	3.6	16
61	A new species of the genus Eutrombicula Ewing, 1938 (Trombidiformes: Trombiculidae) and new records for the species Eutrombicula batatas (Linnaeus, 1758) in Brazil. Acarologia, 2018, 58, 976-986.	0.6	16
62	Antimicrobial Activity of Bacteriophage Endolysin Produced in Nicotiana benthamiana Plants. Journal of Microbiology and Biotechnology, 2016, 26, 160-170.	2.1	15
63	Comparison of helper component-protease RNA silencing suppression activity, subcellular localization, and aggregation of three Korean isolates of Turnip mosaic virus. Virus Genes, 2016, 52, 592-596.	1.6	14
64	Visualizing pathogen internalization pathways in fresh tomatoes using MicroCT and confocal laser scanning microscopy. Food Control, 2018, 85, 276-282.	5 <b>.</b> 5	14
65	The complete genome sequence of a third distinct baculovirus isolated from the true armyworm, Mythimna unipuncta, contains two copies of the lef-7 gene. Virus Genes, 2018, 54, 297-310.	1.6	14
66	Cytomixis in <i>Agropyron cristatum</i> . Genome, 1987, 29, 765-769.	2.0	13
67	Seed Treatment with Ethanol Extract of <i>Serratia marcescens</i> is Compatible with <i>Trichoderma</i> Isolates for Control of Damping-off of Cucumber Caused by <i>Pythium ultimum</i> . Plant Disease, 2016, 100, 1278-1287.	1.4	13
68	A rudimentary sheath for the smallest of "biting―chelicerae: the mouthparts of <i>Cunliffea</i> (Nematalycidae) and a new hypothesis on the origin of the stylet sheath of Eriophyoidea (Acariformes). International Journal of Acarology, 2018, 44, 374-381.	0.7	12
69	Ploidy reduction in blackberry. Euphytica, 1998, 99, 57-73.	1.2	11
70	Distribution and Characterization of Heterochromatic DNA in the Tetraploid African Population Alfalfa Genome. Crop Science, 2001, 41, 1921-1926.	1.8	11
71	Neuronal projections from the Haller's organ and palp sensilla to the synganglion of Amblyomma americanum§. Brazilian Journal of Veterinary Parasitology, 2016, 25, 217-224.	0.7	11
72	<strong>A new species of <em>Tenuipalpus</em> sensu stricto (Acari: Tenuipalpidae) from Brazil, with ontogeny and a key to the known speciesÂ</strong> . Zootaxa, 2016, 4088, 355.	0.5	11

#	Article	IF	CITATIONS
73	Supplementary description of Novophytoptus stipae Keifer 1962 (Acariformes, Eriophyoidea) with LT-SEM observation on mites from putatively conspecific populations: cryptic speciation or polyphagy of novophytoptines on phylogenetically remote hosts?. Systematic and Applied Acarology, 2017, 22, 253.	0.5	11
74	Insights into the feeding behaviors and biomechanics of Varroa destructor mites on honey bee pupae using electropenetrography and histology. Journal of Insect Physiology, 2019, 119, 103950.	2.0	11
75	Dermatitis in humans caused by Ornithonyssus bursa (Berlese 1888) (Mesostigmata: Macronyssidae) and new records from Brazil. Brazilian Journal of Veterinary Parasitology, 2019, 28, 134-139.	0.7	11
76	Adhesive-tape recovery combined with molecular and microscopic testing for the detection of Cryptosporidium oocysts on experimentally contaminated fresh produce and a food preparation surface. Parasitology Research, 2013, 112, 1567-1574.	1.6	10
77	Optimization of Rapid Microwave Processing of Botanical Samples for Transmission Electron Microscopy. Microscopy and Microanalysis, 2018, 24, 1202-1203.	0.4	10
78	Reassortment of Genome Segments Creates Stable Lineages Among Strains of Orchid Fleck Virus Infecting Citrus in Mexico. Phytopathology, 2020, 110, 106-120.	2.2	10
79	The effect of biobased plastic resins containing chicken feather fibers on the growth and flowering of Begonia boliviensis. Horticulture Environment and Biotechnology, 2012, 53, 81-91.	2.1	9
80	The role of the integument with respect to different modes of locomotion in the Nematalycidae (Endeostigmata). Experimental and Applied Acarology, 2015, 65, 149-161.	1.6	9
81	Metal–Organic Framework-Stabilized High Internal Phase Pickering Emulsions Based on Computer Simulation for Curcumin Encapsulation: Comprehensive Characterization and Stability Mechanism. ACS Omega, 2021, 6, 26556-26565.	3.5	9
82	Enhanced biofilm formation in dual-species culture of <em>Listeria monocytogenes</em> and <em>Ralstonia insidiosa</em> . AIMS Microbiology, 2017, 3, 774-783.	2.2	9
83	Characterization of the glutamate dehydrogenase isoenzyme system in germinating soybean. Plant Science, 1998, 135, 137-148.	3.6	8
84	Physical and chemical properties of biobased plastic resins containing chicken feather fibers. Horticulture Environment and Biotechnology, 2012, 53, 72-80.	2.1	8
85	Mouthpart Structure and Elemental Composition of the Mandibles in the Coffee Berry Borer (Coleoptera: Curculionidae: Scolytinae). Annals of the Entomological Society of America, 2017, 110, 381-389.	2.5	8
86	Two new species of Tenuipalpus sensu stricto (Acari: Tenuipalpidae) from Brazil, with a discussion on the ontogeny of leg setae. Zootaxa, 2018, 4540, 178.	0.5	8
87	Raoiella of the world (Trombidiformes: Tetranychoidea: Tenuipalpidae). Zootaxa, 2018, 4501, 1-301.	0.5	8
88	Confirmation of hybrid origin of Cyrtanthus based on the sequence analysis of internal transcribed spacer. Scientia Horticulturae, 2012, 144, 153-160.	3.6	7
89	Immunolocalization of $\hat{I}^2$ - and $\hat{I}'$ -giardin within the ventral disk in trophozoites of Giardia duodenalis using multiplex laser scanning confocal microscopy. Parasitology Research, 2012, 111, 241-248.	1.6	7
90	A novel fluid-feeding mechanism for microbivory in the Acariformes (Arachnida: Acari). Arthropod Structure and Development, 2015, 44, 313-325.	1.4	7

#	Article	IF	CITATIONS
91	New and little known feather mites (Acariformes: Astigmata) analysed with low-temperature scanning electron microscopy. International Journal of Acarology, 2017, 43, 499-517.	0.7	7
92	Visualization of the impatiens downy mildew pathogen using fluorescence in situ hybridization (FISH). Plant Methods, 2018, 14, 92.	4.3	7
93	Morphological and Molecular Characterization of Pratylenchus dakotaensis n. sp. (Nematoda:) Tj ETQq1 1 0.784	314 rgBT 3.5	/Overlock 10 7
94	Comparative Chromosome Banding Studies of Nondormant Alfalfa Germplasm. Crop Science, 2003, 43, 2037-2042.	1.8	6
95	A new species of cave dwelling Neocarus (Acari: Opilioacaridae) from Bahia state, Brazil, with remarks on taxonomic characters. Zootaxa, 2018, 4402, 303.	0.5	6
96	Lolium latent virus (Alphaflexiviridae) coat proteins: expression and functions in infected plant tissue. Journal of General Virology, 2012, 93, 1814-1824.	2.9	5
97	An Adhesive Collophore May Help Direct the Springtail Jump. Annals of the Entomological Society of America, 2015, 108, 814-819.	2.5	5
98	A new species of <i>Proctophyllodes</i> Robin, 1868 (Acari: Proctophyllodidae) from two tanagers of the genus <i>Piranga</i> Vieillot (Passeriformes: Cardinalidae) from North America. Journal of Natural History, 2017, 51, 2407-2416.	0.5	5
99	Notes on <i>Citrullus</i> spp.: Pollen Morphology, C Values, and Interspecific Hybridizations with the Gemsbok Cucumber. Crop Science, 2017, 57, 856-864.	1.8	5
100	A Proteomic Network for Symbiotic Nitrogen Fixation Efficiency in Bradyrhizobium elkanii. Molecular Plant-Microbe Interactions, 2018, 31, 334-343.	2.6	5
101	Blankaartia sinnamaryi (Trombidiformes: Trombiculidae) parasitizing birds in southeastern Brazil, with notes on Rickettsia detection. Brazilian Journal of Veterinary Parasitology, 2018, 27, 354-362.	0.7	5
102	The complete genome sequence of an alphabaculovirus from Spodoptera exempta, an agricultural pest of major economic significance in Africa. PLoS ONE, 2019, 14, e0209937.	2.5	5
103	Revisão taxonômica do ácaro da leprose dos citros e sua distribuição no Brasil. Citrus Research & Technology, 2018, 39, .	0.3	5
104	Chromosomal Polymorphism as Detected by Câ€Banding Patterns in Chilean Alfalfa Germplasm <sup>1</sup> . Crop Science, 2002, 42, 1291-1297.	1.8	4
105	The property and effect of bioplastic pots on the growth and developmental physiology of lily and begonia. Horticulture Environment and Biotechnology, 2012, 53, 467-476.	2.1	4
106	Three-Dimensional Printing of Agriculturally Important Mites Generated from Confocal Microscopy. Microscopy and Microanalysis, 2018, 24, 1360-1361.	0.4	4
107	Discovery of Aphis ruborum (Hemiptera: Aphididae) and Aphelinus varipes (Hymenoptera: Aphelinidae) on Cultivated Strawberry in Mississippi, USA. Journal of Insect Science, 2019, 19, .	1.5	4
108	Transgenic Lilium longiflorum plants containing the bar-uidA gene controlled by the rice RPC1, Agrobacterium rolD, mas2, and CaMV 35S promoters. Plant Cell, Tissue and Organ Culture, 2019, 136, 303-312.	2.3	4

#	Article	IF	CITATIONS
109	Morphological and molecular characterisation of Punctodera mulveyi n. sp. (Nematoda:) Tj ETQq1 1 0.784314 rgl Nematology, 2020, 23, 667-683.	BT /Overloo 0.6	ck 10 Tf 50 4
110	Detection of the Lychee Erinose Mite, Aceria litchii (Keifer) (Acari: Eriophyidae) in Florida, USA: A Comparison with Other Alien Populations. Insects, 2020, 11, 235.	2.2	4
111	Characterisation of calcium crystals in <i>Abelia</i> i>spp. using X-ray diffraction and electron microscopy. Journal of Horticultural Science and Biotechnology, 2014, 89, 61-68.	1.9	3
112	Correlative Light and Electron Microscopy (CLEM) Utilizing Hitachi HILEM TM IL1000 Ionic Liquid. Microscopy and Microanalysis, 2016, 22, 246-247.	0.4	3
113	The complete genome sequence of a second alphabaculovirus from the true armyworm, Mythimna unipuncta: implications for baculovirus phylogeny and host specificity. Virus Genes, 2019, 55, 104-116.	1.6	3
114	<p class="Body"><strong>Two new species of <em>Tarsonemus </em>(Acari:) Tj ETQq0 0 0 986-1012.</strong></p>	rgBT /Ove 0.5	rlock 10 Tf : 3
115	Dorsal setae in Raoiella (Acari: Tenuipalpidae): Their functional morphology and implication in fluid secretion. Arthropod Structure and Development, 2021, 60, 101023.	1.4	3
116	A Highly Divergent 33 kDa <i>Cryptosporidium parvum</i> Antigen. Journal of Parasitology, 2014, 100, 527-531.	0.7	2
117	A Mysterious Wing Spine in Male Coffee Berry Borers (Coleoptera: Curculionidae: Scolytinae). Florida Entomologist, 2015, 98, 352-353.	0.5	2
118	External morphology of the mouthparts and observations on behavior of Tuckerella japonica on Camellia sinensis in the continental USA. Experimental and Applied Acarology, 2018, 74, 55-71.	1.6	2
119	Taxonomy and Natural History of Cattail Aphids, Rhopalosiphum enigmae (Hemiptera: Aphidomorpha:) Tj ETQq1 Insect Systematics and Diversity, 2018, 2, .	1 0.78431 1.7	
120	Review of the genus Ceratotarsonemus De Leon, 1956 (Acari: Prostigmata: Tarsonemidae), with description of a new species from the Amazon Forest. Zootaxa, 2018, 4483, 271-294.	0.5	2
121	<strong>Ontogenetic and morphological studies on <em>Tetranychus</em> <em>canadensis</em> (Acari: </strong> tranychidae). Zootaxa, 2020, 4857, 215-250.	0.5	2
122	alfalfa (Medicago sativa ssp. sativa (L.) L. & L.). Genetic Resources, Chromosome Engineering, and Crop Improvement Series, 2009, , 11-39.	0.3	2
123	First Record of Cenopalpus wainsteini [Trombidiformes: Tetranychoidea: Tenuipalpidae] in the Americas and a Description of the Symptoms It Causes on Pines in Peru. Neotropical Entomology, 2022, 51, 99-111.	1.2	2
124	CHROMOSOME LOSS FOLLOWING INTERSPECIFIC HYBRIDIZATION IN RUBUS CHAMAEMORUS L Acta Horticulturae, 1993, , 421-428.	0.2	1
125	Low Temperature–Scanning Electron Microscopy to Evaluate Morphology and Predation of Scolothrips sexmaculatus Pergande (Thysanoptera: Thripidae) on Spider Mites (Acari: Tetranychidae:) Tj ETQq1 1	0. <b>0</b> &4314	rgBT /Overic
126	Location of Zinc in Trichomes of the Plant <i>Picris divaricata</i> . Microscopy and Microanalysis, 2014, 20, 1322-1323.	0.4	1

#	Article	IF	Citations
127	A Novel Sensing Chip for Probing Chlorine Permeation into Simulated Produce Cracks. Advanced Materials Interfaces, 2018, 5, 1800119.	3.7	1
128	Size, shape, and direction matters: Matching secondary genital structures in male and female mites using multiple microscopy techniques and 3D modeling. PLoS ONE, 2021, 16, e0254974.	2.5	1
129	Rediscovering digitules in Aphidomorpha and the question of homology among Sternorrhyncha (Insecta, Hemiptera). ZooKeys, 2017, 683, 39-50.	1.1	1
130	In memory of Gary Bauchan: Utilizing an integrated taxonomy approach for the description of a new species of Gamasellodes (Mesostigmata: Ascidae). Systematic and Applied Acarology, 0, , .	0.5	1
131	Annals of the Entomological Society of America July 2017 - Vol 110 - No 4 - Front Cover. Annals of the Entomological Society of America, 2017, 110, i1-i1.	2.5	0
132	Focus on Nematodes: Microscopic Roundworms. Microscopy and Microanalysis, 2020, 26, 2002-2002.	0.4	0
133	Utilization of Z-6040 Organosilane as a Coupling Agent to Improve the Adhesion of Epoxy Resins to Waxy Biological Tissues. Microscopy and Microanalysis, 2020, 26, 1352-1353.	0.4	0
134	The role of eriophyoids in fungal pathogen epidemiology, mere association or true interaction?. , 2009, , 191-204.		0
135	A New Species of (Acari: Heterostigmatina: Pygmephoridae) from the Two Rivers Platinum Mine in South Africa and Notes on the Life-cycle of the Genus. Zoological Studies, 2016, 55, e11.	0.3	0
136	Caenonychus, a senior synonym of Speleorchestes (Acariformes: Nanorchestidae). Systematic and Applied Acarology, 0, , .	0.5	0