

# Laurent Rigal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/864631/publications.pdf>

Version: 2024-02-01

28  
papers

384  
citations

933447

10  
h-index

794594

19  
g-index

30  
all docs

30  
docs citations

30  
times ranked

441  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Abstinence and "Low-Risk" Consumption 1 Year after the Initiation of High-Dose Baclofen: A Retrospective Study among "High-Risk" Drinkers. <i>Alcohol and Alcoholism</i> , 2012, 47, 439-442.                    | 1.6 | 83        |
| 2  | Validity and measurement invariance across sex, age, and education level of the French short versions of the European Health Literacy Survey Questionnaire. <i>PLoS ONE</i> , 2018, 13, e0208091.                | 2.5 | 63        |
| 3  | Tolerability of High-dose Baclofen in the Treatment of Patients with Alcohol Disorders: A Retrospective Study. <i>Alcohol and Alcoholism</i> , 2015, 50, 551-557.  | 1.6 | 31        |
| 4  | Do social inequalities in cervical cancer screening persist among patients who use primary care? The Paris Prevention in General Practice survey. <i>Preventive Medicine</i> , 2011, 53, 199-202.                | 3.4 | 28        |
| 5  | Validation of the French version of the Functional, Communicative and Critical Health Literacy scale (FCCHL). <i>Journal of Patient-Reported Outcomes</i> , 2018, 2, 3.  | 1.9 | 20        |
| 6  | Titrated baclofen for high-risk alcohol consumption: a randomized placebo-controlled trial in outpatients with 1-year follow-up. <i>Addiction</i> , 2020, 115, 1265-1276.  | 3.3 | 20        |
| 7  | Time and feasibility of prevention in primary care. <i>Family Practice</i> , 2017, 34, 49-56.  | 1.9 | 19        |
| 8  | Primary prevention of cardiovascular disease: More patient gender-based differences in risk evaluation among male general practitioners. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1831-1838. | 1.8 | 17        |
| 9  | Factors associated with GPs' knowledge of their patients' socio-economic circumstances: a multilevel analysis. <i>Family Practice</i> , 2015, 32, cmv068.  | 1.9 | 12        |
| 10 | Physicians' preventive practices: more frequently performed for male patients and by female physicians. <i>BMC Health Services Research</i> , 2020, 20, 331.   | 2.2 | 12        |
| 11 | Disengagement of general practitioners in cervical cancer screening. <i>European Journal of Cancer Prevention</i> , 2016, 25, 547-555.   | 1.3 | 11        |
| 12 | Are primary-care physician practices related to health behaviors likely to reduce social inequalities in health?. <i>Preventive Medicine</i> , 2017, 99, 21-28.  | 3.4 | 10        |
| 13 | Health Literacy throughout adolescence: Invariance and validity study of three measurement scales in the general population. <i>Patient Education and Counseling</i> , 2022, 105, 996-1003.                      | 2.2 | 10        |
| 14 | Social inequalities in participation in cancer screening: does the mode of data collection matter? The CONSTANCES cohort. <i>European Journal of Public Health</i> , 2021, 31, 602-608.                          | 0.3 | 9         |
| 15 | Accumulation of unhealthy behaviors: Marked social inequalities in men and women. <i>Preventive Medicine Reports</i> , 2018, 12, 1-5.  | 1.8 | 7         |
| 16 | Validity of the French version of the Autonomy Preference Index and its adaptation for patients with advanced cancer. <i>PLoS ONE</i> , 2020, 15, e0227802.  | 2.5 | 7         |
| 17 | Women with obesity in cervical cancer screening. The double penalty: Underscreening and income inequalities. <i>Obesity Research and Clinical Practice</i> , 2021, 15, 212-215.                                  | 1.8 | 6         |
| 18 | Contextual determinants of participation in cervical cancer screening in France, 2010. <i>Cancer Epidemiology</i> , 2017, 48, 117-123.   | 1.9 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | General practitioners who never perform Pap smear: the medical offer and the socio-economic context around their office could limit their involvement in cervical cancer screening. BMC Family Practice, 2019, 20, 114. | 2.9 | 5         |
| 20 | The role of organization of care in GPs's™ prevention practice. Primary Health Care Research and Development, 2021, 22, e74.  | 1.2 | 3         |
| 21 | Patterns of gynaecological check-up and their association with body mass index within the CONSTANCES cohort. Journal of Medical Screening, 2021, 28, 10-17.   | 2.3 | 2         |
| 22 | Reply to comments on the Rigalet al. (2019) Bacloville trial. Addiction, 2020, 115, 2186-2187.  | 3.3 | 0         |
| 23 | Title is missing!. , 2020, 15, e0227802.  |     | 0         |
| 24 | Title is missing!. , 2020, 15, e0227802.  |     | 0         |
| 25 | Title is missing!. , 2020, 15, e0227802.  |     | 0         |
| 26 | Title is missing!. , 2020, 15, e0227802.  |     | 0         |
| 27 | Title is missing!. , 2020, 15, e0227802.  |     | 0         |
| 28 | Title is missing!. , 2020, 15, e0227802.  |     | 0         |