

Jakob R Izbicki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/864898/publications.pdf>

Version: 2024-02-01

152
papers

2,807
citations

201674

27
h-index

265206

42
g-index

158
all docs

158
docs citations

158
times ranked

5008
citing authors

#	ARTICLE	IF	CITATIONS
1	Possible tumour cell reimplantation during curative endoscopic therapy of superficial Barrett's carcinoma. <i>Gut</i> , 2022, 71, 277-286.	12.1	4
2	Localization Defines Streptozotocin/5-FU Response in Primary Pancreatic Neuroendocrine Tumours. <i>Neuroendocrinology</i> , 2022, 112, 595-605.	2.5	3
3	Postpancreatectomy Acute Pancreatitis (PPAP). <i>Annals of Surgery</i> , 2022, 275, 663-672.	4.2	56
4	Comparison of Anti-factor Xa Levels in Female and Male Patients with Obesity After Enoxaparin Application for Thromboprophylaxis. <i>Obesity Surgery</i> , 2022, 32, 861-867.	2.1	5
5	CD147 expression lacks prognostic relevance in esophageal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, , 1.	2.5	0
6	Management of Esophageal Cancer-Associated Respiratory Digestive Tract Fistulas. <i>Cancers</i> , 2022, 14, 1220.	3.7	1
7	Risk stratification of cirrhotic patients undergoing esophagectomy for esophageal cancer: A single-centre experience. <i>PLoS ONE</i> , 2022, 17, e0265093.	2.5	1
8	Combined Targeting of AKT and mTOR Inhibits Tumor Formation of EpCAM+ and CD90+ Human Hepatocellular Carcinoma Cells in an Orthotopic Mouse Model. <i>Cancers</i> , 2022, 14, 1882.	3.7	6
9	Robotic-assisted minimally invasive Ivor Lewis esophagectomy within the prospective multicenter German da Vinci Xi registry trial. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 1-11.	1.9	10
10	Quantification of gastric tube perfusion following esophagectomy using fluorescence imaging with indocyanine green. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2693-2701.	1.9	7
11	Mucin 5AC expression is common but unrelated to tumor progression in pancreatic adenocarcinoma. <i>International Journal of Immunopathology and Pharmacology</i> , 2022, 36, 039463202211065.	2.1	1
12	Polygenic and multifactorial scores for pancreatic ductal adenocarcinoma risk prediction. <i>Journal of Medical Genetics</i> , 2021, 58, 369-377.	3.2	31
13	The value of CT imaging and CRP quotient for detection of postbariatric complications. <i>Langenbeck's Archives of Surgery</i> , 2021, 406, 181-187.	1.9	1
14	Germline variation in the insulin-like growth factor pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2021, 42, 369-377.	2.8	11
15	Reduced anoctamin 7 (ANO7) expression is a strong and independent predictor of poor prognosis in prostate cancer. <i>Cancer Biology and Medicine</i> , 2021, 18, 245-255.	3.0	13
16	Genome-wide scan of long noncoding RNA single nucleotide polymorphism and pancreatic cancer susceptibility. <i>International Journal of Cancer</i> , 2021, 148, 2779-2788.	5.1	23
17	Prognostic value of positive histological margins in patients with pancreatic head ductal adenocarcinoma and lymph node involvement: an international multicentric study. <i>Hpb</i> , 2021, 23, 379-386.	0.3	4
18	Mesothelin Expression in Human Tumors: A Tissue Microarray Study on 12,679 Tumors. <i>Biomedicines</i> , 2021, 9, 397.	3.2	42

#	ARTICLE	IF	CITATIONS
19	Combined Targeting of AKT and mTOR Synergistically Inhibits Formation of Primary Colorectal Carcinoma Tumours <i>In Vitro</i> : A 3D Tumour Model for Pre-therapeutic Drug Screening. <i>Anticancer Research</i> , 2021, 41, 2257-2275.	1.1	8
20	Metastatic Esophageal Carcinoma Cells Exhibit Reduced Adhesion Strength and Enhanced Thermogenesis. <i>Cells</i> , 2021, 10, 1213.	4.1	5
21	Endoscopic vacuum therapy versus stent treatment of esophageal anastomotic leaks (ESOLEAK): study protocol for a prospective randomized phase 2 trial. <i>Trials</i> , 2021, 22, 377.	1.6	14
22	High density of cytotoxic T-lymphocytes is linked to tumoral PD-L1 expression regardless of the mismatch repair status in colorectal cancer. <i>Acta Oncologica</i> , 2021, 60, 1210-1217.	1.8	10
23	Multicenter Experience in Robot-Assisted Minimally Invasive Esophagectomy – a Comparison of Hybrid and Totally Robot-Assisted Techniques. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 2463-2469.	1.7	11
24	Evidence Map of Pancreatic Surgery – A living systematic review with meta-analyses by the International Study Group of Pancreatic Surgery (ISGPS). <i>Surgery</i> , 2021, 170, 1517-1524.	1.9	31
25	Prognostic value of preoperative circulating tumor cells counts in patients with UICC stage I-IV colorectal cancer. <i>PLoS ONE</i> , 2021, 16, e0252897.	2.5	17
26	Abstract 2833: Mesothelin expression in human tumor types: a tissue microarray study on more than 13,000 tumor samples. , 2021, , .		0
27	Associations between pancreatic expression quantitative traits and risk of pancreatic ductal adenocarcinoma. <i>Carcinogenesis</i> , 2021, 42, 1037-1045.	2.8	14
28	Serum midkine as non-invasive biomarker for detection and prognosis of non-small cell lung cancer. <i>Scientific Reports</i> , 2021, 11, 14616.	3.3	5
29	Intraoperative quality assessment of tissue perfusion with indocyanine green (ICG) in a porcine model of mesenteric ischemia. <i>PLoS ONE</i> , 2021, 16, e0254144.	2.5	5
30	Higher Socioeconomic Status is Associated with Improved Outcomes After Obesity Surgery Among Women in Germany. <i>World Journal of Surgery</i> , 2021, 45, 3330-3340.	1.6	8
31	Mesothelin is Commonly Expressed in Pancreatic Adenocarcinoma but Unrelated to Cancer Aggressiveness. <i>Cancer Investigation</i> , 2021, 39, 711-720.	1.3	6
32	DOG1 is commonly expressed in pancreatic adenocarcinoma but unrelated to cancer aggressiveness. <i>PeerJ</i> , 2021, 9, e11905.	2.0	4
33	Association of Genetic Variants Affecting microRNAs and Pancreatic Cancer Risk. <i>Frontiers in Genetics</i> , 2021, 12, 693933.	2.3	10
34	Truncated O-GalNAc glycans impact on fundamental signaling pathways in pancreatic cancer. <i>Glycobiology</i> , 2021, , .	2.5	6
35	Genetic Polymorphisms Involved in Mitochondrial Metabolism and Pancreatic Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2342-2345.	2.5	4
36	Robotic rectal resection preserves anorectal function: Systematic review and meta-analysis. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2021, 17, e2329.	2.3	14

#	ARTICLE	IF	CITATIONS
37	Elevated MUC5AC expression is associated with mismatch repair deficiency and proximal tumor location but not with cancer progression in colon cancer. <i>Medical Molecular Morphology</i> , 2021, 54, 156-165.	1.0	9
38	High Serum Levels of Wnt Signaling Antagonist Dickkopf-Related Protein 1 Are Associated with Impaired Overall Survival and Recurrence in Esophageal Cancer Patients. <i>Cancers</i> , 2021, 13, 4980.	3.7	5
39	Evaluation of the Hamburg-Glasgow Classification in Pancreatic Cancer: Preoperative Staging by Combining Disseminated Tumor Load and Systemic Inflammation. <i>Cancers</i> , 2021, 13, 5942.	3.7	2
40	Identification of Recessively Inherited Genetic Variants Potentially Linked to Pancreatic Cancer Risk. <i>Frontiers in Oncology</i> , 2021, 11, 771312.	2.8	8
41	Biperiden and mepazine effectively inhibit MALT1 activity and tumor growth in pancreatic cancer. <i>International Journal of Cancer</i> , 2020, 146, 1618-1630.	5.1	12
42	High-grade intratumoral tumor budding is a predictor for lymphovascular invasion and adverse outcome in stage II colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2020, 35, 259-268.	2.2	17
43	The decrease of BMI and albumin levels influences the rate of anastomotic leaks in patients following reconstruction after emergency diverting esophagectomy. <i>Esophagus</i> , 2020, 17, 183-189.	1.9	2
44	Perforation of the ascending colon during implantation of an indwelling peritoneal catheter: a case report. <i>BMC Gastroenterology</i> , 2020, 20, 345.	2.0	1
45	Secreted Frizzled-Related Protein 4 (SFRP4) Is an Independent Prognostic Marker in Prostate Cancers Lacking TMPRSS2: ERG Fusions. <i>Pathology and Oncology Research</i> , 2020, 26, 2709-2722.	1.9	7
46	Antibiotic sensitivity in correlation to the origin of secondary peritonitis: a single center analysis. <i>Scientific Reports</i> , 2020, 10, 18588.	3.3	8
47	Personalised haemodynamic management targeting baseline cardiac index in high-risk patients undergoing major abdominal surgery: a randomised single-centre clinical trial. <i>British Journal of Anaesthesia</i> , 2020, 125, 122-132.	3.4	37
48	Differential regulation of extracellular matrix proteins in three recurrent liver metastases of a single patient with colorectal cancer. <i>Clinical and Experimental Metastasis</i> , 2020, 37, 649-656.	3.3	4
49	Sex-Specific Genetic Associations for Barrett's Esophagus and Esophageal Adenocarcinoma. <i>Gastroenterology</i> , 2020, 159, 2065-2076.e1.	1.3	16
50	Upregulation of Phosphatase 1 Nuclear-Targeting Subunit (PNUTS) Is an Independent Predictor of Poor Prognosis in Prostate Cancer. <i>Disease Markers</i> , 2020, 2020, 1-10.	1.3	4
51	Endoscopic vacuum therapy versus stenting for postoperative esophago-enteric anastomotic leakage: systematic review and meta-analysis. <i>Endoscopy</i> , 2020, 52, 632-642.	1.8	55
52	Shared Genetic Etiology of Obesity-Related Traits and Barrett's Esophagus/Adenocarcinoma: Insights from Genome-Wide Association Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 427-433.	2.5	7
53	Upregulation of the transcription factor TFAP2D is associated with aggressive tumor phenotype in prostate cancer lacking the TMPRSS2:ERG fusion. <i>Molecular Medicine</i> , 2020, 26, 24.	4.4	5
54	Homogeneous MMR Deficiency Throughout the Entire Tumor Mass Occurs in a Subset of Colorectal Neuroendocrine Carcinomas. <i>Endocrine Pathology</i> , 2020, 31, 182-189.	9.0	15

#	ARTICLE	IF	CITATIONS
55	MMR Deficiency is Homogeneous in Pancreatic Carcinoma and Associated with High Density of Cd8-Positive Lymphocytes. <i>Annals of Surgical Oncology</i> , 2020, 27, 3997-4006.	1.5	20
56	The induction and function of the anti-inflammatory fate of TH17 cells. <i>Nature Communications</i> , 2020, 11, 3334.	12.8	27
57	IL22BP Mediates the Antitumor Effects of Lymphotoxin Against Colorectal Tumors in Mice and Humans. <i>Gastroenterology</i> , 2020, 159, 1417-1430.e3.	1.3	31
58	Anti-inflammatory microenvironment of esophageal adenocarcinomas negatively impacts survival. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 1043-1056.	4.2	10
59	Feasibility of an Enhanced Recovery Protocol for Elective Pancreatoduodenectomy: A Multicenter International Cohort Study. <i>World Journal of Surgery</i> , 2020, 44, 2761-2769.	1.6	34
60	Standards for reporting on surgery for chronic pancreatitis: a report from the International Study Group for Pancreatic Surgery (ISGPS). <i>Surgery</i> , 2020, 168, 101-105.	1.9	9
61	Management of the pancreatic transection plane after left (distal) pancreatectomy: Expert consensus guidelines by the International Study Group of Pancreatic Surgery (ISGPS). <i>Surgery</i> , 2020, 168, 72-84.	1.9	48
62	Systemic interleukin 10 levels indicate advanced stages while interleukin 17A levels correlate with reduced survival in esophageal adenocarcinomas. <i>PLoS ONE</i> , 2020, 15, e0231833.	2.5	6
63	TGF- β 2 signaling in Th17 cells promotes IL-22 production and colitis-associated colon cancer. <i>Nature Communications</i> , 2020, 11, 2608.	12.8	90
64	ALPPS for Locally Advanced Intrahepatic Cholangiocarcinoma: Did Aggressive Surgery Lead to the Oncological Benefit? An International Multi-center Study. <i>Annals of Surgical Oncology</i> , 2020, 27, 1372-1384.	1.5	53
65	Validation of quantitative assessment of indocyanine green fluorescent imaging in a one-vessel model. <i>PLoS ONE</i> , 2020, 15, e0240188.	2.5	7
66	Title is missing!. , 2020, 15, e0231833.		0
67	Title is missing!. , 2020, 15, e0231833.		0
68	Title is missing!. , 2020, 15, e0231833.		0
69	Title is missing!. , 2020, 15, e0231833.		0
70	Title is missing!. , 2020, 15, e0240188.		0
71	Title is missing!. , 2020, 15, e0240188.		0
72	Title is missing!. , 2020, 15, e0240188.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 15, e0240188.		0
74	Down-Regulation of S100A8 is an Independent Predictor of PSA Recurrence in Prostate Cancer Treated by Radical Prostatectomy. Neoplasia, 2019, 21, 872-881.	5.3	5
75	Expression of the immune checkpoint receptor TIGIT in seminoma. Oncology Letters, 2019, 18, 1497-1502.	1.8	7
76	Microbial findings, sensitivity and outcome in patients with postoperative peritonitis a retrospective cohort study. International Journal of Surgery, 2019, 70, 63-69.	2.7	6
77	High-level expression of protein tyrosine phosphatase non-receptor 12 is a strong and independent predictor of poor prognosis in prostate cancer. BMC Cancer, 2019, 19, 944.	2.6	4
78	Duodenum-preserving pancreatic head resection: A retrospective analysis of the Hamburg Modification. Surgery, 2019, 165, 938-945.	1.9	11
79	Immune Exclusion Is Frequent in Small-Cell Carcinoma of the Bladder. Disease Markers, 2019, 2019, 1-6.	1.3	12
80	Extended cycle streptozotocin/5-FU chemotherapy for maintenance therapy in pancreatic neuroendocrine tumors. Endocrine, 2019, 65, 460-467.	2.3	7
81	<p>Decentralized colorectal cancer care in Germany over the last decade is associated with high in-hospital morbidity and mortality</p>. Cancer Management and Research, 2019, Volume 11, 2101-2107.	1.9	9
82	p53 overexpression is a prognosticator of poor outcome in esophageal cancer. Oncology Letters, 2019, 17, 3826-3834.	1.8	19
83	No Association Between Vitamin D Status and Risk of Barrett's Esophagus or Esophageal Adenocarcinoma: A Mendelian Randomization Study. Clinical Gastroenterology and Hepatology, 2019, 17, 2227-2235.e1.	4.4	16
84	Successful Use of the Recanalized Remnant Umbilical Vein as a Patch Graft for Venous Reconstruction in Abdominal Surgery. Journal of Gastrointestinal Surgery, 2019, 23, 1227-1231.	1.7	9
85	Prevalence of Syndecan-1 (CD138) Expression in Different Kinds of Human Tumors and Normal Tissues. Disease Markers, 2019, 2019, 1-11.	1.3	38
86	Identification of loci of functional relevance to Barrett's esophagus and esophageal adenocarcinoma: Cross-referencing of expression quantitative trait loci data from disease-relevant tissues with genetic association data. PLoS ONE, 2019, 14, e0227072.	2.5	5
87	Mentorship Programs in Bariatric Surgery Reduce Perioperative Complication Rate at Equal Short-Term Outcome—Results from the OPTIMIZE Trial. Obesity Surgery, 2019, 29, 127-136.	2.1	6
88	Genetic determinants of telomere length and risk of pancreatic cancer: A PANDoRA study. International Journal of Cancer, 2019, 144, 1275-1283.	5.1	36
89	Robotic cholecystectomy: first experience with the new Senhance robotic system. Journal of Robotic Surgery, 2019, 13, 495-500.	1.8	24
90	Up regulation of Rho-associated coiled-coil containing kinase1 (ROCK1) is associated with genetic instability and poor prognosis in prostate cancer. Aging, 2019, 11, 7859-7879.	3.1	28

#	ARTICLE	IF	CITATIONS
91	Prognostic and diagnostic role of PSA immunohistochemistry: A tissue microarray study on 21,000 normal and cancerous tissues. <i>Oncotarget</i> , 2019, 10, 5439-5453.	1.8	22
92	Nuclear up regulation of the BRCA1-associated ubiquitinase BAP1 is associated with tumor aggressiveness in prostate cancers lacking the TMPRSS2:ERG fusion. <i>Oncotarget</i> , 2019, 10, 7096-7111.	1.8	4
93	Syndecan-1 as a biomarker for sepsis survival after major abdominal surgery. <i>Biomarkers in Medicine</i> , 2018, 12, 119-127.	1.4	30
94	Establishment of the First Well-differentiated Human Pancreatic Neuroendocrine Tumor Model. <i>Molecular Cancer Research</i> , 2018, 16, 496-507.	3.4	55
95	Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. <i>International Journal of Cancer</i> , 2018, 142, 290-296.	5.1	14
96	Robotic low anterior resection versus transanal total mesorectal excision in rectal cancer: A comparison of 115 cases. <i>European Journal of Surgical Oncology</i> , 2018, 44, 237-242.	1.0	34
97	Incidental Intraductal Papillary Mucinous Neoplasm, Cystic or Premalignant Lesions of the Pancreas. <i>Surgical Clinics of North America</i> , 2018, 98, 141-155.	1.5	5
98	Kidney Transplantation after Extended Multivisceral Resection for Pancreatic Ductal Adenocarcinoma. <i>Case Reports in Transplantation</i> , 2018, 2018, 1-3.	0.3	0
99	High expression of class III β -tubulin in upper gastrointestinal cancer types. <i>Oncology Letters</i> , 2018, 16, 7139-7145.	1.8	10
100	Expression of the immune checkpoint receptor TIGIT in Hodgkin's lymphoma. <i>BMC Cancer</i> , 2018, 18, 1209.	2.6	28
101	Reduced RBM3 expression is associated with aggressive tumor features in esophageal cancer but not significantly linked to patient outcome. <i>BMC Cancer</i> , 2018, 18, 1106.	2.6	9
102	Minimally invasive surgery for colorectal cancer remains underutilized in Germany despite its nationwide application over the last decade. <i>Scientific Reports</i> , 2018, 8, 15146.	3.3	20
103	Evidence for <i>PTGER4</i> , <i>PSCA</i> and <i>MBOAT7</i> as risk genes for gastric cancer on the genome and transcriptome level. <i>Cancer Medicine</i> , 2018, 7, 5057-5065.	2.8	22
104	CAIX furthers tumour progression in the hypoxic tumour microenvironment of esophageal carcinoma and is a possible therapeutic target. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018, 33, 1024-1033.	5.2	15
105	Upper Gastrointestinal Endoscopy prior to Bariatric Surgery-Mandatory or Expendable? An Analysis of 801 Cases. <i>Obesity Surgery</i> , 2017, 27, 1938-1943.	2.1	50
106	Overexpression of the α Disintegrin and Metalloproteinase ADAM15 is linked to a Small but Highly Aggressive Subset of Prostate Cancers. <i>Neoplasia</i> , 2017, 19, 279-287.	5.3	16
107	Up-regulation of Biglycan is Associated with Poor Prognosis and PTEN Deletion in Patients with Prostate Cancer. <i>Neoplasia</i> , 2017, 19, 707-715.	5.3	65
108	Allogenic Blood Transfusion is Associated with Poor Perioperative and Long-Term Outcome in Esophageal Cancer. <i>World Journal of Surgery</i> , 2017, 41, 208-215.	1.6	35

#	ARTICLE	IF	CITATIONS
109	HSP90 is a promising target in gemcitabine and 5-fluorouracil resistant pancreatic cancer. Apoptosis: an International Journal on Programmed Cell Death, 2017, 22, 369-380.	4.9	37
110	Surgical Treatment for Chronic Pancreatitis: Past, Present, and Future. Gastroenterology Research and Practice, 2017, 2017, 1-6.	1.5	20
111	Family with sequence similarity 13C (FAM13C) overexpression is an independent prognostic marker in prostate cancer. Oncotarget, 2017, 8, 31494-31508.	1.8	10
112	Hypoxia induced HIF1a-mediated O-GalNAc glycosylation of cytosolic O-GlcNAcylated proteins to regulate signaling pathways in pancreatic cancer.. Journal of Clinical Oncology, 2017, 35, e15739-e15739.	1.6	1
113	Carbonic anhydrase IX correlates with survival and is a potential therapeutic target for neuroblastoma. Journal of Enzyme Inhibition and Medicinal Chemistry, 2016, 31, 1-6.	5.2	18
114	Cytoplasmic accumulation of ELAVL1 is an independent predictor of biochemical recurrence associated with genomic instability in prostate cancer. Prostate, 2016, 76, 259-272.	2.3	27
115	Synchronous resections of hepatic oligometastatic pancreatic cancer: Disputing a principle in a time of safe pancreatic operations in a retrospective multicenter analysis. Surgery, 2016, 160, 136-144.	1.9	121
116	The Barrett's associated variants at <i>GDF7</i> and <i>TBX5</i> also increase esophageal adenocarcinoma risk. Cancer Medicine, 2016, 5, 888-891.	2.8	21
117	Genome-wide association studies in oesophageal adenocarcinoma and Barrett's oesophagus: a large-scale meta-analysis. Lancet Oncology, The, 2016, 17, 1363-1373.	10.7	133
118	p16 upregulation is linked to poor prognosis in ERG negative prostate cancer. Tumor Biology, 2016, 37, 12655-12663.	1.8	20
119	In vitro study comparing the efficacy of the water-soluble HSP90 inhibitors, 17-AEPGA and 17-DMAG, with that of the non-water-soluble HSP90 inhibitor, 17-AAG, in breast cancer cell lines. International Journal of Molecular Medicine, 2016, 38, 1296-1302.	4.0	10
120	How we do it: double in situ split for staged mesohepatectomy in patients with advanced gall bladder cancer and marginal future liver remnant. Langenbeck's Archives of Surgery, 2016, 401, 565-571.	1.9	8
121	The zinc-finger transcription factor SALL4 is frequently expressed in human cancers: association with clinical outcome in squamous cell carcinoma but not in adenocarcinoma of the esophagus. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 468, 483-492.	2.8	14
122	Influence of hypoxia-dependent factors on the progression of neuroblastoma. Pediatric Surgery International, 2016, 32, 187-192.	1.4	13
123	Loss of H2Bub1 Expression is Linked to Poor Prognosis in Nodal Negative Colorectal Cancers. Pathology and Oncology Research, 2016, 22, 95-102.	1.9	19
124	Aquaporin 5 expression is frequent in prostate cancer and shows a dichotomous correlation with tumor phenotype and PSA recurrence. Human Pathology, 2016, 48, 102-110.	2.0	18
125	Inhibition of MALT1 protease with biperiden or mepazine: A new therapeutic treatment approach in pancreatic cancer.. Journal of Clinical Oncology, 2016, 34, e14075-e14075.	1.6	1
126	ESPAC-4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma.. Journal of Clinical Oncology, 2016, 34, LBA4006-LBA4006.	1.6	5

#	ARTICLE	IF	CITATIONS
127	ESPA4: A multicenter, international, open-label randomized controlled phase III trial of adjuvant combination chemotherapy of gemcitabine (GEM) and capecitabine (CAP) versus monotherapy gemcitabine in patients with resected pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, LBA4006-LBA4006.	1.6	21
128	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. <i>Oncotarget</i> , 2016, 7, 57011-57020.	1.8	41
129	Tenascin-C serum levels and its prognostic power in non-small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 20945-20952.	1.8	12
130	Aberrant O-GalNAc glycosylation to enhance AKT/mTOR signaling in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15673-e15673.	1.6	0
131	Establishment and Characterization of a Pair of Patient-derived Human Non-small Cell Lung Cancer Cell Lines from a Primary Tumor and Corresponding Lymph Node Metastasis. <i>Anticancer Research</i> , 2016, 36, 1507-18.	1.1	1
132	Supportive evidence for <i>FOXP1</i> , <i>BARX1</i> , and <i>FOXF1</i> as genetic risk loci for the development of esophageal adenocarcinoma. <i>Cancer Medicine</i> , 2015, 4, 1700-1704.	2.8	26
133	High-Level HOOK3 Expression Is an Independent Predictor of Poor Prognosis Associated with Genomic Instability in Prostate Cancer. <i>PLoS ONE</i> , 2015, 10, e0134614.	2.5	16
134	Heterogeneity of amplification of HER2, EGFR, CCND1 and MYC in gastric cancer. <i>BMC Gastroenterology</i> , 2015, 15, 7.	2.0	101
135	HDAC1 overexpression independently predicts biochemical recurrence and is associated with rapid tumor cell proliferation and genomic instability in prostate cancer. <i>Experimental and Molecular Pathology</i> , 2015, 98, 419-426.	2.1	26
136	COSMC knockdown mediated aberrant O-glycosylation promotes oncogenic properties in pancreatic cancer. <i>Molecular Cancer</i> , 2015, 14, 109.	19.2	89
137	Evaluation of the germline single nucleotide polymorphism rs583522 in the TNFAIP3 gene as a prognostic marker in esophageal cancer. <i>Cancer Genetics</i> , 2015, 208, 595-601.	0.4	7
138	Drosophila homologue of Diaphanous 1 (DIAPH1) controls the metastatic potential of colon cancer cells by regulating microtubule-dependent adhesion. <i>Oncotarget</i> , 2015, 6, 18577-18589.	1.8	16
139	Inhibition of MALT1 paracaspase by mepazine to decrease proliferation and enhance apoptosis in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15223-e15223.	1.6	0
140	Molecular Changes in Pre-Metastatic Lymph Nodes of Esophageal Cancer Patients. <i>PLoS ONE</i> , 2014, 9, e102552.	2.5	20
141	Integrin Expression in Esophageal Squamous Cell Carcinoma: Loss of the Physiological Integrin Expression Pattern Correlates with Disease Progression. <i>PLoS ONE</i> , 2014, 9, e109026.	2.5	21
142	An A/C germline single-nucleotide polymorphism in the TNFAIP3 gene is associated with advanced disease stage and survival in only surgically treated esophageal cancer. <i>Journal of Human Genetics</i> , 2014, 59, 661-666.	2.3	4
143	Successful Management of Esophageal Necrosis After Endovascular Repair of Chronic Type B Aortic Dissection. <i>Annals of Thoracic Surgery</i> , 2014, 98, 2209-2211.	1.3	7
144	High RNA-binding motif protein 3 expression is an independent prognostic marker in operated prostate cancer and tightly linked to ERG activation and PTEN deletions. <i>European Journal of Cancer</i> , 2014, 50, 852-861.	2.8	34

#	ARTICLE	IF	CITATIONS
145	Prognostic impact of neoadjuvant chemoradiation in cT3 oesophageal cancer – A propensity score matched analysis. <i>European Journal of Cancer</i> , 2014, 50, 2950-2957.	2.8	34
146	ABO Blood Group IgM Isoagglutinins Interact with Tumor-Associated O-Glycan Structures in Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2014, 20, 6117-6126.	7.0	28
147	Beger and Frey Procedures for Treatment of Chronic Pancreatitis: Comparison of Outcomes at 16-Year Follow-Up. <i>Journal of the American College of Surgeons</i> , 2014, 219, 208-216.	0.5	58
148	Carcinoembryonic Antigen-Related Cell Adhesion Molecules (CEACAM) 1, 5 and 6 as Biomarkers in Pancreatic Cancer. <i>PLoS ONE</i> , 2014, 9, e113023.	2.5	76
149	Serum EpCAM expression in pancreatic cancer. <i>Anticancer Research</i> , 2014, 34, 4741-6.	1.1	9
150	The trifunctional antibody catumaxomab amplifies and shapes tumor-specific immunity when applied to gastric cancer patients in the adjuvant setting. <i>Human Vaccines and Immunotherapeutics</i> , 2013, 9, 2533-2542.	3.3	21
151	PGK1 as Predictor of CXCR4 Expression, Bone Marrow Metastases and Survival in Neuroblastoma. <i>PLoS ONE</i> , 2013, 8, e83701.	2.5	20
152	eQTL set-based association analysis identifies novel susceptibility loci for Barrett's esophagus and esophageal adenocarcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 0, , .	2.5	1