

# Rafael Cela

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8653722/publications.pdf>

Version: 2024-02-01

333  
papers

13,670  
citations

19657

61  
h-index

42399

92  
g-index

334  
all docs

334  
docs citations

334  
times ranked

9078  
citing authors

#	ARTICLE	IF	CITATIONS
1	A new strategy for the computer-assisted development of reversed-phase liquid chromatography separation methods of unknown sample mixtures. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 587-600.	3.7	0
2	Transformation products of the high-volume production chemicals 1-vinyl-2-pyrrolidinone and 2-piperazin-1-ylethanamine formed by UV photolysis. <i>Chemosphere</i> , 2022, 287, 132394.	8.2	0
3	Approaches to liquid chromatography tandem mass spectrometry assessment of glyphosate residues in wine. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 1445-1455.	3.7	10
4	Mimicking human ingestion of microplastics: Oral bioaccessibility tests of bisphenol A and phthalate esters under fed and fasted states. <i>Science of the Total Environment</i> , 2022, 826, 154027.	8.0	10
5	Development and application of an in-house library and workflow for gas chromatography-electron ionization-accurate-mass/high-resolution mass spectrometry screening of environmental samples. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 6327-6340.	3.7	4
6	Solid-phase extraction and fractionation of multiclass pollutants from wastewater followed by liquid chromatography tandem-mass spectrometry analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 4149-4165.	3.7	5
7	Supercritical fluid chromatography time-of-flight mass spectrometry enantiomeric determination of basic drugs in sewage samples. <i>Journal of Chromatography A</i> , 2022, 1673, 463088.	3.7	5
8	Use of illicit drugs, alcohol and tobacco in Spain and Portugal during the COVID-19 crisis in 2020 as measured by wastewater-based epidemiology. <i>Science of the Total Environment</i> , 2022, 836, 155697.	8.0	22
9	Assessing population exposure to phthalate plasticizers in thirteen Spanish cities through the analysis of wastewater. <i>Journal of Hazardous Materials</i> , 2021, 401, 123272.	12.4	39
10	Assessment of UV combined with free chlorine for removal of valsartan acid from water samples. <i>Science of the Total Environment</i> , 2021, 762, 143173.	8.0	3
11	Comprehensive determination of phthalate, terephthalate and di-iso-nonyl cyclohexane-1,2-dicarboxylate metabolites in wastewater by solid-phase extraction and ultra(high)-performance liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2021, 224, 121912.	5.5	13
12	Reaction of phenazone-type drugs and metabolites with chlorine and monochloramine. <i>Science of the Total Environment</i> , 2021, 757, 143770.	8.0	8
13	Combination of different chromatographic and sampling modes for high-resolution mass spectrometric screening of organic microcontaminants in water. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 5607-5618.	3.7	18
14	Supercritical fluid chromatography-mass spectrometric determination of chiral fungicides in viticulture-related samples. <i>Journal of Chromatography A</i> , 2021, 1644, 462124.	3.7	6
15	Identification and determination of emerging pollutants in sewage sludge driven by UPLC-QTOF-MS data mining. <i>Science of the Total Environment</i> , 2021, 778, 146256.	8.0	18
16	Assessment of direct analysis in real time accurate mass spectrometry for the determination of triclosan in complex matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 6355-6364.	3.7	7
17	Source identification of amphetamine-like stimulants in Spanish wastewater through enantiomeric profiling. <i>Water Research</i> , 2021, 206, 117719.	11.3	13
18	Determination of 18 organophosphorus flame retardants/plasticizers in mussel samples by matrix solid-phase dispersion combined to liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2020, 208, 120470.	5.5	33

#	ARTICLE	IF	CITATIONS
19	Robustness assessment in computer-assisted liquid chromatography procedures based on desirability functions. <i>Journal of Chromatography A</i> , 2020, 1609, 460439.	3.7	4
20	Chlorination and bromination of 1,3-diphenylguanidine and 1,3-di-o-tolylguanidine: Kinetics, transformation products and toxicity assessment. <i>Journal of Hazardous Materials</i> , 2020, 385, 121590.	12.4	35
21	Multiresidue procedure to assess the occurrence and dissipation of fungicides and insecticides in vineyard soils from Northwest Spain. <i>Chemosphere</i> , 2020, 261, 127696.	8.2	19
22	First nation-wide estimation of tobacco consumption in Spain using wastewater-based epidemiology. <i>Science of the Total Environment</i> , 2020, 741, 140384.	8.0	24
23	Residues of anilinopyrimidine fungicides and suspected metabolites in wine samples. <i>Journal of Chromatography A</i> , 2020, 1622, 461104.	3.7	8
24	Determination of N-Nitrosamines by Gas Chromatography Coupled to Quadrupoleâ€“Time-of-Flight Mass Spectrometry in Water Samples. <i>Separations</i> , 2020, 7, 3.	2.4	15
25	Portable dehumidifiers condensed water: A novel matrix for the screening of semi-volatile compounds in indoor air. <i>Chemosphere</i> , 2020, 251, 126346.	8.2	11
26	Evaluation of supercritical fluid chromatography accurate mass spectrometry for neonicotinoid compounds determination in wine samples. <i>Journal of Chromatography A</i> , 2020, 1620, 460963.	3.7	14
27	Applicability of mixed-mode chromatography for the simultaneous analysis of C1-C18 perfluoroalkylated substances. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 4849-4856.	3.7	14
28	Free chlorine reactions of angiotensin II receptor antagonists: Kinetics study, transformation products elucidation and in-silico ecotoxicity assessment. <i>Science of the Total Environment</i> , 2019, 647, 1000-1010.	8.0	18
29	Assessment of gas chromatography time-of-flight mass spectrometry for the screening of semi-volatile compounds in indoor dust. <i>Science of the Total Environment</i> , 2019, 688, 162-173.	8.0	20
30	Direct analysis in real time accurate mass spectrometry determination of bisphenol A in thermal printing paper. <i>Talanta</i> , 2019, 205, 120086.	5.5	17
31	Determination of human metabolites of chlorinated phosphorous flame retardants in wastewater by N-tert-butyltrimethylsilyl-N-methyltrifluoroacetamide-derivatization and gas chromatography-high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2019, 1602, 450-457.	3.7	7
32	Legacy and emerging pollutants in marine bivalves from the Galician coast (NW Spain). <i>Environment International</i> , 2019, 129, 364-375.	10.0	51
33	Determination of Persistent and Mobile Organic Contaminants (PMOCs) in Water by Mixed-Mode Liquid Chromatographyâ€“Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2019, 91, 5176-5183.	6.5	41
34	Profiling cocaine residues and pyrolytic products in wastewater by mixedâ€“mode liquid chromatographyâ€“tandem mass spectrometry. <i>Drug Testing and Analysis</i> , 2019, 11, 1018-1027.	2.6	11
35	Fabric phase sorptive extraction followed by ultra-performance liquid chromatography-tandem mass spectrometry for the determination of fungicides and insecticides in wine. <i>Journal of Chromatography A</i> , 2019, 1584, 13-23.	3.7	16
36	Dispersive liquidâ€“liquid microextraction and gas chromatography accurate mass spectrometry for extraction and non-targeted profiling of volatile and semi-volatile compounds in grape marc distillates. <i>Journal of Chromatography A</i> , 2018, 1546, 36-45.	3.7	20

#	ARTICLE	IF	CITATIONS
37	Assessment of alcoholic distillates for the extraction of bioactive polyphenols from grapevine canes. <i>Industrial Crops and Products</i> , 2018, 111, 99-106.	5.2	22
38	Evaluation of the aqueous phototransformation routes of phenyl ethyl azolic fungicides by liquid chromatography accurate mass spectrometry. <i>Science of the Total Environment</i> , 2018, 615, 942-954.	8.0	13
39	Multianalyte, high-throughput liquid chromatography tandem mass spectrometry method for the sensitive determination of fungicides and insecticides in wine. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 1139-1150.	3.7	17
40	Multi-residue determination of psychoactive pharmaceuticals, illicit drugs and related metabolites in wastewater by ultra-high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1569, 91-100.	3.7	39
41	Determination of cardiovascular drugs in sewage sludge by matrix solid-phase dispersion and ultra-performance liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 6807-6817.	3.7	16
42	Photodegradation of nitenpyram under UV and solar radiation: Kinetics, transformation products identification and toxicity prediction. <i>Science of the Total Environment</i> , 2018, 644, 995-1005.	8.0	30
43	In-vitro estimation of bioaccessibility of chlorinated organophosphate flame retardants in indoor dust by fasting and fed physiologically relevant extraction tests. <i>Science of the Total Environment</i> , 2017, 580, 540-549.	8.0	22
44	Liquid chromatography quadrupole time-of-flight mass spectrometry identification and determination of tria- and hexaaryl chloro imidazoles in sewage sludge. <i>Journal of Mass Spectrometry</i> , 2017, 52, 69-77.	1.6	1
45	Wastewater-Based Epidemiology as a New Tool for Estimating Population Exposure to Phthalate Plasticizers. <i>Environmental Science &amp; Technology</i> , 2017, 51, 3902-3910.	10.0	88
46	Screening for Polar Chemicals in Water by Trifunctional Mixed-Mode Liquid Chromatography-High Resolution Mass Spectrometry. <i>Environmental Science &amp; Technology</i> , 2017, 51, 6250-6259.	10.0	68
47	Reaction of diazepam and related benzodiazepines with chlorine. Kinetics, transformation products and in-silico toxicological assessment. <i>Water Research</i> , 2017, 120, 280-289.	11.3	67
48	A simple and sensitive approach to quantify methyl farnesoate in whole arthropods by matrix-solid phase dispersion and gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2017, 1508, 158-162.	3.7	7
49	Assessment of quinoxifen phototransformation pathways by liquid chromatography coupled to accurate mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 2981-2991.	3.7	8
50	Accurate determination of 3-alkyl-2-methoxypyrazines in wines by gas chromatography quadrupole time-of-flight tandem mass spectrometry following solid-phase extraction and dispersive liquid-liquid microextraction. <i>Journal of Chromatography A</i> , 2017, 1515, 30-36.	3.7	5
51	Evaluation of nitrate effects in the aqueous photodegradability of selected phenolic pollutants. <i>Chemosphere</i> , 2017, 185, 127-136.	8.2	17
52	Selective extraction and determination of neonicotinoid insecticides in wine by liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1460, 9-15.	3.7	33
53	Identification and determination of chlorinated azoles in sludge using liquid chromatography quadrupole time-of-flight and triple quadrupole mass spectrometry platforms. <i>Journal of Chromatography A</i> , 2016, 1476, 69-76.	3.7	24
54	Evaluation of nitrate effects in the photodegradability of cyprodinil. Kinetics study and transformation products elucidation. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 4455-4464.	3.7	5

#	ARTICLE	IF	CITATIONS
55	Matrix solid-phase dispersion combined to liquid chromatography-tandem mass spectrometry for the determination of paraben preservatives in mollusks. <i>Journal of Chromatography A</i> , 2016, 1459, 57-66.	3.7	22
56	Matrix solid-phase dispersion followed by liquid chromatography tandem mass spectrometry for the determination of selective cyclooxygenase-2 inhibitors in sewage sludge samples. <i>Journal of Chromatography A</i> , 2016, 1462, 35-43.	3.7	14
57	Multiclass semi-volatile compounds determination in wine by gas chromatography accurate time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2016, 1442, 107-117.	3.7	40
58	Time-of-flight mass spectrometry assessment of fluconazole and climbazole UV and UV/H <sub>2</sub> O <sub>2</sub> degradability: Kinetics study and transformation products elucidation. <i>Water Research</i> , 2016, 88, 681-690.	11.3	37
59	Liquid chromatography quadrupole time-of-flight mass spectrometry selective determination of ochratoxin A in wine. <i>Food Chemistry</i> , 2016, 199, 401-408.	8.2	20
60	Solid-phase extraction of perfluoroalkylated compounds from sea water. <i>Journal of Separation Science</i> , 2015, 38, 1942-1950.	2.5	12
61	Determination of the cardiac drug amiodarone and its N-desethyl metabolite in sludge samples. <i>Journal of Chromatography A</i> , 2015, 1394, 62-70.	3.7	12
62	Time-of-flight accurate mass spectrometry identification of quinoline alkaloids in honey. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 6159-6170.	3.7	6
63	Fabric phase sorptive extraction: A new sorptive microextraction technique for the determination of non-steroidal anti-inflammatory drugs from environmental water samples. <i>Analytica Chimica Acta</i> , 2015, 865, 22-30.	5.4	82
64	Comprehensive evaluation of the photo-transformation routes of trans-resveratrol. <i>Journal of Chromatography A</i> , 2015, 1410, 129-139.	3.7	29
65	Identification of antimycotic drugs transformation products upon UV exposure. <i>Journal of Hazardous Materials</i> , 2015, 289, 72-82.	12.4	8
66	Reactivity of $\beta_2$ -blockers/agonists with aqueous permanganate. Kinetics and transformation products of salbutamol. <i>Water Research</i> , 2015, 79, 48-56.	11.3	13
67	Selective determination of COXIBs in environmental water samples by mixed-mode solid phase extraction and liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1420, 35-45.	3.7	26
68	Healthy effect of different proportions of marine $\omega$ -3 PUFAs EPA and DHA supplementation in Wistar rats: Lipidomic biomarkers of oxidative stress and inflammation. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1385-1392.	4.2	64
69	Application of polypropylene tubes as single-use and low-cost sorptive extraction materials for the determination of benzodiazepines and zolpidem in water samples. <i>Microchemical Journal</i> , 2015, 119, 58-65.	4.5	14
70	Transformation of methadone and its main human metabolite, 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine (EDDP), during water chlorination. <i>Water Research</i> , 2015, 68, 759-770.	11.3	19
71	Determination of artificial sweeteners in beverages with green mobile phases and high temperature liquid chromatography-tandem mass spectrometry. <i>Food Chemistry</i> , 2015, 169, 162-168.	8.2	37
72	Selective extraction of antimycotic drugs from sludge samples using matrix solid-phase dispersion followed by on-line clean-up. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 907-917.	3.7	31

#	ARTICLE	IF	CITATIONS
73	Evaluation of polyethersulfone performance for the microextraction of polar chlorinated herbicides from environmental water samples. <i>Talanta</i> , 2014, 122, 264-271.	5.5	17
74	Determination of benzotriazoles in water samples by concurrent derivatizationâ€“dispersive liquidâ€“liquid microextraction followed by gas chromatographyâ€“mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1336, 1-9.	3.7	33
75	Lipidomic analysis of polyunsaturated fatty acids and their oxygenated metabolites in plasma by solid-phase extraction followed by LC-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2827-2839.	3.7	30
76	Simplified matrix solid phase dispersion procedure for the determination of parabens and benzophenone-ultraviolet filters in human placental tissue samples. <i>Journal of Chromatography A</i> , 2014, 1371, 39-47.	3.7	55
77	Assessment of dispersive liquidâ€“liquid microextraction conditions for gas chromatography time-of-flight mass spectrometry identification of organic compounds in honey. <i>Journal of Chromatography A</i> , 2014, 1368, 26-36.	3.7	17
78	Assessment of gas chromatography time-of-flight accurate mass spectrometry for identification of volatile and semi-volatile compounds in honey. <i>Talanta</i> , 2014, 129, 505-515.	5.5	40
79	Matrix solid-phase dispersion of polybrominated diphenyl ethers and their hydroxylated and methoxylated analogues in lettuce, carrot and soil. <i>Journal of Chromatography A</i> , 2014, 1360, 57-65.	3.7	20
80	Investigation of liquid chromatography quadrupole time-of-flight mass spectrometry performance for identification and determination of hydroxylated stilbene antioxidants in wine. <i>Journal of Chromatography A</i> , 2014, 1337, 162-170.	3.7	28
81	Selective determination of antimycotic drugs in environmental water samples by mixed-mode solid-phase extraction and liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1339, 42-49.	3.7	74
82	Liquid chromatography quadrupole time-of-flight mass spectrometry quantification and screening of organophosphate compounds in sludge. <i>Talanta</i> , 2014, 118, 312-320.	5.5	23
83	Ion-pair reversed-phase liquid chromatographyâ€“quadrupole-time-of-flight and triple-quadrupoleâ€“mass spectrometry determination of ethyl sulfate in wastewater for alcohol consumption tracing. <i>Journal of Chromatography A</i> , 2014, 1328, 35-42.	3.7	48
84	Determination of benzodiazepines, related pharmaceuticals and metabolites in water by solid-phase extraction and liquid-chromatographyâ€“tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1352, 69-79.	3.7	48
85	Assessment of Local Tobacco Consumption by Liquid Chromatographyâ€“Tandem Mass Spectrometry Sewage Analysis of Nicotine and Its Metabolites, Cotinine and trans-3â€“Hydroxycotinine, after Enzymatic Deconjugation. <i>Analytical Chemistry</i> , 2014, 86, 10274-10281.	6.5	70
86	Assessment of silicone as support to investigate the transformation routes of organic chemicals under environmental conditions and UV exposure. Application to selected fungicides. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 4187-4198.	3.7	12
87	Matrix solid-phase dispersion combined with gas chromatographyâ€“mass spectrometry for the determination of fifteen halogenated flame retardants in mollusks. <i>Journal of Chromatography A</i> , 2013, 1300, 85-94.	3.7	36
88	Polyethersulfone solid-phase microextraction followed by liquid chromatography quadrupole time-of-flight mass spectrometry for benzotriazoles determination in water samples. <i>Journal of Chromatography A</i> , 2013, 1299, 40-47.	3.7	22
89	A new treatment by dispersive liquidâ€“liquid microextraction for the determination of parabens in human serum samples. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 7259-7267.	3.7	37
90	In-line sequential injection-based hollow-fiber sorptive microextraction as a front-end to gas chromatographyâ€“mass spectrometry: a novel fully automatic sample processing technique for residue analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 8653-8662.	3.7	7

#	ARTICLE	IF	CITATIONS
91	Determination of artificial sweeteners in sewage sludge samples using pressurised liquid extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1320, 10-16.	3.7	40
92	Optimization of matrix solid-phase dispersion conditions for UV filters determination in biota samples. <i>International Journal of Environmental Analytical Chemistry</i> , 2013, 93, 1174-1188.	3.3	20
93	Chemometric-assisted method development in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 2013, 1287, 2-22.	3.7	62
94	Gas chromatography quadrupole time-of-flight mass spectrometry determination of benzotriazole ultraviolet stabilizers in sludge samples. <i>Journal of Chromatography A</i> , 2013, 1293, 126-132.	3.7	33
95	Investigation of the transformation of 11-nor-9-carboxy- $\delta^9$ -tetrahydrocannabinol during water chlorination by liquid chromatography-quadrupole-time-of-flight-mass spectrometry. <i>Journal of Hazardous Materials</i> , 2013, 261, 628-636.	12.4	33
96	Oxidation of non-steroidal anti-inflammatory drugs with aqueous permanganate. <i>Water Research</i> , 2013, 47, 3220-3230.	11.3	60
97	In-sample derivatization-solid-phase microextraction of amphetamines and ecstasy related stimulants from water and urine. <i>Analytica Chimica Acta</i> , 2013, 770, 75-84.	5.4	39
98	Application of polydimethylsiloxane rod extraction to the determination of sixteen halogenated flame retardants in water samples. <i>Analytica Chimica Acta</i> , 2013, 770, 85-93.	5.4	12
99	Liquid chromatography time-of-flight mass spectrometry evaluation of fungicides reactivity in free chlorine containing water samples. <i>Journal of Mass Spectrometry</i> , 2013, 48, 216-226.	1.6	8
100	A Binary-Like Approach for the Computer Assisted Method Development of Isocratic and Programmed Ternary Solvent Elutions in Reversed-Phase Liquid Chromatography. <i>Journal of Chromatographic Science</i> , 2012, 50, 33-42.	1.4	2
101	Dispersive liquid-liquid microextraction with non-halogenated extractants for trihalomethanes determination in tap and swimming pool water. <i>Talanta</i> , 2012, 99, 846-852.	5.5	18
102	Transformation of phenazone-type drugs during chlorination. <i>Water Research</i> , 2012, 46, 2457-2468.	11.3	58
103	Evaluation of low-cost disposable polymeric materials for sorptive extraction of organic pollutants in water samples. <i>Analytica Chimica Acta</i> , 2012, 716, 119-127.	5.4	28
104	Fractions of Rechtschaffner matrices as supersaturated designs in screening experiments aimed at evaluating main and two-factor interaction effects. <i>Analytica Chimica Acta</i> , 2012, 721, 44-54.	5.4	3
105	Ion-pair sorptive extraction of perfluorinated compounds from water with low-cost polymeric materials: Polyethersulfone vs polydimethylsiloxane. <i>Analytica Chimica Acta</i> , 2012, 740, 50-57.	5.4	37
106	Assessment of benzophenone-4 reactivity with free chlorine by liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Analytica Chimica Acta</i> , 2012, 743, 101-110.	5.4	42
107	Determination of $\delta^9$ -tetrahydrocannabinol and 11-nor-9-carboxy- $\delta^9$ -tetrahydrocannabinol in water samples by solid-phase microextraction with on-fiber derivatization and gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1245, 167-174.	3.7	40
108	Determination of hydroxylated stilbenes in wine by dispersive liquid-liquid microextraction followed by gas chromatography mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1258, 21-29.	3.7	36

#	ARTICLE	IF	CITATIONS
109	Screening and Selective Quantification of Illicit Drugs in Wastewater by Mixed-Mode Solid-Phase Extraction and Quadrupole-Time-of-Flight Liquid Chromatography–Mass Spectrometry. <i>Analytical Chemistry</i> , 2012, 84, 1708-1717.	6.5	111
110	Determination of artificial sweeteners in water samples by solid-phase extraction and liquid chromatography–tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012, 1256, 197-205.	3.7	90
111	Transformation of cocaine during water chlorination. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 3135-3144.	3.7	21
112	Optimization of matrix solid–phase dispersion conditions for organic fungicides determination in soil samples. <i>Journal of Separation Science</i> , 2012, 35, 853-860.	2.5	12
113	Reaction of $\beta$ -blockers and $\beta$ -agonist pharmaceuticals with aqueous chlorine. Investigation of kinetics and by-products by liquid chromatography quadrupole time-of-flight mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 2385-2395.	3.7	29
114	Construction of mixed-level supersaturated designs and comparison of their performance: Application to a gas chromatographic method. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2012, 110, 55-63.	3.5	1
115	New cluster mapping tools for the graphical assessment of non-dominated solutions in multi-objective optimization. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2012, 114, 72-86.	3.5	13
116	Mixed-mode solid-phase extraction followed by dispersive liquid–liquid microextraction for the sensitive determination of ethylphenols in red wines. <i>Journal of Chromatography A</i> , 2012, 1229, 79-85.	3.7	30
117	Computer assisted optimization of liquid chromatographic separations of small molecules using mixed-mode stationary phases. <i>Journal of Chromatography A</i> , 2012, 1238, 91-104.	3.7	18
118	Oxidation of synthetic phenolic antioxidants during water chlorination. <i>Journal of Hazardous Materials</i> , 2012, 199-200, 73-81.	12.4	67
119	Determination of perfluorinated compounds in mollusks by matrix solid-phase dispersion and liquid chromatography–tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 509-518.	3.7	34
120	Matrix solid-phase dispersion followed by gas chromatography tandem mass spectrometry for the determination of benzotriazole UV absorbers in sediments. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 519-527.	3.7	31
121	Optimization of a dispersive liquid–liquid microextraction method for the analysis of benzotriazoles and benzothiazoles in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 1679-1695.	3.7	41
122	Simultaneous determination of benzotriazole and benzothiazole derivatives in aqueous matrices by mixed-mode solid-phase extraction followed by liquid chromatography–tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2471-2478.	3.7	44
123	Evaluation of the occurrence and biodegradation of parabens and halogenated by-products in wastewater by accurate-mass liquid chromatography-quadrupole-time-of-flight-mass spectrometry (LC-QTOF-MS). <i>Water Research</i> , 2011, 45, 6770-6780.	11.3	176
124	Dispersive liquid–liquid microextraction using non-chlorinated, lighter than water solvents for gas chromatography–mass spectrometry determination of fungicides in wine. <i>Journal of Chromatography A</i> , 2011, 1218, 6603-6611.	3.7	49
125	Computer-assisted modelling and optimisation of reversed-phase high-temperature liquid chromatographic (RP-HTLC) separations. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 1951-1964.	3.7	9
126	Silicone discs as disposable enrichment probes for gas chromatography-mass spectrometry determination of UV filters in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 603-611.	3.7	16



#	ARTICLE	IF	CITATIONS
127	Liquid chromatography time-of-flight mass spectrometry following sorptive microextraction for the determination of fungicide residues in wine. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 767-775.	3.7	22
128	Optimization of pressurized liquid extraction and purification conditions for gas chromatography-mass spectrometry determination of UV filters in sludge. <i>Journal of Chromatography A</i> , 2011, 1218, 211-217.	3.7	43
129	Supersaturated designs for computer experiments: Comparison of construction methods and new methods of treatment adapted to the high dimensional problem. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2011, 105, 137-146.	3.5	7
130	Solid-phase extraction followed by liquid chromatography quadrupole time-of-flight tandem mass spectrometry for the selective determination of fungicides in wine samples. <i>Journal of Chromatography A</i> , 2011, 1218, 2165-2175.	3.7	47
131	A sensitive and efficient procedure for the high throughput determination of banned aromatic amines in textiles and leather products aided by advanced sample composition. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 751-763.	3.7	23
132	Headspace solid-phase microextraction followed by gas chromatography tandem mass spectrometry for the sensitive determination of benzotriazole UV stabilizers in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 829-839.	3.7	45
133	In-sample acetylation-non-porous membrane-assisted liquid-liquid extraction for the determination of parabens and triclosan in water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 2559-2568.	3.7	48
134	Microwave-assisted extraction and large-volume injection gas chromatography tandem mass spectrometry determination of multiresidue pesticides in edible seaweed. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 1005-1016.	3.7	17
135	Dispersive liquid-liquid microextraction followed by gas chromatography-mass spectrometry for the rapid and sensitive determination of UV filters in environmental water samples. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 995-1004.	3.7	73
136	Matrix solid-phase dispersion followed by gas chromatography-mass spectrometry for the determination of triclosan and methyl triclosan in sludge and sediments. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 398, 2289-2297.	3.7	32
137	Sorptive extraction with in-sample acetylation for gas chromatography-mass spectrometry determination of ethylphenol species in wine samples. <i>Journal of Chromatography A</i> , 2010, 1217, 7208-7214.	3.7	13
138	Mixed-mode solid-phase extraction followed by liquid chromatography-tandem mass spectrometry for the determination of tri- and di-substituted organophosphorus species in water samples. <i>Journal of Chromatography A</i> , 2010, 1217, 1476-1484.	3.7	58
139	Mixed-mode solid-phase extraction followed by acetylation and gas chromatography mass spectrometry for the reliable determination of trans-resveratrol in wine samples. <i>Analytica Chimica Acta</i> , 2010, 673, 47-53.	5.4	35
140	Solid-phase microextraction with simultaneous oxidative sample treatment for the sensitive determination of tetra- to hexa-brominated diphenyl ethers in sediments. <i>Journal of Chromatography A</i> , 2010, 1217, 14-21.	3.7	15
141	Development of a sample preparation procedure of sewage sludge samples for the determination of polycyclic aromatic hydrocarbons based on selective pressurized liquid extraction. <i>Journal of Chromatography A</i> , 2010, 1217, 425-435.	3.7	18
142	Determination of drugs of abuse in water by solid-phase extraction, derivatisation and gas chromatography-ion trap-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 1748-1760.	3.7	126
143	Pressurized solvent extraction followed by gas chromatography tandem mass spectrometry for the determination of benzotriazole light stabilizers in indoor dust. <i>Journal of Chromatography A</i> , 2010, 1217, 3729-3735.	3.7	57
144	Determination of synthetic phenolic antioxidants and their metabolites in water samples by downscaled solid-phase extraction, silylation and gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 6428-6435.	3.7	125

#	ARTICLE	IF	CITATIONS
145	Determination of fungicides in wine by mixed-mode solid phase extraction and liquid chromatography coupled to tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2010, 1217, 7484-7492.	3.7	77
146	Fast throughput, highly sensitive determination of allergenic disperse dyes in textile products by use of sample composition. <i>Talanta</i> , 2010, 82, 261-269.	5.5	13
147	Solid-phase microextraction followed by gas chromatography–mass spectrometry for the determination of ink photo-initiators in packed milk. <i>Talanta</i> , 2010, 82, 296-303.	5.5	26
148	Sensitive determination of salicylate and benzophenone type UV filters in water samples using solid-phase microextraction, derivatization and gas chromatography tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2009, 638, 36-44.	5.4	113
149	Solid-phase micro-extraction procedure for the determination of 1,3-dichloro-2-propanol in water by on-fibre derivatisation with bis(trimethylsilyl)trifluoroacetamide. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 394, 893-901.	3.7	11
150	Matrix solid-phase dispersion and solid-phase microextraction applied to study the distribution of fenbutatin oxide in grapes and white wine. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 2601-2610.	3.7	17
151	Simultaneous determination of parabens, triclosan and triclocarban in water by liquid chromatography/electrospray ionisation tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 1756-1766.	1.5	123
152	Development of a method based on sorbent trapping followed by solid-phase microextraction for the determination of synthetic musks in indoor air. <i>Journal of Chromatography A</i> , 2009, 1216, 2805-2815.	3.7	43
153	Development of a solid-phase microextraction–gas chromatography–tandem mass spectrometry method for the analysis of chlorinated toluenes in environmental waters. <i>Journal of Chromatography A</i> , 2009, 1216, 2816-2824.	3.7	23
154	Headspace solid-phase microextraction of halogenated toluenes in environmental aqueous samples with polypropylene microporous membranes. <i>Journal of Chromatography A</i> , 2009, 1216, 2825-2831.	3.7	8
155	Development of a matrix solid-phase dispersion method for the simultaneous determination of pyrethroid and organochlorinated pesticides in cattle feed. <i>Journal of Chromatography A</i> , 2009, 1216, 2832-2842.	3.7	48
156	Dispersive liquid–liquid microextraction applied to the simultaneous derivatization and concentration of triclosan and methyltriclosan in water samples. <i>Journal of Chromatography A</i> , 2009, 1216, 205-210.	3.7	92
157	Solid-phase extraction followed by dispersive liquid–liquid microextraction for the sensitive determination of selected fungicides in wine. <i>Journal of Chromatography A</i> , 2009, 1216, 5459-5466.	3.7	122
158	Determination of selected UV filters in indoor dust by matrix solid-phase dispersion and gas chromatography–tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 5895-5902.	3.7	65
159	Development of an ionic liquid based dispersive liquid–liquid microextraction method for the analysis of polycyclic aromatic hydrocarbons in water samples. <i>Journal of Chromatography A</i> , 2009, 1216, 6356-6364.	3.7	163
160	Pressurized liquid extraction of organophosphate triesters from sediment samples using aqueous solutions. <i>Journal of Chromatography A</i> , 2009, 1216, 6986-6993.	3.7	50
161	Comparison of molecularly imprinted, mixed-mode and hydrophilic balance sorbents performance in the solid-phase extraction of amphetamine drugs from wastewater samples for liquid chromatography–tandem mass spectrometry determination. <i>Journal of Chromatography A</i> , 2009, 1216, 8435-8441.	3.7	74
162	Combination of off-line solid-phase extraction and on-column sample stacking for sensitive determination of parabens and p-hydroxybenzoic acid in waters by non-aqueous capillary electrophoresis. <i>Analytica Chimica Acta</i> , 2009, 647, 104-111.	5.4	123

#	ARTICLE	IF	CITATIONS
163	Solid-phase extraction followed by liquid chromatography–tandem mass spectrometry for the determination of hydroxylated benzophenone UV absorbers in environmental water samples. <i>Analytica Chimica Acta</i> , 2009, 654, 162-170.	5.4	86
164	Determination of organophosphate flame retardants and plasticizers in sediment samples using microwave-assisted extraction and gas chromatography with inductively coupled plasma mass spectrometry. <i>Talanta</i> , 2009, 79, 824-829.	5.5	54
165	Screening Strategies. , 2009, , 251-300.		5
166	Experimental Design: Introduction. , 2009, , 247-250.		3
167	Experimental Designs: Conclusions, Terminology, and Symbols. , 2009, , 501-505.		0
168	Development of a solid-phase microextraction gas chromatography with microelectron-capture detection method for a multiresidue analysis of pesticides in bovine milk. <i>Analytica Chimica Acta</i> , 2008, 617, 37-50.	5.4	78
169	Determination of trace levels of aquaculture chemotherapeutants in seawater samples by SPME–GC–MS/MS. <i>Journal of Separation Science</i> , 2008, 31, 2882-2890.	2.5	30
170	Simultaneous determination of <i>p</i> -hydroxybenzoic acid and parabens by capillary electrophoresis with improved sensitivity in nonaqueous media. <i>Electrophoresis</i> , 2008, 29, 3229-3238.	2.4	40
171	Evaluation of liquid–liquid microextraction using polypropylene microporous membranes for the determination of organophosphorus flame retardants and plasticizers in water samples. <i>Analytica Chimica Acta</i> , 2008, 625, 145-153.	5.4	39
172	Development of a matrix solid-phase dispersion method for the determination of polycyclic aromatic hydrocarbons in sewage sludge samples. <i>Analytica Chimica Acta</i> , 2008, 626, 155-165.	5.4	39
173	Study of some UV filters stability in chlorinated water and identification of halogenated by-products by gas chromatography–mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1178, 206-214.	3.7	100
174	Simplified sample preparation method for triclosan and methyltriclosan determination in biota and foodstuff samples. <i>Journal of Chromatography A</i> , 2008, 1188, 132-139.	3.7	53
175	Suitability of polypropylene microporous membranes for liquid- and solid-phase extraction of halogenated anisoles from water samples. <i>Journal of Chromatography A</i> , 2008, 1198-1199, 21-26.	3.7	27
176	Computer-assisted method development in liquid chromatography–mass spectrometry: New proposals. <i>Journal of Chromatography A</i> , 2008, 1208, 116-125.	3.7	13
177	Simultaneous determination of traces of pyrethroids, organochlorines and other main plant protection agents in agricultural soils by headspace solid-phase microextraction–gas chromatography. <i>Journal of Chromatography A</i> , 2008, 1188, 154-163.	3.7	84
178	Ultrasound-assisted emulsification–microextraction of emergent contaminants and pesticides in environmental waters. <i>Journal of Chromatography A</i> , 2008, 1190, 27-38.	3.7	511
179	Optimization of microwave-assisted extraction with saponification (MAES) for the determination of polybrominated flame retardants in aquaculture samples. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2008, 25, 1015-1023.	2.3	11
180	Multicriteria optimisation of a simultaneous supercritical fluid extraction and clean-up procedure for the determination of persistent organohalogenated pollutants in aquaculture samples. <i>Chemosphere</i> , 2007, 67, 1453-1462.	8.2	32

#	ARTICLE	IF	CITATIONS
181	Determination of Parabens and Triclosan in Indoor Dust Using Matrix Solid-Phase Dispersion and Gas Chromatography with Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2007, 79, 1675-1681.	6.5	135
182	Suitability of polydimethylsiloxane rods for the headspace sorptive extraction of polybrominated diphenyl ethers from water samples. <i>Journal of Chromatography A</i> , 2007, 1143, 41-47.	3.7	16
183	Pressurized liquid extraction with in-cell clean-up followed by gas chromatography-tandem mass spectrometry for the selective determination of parabens and triclosan in indoor dust. <i>Journal of Chromatography A</i> , 2007, 1161, 105-112.	3.7	103
184	Development of a dispersive liquid-liquid microextraction method for organophosphorus flame retardants and plasticizers determination in water samples. <i>Journal of Chromatography A</i> , 2007, 1166, 9-15.	3.7	137
185	Optimization of the matrix solid-phase dispersion sample preparation procedure for analysis of polycyclic aromatic hydrocarbons in soils: Comparison with microwave-assisted extraction. <i>Journal of Chromatography A</i> , 2007, 1165, 32-38.	3.7	44
186	Development of a high-throughput method for the determination of organochlorinated compounds, nitromusks and pyrethroid insecticides in indoor dust. <i>Journal of Chromatography A</i> , 2007, 1174, 112-124.	3.7	42
187	Optimisation of a matrix solid-phase dispersion method for the determination of organophosphate compounds in dust samples. <i>Analytica Chimica Acta</i> , 2007, 590, 17-25.	5.4	55
188	Alternative sorptive extraction method for gas chromatography determination of halogenated anisoles in water and wine samples. <i>Analytica Chimica Acta</i> , 2007, 599, 84-91.	5.4	18
189	Microwave-assisted extraction of organophosphate flame retardants and plasticizers from indoor dust samples. <i>Journal of Chromatography A</i> , 2007, 1152, 280-286.	3.7	114
190	Alternative sample preparation method for photochemical studies based on solid phase microextraction: Synthetic pyrethroid photochemistry. <i>Journal of Chromatography A</i> , 2007, 1152, 156-167.	3.7	31
191	Effects of sample pretreatment and storage conditions in the determination of pyrethroids in water samples by solid-phase microextraction and gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 1841-1849.	3.7	25
192	Sample preparation of sewage sludge and soil samples for the determination of polycyclic aromatic hydrocarbons based on one-pot microwave-assisted saponification and extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 387, 2559-2567.	3.7	15
193	Microwave-assisted extraction followed by headspace solid-phase microextraction and gas chromatography with mass spectrometry detection (MAE-HSSPME-GC-MS/MS) for determination of polybrominated compounds in aquaculture samples. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1021-1029.	3.7	19
194	The photochemical behaviour of five household pyrethroid insecticides and a synergist as studied by photo-solid-phase microextraction. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1235-1247.	3.7	18
195	Factorial-design optimization of gas chromatographic analysis of tetrabrominated to decabrominated diphenyl ethers. Application to domestic dust. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1095-1107.	3.7	25
196	Optimization of a sensitive method for the determination of nitro musk fragrances in waters by solid-phase microextraction and gas chromatography with micro electron capture detection using factorial experimental design. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 388, 1789-1798.	3.7	39
197	Approaches for the Simultaneous Extraction of Tetrabromobisphenol A, Tetrachlorobisphenol A, and Related Phenolic Compounds from Sewage Sludge and Sediment Samples Based on Matrix Solid-Phase Dispersion. <i>Analytical Chemistry</i> , 2006, 78, 2772-2778.	6.5	48
198	Monitoring the photochemical degradation of triclosan in wastewater by UV light and sunlight using solid-phase microextraction. <i>Chemosphere</i> , 2006, 65, 1338-1347.	8.2	150

#	ARTICLE	IF	CITATIONS
199	Formation of halogenated by-products of parabens in chlorinated water. <i>Analytica Chimica Acta</i> , 2006, 575, 106-113.	5.4	142
200	Rapid and sensitive determination of pyrethroids indoors using active sampling followed by ultrasound-assisted solvent extraction and gas chromatography. <i>Journal of Chromatography A</i> , 2006, 1111, 1-10.	3.7	35
201	Optimisation of a solid-phase microextraction method for the determination of parabens in water samples at the low ng per litre level. <i>Journal of Chromatography A</i> , 2006, 1124, 3-10.	3.7	149
202	Development of a solid-phase microextraction method for the analysis of phenolic flame retardants in water samples. <i>Journal of Chromatography A</i> , 2006, 1124, 11-21.	3.7	112
203	Rapid screening of polychlorinated biphenyls in sediments using non-equilibrium solid-phase microextraction and fast gas chromatography with electron-capture detection. <i>Journal of Chromatography A</i> , 2006, 1124, 43-50.	3.7	23
204	New approach based on solid-phase microextraction to estimate polydimethylsiloxane fibre coating's water distribution coefficients for brominated flame retardants. <i>Journal of Chromatography A</i> , 2006, 1124, 121-129.	3.7	16
205	Simple approach for the determination of brominated flame retardants in environmental solid samples based on solvent extraction and solid-phase microextraction followed by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1124, 139-147.	3.7	27
206	Computer-assisted transfer of programmed elutions in reversed-phase high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2006, 1128, 17-26.	3.7	19
207	Multivariate optimization of the factors influencing the solid-phase microextraction of pyrethroid pesticides in water. <i>Journal of Chromatography A</i> , 2006, 1124, 148-156.	3.7	53
208	Natural sunlight and sun simulator photolysis studies of tetra- to hexa-brominated diphenyl ethers in water using solid-phase microextraction. <i>Journal of Chromatography A</i> , 2006, 1124, 157-166.	3.7	32
209	Determination of polybrominated diphenyl ethers in domestic dust by microwave-assisted solvent extraction and gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1137, 1-7.	3.7	41
210	Suitability of solid-phase microextraction for the determination of organophosphate flame retardants and plasticizers in water samples. <i>Journal of Chromatography A</i> , 2006, 1108, 158-165.	3.7	132
211	Improving sensitivity in simultaneous determination of copper carboxylates by nonaqueous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2006, 1110, 261-267.	3.7	12
212	Optimization of a microwave-assisted extraction method for the analysis of polycyclic aromatic hydrocarbons from fish samples. <i>Journal of Chromatography A</i> , 2006, 1121, 163-169.	3.7	74
213	Further research on the photo-SPME of triclosan. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 384, 1548-1557.	3.7	34
214	Headspace solid-phase microextraction gas chromatography tandem mass spectrometry for the determination of brominated flame retardants in environmental solid samples. <i>Analytical and Bioanalytical Chemistry</i> , 2006, 385, 637-644.	3.7	49
215	Active Sampling Followed by Solid-Phase Microextraction for the Determination of Pyrethroids in Indoor Air. <i>Journal of Chromatographic Science</i> , 2006, 44, 430-437.	1.4	25
216	Comparative study of aqueous and non-aqueous capillary electrophoresis in the separation of halogenated phenolic and bisphenolic compounds in water samples. <i>Journal of Chromatography A</i> , 2005, 1068, 189-199.	3.7	23

#	ARTICLE	IF	CITATIONS
217	On-fibre silylation following solid-phase microextraction for the determination of acidic herbicides in water samples by gas chromatography. <i>Analytica Chimica Acta</i> , 2005, 537, 259-266.	5.4	67
218	Development of a solid-phase extraction method for the simultaneous determination of chloroanisoles and chlorophenols in red wine using gas chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2005, 549, 117-123.	5.4	46
219	Investigation of photodegradation products generated after UV-irradiation of five polybrominated diphenyl ethers using photo solid-phase microextraction. <i>Journal of Chromatography A</i> , 2005, 1071, 85-92.	3.7	36
220	Analysis of tetrabromobisphenol A and other phenolic compounds in water samples by non-aqueous capillary electrophoresis coupled to photodiode array ultraviolet detection. <i>Journal of Chromatography A</i> , 2005, 1071, 205-211.	3.7	46
221	Optimization of solid-phase microextraction conditions for the determination of triclosan and possible related compounds in water samples. <i>Journal of Chromatography A</i> , 2005, 1072, 107-115.	3.7	92
222	Multi-residue screening of chlorinated and brominated compounds from aquaculture samples using matrix solid-phase dispersion-gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1071, 93-98.	3.7	52
223	Multivariate optimization of a solid-phase microextraction method for the analysis of phthalate esters in environmental waters. <i>Journal of Chromatography A</i> , 2005, 1072, 63-72.	3.7	151
224	Sampling and analysis of polychlorinated biphenyls in indoor air by sorbent enrichment followed by headspace solid-phase microextraction and gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2005, 1072, 99-106.	3.7	30
225	Application of matrix solid-phase dispersion in the analysis of priority polycyclic aromatic hydrocarbons in fish samples. <i>Journal of Chromatography A</i> , 2005, 1077, 103-109.	3.7	71
226	Microwave assisted extraction followed by gas chromatography with tandem mass spectrometry for the determination of triclosan and two related chlorophenols in sludge and sediments. <i>Journal of Chromatography A</i> , 2005, 1082, 128-135.	3.7	118
227	Solid-Phase Microextraction as a Powerful Tool in Photochemical Studies. <i>ChemInform</i> , 2005, 36, no.	0.0	0
228	A simple and fast micromethod for the analysis of polychlorinated biphenyls in air by sorbent enrichment and ultrasound-assisted solvent extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 255-260.	3.7	9
229	Confirmation of the formation of dichlorodibenzo-p-dioxin in the photodegradation of triclosan by photo-SPME. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 381, 1294-1298.	3.7	73
230	Aquatic degradation of triclosan and formation of toxic chlorophenols in presence of low concentrations of free chlorine. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 383, 1119-1126.	3.7	147
231	Rapid screening of selective serotonin re-uptake inhibitors in urine samples using solid-phase microextraction gas chromatography-mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 1351-1359.	3.7	77
232	Photochemical studies of a polybrominated diphenyl ethers (PBDES) technical mixture by solid phase microextraction (SPME). <i>Chemosphere</i> , 2005, 60, 922-928.	8.2	20
233	Solid-phase microextraction as a powerful tool in photochemical studies. <i>International Journal of Environmental Analytical Chemistry</i> , 2005, 85, 281-291.	3.3	7
234	Determination of natural and synthetic estrogens in water by gas chromatography with mass spectrometric detection. <i>Journal of Chromatography A</i> , 2004, 1024, 177-185.	3.7	180

#	ARTICLE	IF	CITATIONS
235	Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: $\alpha$ -on-fiber and aqueous photodegradation. <i>Journal of Chromatography A</i> , 2004, 1047, 271-279.	3.7	12
236	Applicability of solid-phase microextraction combined with gas chromatography atomic emission detection (GC-MIP AED) for the determination of butyltin compounds in sediment samples. <i>Analytical and Bioanalytical Chemistry</i> , 2004, 380, 853-857.	3.7	27
237	Study of the photoinduced degradation of polycyclic musk compounds by solid-phase microextraction and gas chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2004, 18, 1186-1192.	1.5	27
238	Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2004, 1024, 1-8.	3.7	111
239	Strategic sample composition in the screening of polycyclic aromatic hydrocarbons in drinking water samples using liquid chromatography with fluorimetric detection. <i>Journal of Chromatography A</i> , 2004, 1056, 121-130.	3.7	21
240	Development of a sensitive methodology for the analysis of chlorobenzenes in air by combination of solid-phase extraction and headspace solid-phase microextraction. <i>Journal of Chromatography A</i> , 2004, 1045, 189-196.	3.7	50
241	Solid-phase microextraction-gas chromatography-mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water. <i>Journal of Chromatography A</i> , 2004, 1046, 241-247.	3.7	78
242	Further solid-phase microextraction-gas chromatography-mass spectrometry applications: $\alpha$ -on-fiber and aqueous photodegradation of nitro musks. <i>Journal of Chromatography A</i> , 2004, 1048, 73-80.	3.7	14
243	Automated off-line optimisation of programmed elutions in reversed-phase high-performance liquid chromatography using ternary solvent mixtures. <i>Analytica Chimica Acta</i> , 2004, 515, 127-141.	5.4	20
244	Application of strategic sample composition to the screening of anti-inflammatory drugs in water samples using solid-phase microextraction. <i>Analytica Chimica Acta</i> , 2004, 524, 63-71.	5.4	25
245	Development of a Solid-Phase Microextraction Gas Chromatography/Tandem Mass Spectrometry Method for Polybrominated Diphenyl Ethers and Polybrominated Biphenyls in Water Samples. <i>Analytical Chemistry</i> , 2004, 76, 1054-1062.	6.5	128
246	Solid-phase microextraction-gas chromatography-mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water†. <i>Journal of Chromatography A</i> , 2004, 1046, 241-247.	3.7	54
247	Further solid-phase microextraction-gas chromatography-mass spectrometry applications: $\alpha$ -on-fiber and aqueous photodegradation of nitro musks†. <i>Journal of Chromatography A</i> , 2004, 1048, 73-80.	3.7	8
248	Application of solid-phase microextraction to the study of the photochemical behaviour of five priority pesticides: $\alpha$ -on-fiber and aqueous photodegradation†. <i>Journal of Chromatography A</i> , 2004, 1047, 271-279.	3.7	6
249	Applicability of solid-phase microextraction followed by on-fiber silylation for the determination of estrogens in water samples by gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2004, 1056, 179-185.	3.7	86
250	Multi-objective optimisation using evolutionary algorithms: its application to HPLC separations. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2003, 69, 137-156.	3.5	37
251	Determination of acidic drugs in sewage water by gas chromatography-mass spectrometry as tert.-butyldimethylsilyl derivatives. <i>Journal of Chromatography A</i> , 2003, 985, 265-274.	3.7	162
252	Simultaneous determination of neutral and acidic pharmaceuticals in wastewater by high-performance liquid chromatography-post-column photochemically induced fluorimetry. <i>Journal of Chromatography A</i> , 2003, 993, 29-37.	3.7	49

#	ARTICLE	IF	CITATIONS
253	Determination of musk compounds in sewage treatment plant sludge samples by solid-phase microextraction. <i>Journal of Chromatography A</i> , 2003, 999, 185-193.	3.7	51
254	The use of an 'electronic nose' device to monitor the ripening process of anchovies. <i>International Journal of Food Science and Technology</i> , 2003, 38, 273-284.	2.7	8
255	On-fiber photodegradation after solid-phase microextraction of p,p'-DDT and two of its major photoproducts, p,p'-DDE and p,p'-DDD. <i>Journal of Chromatography A</i> , 2003, 985, 175-183.	3.7	29
256	Screening of Polychlorinated Biphenyls in Water Samples by Strategic Sample Composition-Solid Phase Extraction and Gas Chromatography Tandem Mass Spectrometry. Comparison of Different Strategies for Sample Composition. <i>International Journal of Environmental Analytical Chemistry</i> , 2003, 83, 269-284.	3.3	8
257	Application of Strategically Designed Sample Composition to the Rapid Analytical Screening of Milk Samples for Polychlorinated Biphenyls. <i>Journal of AOAC INTERNATIONAL</i> , 2003, 86, 846-855.	1.5	6
258	Rapid Determination of 2,3,7,8-Tetrachlorodibenzo-p-Dioxin in Water Samples by Using Solid-Phase Microextraction Followed by Gas Chromatography with Tandem Mass Spectrometry. <i>Journal of AOAC INTERNATIONAL</i> , 2003, 86, 44-49.	1.5	5
259	Strategically designed sample composition for fastest screening of polychlorinated biphenyl congeners in water samples. <i>Journal of Environmental Monitoring</i> , 2002, 4, 490-497.	2.1	10
260	Chemometrically guided sample composition for fast screening of trace metals in water samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2002, 17, 1373-1380.	3.0	12
261	On-fibre photodegradation studies of polychlorinated biphenyls using SPME-GC-MS-MS: a new approach. <i>Chemosphere</i> , 2002, 47, 607-615.	8.2	33
262	Field-amplified sample stacking and nonaqueous capillary electrophoresis determination of complex mixtures of polar aromatic sulfonates. <i>Electrophoresis</i> , 2002, 23, 408.	2.4	25
263	Photolysis of polychlorinated biphenyls by solid-phase microextraction. <i>Journal of Chromatography A</i> , 2002, 963, 37-47.	3.7	34
264	Methylmercury determination in biological samples by derivatization, solid-phase microextraction and gas chromatography with microwave-induced plasma atomic emission spectrometry. <i>Journal of Chromatography A</i> , 2002, 963, 313-323.	3.7	89
265	Optimization of a derivatization-solid-phase microextraction method for the analysis of thirty phenolic pollutants in water samples. <i>Journal of Chromatography A</i> , 2002, 963, 137-148.	3.7	176
266	Optimisation of a solid-phase microextraction method for synthetic musk compounds in water. <i>Journal of Chromatography A</i> , 2002, 963, 277-285.	3.7	73
267	Determination of Polychlorinated Biphenyls in Milk Samples by Saponification-Solid-Phase Microextraction. <i>Analytical Chemistry</i> , 2001, 73, 5858-5865.	6.5	35
268	Simultaneous determination of butyltin and phenyltin species in sediments using ultrasound-assisted leaching. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 370, 872-877.	1.5	18
269	Supersaturated experimental designs: new approaches to building and using it. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2001, 57, 75-92.	3.5	19
270	Determination of tri- through heptachlorobiphenyls in water samples by SPME-GC-MS-MS: Comparison of PDMS and PDMS-DVB coatings. <i>Journal of Separation Science</i> , 2001, 13, 275-284.	1.0	27



#	ARTICLE	IF	CITATIONS
271	Determination of phenols in soils by in situ acetylation headspace solid-phase microextraction. <i>Journal of Separation Science</i> , 2000, 12, 25-32.	1.0	33
272	Solid-phase extraction of phenols. <i>Journal of Chromatography A</i> , 2000, 885, 291-304.	3.7	284
273	Highly selective and efficient determination of US Environmental Protection Agency priority phenols employing solid-phase extraction and non-aqueous capillary electrophoresis. <i>Journal of Chromatography A</i> , 2000, 896, 95-104.	3.7	66
274	Optimisation ofalachlor solid-phase microextraction from water samples using experimental design. <i>Journal of Chromatography A</i> , 2000, 896, 373-379.	3.7	34
275	Analysis of barbiturates by micro-high-performance liquid chromatography with post-column photochemical derivatization. <i>Journal of Chromatography A</i> , 2000, 870, 39-44.	3.7	30
276	Optimization of the extraction of polycyclic aromatic hydrocarbons from wood samples by the use of microwave energy. <i>Journal of Chromatography A</i> , 2000, 869, 505-513.	3.7	44
277	Supersaturated experimental designs. New approaches to building and using it. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2000, 52, 167-182.	3.5	29
278	Post-column photochemical derivatization in high-performance liquid chromatography. <i>TrAC - Trends in Analytical Chemistry</i> , 1999, 18, 392-400.	11.4	27
279	Methylmercury extraction from aquatic sediments. <i>TrAC - Trends in Analytical Chemistry</i> , 1999, 18, 410-416.	11.4	32
280	Capillary electrophoresis and sample stacking in non-aqueous media for the analysis of priority pollutant phenols. <i>Journal of Chromatography A</i> , 1999, 846, 401-411.	3.7	55
281	Application of chemometric techniques to the optimization of the solid-phase extraction of 27 pesticides before GC-MIP-AES analysis. <i>Journal of Analytical Atomic Spectrometry</i> , 1999, 14, 1867-1873.	3.0	15
282	Experimental design approach for the extraction of methylmercury from certified reference materials using microwave energy. <i>Chemosphere</i> , 1999, 39, 1211-1224.	8.2	23
283	Valveless interface for two-dimensional reversed-phase microchromatography ( $\mu$ RPLC)-capillary zone electrophoresis (CZE). <i>Analisis - European Journal of Analytical Chemistry</i> , 1999, 27, 468-471.	0.4	5
284	Microwave-assisted Extraction of Monoterpenols in Must Samples. <i>Analyst, The</i> , 1997, 122, 325-329.	3.5	27
285	Optimization of a Microwave-assisted Extraction Method for Phenol and Methylphenol Isomers in Soil Samples Using a Central Composite Design. <i>Analyst, The</i> , 1997, 122, 133-137.	3.5	71
286	Optimization of Methylmercury Microwave-Assisted Extraction from Aquatic Sediments. <i>Analytical Chemistry</i> , 1997, 69, 221-225.	6.5	99
287	Evaluation of supercritical fluid extraction, microwave-assisted extraction and sonication in the determination of some phenolic compounds from various soil matrices. <i>Journal of Chromatography A</i> , 1997, 774, 243-251.	3.7	72
288	Phenol and methylphenol isomers determination in soils by in-situ microwave-assisted extraction and derivatisation. <i>Journal of Chromatography A</i> , 1997, 757, 153-164.	3.7	40

#	ARTICLE	IF	CITATIONS
289	Combination of solid-phase extraction procedures with gas chromatographic hyphenated techniques for chlorophenol determination in drinking water. <i>TrAC - Trends in Analytical Chemistry</i> , 1997, 16, 463-475.	11.4	35
290	Enhanced electrochemical detection of barbiturates by on-line selectable-power photochemical reaction. <i>Laboratory Robotics and Automation</i> , 1997, 9, 185-189.	0.2	3
291	Speciation of organotin compounds in marine biomaterials after basic leaching in a non-focused microwave extractor equipped with pressurized vessels. <i>Journal of Chromatography A</i> , 1997, 774, 379-387.	3.7	36
292	Determination of phenolic pollutants in drinking water by capillary electrophoresis in the sample stacking mode. <i>Journal of Chromatography A</i> , 1997, 778, 279-288.	3.7	42
293	Evaluation of two solid-phase extraction procedures for the preconcentration of chlorophenols in drinking water. <i>Journal of Chromatography A</i> , 1997, 786, 285-292.	3.7	48
294	Development of a rotatory and continuous liquid-liquid extraction technique for phenolic compounds in wine. <i>Analyst</i> , The, 1996, 121, 297-302.	3.5	18
295	Determination of chlorophenols in drinking water with high resolution gas chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 1996, 743, 283-292.	3.7	40
296	Optimization of supercritical fluid derivatization and extraction of cresols in soil samples using factorial designs. <i>Journal of Separation Science</i> , 1996, 8, 163-174.	1.0	9
297	Computer aided optimization of the gradient separation of complex mixtures of polyphenolic acids by microcolumn liquid chromatography. <i>Journal of Separation Science</i> , 1996, 8, 231-247.	1.0	6
298	Supercritical fluid extraction of free fraction components of aroma in wines and musts. <i>Journal of Separation Science</i> , 1996, 8, 453-460.	1.0	7
299	PREOPT-W: A simulation program for off-line optimization of binary gradient separations in HPLC. I. Fundamentals and overview. <i>Computers &amp; Chemistry</i> , 1996, 20, 175-191.	1.2	41
300	PREOPT-W: A simulation program for off-line optimization of binary gradient separations in HPLC. II. Data management and miscellaneous aspects of use. <i>Computers &amp; Chemistry</i> , 1996, 20, 193-202.	1.2	25
301	PREOPT-W: Off-line optimization of binary gradient separations in HPLC by simulation. III. Phase 2 and the objective functions. <i>Computers &amp; Chemistry</i> , 1996, 20, 285-313.	1.2	18
302	PREOPT-W: Off-line optimization of binary gradient separations in HPLC by simulation. IV. Phase 3. <i>Computers &amp; Chemistry</i> , 1996, 20, 315-330.	1.2	19
303	Analysis of structural isomers of polychlorinated phenols in water by liquid-nitrogen-trapping gas chromatography-Fourier transform infrared spectroscopy. <i>Journal of Chromatography A</i> , 1996, 733, 405-416.	3.7	14
304	Determination of chlorophenols at the sub-ppb level in tap water using derivatization, solid-phase extraction and gas chromatography with plasma atomic emission detection. <i>Journal of Chromatography A</i> , 1996, 721, 297-304.	3.7	105
305	Determination of pentachlorophenol in water samples by capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 1996, 733, 395-404.	3.7	31
306	Optimization of supercritical fluid extraction of phenol and cresols in soil samples. <i>Journal of Chromatography A</i> , 1996, 723, 123-134.	3.7	26

#	ARTICLE	IF	CITATIONS
307	Resolution of complex mixtures of non-flavonoid polyphenols by column-switching high-performance liquid chromatography using octadecylsilica and graphitized carbon columns. <i>Journal of Chromatography A</i> , 1996, 724, 67-78.	3.7	19
308	Selectable-power photoreactor for flow-injection analysis systems and high-performance liquid chromatography post-column photochemical derivatization. <i>Journal of Chromatography A</i> , 1996, 724, 55-65.	3.7	11
309	Quantification of two chromatographic unresolved dichlorophenols using gas chromatography-direct deposition-fourier transform infrared spectrometry and multivariate calibration. <i>Journal of Chromatography A</i> , 1996, 750, 341-349.	3.7	13
310	Multivariate Optimization of Supercritical Fluid Derivatization and Extraction of Phenol in Soil Samples. <i>Journal of Chromatographic Science</i> , 1996, 34, 43-51.	1.4	28
311	Study of the distribution of methylmercury and total mercury in grain size fractions of freeze-dried estuarine sediment samples. <i>Applied Organometallic Chemistry</i> , 1994, 8, 665-676.	3.5	13
312	Quality control in the routine analysis of methylmercury in biological and environmental materials using gas chromatography with electron capture detection. <i>Applied Organometallic Chemistry</i> , 1994, 8, 677-686.	3.5	9
313	Determination of chlorophenols in drinking water samples at the subnanogram per millilitre level by gas chromatography with atomic emission detection. <i>Journal of Chromatography A</i> , 1994, 683, 21-29.	3.7	50
314	High-performance liquid chromatography of phenolic aldehydes with highly selective fluorimetric detection by means of postcolumn photochemical derivatization. <i>Journal of Chromatography A</i> , 1994, 683, 31-44.	3.7	13
315	Speciation of organomercurials in marine samples using capillary electrophoresis. <i>Talanta</i> , 1993, 40, 1631-1636.	5.5	69
316	Selective Determination of Methyl Mercury in Biological Samples by Means of Programmed Temperature Gas Chromatography. <i>Journal of AOAC INTERNATIONAL</i> , 1993, 76, 608-614.	1.5	6
317	Mercury speciation in raw sediments of the pontevedra estuary (Galicia—Spain). <i>Environmental Technology (United Kingdom)</i> , 1992, 13, 11-22.	2.2	16
318	Evaluation of capillary columns used in the routine determination of methylmercury in biological and environmental materials. <i>Journal of Chromatography A</i> , 1992, 605, 69-80.	3.7	30
319	Applicability of a postcolumn photochemical reactor in the high-performance liquid chromatography of 34 polyphenolic compounds with UV detection. <i>Journal of Chromatography A</i> , 1992, 626, 117-126.	3.7	9
320	Studies on organo-mercury compounds speciation. <i>Mikrochimica Acta</i> , 1992, 109, 111-116.	5.0	9
321	Multi-elemental separation of copper, cobalt, cadmium and nickel in natural waters by means of colloidal gas aphon co-flotation. <i>Analyst, The</i> , 1990, 115, 1201-1205.	3.5	9
322	Analytical applications of some flotation techniques—a review. <i>Talanta</i> , 1990, 37, 275-300.	5.5	89
323	Studies on the browning of fino sherry and its relation to polyphenolic compounds. <i>Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung</i> , 1989, 189, 322-325.	0.6	10
324	Objective functions in experimental and simulated chromatographic optimization. <i>Journal of Chromatography A</i> , 1989, 485, 477-500.	3.7	39

#	ARTICLE	IF	CITATIONS
325	Studies on the Use of Colloidal Gas Aphrons in Coflotation and Solvent Sublation Processes. a Comparison with the Conventional Technique. Separation Science and Technology, 1989, 24, 629-640.	2.5	29
326	Determination of Mo(VI) in tap-water and sea-water by differential-pulse polarography and co-flotation. Talanta, 1988, 35, 301-305.	5.5	21
327	Solvent Sublation of some Priority Pollutants (Phenols). Analytical Letters, 1988, 21, 63-76.	1.8	7
328	Influence of temperature in reverse-phase high-performance liquid chromatography with gradient elution. Analytica Chimica Acta, 1987, 196, 115-122.	5.4	9
329	Preconcentration and determination of trace metals in synthetic sea water by flotation with inert organic collectors. Analytica Chimica Acta, 1987, 196, 287-292.	5.4	10
330	Optimization of Analytical Foam Flotation Separations by Means of the Simplex Algorithm. Separation Science and Technology, 1986, 21, 39-55.	2.5	16
331	The preopt package for pre-optimization of gradient elutions in high-performance liquid chromatography. Analytica Chimica Acta, 1986, 191, 283-297.	5.4	31
332	Simultaneous separation of copper, cadmium and cobalt from sea-water by co-flotation with octadecylamine and ferric hydroxide as collectors. Talanta, 1984, 31, 597-602.	5.5	35
333	Analytical solvent sublation of metallic dithizonates. Part I. Solvent sublation of copper. Analyst, The, 1982, 107, 1425-1430.	3.5	24