

Knut Hj Reinert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8654817/publications.pdf>

Version: 2024-02-01

123
papers

27,215
citations

71004

43
h-index

25983

112
g-index

138
all docs

138
docs citations

138
times ranked

33151
citing authors

#	ARTICLE	IF	CITATIONS
1	LaRA 2: parallel and vectorized program for sequence structure alignment of RNA sequences. BMC Bioinformatics, 2022, 23, 18.	1.2	3
2	Co-Design for Energy Efficient and Fast Genomic Search. , 2022, , .		2
3	Computational strategies to combat COVID-19: useful tools to accelerate SARS-CoV-2 and coronavirus research. Briefings in Bioinformatics, 2021, 22, 642-663.	3.2	110
4	RLM: fast and simplified extraction of read-level methylation metrics from bisulfite sequencing data. Bioinformatics, 2021, 37, 3934-3935.	1.8	5
5	Profiling of Sub-Lethal in Vitro Effects of Multi-Walled Carbon Nanotubes Reveals Changes in Chemokines and Chemokine Receptors. Nanomaterials, 2021, 11, 883.	1.9	6
6	Raptor: A fast and space-efficient pre-filter for querying very large collections of nucleotide sequences. IScience, 2021, 24, 102782.	1.9	7
7	PriSeT. , 2021, , .		1
8	Testing assembly strategies of Francisella tularensis genomes to infer an evolutionary conservation analysis of genomic structures. BMC Genomics, 2021, 22, 822.	1.2	2
9	ganon: precise metagenomics classification against large and up-to-date sets of reference sequences. Bioinformatics, 2020, 36, i12-i20.	1.8	39
10	Concentration and chemical form of dietary zinc shape the porcine colon microbiome, its functional capacity and antibiotic resistance gene repertoire. ISME Journal, 2020, 14, 2783-2793.	4.4	37
11	GenMap: ultra-fast computation of genome mappability. Bioinformatics, 2020, 36, 3687-3692.	1.8	107
12	Ranbow: A fast and accurate method for polyploid haplotype reconstruction. PLoS Computational Biology, 2020, 16, e1007843.	1.5	23
13	Rapid and Culture Free Identification of Francisella in Hare Carcasses by High-Resolution Tandem Mass Spectrometry Proteotyping. Frontiers in Microbiology, 2020, 11, 636.	1.5	8
14	EPIFANY: A Method for Efficient High-Confidence Protein Inference. Journal of Proteome Research, 2020, 19, 1060-1072.	1.8	20
15	VARSCOT: variant-aware detection and scoring enables sensitive and personalized off-target detection for CRISPR-Cas9. BMC Biotechnology, 2019, 19, 40.	1.7	9
16	Computational pan-genomics: status, promises and challenges. Briefings in Bioinformatics, 2018, 19, bbw089.	3.2	207
17	Formula Feeding Predisposes Neonatal Piglets to Clostridium difficile Gut Infection. Journal of Infectious Diseases, 2018, 217, 1442-1452.	1.9	18
18	Generic accelerated sequence alignment in SeqAn using vectorization and multi-threading. Bioinformatics, 2018, 34, 3437-3445.	1.8	30

#	ARTICLE	IF	CITATIONS
19	DREAM-Yara: an exact read mapper for very large databases with short update time. <i>Bioinformatics</i> , 2018, 34, i766-i772.	1.8	29
20	Flexbar 3.0 – SIMD and multicore parallelization. <i>Bioinformatics</i> , 2017, 33, 2941-2942.	1.8	150
21	OpenMS – A platform for reproducible analysis of mass spectrometry data. <i>Journal of Biotechnology</i> , 2017, 261, 142-148.	1.9	85
22	Development and optimisation of a generic micro LC-ESI-MS method for the qualitative and quantitative determination of 30-mer toxic gliadin peptides in wheat flour for food analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 989-997.	1.9	6
23	In-depth analysis of protein inference algorithms using multiple search engines and well-defined metrics. <i>Journal of Proteomics</i> , 2017, 150, 170-182.	1.2	56
24	EPR-Dictionaries: A Practical and Fast Data Structure for Constant Time Searches in Unidirectional and Bidirectional FM Indices. <i>Lecture Notes in Computer Science</i> , 2017, , 190-206.	1.0	11
25	The SeqAn C++ template library for efficient sequence analysis: A resource for programmers. <i>Journal of Biotechnology</i> , 2017, 261, 157-168.	1.9	90
26	SLIMM: species level identification of microorganisms from metagenomes. <i>PeerJ</i> , 2017, 5, e3138.	0.9	29
27	Alternate-locus aware variant calling in whole genome sequencing. <i>Genome Medicine</i> , 2016, 8, 130.	3.6	16
28	OpenMS: a flexible open-source software platform for mass spectrometry data analysis. <i>Nature Methods</i> , 2016, 13, 741-748.	9.0	537
29	High-performance liquid chromatography with electrospray ionization ion mobility spectrometry: Characterization, data management, and applications. <i>Journal of Separation Science</i> , 2016, 39, 4756-4764.	1.3	9
30	From the desktop to the grid: scalable bioinformatics via workflow conversion. <i>BMC Bioinformatics</i> , 2016, 17, 127.	1.2	12
31	CIDANE: comprehensive isoform discovery and abundance estimation. <i>Genome Biology</i> , 2016, 17, 16.	3.8	45
32	IMSEQ – a fast and error aware approach to immunogenetic sequence analysis. <i>Bioinformatics</i> , 2015, 31, 2963-2971.	1.8	98
33	Evaluation of drug-induced neurotoxicity based on metabolomics, proteomics and electrical activity measurements in complementary CNS in vitro models. <i>Toxicology in Vitro</i> , 2015, 30, 138-165.	1.1	75
34	Methods for the detection and assembly of novel sequence in high-throughput sequencing data. <i>Bioinformatics</i> , 2015, 31, 1904-1912.	1.8	18
35	Workflows for automated downstream data analysis and visualization in large-scale computational mass spectrometry. <i>Proteomics</i> , 2015, 15, 1443-1447.	1.3	32
36	Alignment of Next-Generation Sequencing Reads. <i>Annual Review of Genomics and Human Genetics</i> , 2015, 16, 133-151.	2.5	91

#	ARTICLE	IF	CITATIONS
37	LocalAli: an evolutionary-based local alignment approach to identify functionally conserved modules in multiple networks. <i>Bioinformatics</i> , 2015, 31, 363-372.	1.8	32
38	Lambda: the local aligner for massive biological data. <i>Bioinformatics</i> , 2014, 30, i349-i355.	1.8	60
39	Fiona: a parallel and automatic strategy for read error correction. <i>Bioinformatics</i> , 2014, 30, i356-i363.	1.8	59
40	NetCoffee: a fast and accurate global alignment approach to identify functionally conserved proteins in multiple networks. <i>Bioinformatics</i> , 2014, 30, 540-548.	1.8	56
41	Ultrahigh-performance liquid chromatography-ultraviolet absorbance detection-high-resolution-mass spectrometry combined with automated data processing for studying the kinetics of oxidative thermal degradation of thyroxine in the solid state. <i>Journal of Chromatography A</i> , 2014, 1371, 196-203.	1.8	6
42	Journalized string tree—a scalable data structure for analyzing thousands of similar genomes on your laptop. <i>Bioinformatics</i> , 2014, 30, 3499-3505.	1.8	32
43	Gustaf: Detecting and correctly classifying SVs in the NGS twilight zone. <i>Bioinformatics</i> , 2014, 30, 3484-3490.	1.8	46
44	Genome alignment with graph data structures: a comparison. <i>BMC Bioinformatics</i> , 2014, 15, 99.	1.2	32
45	Rapid and Comprehensive Impurity Profiling of Synthetic Thyroxine by Ultrahigh-Performance Liquid Chromatography—High-Resolution Mass Spectrometry. <i>Analytical Chemistry</i> , 2013, 85, 3309-3317.	3.2	17
46	Optimal precursor ion selection for LC-MALDI MS/MS. <i>BMC Bioinformatics</i> , 2013, 14, 56.	1.2	5
47	The Duplication-Loss Small Phylogeny Problem: From Cherries to Trees. <i>Journal of Computational Biology</i> , 2013, 20, 643-659.	0.8	7
48	Tools for Label-free Peptide Quantification. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 549-556.	2.5	198
49	Predict-IV project overview (EU grant 202222): non animal-based toxicity profiling by integrating toxico dynamics and biokinetics. <i>Toxicology Letters</i> , 2013, 221, S7.	0.4	2
50	Investigation of Reaction Mechanisms of Drug Degradation in the Solid State: A Kinetic Study Implementing Ultrahigh-Performance Liquid Chromatography and High-Resolution Mass Spectrometry for Thermally Stressed Thyroxine. <i>Analytical Chemistry</i> , 2013, 85, 2385-2390.	3.2	11
51	Messages from the chairs. , 2013, , .		0
52	Scalable string similarity search/join with approximate seeds and multiple backtracking. , 2013, , .		5
53	Fast and accurate read mapping with approximate seeds and multiple backtracking. <i>Nucleic Acids Research</i> , 2013, 41, e78-e78.	6.5	77
54	Detecting genomic indel variants with exact breakpoints in single- and paired-end sequencing data using SplazerS. <i>Bioinformatics</i> , 2012, 28, 619-627.	1.8	95

#	ARTICLE	IF	CITATIONS
55	Antilope – A Lagrangian Relaxation Approach to the de novo Peptide Sequencing Problem. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2012, 9, 385-394.	1.9	12
56	RazerS 3: Faster, fully sensitive read mapping. Bioinformatics, 2012, 28, 2592-2599.	1.8	128
57	PPINGLIIN: Peptide Profiling Guided Identification of Proteins improves quantitation of iTRAQ ratios. BMC Bioinformatics, 2012, 13, 34.	1.2	4
58	Inferring Proteolytic Processes from Mass Spectrometry Time Series Data Using Degradation Graphs. PLoS ONE, 2012, 7, e40656.	1.1	2
59	TOPPAS: A Graphical Workflow Editor for the Analysis of High-Throughput Proteomics Data. Journal of Proteome Research, 2012, 11, 3914-3920.	1.8	50
60	Hidden Breakpoints in Genome Alignments. Lecture Notes in Computer Science, 2012, , 391-403.	1.0	0
61	OpenMS and TOPP: Open Source Software for LC-MS Data Analysis. Methods in Molecular Biology, 2011, 696, 353-367.	0.4	68
62	Bioinformatics for Qualitative and Quantitative Proteomics. Methods in Molecular Biology, 2011, 719, 331-349.	0.4	4
63	MSSimulator: Simulation of Mass Spectrometry Data. Journal of Proteome Research, 2011, 10, 2922-2929.	1.8	42
64	Biomarker Discovery and Redundancy Reduction towards Classification using a Multi-factorial MALDI-TOF MS T2DM Mouse Model Dataset. BMC Bioinformatics, 2011, 12, 140.	1.2	5
65	A novel and well-defined benchmarking method for second generation read mapping. BMC Bioinformatics, 2011, 12, 210.	1.2	63
66	STELLAR: fast and exact local alignments. BMC Bioinformatics, 2011, 12, S15.	1.2	28
67	MicroRazerS: rapid alignment of small RNA reads. Bioinformatics, 2010, 26, 123-124.	1.8	37
68	Integration Preferences of Wildtype AAV-2 for Consensus Rep-Binding Sites at Numerous Loci in the Human Genome. PLoS Pathogens, 2010, 6, e1000985.	2.1	72
69	Optimal Decharging and Clustering of Charge Ladders Generated in ESI-MS. Journal of Proteome Research, 2010, 9, 2688-2695.	1.8	7
70	OpenMS and TOPP: Open Source Software for LC-MS Data Analysis. Methods in Molecular Biology, 2010, 604, 201-211.	0.4	27
71	Practical Multiple Sequence Alignment. , 2010, , 21-43.		0
72	Fast Structural Alignment of Biomolecules Using a Hash Table, N-Grams and String Descriptors. Algorithms, 2009, 2, 692-709.	1.2	23

#	ARTICLE	IF	CITATIONS
73	Approaching clinical proteomics: current state and future fields of application in fluid proteomics. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 724-44.	1.4	112
74	RazerSâ€™fast read mapping with sensitivity control. <i>Genome Research</i> , 2009, 19, 1646-1654.	2.4	125
75	A consistency-based consensus algorithm for <i>de novo</i> and reference-guided sequence assembly of short reads. <i>Bioinformatics</i> , 2009, 25, 1118-1124.	1.8	30
76	Approaching clinical proteomics: Current state and future fields of application in cellular proteomics. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2009, 75A, 816-832.	1.1	52
77	Statistical quality assessment and outlier detection for liquid chromatography-mass spectrometry experiments. <i>BioData Mining</i> , 2009, 2, 4.	2.2	23
78	An Iterative Strategy for Precursor Ion Selection for LC-MS/MS Based Shotgun Proteomics. <i>Journal of Proteome Research</i> , 2009, 8, 3239-3251.	1.8	18
79	Integer Linear Programming in Computational Biology. <i>Lecture Notes in Computer Science</i> , 2009, , 199-218.	1.0	5
80	SeqAn An efficient, generic C++ library for sequence analysis. <i>BMC Bioinformatics</i> , 2008, 9, 11.	1.2	287
81	OpenMS â€™ An open-source software framework for mass spectrometry. <i>BMC Bioinformatics</i> , 2008, 9, 163.	1.2	556
82	LC-MSsim â€™ a simulation software for liquid chromatography mass spectrometry data. <i>BMC Bioinformatics</i> , 2008, 9, 423.	1.2	42
83	Robust consensus computation. <i>BMC Bioinformatics</i> , 2008, 9, .	1.2	3
84	Segment-based multiple sequence alignment. <i>Bioinformatics</i> , 2008, 24, i187-i192.	1.8	44
85	Computational Quantification of Peptides from LC-MS Data. <i>Journal of Computational Biology</i> , 2008, 15, 685-704.	0.8	12
86	Fast and Adaptive Variable Order Markov Chain Construction. <i>Lecture Notes in Computer Science</i> , 2008, , 306-317.	1.0	15
87	A geometric approach for the alignment of liquid chromatographyâ€™mass spectrometry data. <i>Bioinformatics</i> , 2007, 23, i273-i281.	1.8	78
88	A Fast and Accurate Algorithm for the Quantification of Peptides from Mass Spectrometry Data. <i>Lecture Notes in Computer Science</i> , 2007, , 473-487.	1.0	9
89	Integer linear programming approaches for non-unique probe selection. <i>Discrete Applied Mathematics</i> , 2007, 155, 840-856.	0.5	22
90	Accurate multiple sequence-structure alignment of RNA sequences using combinatorial optimization. <i>BMC Bioinformatics</i> , 2007, 8, 271.	1.2	74

#	ARTICLE	IF	CITATIONS
91	TOPP--the OpenMS proteomics pipeline. <i>Bioinformatics</i> , 2007, 23, e191-e197.	1.8	249
92	Analytical model of peptide mass cluster centres with applications. <i>Proteome Science</i> , 2006, 4, 18.	0.7	25
93	Absolute Myoglobin Quantitation in Serum by Combining Two-Dimensional Liquid Chromatography ^{MS} Electrospray Ionization Mass Spectrometry and Novel Data Analysis Algorithms. <i>Journal of Proteome Research</i> , 2006, 5, 414-421.	1.8	77
94	A branch-and-cut algorithm for multiple sequence alignment. <i>Mathematical Programming</i> , 2006, 105, 387-425.	1.6	16
95	High-accuracy peak picking of proteomics data using wavelet techniques. <i>Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing</i> , 2006, , 243-54.	0.7	22
96	HIGH-ACCURACY PEAK PICKING OF PROTEOMICS DATA USING WAVELET TECHNIQUES. , 2005, , .		33
97	Calibration of mass spectrometric peptide mass fingerprint data without specific external or internal calibrants. <i>BMC Bioinformatics</i> , 2005, 6, 203.	1.2	21
98	Transformation and other factors of the peptide mass spectrometry pairwise peak-list comparison process. <i>BMC Bioinformatics</i> , 2005, 6, 285.	1.2	17
99	Fast and Accurate Structural RNA Alignment by Progressive Lagrangian Optimization. <i>Lecture Notes in Computer Science</i> , 2005, , 217-228.	1.0	4
100	Multiple Structural RNA Alignment with Lagrangian Relaxation. <i>Lecture Notes in Computer Science</i> , 2005, , 303-314.	1.0	5
101	Algorithms for the Automated Absolute Quantification of Diagnostic Markers in Complex Proteomics Samples. <i>Lecture Notes in Computer Science</i> , 2005, , 151-162.	1.0	4
102	Differenzielle Proteomanalyse â€œ Experimentelle Methoden, algorithmische Herausforderungen (Differential Analysis in Proteomics: Experimental Methods, Algorithmic Challenges). <i>IT - Information Technology</i> , 2004, 46, 31-38.	0.6	0
103	Whole-genome shotgun assembly and comparison of human genome assemblies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 1916-1921.	3.3	164
104	Optimal robust non-unique probe selection using Integer Linear Programming. <i>Bioinformatics</i> , 2004, 20, i186-i193.	1.8	75
105	A Comparison of Whole-Genome Shotgun-Derived Mouse Chromosome 16 and the Human Genome. <i>Science</i> , 2002, 296, 1661-1671.	6.0	344
106	The greedy path-merging algorithm for contig scaffolding. <i>Journal of the ACM</i> , 2002, 49, 603-615.	1.8	77
107	Multiple sequence alignment with arbitrary gap costs: Computing an optimal solution using polyhedral combinatorics. <i>Bioinformatics</i> , 2002, 18, S4-S16.	1.8	22
108	Segment Match Refinement and Applications. <i>Lecture Notes in Computer Science</i> , 2002, , 126-139.	1.0	7

#	ARTICLE	IF	CITATIONS
109	Recent Segmental Duplications in the Human Genome. <i>Science</i> , 2002, 297, 1003-1007.	6.0	1,238
110	The Sequence of the Human Genome. <i>Science</i> , 2001, 291, 1304-1351.	6.0	12,623
111	Design of a compartmentalized shotgun assembler for the human genome. <i>Bioinformatics</i> , 2001, 17, S132-S139.	1.8	56
112	The greedy path-merging algorithm for sequence assembly. , 2001, , .		12
113	Comparing Assemblies Using Fragments and Mate-Pairs. <i>Lecture Notes in Computer Science</i> , 2001, , 294-306.	1.0	16
114	A polyhedral approach to sequence alignment problems. <i>Discrete Applied Mathematics</i> , 2000, 104, 143-186.	0.5	48
115	The Genome Sequence of <i>Drosophila melanogaster</i> . <i>Science</i> , 2000, 287, 2185-2195.	6.0	5,566
116	An iterative method for faster sum-of-pairs multiple sequence alignment. <i>Bioinformatics</i> , 2000, 16, 808-814.	1.8	54
117	A Whole-Genome Assembly of <i>Drosophila</i> . <i>Science</i> , 2000, 287, 2196-2204.	6.0	1,449
118	The Practical Use of the A* Algorithm for Exact Multiple Sequence Alignment. <i>Journal of Computational Biology</i> , 2000, 7, 655-671.	0.8	25
119	An exact solution for the segment-to-segment multiple sequence alignment problem. <i>Bioinformatics</i> , 1999, 15, 203-210.	1.8	35
120	A polyhedral approach to RNA sequence structure alignment. , 1998, , .		13
121	A Polyhedral Approach to RNA Sequence Structure Alignment. <i>Journal of Computational Biology</i> , 1998, 5, 517-530.	0.8	48
122	Visualization challenges for a new cyber-pharmaceutical computing paradigm. , 0, , .		5
123	Bioinformatics Support for Genome-Sequencing Projects. , 0, , 25-55.		0