

Esteban Fullana Torregrosa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8656609/publications.pdf>

Version: 2024-02-01

618
papers

33,856
citations

3933
88
h-index

9103
144
g-index

635
all docs

635
docs citations

635
times ranked

10962
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of the ATLAS Level-1 topological trigger in Run $\bar{2}$. European Physical Journal C, 2022, 82, 1.	3.9	6
2	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
3	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
4	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	3.9	8
5	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
6	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
7	Measurement of the energy response of the ATLAS calorimeter to charged pions from W^{\pm} events in Run $\bar{2}$ data. European Physical Journal C, 2022, 82, 1.	3.9	4
8	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	3.9	5
9	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	7
10	Measurement of the energy asymmetry in $t\bar{t}$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	3.9	2
11	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV . European Physical Journal C, 2022, 82, 1.	3.9	12
12	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
13	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb^{-1} of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
14	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
15	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
16	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
17	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
18	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
19	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	6
20	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
21	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	22
22	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	18
23	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	15
24	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^-$ and $e^+e^- \rightarrow u\bar{u}$ final states using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	40
25	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	18
26	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $b\bar{b}$ and WW final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	26
27	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	23
28	Measurements of $W+W^\pm$ 1 jet production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
29	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	46
30	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	14
31	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{\tau}_\pm$ -lepton in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	27
32	Search for supersymmetry in events with four or more charged leptons in 139 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
33	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W\pm$ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
34	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
35	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
36	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82

#	ARTICLE	IF	CITATIONS
37	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	13
38	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
39	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	64
40	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	12
41	Search for dark matter produced in association with a single top quark in proton-proton collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	9
42	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13\text{TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
43	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	3.9	5
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using proton-proton collision data. European Physical Journal C, 2021, 81, 1.	3.9	7
46	Measurement of the t-bar-t overline{t} production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
47	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
48	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
49	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
50	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	28
51	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	3.9	7
52	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K$ in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
53	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13\text{TeV}$ pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	4.1	30
54	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb^{-1} of pp collisions at $s=13\text{TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	4.1	10

#	ARTICLE	IF	CITATIONS
55	$\text{\frac{\partial}{\partial s} \sqrt{s} \int_{\sqrt{s}}^{\infty} \frac{1}{x^2} dx = \frac{1}{\sqrt{s}} \left[-\frac{1}{x} \right]_{\sqrt{s}}^{\infty} = \frac{1}{s}$ Application of searches for Higgs boson pairs in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 804, 135353.	4.1	53
56	Measurements of inclusive and differential cross-sections of combined $t\bar{t}$ to γ and $tW\bar{t}$ production in the $e\ell^{1/4}$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
57	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
58	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
59	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	32
60	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
61	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
62	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
63	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
64	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
65	Measurements of top-quark pair spin correlations in the $\ell\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
66	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
67	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
68	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
69	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
70	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7
71	Top quark mass measurement in radiative events at electron-positron colliders. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 804, 135353.	4.1	5
72	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
73	Reconstruction and identification of boosted di- \tilde{l} , systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
74	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93
75	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	124
76	Search for top squarks in events with a Higgs or Z boson using 139fb^{-1} of pp collision data at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	4
77	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	30
78	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	29
79	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	36
80	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
81	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{TeV}$ pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ and } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mrow} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ Pb} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \text{ Pb} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:mrow} \rangle \text{ and } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 80, 1.}$	4.7	49
82	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 80, 1.}$	7.8	23
83	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 80, 1.}$	4.1	196
84	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$. <i>Physical Review D</i> , 2019, 100, 21. $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 21} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physical Review D, 2019, 100, 21.}$	4.7	21
85	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019, 79, 1. Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ collisions at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 80, 1.}$	3.9	28
86	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 80, 1.}$	4.7	22
87	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ altimg="sil.svg" linebreak="goodbreak" linebreakstyle="after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 36.1} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 80, 1.}$	4.1	10
88	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
89	Observation of Light-by-Light Scattering in Ultraperipheral $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \langle \text{mml:mi} \text{ Pb} \langle / \text{mml:mi} \rangle \langle \text{mml:mo} + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \text{ Pb} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 123, 052001.}$	7.8	75
90	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:msub} \rangle \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msub} \rangle \langle / \text{mml:math} \rangle \text{ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 123, 052001.}$	4.1	10

#	ARTICLE	IF	CITATIONS
91	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
92	Measurement of W^{\pm} production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	41
93	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019, 122, 231801.	7.8	133
94	Measurement of the cross-section for the production of a Higgs boson in association with a vector boson in the $t\bar{t}$ channel in $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	4.7	28
95	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	30
96	Search for scalar resonances decaying into $l^{\pm}/q + l^{\pm}/q$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
97	Measurement of the production cross section for a Higgs boson in association with a vector boson in the $t\bar{t}$ channel in $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	4.1	22
98	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 798, 134942.	4.1	13
99	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	4.1	39
100	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV . <i>European Physical Journal C</i> , 2019, 79, .	4.7	20
101	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	4
102	Properties of jet fragmentation using charged particles measured with the ATLAS detector in $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2019, 100, 034001.	3.9	21
103	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	3.9	24
104	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
105	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	7.8	53
106	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	77
107	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	3

#	ARTICLE	IF	CITATIONS
109	Evidence for the production of three massive vector bosons with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
110	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+“dijet events in proton+“proton collisions at a centre-of-mass energy of $\sqrt{s} = 13\text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79,	3.9	22
111	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 347-370.	4.1	9
112	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	4.1	25
113	Search for Higgs boson pair production in association with two jets in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492	4.1	38
114	Modelling radiation damage to pixel sensors in the ATLAS detector. Journal of Instrumentation, 2019, 14, P06012-P06012.	1.2	7
115	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2019, 793, 493-519.	4.1	10
116	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
117	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s} = 7\text{ and }8\text{ TeV}$ with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
118	Search for top-quark decays $t \rightarrow b\bar{q}$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
119	Measurement of VH, $\mathcal{H}\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
120	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
121	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
122	Search for Higgs boson pair production in the $b\bar{b}W^+W^-$ decay mode at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	26
123	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. Properties of $\mathcal{H}\bar{b}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2019, 99,	4.7	11
124	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
125	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17

#	ARTICLE	IF	CITATIONS
127	Study of the rare decays of B_0 s and B_0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, .	4.7	62
128	Performance of top-quark and \varvec{W} -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
129	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
130	Search for long-lived particles produced in pp collisions at $s=13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019, 99, .	4.7	35
131	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s=13$ TeV. <i>Physical Review Letters</i> , 2019, 122, 151801.	12	
132	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
133	Search for four-top quarks produced in the single-lepton and opposite-sign dilepton final states in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 595-614.	4.7	13
134	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
135	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
136	In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
137	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
138	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
139	Measurement of the top quark mass in the $t\bar{t}$. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
140	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 790, 108-128.	4.1	74
141	ATLAS Collaboration. <i>Nuclear Physics A</i> , 2019, 982, 985-1009.	1.5	1
142	Measurements of gluon-gluon fusion and vector boson fusion Higgs boson production cross-sections in the $WW \rightarrow \ell^+\ell^- \nu \bar{\nu}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 508-529.	4.1	46
143	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25

#	ARTICLE	IF	CITATIONS
145	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
146	Measurement of ZZ production in the $\ell\ell\ell\ell$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
147	Measurement of W^{pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
148	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
149	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
150	Measurement of W^{pm} boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
151	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	130
152	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{NN}} = 5.02\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
153	Resolution of the ATLAS muon spectrometer monitored drift tubes in LHC Run 2. Journal of Instrumentation, 2019, 14, P09011-P09011.	1.2	7
154	Top-quark physics at the CLIC electron-positron linear collider. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
155	Dijet azimuthal correlations and conditional yields in $\sqrt{s}=13\text{TeV}$ and $\sqrt{s}=502\text{GeV}$ collisions. European Physical Journal C, 2019, 79, 1.	4.7	14
156	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in $\sqrt{s}=13\text{TeV}$ collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	4.7	15
157	Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell\ell\ell$ channel with pp collisions at $\sqrt{s}=13\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	4.7	43
158	Search for long-lived particles in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	34
159	Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}\ell\ell\ell\ell$ final state in pp collision at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2019, 79, 1.	4.1	20
160	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-21.	4.1	20
161	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 167-190.	4.1	28
162	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5

#	ARTICLE	IF	CITATIONS
163	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
164	Measurement of the W -boson mass in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
165	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow 4b$ channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	28
166	Measurement of the $Z\gamma$ production cross section in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
167	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $s_{\text{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
168	Search for Higgs boson pair production in the $\gamma\gamma$ channel using pp collision data recorded at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 1007.	3.9	53
169	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $s_{\text{NN}} = 5.02 \text{ TeV}$. <i>Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering</i> . <i>Physical Review Letters</i> , 2018, 121, 191801.	4.7	145
170	Collisions at $s_{\text{NN}} = 5.02 \text{ TeV}$. <i>Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector</i> . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	41
171	Decay Channel in $\gamma\gamma$ channel. <i>Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector</i> . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	70
172	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
173	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
174	Measurement of the azimuthal anisotropy of charged particles produced in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 2018, 1.	4.7	30
175	Search for pair and single production of vectorlike quarks in final states with at least one b -jet. <i>Search for charged Higgs bosons decaying into top and bottom quarks at $s = 13 \text{ TeV}$ with the ATLAS detector</i> . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	3.9	51
176	Searches for exclusive Higgs and Z boson decays into J/ψ , $(2S)$, and (nS) at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters B</i> , 2018, 786, 134-155.	4.7	32
177	Search for charged Higgs bosons decaying into top and bottom quarks at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
178	Searches for exclusive Higgs and Z boson decays into J/ψ , $(2S)$, and (nS) at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters B</i> , 2018, 786, 134-155.	4.7	26
179	Search for heavy resonances decaying into bosonic and leptonic final states using pp collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.1	138
180	Search for heavy resonances decaying into bosonic and leptonic final states using pp collision data at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.1	138

#	ARTICLE	IF	CITATIONS
181	Constraints on off-shell Higgs boson production and the Higgs boson total width in $Z Z \rightarrow t\bar{t} + 4\ell$ and $Z Z \rightarrow t\bar{t} + 2\ell$, “ $2^{1/2}$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	4.1	43
182	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \ell^\pm \nu_\ell \pm 1/2 \ell^\pm$, in the $\ell^\pm + \text{jets}$ and $\ell^\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	4.7	59
183	Search for Higgs bosons produced via vector boson fusion and decaying into bottom quark pairs in $t\bar{t}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. Search for singly and doubly resonant top-quark production in $t\bar{t}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 13-26.	7.8	16
184	Measurement of jet fragmentation in $Pb+Pb$ and pp collisions with the ATLAS detector. Physical Review C, 2018, 98, 044902.	4.7	26
185	Measurements of jet fragmentation in $Pb+Pb$ and pp collisions with the ATLAS detector. Physical Review C, 2018, 98, 044903.	2.9	24
186	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
187	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169
188	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.	4.1	21
189	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.	3.9	41
190	Measurement of the $t\bar{t} + Z$ and $t\bar{t} + W$ production cross sections in multilepton final states using 3.2 fb^{-1} at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.	3.9	29
191	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp -collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	29
192	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
193	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-30.	4.7	29
194	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
195	Measurement of the W boson polarisation in $t\bar{t} + Z$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	3.9	37
196	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
197	Measurements of top-quark pair differential cross-sections in the emu channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27

#	ARTICLE	IF	CITATIONS
199	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
200	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
201	Search for triboson $W^{pm} W^{pm} W^{mp} W^{\pm} W^{\pm} W^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
202	Measurement of the $W+W\gamma$ production cross section in pp collisions at a centre-of-mass energy of $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 773, 354-374.	3.9	325
203	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	56
204	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	26
205	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	47
206	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 47.	2.9	47
207	Measurements of W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 47.	4.7	28
208	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	3.9	145
209	Measurement of vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. Physical Review D, 2017, 96, 1.	4.7	23
210	Measurement of the $t\bar{t}$ production cross section in the $t\bar{t} + j$ jets final state in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Physical Review D, 2017, 95, 1.	4.7	1
211	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 172-182.	4.7	17
212	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, 1.	2.9	24
213	Evidence for light-by-light scattering in heavy-ion collisions with the ATLAS detector at the LHC. Nature Physics, 2017, 13, 852-858.	16.7	218
214	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
215	Measurement of jet pT correlations in $\text{Pb} + \text{Pb}$ and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.	4.7	17
216	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	3.9	12

#	ARTICLE	IF	CITATIONS
217	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ $\rightarrow \ell^+ \ell^- \nu \bar{\nu}$ and Z Z $\rightarrow \ell^+ \ell^- + \nu \bar{\nu}$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
218	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
219	Measurements of $t\bar{t}(2S)$ and $X(3872) \rightarrow J/\psi + \ell^\pm$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
220	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
221	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
222	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
223	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	3.9	47
224	Precision measurement and interpretation of inclusive $W^+ + W^-, W^+ - W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
225	Measurement of jet fragmentation in Pb+Pb and pp collisions at $s_{\text{NN}} = 2.76 \text{ TeV}$. European Physical Journal C, 2017, 77, 379.	3.9	51
226	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13 \text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
227	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
228	Femtoscopy with identified charged pions in proton-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Physical Review C, 2017, 96, 024902.		
229	Measurements of top quark spin observables in $t\bar{t} \rightarrow \ell^+ \ell^- \nu \bar{\nu}$ events using dilepton final states in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20
230	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow \ell^+ \ell^- \nu \bar{\nu}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
231	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
232	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
233	Performance of b-jet identification in the ATLAS experiment. Journal of Instrumentation, 2016, 11, P04008-P04008.	1.2	278
234	The Laser calibration of the ATLAS Tile Calorimeter during the LHC run 1. Journal of Instrumentation, 2016, 11, T10005-T10005.	1.2	17

#	ARTICLE	IF	CITATIONS
235	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
236	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10
237	Measurement of event-shape observables in $Z \rightarrow e^+ e^-$ and $Z \rightarrow \tau^+ \tau^-$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
238	Charged-particle distributions in pp interactions at $\sqrt{s} = 8 \text{ TeV}$ measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
239	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 502.	3.9	61
240	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
241	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}, b\bar{b}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
242	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.	3.9	73
243	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	3.9	12
244	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016, 76, 526.	3.9	21
245	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	3.9	23
246	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 605.	3.9	24
247	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292.	3.9	453
248	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.	3.9	48
249	Measurement of total and differential $W + W^\pm$ production cross sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector and limits on anomalous triple-gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2016, 2016, .	4.7	47
250	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	3.9	31
251	Measurement of $W + W^\pm$ production in association with one jet in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 114-133.	4.1	4
252	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 763, 251-268.		

#	ARTICLE	IF	CITATIONS
253	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $\text{p} + \text{Pb}$ collisions measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.7	137
254	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 94, 132003.	4.7	44
255	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
256	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	4.1	71
257	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.1	31
258	Constraints on non-Standard Model Higgs boson interactions in an effective Lagrangian using differential cross sections measured in the $\text{H} \rightarrow \text{t}^{\pm}\bar{\text{t}}^{\mp}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 69-85.	4.1	39
259	meson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	2.5	52
260	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	3.9	39
261	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	3.9	39
262	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
263	Search for charged Higgs bosons in the $\text{H} \rightarrow \text{t}^{\pm}\bar{\text{t}}^{\mp}$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
264	Search for heavy long-lived charged R-hadrons with the ATLAS detector in 3.2 fb^{-1} of proton-proton collision data at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	4.1	39
265	Measurement of WZ and Z -boson production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 621-631.	4.1	38
266	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	4.1	12
267	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 538-548.	4.1	12
268	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 334-352.	4.1	12
269	Study of the rare decays of $B^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow e^+e^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
270	Search for supersymmetry in a final state containing two photons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	3.9	24

#	ARTICLE	IF	CITATIONS
271	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
272	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 229-242.	4.1	19
273	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 229-242.	4.1	19
274	Measurement of the $W\bar{W}$ boson pair-production cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.	4.1	21
275	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2016, 94, .	4.7	43
276	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
277	Measurement of the top quark mass in the $t\bar{t}$ channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 243-252.	4.1	52
278	Search for charged Higgs bosons produced in association with a top quark and decaying via $H \rightarrow t\bar{t}$ using pp collision data recorded at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 555-574.	4.1	53
279	Measurement of the relative width difference of the $B^0 \rightarrow B^0 \bar{B}^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
280	Search for scalar leptoquarks in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. New Journal of Physics, 2016, 18, 093016.	2.9	56
281	Search for Higgs and Z boson decays to $t\bar{t}$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	7.8	13
282	Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. Physical Review D, 2016, 93, .	4.7	34
283	Measurement of jet charge in dijet events from $t\bar{t}$ collisions with the ATLAS experiment. Physical Review Letters, 2016, 117, 111802.	4.7	53
284	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 243-252.	4.7	29
285	Centrality, rapidity and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 243-252.	2.9	36
286	Measurement of the correlation between the polar angles of leptons from top quark decays in the helicity basis at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 243-252.	4.7	11
287	Search for magnetic monopoles and stable particles with high electric charges in 8 TeV pp collisions with the ATLAS detector. Physical Review D, 2016, 93, .	4.7	43
288	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2016, 93, .	4.7	16

#	ARTICLE	IF	CITATIONS
289	Search for standard model Higgs boson produced in association with a vector boson and decaying into a tau pair at the LHC	4.7	53
290	Search for metastable heavy charged particles with large ionization energy loss in the ATLAS detector	4.7	5
291	Search for metastable heavy charged particles with large ionization energy loss in the ATLAS detector	4.7	39
292	Search for long-range elliptic azimuthal anisotropies in the ATLAS detector	4.7	39
293	Observation of long-range elliptic azimuthal anisotropies in the ATLAS detector	7.8	31
294	Measurement of the inelastic proton-proton cross section at the LHC with the ATLAS detector	7.8	228
295	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment	4.1	57
296	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$	3.9	50
297	Measurement of the inelastic proton-proton cross section at the LHC with the ATLAS detector	3.9	298
298	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7 \text{ TeV}$ and 8 TeV	4.7	473
300	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector	3.9	51
301	Measurement of jet activity in top quark events using the $e^{1/4}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$	4.7	4
302	Measurement of the transverse momentum and ϕ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector	3.9	154
303	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^{\pm} \nu e^{\pm} \nu$ with the ATLAS detector	4.7	15
304	Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at the LHC with the ATLAS detector	4.7	4
305	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector	4.7	20
306	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions	4.7	14

#	ARTICLE	IF	CITATIONS
307	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
308	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016, 18, 073021.	2.9	2
309	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
310	Measurement of top quark pair differential cross sections in the dilepton channel in pp collisions at $s=7$ and 8 TeV with ATLAS. <i>Physical Review D</i> , 2016, 94, .	4.7	22
311	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8$ using the ATLAS detector. <i>European Physical Journal C, Search for pair production of gluinos decaying via stop and sbottom in events with</i> mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{jets and large missing transverse momentum}$ $\text{in} \langle \text{mml:math} \text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:math} \rangle \text{collisions at} \langle \text{mml:math} \text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline" $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ accent="true" $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ stretchy="false" $\rangle \hat{\Lambda} \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mover}$ accent="true" $\langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ stretchy="false" $\rangle \hat{\Lambda} \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:math} \rangle \text{final state using proton-proton collisions}$	3.9	115
312	Measurement of exclusive $W+W^-$ production and search for exclusive Higgs boson production in pp collisions at $s=8 \text{ TeV}$ using the ATLAS detector. <i>Physical Review D</i> , 2016, 94, .	4.7	30
313	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 283.	4.7	38
314	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
315	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
316	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	33
317	Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	25
318	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	16
319	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
320	Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow J/\psi \pi^+$ decay width difference with $B_s^0 \rightarrow J/\psi \pi^+$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
321	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.	3.9	73
322	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
325	A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
326	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
327	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton+lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 199.	3.9	60
328	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
329	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
330	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
331	Measurements of four-lepton production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 52-71.	4.1	10
332	Measurement of the charge asymmetry in highly boosted top-quark pair production in pp collision data collected by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 756, 52-71.	4.1	10
333	Search for new phenomena in final states with large jet multiplicity and missing transverse momentum with ATLAS using $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 756.	4.1	10
334	Search for single production of a vector-like quark via a heavy gluon in the 4b final state with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 334-335.	4.1	21
335	Search for new phenomena in dijet mass and angular distributions from pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 334-335.	4.1	16
336	Evidence for $t\bar{t}$ production in the s-channel in proton+proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 336-342.	4.1	16
337	Charged-particle distributions in pp interactions measured with the ATLAS detector using the Matrix Element Method. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 343-349.	4.1	16
338	Combination of searches for $W \rightarrow \nu_1 \nu_2$ and $Z \rightarrow e^+ e^-$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016, 757, 350-356.	4.1	16
339	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 154.	3.9	62
340	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
341	Probing lepton flavour violation via neutrinoless $\nu_e \rightarrow \nu_\mu + \nu_\tau$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19

#	ARTICLE	IF	CITATIONS
343	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
344	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
345	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
346	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	4.7	13
347	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
348	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
349	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
350	Study of the $B_c \rightarrow J/\psi D_s^+ \rightarrow B_c \bar{c} \rightarrow J/\psi D_s^+$ and $B_c \rightarrow J/\psi D_s^* \rightarrow B_c \bar{c} \rightarrow J/\psi D_s^*$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
351	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8$ TeV in pp collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
352	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
353	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s})=8$ TeV with the ATLAS detector. , 2016, 76, 1.	1	
354	Measurement of the correlation between flow harmonics of different order in lead-lead collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. Physical Review C, 2015, 92, .	4.7	184
355	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Physical Review D, 2015, 91, .	4.7	34
356	Observation and measurement of Higgs boson decays to $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ at the ATLAS detector. Physical Review D, 2015, 92, .	4.7	110
357	Measurements of the total and differential Higgs Boson Production Cross Sections Combining the $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ and $H \rightarrow WW \rightarrow H \rightarrow W W$ channels at the ATLAS detector. Physical Review D, 2015, 92, .	4.7	91
358	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. Physical Review D, 2015, 92, .	4.7	7
359	Measurements of differential $d\sigma/dm_H$ and forward-backward ratios in $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ cross sections and forward-backward ratios in $H \rightarrow WW \rightarrow H \rightarrow W W$ collisions with the ATLAS detector. Physical Review C, 2015, 92, .	7.8	48
360	Measurements of differential $d\sigma/dm_H$ and forward-backward ratios in $H \rightarrow ZZ \rightarrow H \rightarrow Z Z$ cross sections and forward-backward ratios in $H \rightarrow WW \rightarrow H \rightarrow W W$ collisions with the ATLAS detector. Physical Review C, 2015, 92, .	2.9	27

#	ARTICLE	IF	CITATIONS
379	Measurement of the production of neighbouring jets in lead+lead collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 751, 376-395.	4.1	16
380	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	4
381	A search for high-mass resonances decaying to $\tilde{l}_1, \tilde{l}_2, \tilde{\chi}^0$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	23
382	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	55
383	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
384	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
385	Measurement of transverse energy correlations in multi-jet events in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector and determination of the strong coupling constant. <i>Nuclear, Elementary Particle Physics</i> , 2015, 2015, 1-10.	4.1	23
386	Measurement of charged-particle flow with three jet-pull methods. <i>Nuclear, Elementary Particle Physics</i> , 2015, 2015, 1-18.	4.1	18
387	Search for top quark production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015, 749, 342-361.	4.1	43
388	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	66
389	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	28
390	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	67
391	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	33
392	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
393	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-39.	4.7	78
394	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
395	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	84
396	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	71

#	ARTICLE	IF	CITATIONS
397	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
398	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	60
399	Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	25
400	Measurement of the $t\bar{t} \rightarrow t\bar{t} + W$ production cross sections in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
401	Search for flavour-changing neutral current top quark decays $t \rightarrow t' H q$ in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65. Centrality and rapidity dependence of inclusive jet production in $\text{pp} \rightarrow t\bar{t} + \text{jets}$. <i>Nature</i> , 2015, 523, 402-405.	4.7	19
402	Measurement of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Physics Letters B</i> , 2015, 748, 392-413.	4.7	93
403	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. Combined Measurement of the Higgs Boson Mass in $\text{pp} \rightarrow t\bar{t} + \text{jets}$. <i>Nature</i> , 2015, 523, 402-405.	4.7	36
404	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	7.8	1,062
405	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	42
406	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	116
407	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	17
408	Search for $W \rightarrow tb \rightarrow q\bar{q}bb$ decays in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	3.9	35
409	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 158.	3.9	17
410	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\text{pp} \rightarrow \text{chargino} + \text{neutralino}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	3.9	67
411	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. Measurement of the branching ratio $\text{pp} \rightarrow H \rightarrow W W^*$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	22
412			

#	ARTICLE	IF	CITATIONS
415	Search for s-channel single top-quark production in proton+proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 118-136.		
416	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
417	and other hidden-beauty states in the $t\bar{t}$ and $b\bar{b}$ channels. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 199-217.	4.1	20
418	Search for pair-produced long-lived neutral particles decaying to jets in the ATLAS hadronic calorimeter in pp collisions at $\sqrt{s}=8\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 743, 15-34.	4.1	48
419	Search for a CP-odd Higgs boson decaying to Zh in pp collisions at $\sqrt{s}=8\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 744, 163-182.	4.1	44
420	with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 744, 163-182.		
421	to Z . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 744, 163-182.		

#	ARTICLE	IF	CITATIONS
433	Search for resonant diboson production in the $\mathcal{M}_{\ell\ell} \gg q\bar{q}$ final state in $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
434	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
435	Search for dark matter in events with heavy quarks and missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
436	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
437	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
438	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
439	Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
440	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
441	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
442	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$, $\tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
443	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
444	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
445	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	3.9	39
446	Search for Higgs boson pair production in the $b\bar{b} b\bar{b} \rightarrow e\bar{e} \mu\bar{\mu}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
447	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\bar{e} \mu\bar{\mu}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
448	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
449	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $e\bar{e} \mu\bar{\mu} \rightarrow b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
450	Measurement of three-jet production cross-sections in $\sqrt{s} = 8$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23

#	ARTICLE	IF	CITATIONS
451	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
452	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
453	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
454	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
455	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into b b-bar in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
456	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 519-541.	4.1	52
457	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56
458	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	3.9	36
459	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
460	Measurement of the top quark mass in the lepton+jets and dilepton channels using $\sqrt{s} = 7 \text{ TeV}$ ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
461	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
462	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using 4.5 fb^-1 of data with the ATLAS detector. , 2015, 2015, 1.	3	
463	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.	3	
464	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.	3	
465	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
466	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.	2.5	155
467	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
468	Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2014, 90, .	4.7	214

#	ARTICLE	IF	CITATIONS
469	Comprehensive measurements of $\langle \text{mml:math} \rangle$ -channel single top-quark production cross sections at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90.	4.7	68
470	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2014, 90.	4.7	31
471	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $p_T > 20 \text{ GeV}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
472	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
473	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
474	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb^{-1} of $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
475	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
476	Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with b -tagged jets in $p_T > 20 \text{ GeV}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
477	Search for WZ resonances in the fully leptonic channel using $p_T > 20 \text{ GeV}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 234-253.	4.7	58
478	Search for WZ resonances in the fully leptonic channel using $p_T > 20 \text{ GeV}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 234-253.	4.7	58
479	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z boson in ATLAS. Physical Review Letters, 2014, 112, .	7.8	130
480	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z boson in ATLAS. Physical Review Letters, 2014, 112, .	7.8	130
481	Measurement of the parity-violating asymmetry parameter $\langle \text{mml:math} \rangle$ and extraction of $\langle \text{mml:math} \rangle$. European Physical Journal C, 2014, 738, 234-253.	4.7	58
482	Measurement of the helicity amplitudes for the decay $\langle \text{mml:math} \rangle$ and extraction of $\langle \text{mml:math} \rangle$. European Physical Journal C, 2014, 738, 234-253.	4.7	26
483	Measurement of long-range pseudorapidity correlations and azimuthal harmonics in $\text{NN}=5.02 \text{ TeV}$ proton-lead collisions with the ATLAS detector. Physical Review C, 2014, 90, .	4.7	176
484	Observation of an Excited State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	2.9	111
485	Measurement of event-plane correlations in $\langle \text{mml:math} \rangle$ lead-lead collisions with the ATLAS detector. Physical Review C, 2014, 90, .	2.9	134

#	ARTICLE	IF	CITATIONS
487	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	66
488	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ in 2010. <i>European Physical Journal C</i> , 2014, 74, 3034.	3.9	58
489	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	172
490	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} \sim 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3134.	3.9	48
491	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.	3.9	68
492	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3195.	3.9	46
493	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	41
494	Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\ell^+\ell^- + \nu\bar{\nu})$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	21
495	Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	131
496	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	38
497	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	45
498	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	47
499	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
500	Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 732, 8-27.		
501	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	42
502	Measurement of the mass difference between top and anti-top quarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 732, 8-27.	4.1	8
503	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	40
504	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2895.	3.9	13

#	ARTICLE	IF	CITATIONS
505	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	3.9	204
506	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	3.9	23
507	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	3.9	22
508	Light-quark and gluon jet discrimination in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	3.9	77
509	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	22
510	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	88
511	Measurement of the production cross section of prompt J/ψ mesons in association with a $W \pm$ boson in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35
512	Measurement of dijet cross-sections in $p p$ collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	36
513	Measurement of the production of a W boson in association with a charm quark in $p p$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
514	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	145
515	Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
516	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	25
517	Search for direct top-squark pair production in final states with two leptons in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	59
518	Measurement of $t\bar{t}$ c1 and $t\bar{t}$ c2 production with $\sqrt{s} = 7 \text{ TeV}$ pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	32
519	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
520	Search for new particles in events with one lepton and missing transverse momentum in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
521	Search for direct top squark pair production in events with a Z boson, b -jets and missing transverse momentum in $\sqrt{s} = 8 \text{ TeV}$ $p p$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	3.9	55
522	Operation and performance of the ATLAS semiconductor tracker. Journal of Instrumentation, 2014, 9, P08009-P08009.	1.2	25

#	ARTICLE	IF	CITATIONS
523	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73
524	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	53
525	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
526	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	137
527	Measurement of ZZ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and limits on anomalous ZZZ and ZZl ³ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	61
528	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	19
529	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
530	Measurement of k T splitting scales in $W^{\pm} l^{\pm} l^{\mp}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2432.	3.9	19
531	Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow l^{\pm} \nu_l$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2465.	3.9	119
532	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	102
533	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8 \text{ TeV}$ proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	71
534	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7 \text{ TeV}$ at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	31
535	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	52
536	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2518.	3.9	362
537	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s}=7 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509.	3.9	105
538	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.	3.9	34
539			

#	ARTICLE	IF	CITATIONS
541	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	175
542	Measurement of the top quark charge in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	17
543	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	81
544	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	64
545	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	59
546	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
547	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	61
548	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
549	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	15
550	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	45
551	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7$ TeV recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2306.	3.9	209
552	Measurement of the τ production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2328.	3.9	45
553	Search for WH production with a light Higgs boson decaying to prompt electron+jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	2.9	15
554	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	45
555	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	88
556	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	12
557	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	53
558	A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	40

#	ARTICLE	IF	CITATIONS
559	Search for the Standard Model Higgs boson in the $H \rightarrow l^+ l^-$ decay mode in $\sqrt{s} = 7\text{TeV}$ pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	43
560	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7\text{TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
561	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
562	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
563	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	54
564	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
565	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7\text{TeV}$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	48
566	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7\text{TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
567	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	248
568	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	100
569	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	13
570	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s}=7\text{TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2043.	3.9	109
571	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05fb^{-1} of proton-proton collisions at $\sqrt{s} = 7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 2083.	3.9	25
572	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	37
573	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	16
574	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	59
575	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	25
576	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	22

#	ARTICLE	IF	CITATIONS
577	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	3.9	13
578	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.	3.9	31
579	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	36

580

#	ARTICLE	IF	CITATIONS
595	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	146
596	Studies of the performance of the ATLAS detector using cosmic-ray muons. European Physical Journal C, 2011, 71, 1.	3.9	17
597	Luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	179
598	Measurements of underlying-event properties using neutral and charged particles in pp collisions at $\sqrt{s}=900\text{ GeV}$ and $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	3.9	31
599	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	18
600	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	3.9	41
601	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	40
602	Search for diphoton events with large missing transverse energy with 36 pb $^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	15
603	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	3.9	60
604	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	56
605	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb $^{-1}$ of ATLAS data. European Physical Journal C, 2011, 71, 1.	3.9	14
606	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	39
607	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	3.9	73
608	Measurement of $W^{\pm 3}$ and $Z^{\pm 3}$ production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	11
609	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	33
610	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
611	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	3.9	61
612	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	3.9	95

#	ARTICLE	IF	CITATIONS
613	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	3.9	51
614	Commissioning of the ATLAS Muon Spectrometer with Cosmic Rays. European Physical Journal C, 2010, 70, 875-916.	3.9	23
615	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	3.9	1,187
616	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	3.9	121
617	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	4.7	18
618	Measurement of the $W \rightarrow l^+ l^-$ and $Z \rightarrow l^+ l^-$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	4.7	64