

Marianne van Hage

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8660717/publications.pdf>

Version: 2024-02-01

302
papers

17,670
citations

10986

71
h-index

18647

119
g-index

310
all docs

310
docs citations

310
times ranked

10547
citing authors

#	ARTICLE	IF	CITATIONS
1	Preterm birth reduces the risk of IgE sensitization up to early adulthood: A population-based birth cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1570-1582.	5.7	5
2	Alpha-gal sensitization among young adults is associated with male sex and polysensitization. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 333-335.e2.	3.8	8
3	Impaired skin barrier and allergic sensitization in early infancy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1464-1476.	5.7	24
4	Development of Sensitization to Multiple Allergen Molecules from Preschool to School Age Is Related to Asthma. <i>International Archives of Allergy and Immunology</i> , 2022, 183, 628-639.	2.1	5
5	Cross-reactivity between tick and wasp venom can contribute to frequent wasp sensitization in patients with the Î±-Gal syndrome. <i>Clinical and Translational Allergy</i> , 2022, 12, e12113.	3.2	6
6	Allergic sensitization to lipocalins reflects asthma morbidity in dog dander sensitized children. <i>Clinical and Translational Allergy</i> , 2022, 12, e12149.	3.2	5
7	Molecular Allergen-Specific IgE Recognition Profiles and Cumulative Specific IgE Levels Associated with Phenotypes of Cat Allergy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6984.	4.1	5
8	Allergome-wide peptide microarrays enable epitope deconvolution in allergen-specific immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1077-1086.	2.9	12
9	Assessment of chronic bronchitis and risk factors in young adults: results from BAMSE. <i>European Respiratory Journal</i> , 2021, 57, 2002120.	6.7	35
10	Elucidating the Î±-Gal syndrome at the molecular allergen level. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1576-1578.	5.7	12
11	Early-life risk factors for reversible and irreversible airflow limitation in young adults: findings from the BAMSE birth cohort. <i>Thorax</i> , 2021, 76, 503-507.	5.6	19
12	Shared DNA methylation signatures in childhood allergy: The MeDALL study. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1031-1040.	2.9	24
13	Genetic effects of allergen-specific IgE levels on exhaled nitric oxide in schoolchildren with asthma: The STOPPA twin study. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 709-719.	2.6	5
14	Air pollution and IgE sensitization in 4 European birth cohorts—the MeDALL project. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 713-722.	2.9	30
15	Milk-Specific IgE Reactivity Without Symptoms in Albumin-Sensitized Cat Allergic Patients. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 668.	2.9	5
16	Interaction, binding capacity and anticancer properties of N,N'-bis(acetylacetonato)-propyleneimine-copper(II) on colorectal cancer cell line Caco-2. <i>New Journal of Chemistry</i> , 2021, 45, 6231-6237.	2.8	4
17	Resolved allergen-specific IgE sensitization among females and early polysensitization among males impact IgE sensitization up to age 24 years. <i>Clinical and Experimental Allergy</i> , 2021, 51, 849-852.	2.9	4
18	Nasal upregulation of CST1 in dog-sensitized children with severe allergic airway disease. <i>ERJ Open Research</i> , 2021, 7, 00917-2020.	2.6	8

#	ARTICLE	IF	CITATIONS
19	Extract and molecular-based early infant sensitization and associated factors—A PreventADALL study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2730-2739.	5.7	9
20	Microarray Technology May Reveal the Contribution of Allergen Exposure and Rhinovirus Infections as Possible Triggers for Acute Wheezing Attacks in Preschool Children. <i>Viruses</i> , 2021, 13, 915.	3.3	7
21	Bovine β -globulin, lactoferrin, and lactoperoxidase are relevant bovine milk allergens in patients with β -Gal syndrome. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 3766-3775.	5.7	13
22	Early Life Wheeze and Risk Factors for Asthma—A Revisit at Age 7 in the GEWAC-Cohort. <i>Children</i> , 2021, 8, 488.	1.5	6
23	Carbohydrate epitopes currently recognized as targets for IgE antibodies. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 2383-2394.	5.7	36
24	Prevalence and early-life risk factors for tree nut sensitization and allergy in young adults. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1429-1437.	2.9	11
25	From Allergen Molecules to Molecular Immunotherapy of Nut Allergy: A Hard Nut to Crack. <i>Frontiers in Immunology</i> , 2021, 12, 742732.	4.8	17
26	Course of IgE to β -Gal in a Swedish population of β -Gal syndrome patients. <i>Clinical and Translational Allergy</i> , 2021, 11, e12087.	3.2	5
27	Allergenomics of the tick <i>Ixodes ricinus</i> reveals important β -Gal ⁺ carrying IgE-binding proteins in red meat allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 217-220.	5.7	37
28	Basophil activation testing, IgG, and IgG4 in the diagnosis of dog allergy in children with and without a dog at home. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1269-1272.	5.7	6
29	Intralymphatic immunotherapy in pollen-allergic young adults with rhinoconjunctivitis and mild asthma: A randomized trial. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1005-1007.e7.	2.9	35
30	Features of the Human Antibody Response against the Respiratory Syncytial Virus Surface Glycoprotein G. <i>Vaccines</i> , 2020, 8, 337.	4.4	5
31	Male sex is strongly associated with IgE-sensitization to airborne but not food allergens: results up to age 24 years from the BAMSE birth cohort. <i>Clinical and Translational Allergy</i> , 2020, 10, 15.	3.2	53
32	Alpha-Gal on the Protein Surface Hampers Transcytosis through the Caco-2 Monolayer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5742.	4.1	6
33	Digestomics of Cow's Milk: Short Digestion-Resistant Peptides of Casein Form Functional Complexes by Aggregation. <i>Foods</i> , 2020, 9, 1576.	4.3	11
34	The allergenic activity and clinical impact of individual IgE-antibody binding molecules from indoor allergen sources. <i>World Allergy Organization Journal</i> , 2020, 13, 100118.	3.5	38
35	A WAO [®] ARIA [®] GA2LEN consensus document on molecular-based allergy diagnosis (PAMD [®]): Update 2020. <i>World Allergy Organization Journal</i> , 2020, 13, 100091.	3.5	76
36	Clinical and Serological Characterization of the β -Gal Syndrome—Importance of Atopy for Symptom Severity in a European Cohort. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2027-2034.e2.	3.8	29

#	ARTICLE	IF	CITATIONS
37	Preventive Allergen-Specific Vaccination Against Allergy: Mission Possible?. <i>Frontiers in Immunology</i> , 2020, 11, 1368.	4.8	21
38	Toward personalization of asthma treatment according to trigger factors. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1529-1534.	2.9	30
39	On the cause and consequences of IgE to galactose- α -1,3-galactose: A report from the National Institute of Allergy and Infectious Diseases Workshop on Understanding IgE-Mediated Mammalian Meat Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1061-1071.	2.9	84
40	Sensitization to grass pollen allergen molecules in a birth cohort—natural Phl p 4 as an early indicator of grass pollen allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1174-1181.e6.	2.9	30
41	Highly sensitive ELISA-based assay for quantification of allergen-specific IgE antibody levels. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2668-2670.	5.7	11
42	In-depth quantitative profiling of post-translational modifications of Timothy grass pollen allergome in relation to environmental oxidative stress. <i>Environment International</i> , 2019, 126, 644-658.	10.0	14
43	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1658-1659.	2.9	0
44	Galactose α -1,3-galactose phenotypes. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 122, 598-602.	1.0	63
45	Keeping Allergen Names Clear and Defined. <i>Frontiers in Immunology</i> , 2019, 10, 2600.	4.8	16
46	Impact of IgE sensitization and rhinitis on inflammatory biomarkers and lung function in adolescents with and without asthma. <i>Pediatric Allergy and Immunology</i> , 2019, 30, 74-80.	2.6	17
47	Legends of Allergy/Immunology: Gunnar Johansson. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 635-636.	5.7	0
48	WHO/IUIS Allergen Nomenclature: Providing a common language. <i>Molecular Immunology</i> , 2018, 100, 3-13.	2.2	162
49	Reduced α CDHR3 expression in children wheezing with rhinovirus. <i>Pediatric Allergy and Immunology</i> , 2018, 29, 200-206.	2.6	20
50	Immunoprofile of Gal α -1,3-Gal and B α -antigen-specific responses differentiates red meat allergic patients from healthy individuals. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 1525-1531.	5.7	35
51	Exposure to nonmicrobial N-glycolylneuraminic acid protects farmers' children against airway inflammation and colitis. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 382-390.e7.	2.9	44
52	Purification and Characterization of Naturally Occurring Post-Translationally Cleaved Ara h 6, an Allergen That Contributes Substantially to the Allergenic Potency of Peanut. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 10855-10863.	5.2	10
53	PreDicta chip-based high resolution diagnosis of rhinovirus-induced wheeze. <i>Nature Communications</i> , 2018, 9, 2382.	12.8	34
54	Molecular allergy diagnostics refine characterization of children sensitized to dog dander. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1113-1120.e9.	2.9	40

#	ARTICLE	IF	CITATIONS
55	Milk-Related Symptoms and Immunoglobulin E Reactivity in Swedish Children from Early Life to Adolescence. <i>Nutrients</i> , 2018, 10, 651.	4.1	5
56	Î±-Gal on the protein surface affects uptake and degradation in immature monocyte derived dendritic cells. <i>Scientific Reports</i> , 2018, 8, 12684.	3.3	10
57	Molecular Aspects of Allergens and Allergy. <i>Advances in Immunology</i> , 2018, 138, 195-256.	2.2	81
58	Anaphylactic Reactions to Novel Foods: Case Report of a Child With Severe Crocodile Meat Allergy. <i>Pediatrics</i> , 2017, 139, .	2.1	24
59	Prediction of peanut allergy in adolescence by early childhood storage protein-specific IgE signatures: The BAMSE population-based birth cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 587-590.e7.	2.9	30
60	IgE sensitization in relation to preschool eczema and filaggrin mutation. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1572-1579.e5.	2.9	37
61	RNA-containing exosomes in induced sputum of asthmatic patients. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 1459-1461.e2.	2.9	25
62	ImmunoCAP assays: Pros and cons in allergology. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 974-977.	2.9	114
63	Secondhand Smoke Exposure in Early Life and Food-Related Symptoms through Adolescence: Population-Based Prospective Cohort Study. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, AB388.	2.9	1
64	Associations Between Asthma and Sensitization to Pet or Pollen Allergens in Young Swedish Twins â€œ The STOPPA Study. <i>Twin Research and Human Genetics</i> , 2017, 20, 380-388.	0.6	6
65	Clustering of conformational IgE epitopes on the major dog allergen Can f 1. <i>Scientific Reports</i> , 2017, 7, 12135.	3.3	12
66	Diagnosis of Allergy to Mammals and Fish: Cross-Reactive vs. Specific Markers. <i>Current Allergy and Asthma Reports</i> , 2017, 17, 64.	5.3	38
67	The STOPPA Twin Study Explains the Exhaled Nitric Oxide and Asthma Link by Genetics and Sensitization. <i>Twin Research and Human Genetics</i> , 2017, 20, 330-337.	0.6	4
68	Windows of opportunity for tolerance induction for allergy by studying the evolution of allergic sensitization in birth cohorts. <i>Seminars in Immunology</i> , 2017, 30, 61-66.	5.6	26
69	Detection of IgE Reactivity to a Handful of Allergen Molecules in Early Childhood Predicts Respiratory Allergy in Adolescence. <i>EBioMedicine</i> , 2017, 26, 91-99.	6.1	66
70	Peptidomics of an in vitro digested Î±-Gal carrying protein revealed IgE-reactive peptides. <i>Scientific Reports</i> , 2017, 7, 5201.	3.3	20
71	Performance evaluation of ImmunoCAP® ISAC 112: a multi-site study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 571-577.	2.3	25
72	IgE reactivity to Î±-Gal in relation to Lyme borreliosis. <i>PLoS ONE</i> , 2017, 12, e0185723.	2.5	12

#	ARTICLE	IF	CITATIONS
73	Protein profiles of <sc>CCL</sc>5, <sc>HPGDS</sc>, and <sc>NPSR</sc>1 in plasma reveal association with childhood asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1357-1361.	5.7	18
74	The cat lipocalin Fel d 7 and its cross-reactivity with the dog lipocalin Can f 1. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1490-1495.	5.7	40
75	IgE antibodies in relation to prevalence and multimorbidity of eczema, asthma, and rhinitis from birth to adolescence. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 342-349.	5.7	80
76	Rhinovirus-specific antibody responses in preschool children with acute wheeze reflect severity of respiratory symptoms. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1728-1735.	5.7	21
77	Parental smoking and development of allergic sensitization from birth to adolescence. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 239-248.	5.7	66
78	EAACI Molecular Allergology User's Guide. Pediatric Allergy and Immunology, 2016, 27, 1-250.	2.6	642
79	Selective COX-2 Inhibition Exerts No Negative Effects on Peripheral Blood Lymphocytes in Allergic Asthmatics. International Archives of Allergy and Immunology, 2016, 170, 57-61.	2.1	0
80	Cross-reactivity to fish and chicken meat "a new clinical syndrome. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1772-1781.	5.7	63
81	Anaphylaxis to foods in a population of adolescents: incidence, characteristics and associated risks. Clinical and Experimental Allergy, 2016, 46, 1575-1587.	2.9	19
82	The red meat allergy syndrome in Sweden. Allergo Journal, 2016, 25, 29-34.	0.1	4
83	The red meat allergy syndrome in Sweden. Allergo Journal International, 2016, 25, 49-54.	2.0	41
84	Sensitization to cat and dog allergen molecules in childhood and prediction of symptoms of cat and dog allergy in adolescence: AABAMSE/MeDALL study. Journal of Allergy and Clinical Immunology, 2016, 137, 813-821.e7.	2.9	132
85	Food-Related Symptoms and Food Allergy in Swedish Children from Early Life to Adolescence. PLoS ONE, 2016, 11, e0166347.	2.5	22
86	Progression, Prediction and Prognosis of Food Allergy from Early Childhood through Adolescence. Journal of Allergy and Clinical Immunology, 2015, 135, AB37.	2.9	0
87	A Bell-Shaped Dose-Dependent Induction of Allergen-Specific Tetramer+ CD4 T Cells and Activated Lung ILC2s Following Epicutaneous Allergen Sensitization in HLA-DR4 Transgenic Mice. Journal of Allergy and Clinical Immunology, 2015, 135, AB83.	2.9	1
88	The Contribution of Peptide-MHC Affinity to the Efficacy of Peptide Immunotherapy in a Murine Model of Allergic Airways Disease. Journal of Allergy and Clinical Immunology, 2015, 135, AB243.	2.9	0
89	MACVIA-ARIA Sentinel Network for allergic rhinitis (MASK-rhinitis): the new generation guideline implementation. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1372-1392.	5.7	160
90	Galactose-1,3-Galactose Allergy Is Not a Hitherto Unrecognized Cause of Chronic Spontaneous Urticaria. International Archives of Allergy and Immunology, 2015, 167, 250-252.	2.1	10

#	ARTICLE	IF	CITATIONS
91	Food-induced anaphylaxis among a population of adolescents – Report from the BAMSE survey. <i>Clinical and Translational Allergy</i> , 2015, 5, O25.	3.2	2
92	Natural clinical tolerance to peanut in African patients is caused by poor allergenic activity of peanut IgE. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 638-652.	5.7	26
93	Red meat allergic patients have a selective IgE response to the β -Gal glycan. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 1497-1500.	5.7	25
94	Are allergic multimorbidities and IgE polysensitization associated with the persistence or re-occurrence of foetal type 2 signalling? The M-DALL hypothesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2015, 70, 1062-1078.	5.7	88
95	Reply. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1666-1667.	2.9	3
96	Early childhood IgE reactivity to pathogenesis-related class 10 proteins predicts allergic rhinitis in adolescence. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1199-1206.e11.	2.9	117
97	Allergy to furry animals: New insights, diagnostic approaches, and challenges. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 616-625.	2.9	145
98	Der p 11 Is a Major Allergen for House Dust Mite-Allergic Patients Suffering from Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2015, 135, 102-109.	0.7	93
99	LATE-BREAKING ABSTRACT: Rhinovirus species and specific antibody response in preschool children with acute wheeze. , 2015, , .		0
100	New Vaccines for Mammalian Allergy Using Molecular Approaches. <i>Frontiers in Immunology</i> , 2014, 5, 81.	4.8	11
101	Development of a Mouse Model for Chronic Cat Allergen-Induced Asthma. <i>International Archives of Allergy and Immunology</i> , 2014, 165, 195-205.	2.1	11
102	Immunoproteomics of processed beef proteins reveal novel galactose- α -1,3-galactose-containing allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 1308-1315.	5.7	61
103	Infantile eczema: Prognosis and risk of asthma and rhinitis in preadolescence. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 594-596.e3.	2.9	33
104	Allergen microarray detects high prevalence of asymptomatic IgE sensitizations to tropical pollen-derived carbohydrates. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 910-914.e5.	2.9	40
105	Childhood-to-adolescence evolution of IgE antibodies to pollens and plant foods in the BAMSE cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 580-582.e8.	2.9	49
106	Microarrayed dog, cat, and horse allergens show weak correlation between allergen-specific IgE and IgG responses. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 918-921.e6.	2.9	34
107	Mammalian-derived respiratory allergens – Implications for diagnosis and therapy of individuals allergic to furry animals. <i>Methods</i> , 2014, 66, 86-95.	3.8	36
108	Meta-analysis of air pollution exposure association with allergic sensitization in European birth cohorts. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, 767-776.e7.	2.9	76

#	ARTICLE	IF	CITATIONS
109	Airway Tissue, But Not Luminal, Eosinophilia Is Related To The Magnitude Of Airway Hyperresponsiveness In a Transgenic Murine Model Of Cat Allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, AB60.	2.9	0
110	Expression of Genes Related to Anti-Inflammatory Pathways Are Modified Among Farmers'™ Children. <i>PLoS ONE</i> , 2014, 9, e91097.	2.5	40
111	Designing a Multimer Allergen for Diagnosis and Immunotherapy of Dog Allergic Patients. <i>PLoS ONE</i> , 2014, 9, e111041.	2.5	20
112	False-positive penicillin immunoassay: An unnoticed common problem. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 235-237.	2.9	59
113	Identification of galactose-1,3-galactose in the gastrointestinal tract of the tick <i>Ixodes ricinus</i> ; possible relationship with red meat allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 549-552.	5.7	173
114	A WAO - ARIA - GA ² LEN consensus document on molecular-based allergy diagnostics. <i>World Allergy Organization Journal</i> , 2013, 6, 17.	3.5	352
115	Red meat allergy in Sweden: Association with tick sensitization and B-negative blood groups. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 1431-1434.e6.	2.9	132
116	Dog saliva " an important source of dog allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 585-592.	5.7	35
117	Interaction between Retinoid Acid Receptor-Related Orphan Receptor Alpha (RORA) and Neuropeptide S Receptor 1 (NPSR1) in Asthma. <i>PLoS ONE</i> , 2013, 8, e60111.	2.5	28
118	Rule-Based Models of the Interplay between Genetic and Environmental Factors in Childhood Allergy. <i>PLoS ONE</i> , 2013, 8, e80080.	2.5	18
119	Covalent Coupling of Vitamin D3 to the Major Cat Allergen Fel d 1 Improves the Effects of Allergen-Specific Immunotherapy in a Mouse Model for Cat Allergy. <i>International Archives of Allergy and Immunology</i> , 2012, 157, 136-146.	2.1	30
120	The role of immunotherapy in the management of childhood asthma. <i>Therapeutic Advances in Respiratory Disease</i> , 2012, 6, 137-146.	2.6	12
121	Allergic Asthmatics Show Divergent Lipid Mediator Profiles from Healthy Controls Both at Baseline and following Birch Pollen Provocation. <i>PLoS ONE</i> , 2012, 7, e33780.	2.5	54
122	Environmental bacteria and childhood asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012, 67, 1565-1571.	5.7	87
123	Structural changes and allergenic properties of β -lactoglobulin upon exposure to high-intensity ultrasound. <i>Molecular Nutrition and Food Research</i> , 2012, 56, 1894-1905.	3.3	75
124	High basophil allergen sensitivity (CD ϵ sens) is associated with severe allergic asthma in children. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 376-384.	2.6	17
125	Natural course and comorbidities of allergic and nonallergic rhinitis in children. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 403-408.	2.9	84
126	Traffic-related air pollution and development of allergic sensitization in children during the first 8 years of life. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 240-246.	2.9	116

#	ARTICLE	IF	CITATIONS
127	Filaggrin mutations increase the risk for persistent dry skin and eczema independent of sensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 1153-1155.	2.9	32
128	Intralymphatic immunotherapy for cat allergy induces tolerance after only 3 injections. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 129, 1290-1296.	2.9	236
129	Peanut component Ara h 8 sensitization and tolerance to Peanut. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 468-472.	2.9	129
130	Conjunctival provocation with airborne allergen in patients with atopic keratoconjunctivitis. <i>Clinical and Experimental Allergy</i> , 2012, 42, 58-65.	2.9	14
131	Allergen-specific immunotherapy: from therapeutic vaccines to prophylactic approaches. <i>Journal of Internal Medicine</i> , 2012, 272, 144-157.	6.0	98
132	Severe asthma and allergy: mechanisms, diagnostics and treatment. <i>Journal of Internal Medicine</i> , 2012, 272, 104-107.	6.0	3
133	Altered immunoregulatory profile during anti-tumour necrosis factor treatment of patients with inflammatory bowel disease. <i>Clinical and Experimental Immunology</i> , 2012, 169, 137-147.	2.6	17
134	Characterization of the dog lipocalin allergen <i>C</i> 6: the role in cross-reactivity with cat and horse. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012, 67, 751-757.	5.7	90
135	Peanut allergy: Clinical and immunologic differences among patients from 3 different geographic regions. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 603-607.	2.9	256
136	Impaired allergy diagnostics among parasite-infected patients caused by IgE antibodies to the carbohydrate epitope galactose-1,3-galactose. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 1024-1028.	2.9	77
137	A hypoallergenic cat vaccine based on Fel d 1-derived peptides fused to hepatitis B PreS. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, 1562-1570.e6.	2.9	92
138	Improved immune responses in mice using the novel chitosan adjuvant ViscoGel, with a Haemophilus influenzae type b glycoconjugate vaccine. <i>Vaccine</i> , 2011, 29, 8965-8973.	3.8	57
139	Allergic Asthmatics Exhibit Altered Response In Oxylipin Profile As Compared To Healthy And Asthmatic Controls After Allergen Provocation. , 2011, , .		0
140	Treatment with a Fel d 1 hypoallergen reduces allergic responses in a mouse model for cat allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 255-263.	5.7	28
141	Pet shop workers: exposure, sensitization, and work-related symptoms. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1081-1087.	5.7	24
142	Problematic severe asthma: A proposed approach to identifying children who are severely resistant to therapy. <i>Pediatric Allergy and Immunology</i> , 2011, 22, 9-18.	2.6	45
143	Evaluation of IgE Antibodies to Recombinant Peanut Allergens in Patients with Reported Reactions to Peanut. <i>International Archives of Allergy and Immunology</i> , 2011, 156, 282-290.	2.1	51
144	International variations in associations of allergic markers and diseases in children: ISAAC Phase Two. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 766-775.	5.7	39

#	ARTICLE	IF	CITATIONS
145	Reported symptoms to peanut between 4 and 8 years among children sensitized to peanut and birch pollen – results from the BAMSE birth cohort. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 213-219.	5.7	56
146	Allergen provocation increases TH2 cytokines and FOXP3 expression in the asthmatic lung. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 311-318.	5.7	54
147	IgE to peanut allergen components: relation to peanut symptoms and pollen sensitization in 8-year-olds. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 1189-1195.	5.7	106
148	Cat sensitization identified by recombinant Fel d 1 several years before symptoms - results from the bamse cohort. <i>Pediatric Allergy and Immunology</i> , 2010, 21, 277-283.	2.6	9
149	The Major Cat Allergen, Fel d 1, in Diagnosis and Therapy. <i>International Archives of Allergy and Immunology</i> , 2010, 151, 265-274.	2.1	74
150	Breast-feeding in relation to asthma, lung function, and sensitization in young schoolchildren. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1013-1019.	2.9	162
151	Recurrent Angioedema Associated with Efalizumab. <i>Acta Dermato-Venereologica</i> , 2009, 89, 665-666.	1.3	6
152	"DISSOCIATION OF AIRWAY INFLAMMATION AND HYPERRESPONSIVENESS BY CYCLOOXYGENASE INHIBITION IN ALLERGEN CHALLENGED MICE". L. SWEDIN, T. NEIMERT-ANDERSSON, J. HJOBERG, S. JONASSON, M. VAN HAGE, M. ADNER, A. RYRFELDT AND S-E. DAHLEN. <i>EUR RESPIR J</i> 2009; 34: 200-208.. <i>European Respiratory Journal</i> , 2009, 34, 784-784.	6.7	0
153	Dissociation of airway inflammation and hyperresponsiveness by cyclooxygenase inhibition in allergen challenged mice. <i>European Respiratory Journal</i> , 2009, 34, 200-208.	6.7	32
154	Allergic Disease and Atopic Sensitization in Children in Relation to Measles Vaccination and Measles Infection. <i>Pediatrics</i> , 2009, 123, 771-778.	2.1	47
155	Peptide immunotherapy in allergic asthma generates IL-10 dependent immunological tolerance associated with linked epitope suppression. <i>Journal of Experimental Medicine</i> , 2009, 206, 1535-1547.	8.5	192
156	Allergenicity and immunogenicity of the major mugwort pollen allergen Art v 1 chemically modified by acetylation. <i>Clinical and Experimental Allergy</i> , 2009, 39, 435-446.	2.9	9
157	Prolonged antigen exposure with carbohydrate particle based vaccination prevents allergic immune responses in sensitized mice. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009, 64, 919-926.	5.7	38
158	The carbohydrate galactose-1,3-galactose is a major IgE-binding epitope on cat IgA. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 1189-1191.	2.9	81
159	Infliximab in clinical routine: experience with Crohn's disease and biomarkers of inflammation over 5 years. <i>European Journal of Gastroenterology and Hepatology</i> , 2009, 21, 1168-1176.	1.6	16
160	Practical allergy (PRACTALL) report: risk assessment in anaphylaxis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 35-37.	5.7	23
161	Reported symptoms of food hypersensitivity and sensitization to common foods in 4-year-old children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 85-90.	1.5	38
162	Patterns of quantitative food-specific IgE antibodies and reported food hypersensitivity in 4-year-old children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 418-424.	5.7	47

#	ARTICLE	IF	CITATIONS
163	Carbohydrate-based particles reduce allergic inflammation in a mouse model for cat allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 518-526.	5.7	45
164	Characterization of Der p 21, a new important allergen derived from the gut of house dust mites*. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 758-767.	5.7	84
165	Symptoms to pollen and fruits early in life and allergic disease at 4 years of age. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 1499-1504.	5.7	7
166	Higher immunoglobulin E antibody levels to recombinant Fel d 1 in cat allergic children with asthma compared with rhinoconjunctivitis. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1275-1281.	2.9	61
167	Phenotypes of food hypersensitivity and development of allergic diseases during the first 8 years of life. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1325-1332.	2.9	75
168	Clinical effects of immunotherapy with genetically modified recombinant birch pollen Bet v 1 derivatives. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1514-1525.	2.9	137
169	Sensitization to inhalant allergens between 4 and 8 years of age is a dynamic process: results from the BAMSE birth cohort. <i>Clinical and Experimental Allergy</i> , 2008, 38, 1507-1513.	2.9	46
170	Asthma and allergic symptoms in relation to house dust endotoxin: Phase Two of the International Study on Asthma and Allergies in Childhood (ISAAC II). <i>Clinical and Experimental Allergy</i> , 2008, 38, 1911-1920.	2.9	81
171	Variability of IgE reactivity profiles among European mite allergic patients. <i>European Journal of Clinical Investigation</i> , 2008, 38, 959-965.	3.4	150
172	The protective effect of farm animal exposure on childhood allergy is modified by NPSR1 polymorphisms. <i>Journal of Medical Genetics</i> , 2008, 46, 159-167.	3.2	30
173	Characterization of Folded Recombinant Der p 5, a Potential Diagnostic Marker Allergen for House Dust Mite Allergy. <i>International Archives of Allergy and Immunology</i> , 2008, 147, 101-109.	2.1	43
174	Low Levels of Endotoxin Enhance Allergen-Stimulated Proliferation and Reduce the Threshold for Activation in Human Peripheral Blood Cells. <i>International Archives of Allergy and Immunology</i> , 2008, 146, 1-10.	2.1	16
175	Nasal complaints and signs of disease in farmers – a methodological study. <i>Acta Oto-Laryngologica</i> , 2008, 128, 193-200.	0.9	8
176	Biological and genetic interaction between Tenascin C and Neuropeptide S receptor 1 in allergic diseases. <i>Human Molecular Genetics</i> , 2008, 17, 1673-1682.	2.9	28
177	Analysis of Epitope-Specific Immune Responses Induced by Vaccination with Structurally Folded and Unfolded Recombinant Bet v 1 Allergen Derivatives in Man. <i>Journal of Immunology</i> , 2007, 179, 5309-5316.	0.8	49
178	Hypoallergens for Allergen-specific Immunotherapy by Directed Molecular Evolution of Mite Group 2 Allergens. <i>Journal of Biological Chemistry</i> , 2007, 282, 3778-3787.	3.4	33
179	Exposure to environmental tobacco smoke and sensitisation in children. <i>Thorax</i> , 2007, 63, 172-176.	5.6	123
180	Structural Characterization of the Tetrameric form of the Major Cat Allergen Fel d 1. <i>Journal of Molecular Biology</i> , 2007, 370, 714-727.	4.2	58

#	ARTICLE	IF	CITATIONS
181	Atopic Sensitization and the International Variation of Asthma Symptom Prevalence in Children. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 176, 565-574.	5.6	290
182	Exposure to a farming environment has allergen-specific protective effects on TH2-dependent isotype switching in response to common inhalants. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 351-358.	2.9	71
183	Cat IgA, representative of new carbohydrate cross-reactive allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 640-645.	2.9	58
184	Vaccination with genetically modified birch pollen allergens: Immune and clinical effects on oral allergy syndrome. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 1013-1016.	2.9	46
185	Not all farming environments protect against the development of asthma and wheeze in children. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 119, 1140-1147.	2.9	252
186	Risk assessment in anaphylaxis: Current and future approaches. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, S2-S24.	2.9	237
187	A polymorphism in CD14 modifies the effect of farm milk consumption on allergic diseases and CD14 gene expression. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 1308-1315.	2.9	93
188	Tacrolimus ointment vs steroid ointment for eyelid dermatitis in patients with atopic keratoconjunctivitis. <i>Eye</i> , 2007, 21, 968-975.	2.1	55
189	Environmental determinants of atopic eczema phenotypes in relation to asthma and atopic sensitization. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 1387-1393.	5.7	25
190	Detection of an allergen in dog dander that cross-reacts with the major cat allergen, Fel d 1. <i>Clinical and Experimental Allergy</i> , 2007, 37, 116-124.	2.9	40
191	Inverse association of farm milk consumption with asthma and allergy in rural and suburban populations across Europe. <i>Clinical and Experimental Allergy</i> , 2007, 37, 661-670.	2.9	223
192	Immune regulation by CD4+CD25+T cells and interleukin-10 in birch pollen-allergic patients and non-allergic controls. <i>Clinical and Experimental Allergy</i> , 2007, 37, 1127-1136.	2.9	56
193	Mast cell tryptase in postmortem serum—reference values and confounders. <i>International Journal of Legal Medicine</i> , 2007, 121, 275-280.	2.2	78
194	Pathogenic role of cardiac mast cell activation/degranulation, TNF-alpha, and cell death in acute drug-related fatalities. <i>Vascular Health and Risk Management</i> , 2007, 3, 1053-62.	2.3	8
195	Peptide Immunotherapy in Fel d 1-Sensitized HLA-DR1 Transgenic Mice is Associated with Increased IL-10 but Independent of TGFbeta and Foxp3 Expression. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, S327.	2.9	0
196	Allergic disease and sensitization in Steiner school children. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 59-66.	2.9	181
197	Prenatal farm exposure is related to the expression of receptors of the innate immunity and to atopic sensitization in school-age children. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 117, 817-823.	2.9	413
198	Early-life supplementation of vitamins A and D, in water-soluble form or in peanut oil, and allergic diseases during childhood. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 1299-1304.	2.9	87

#	ARTICLE	IF	CITATIONS
199	Allergic diseases and atopic sensitization in children related to farming and anthroposophic lifestyle - the PARSIFAL study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 414-421.	5.7	265
200	Factors responsible for differences between asymptomatic subjects and patients presenting an IgE sensitization to allergens. A GA ² LEN project. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 671-680.	5.7	119
201	Nonlinear relations between house dust mite allergen levels and mite sensitization in farm and nonfarm children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006, 61, 640-647.	5.7	59
202	Sensitization to different pollens and allergic disease in 4-year-old Swedish children. <i>Clinical and Experimental Allergy</i> , 2006, 36, 722-727.	2.9	33
203	Interference in immunoassays by human IgM with specificity for the carbohydrate moiety of animal proteins. <i>Journal of Immunological Methods</i> , 2006, 310, 117-125.	1.4	21
204	IgE-positive plasma cells are present in adenoids of atopic children. <i>Acta Oto-Laryngologica</i> , 2006, 126, 180-185.	0.9	13
205	IgE-sensitization to predatory mites and respiratory symptoms in Swedish greenhouse workers. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 521-526.	5.7	29
206	Antibody profiles and self-reported symptoms to pollen-related food allergens in grass pollen-allergic patients from northern Europe. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 185-191.	5.7	28
207	Bacterial and fungal components in house dust of farm children, Rudolf Steiner school children and reference children - the PARSIFAL Study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 611-618.	5.7	111
208	Passive IgE sensitization by blood transfusion. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 1192-1199.	5.7	111
209	High prevalence of IgE antibodies among blood donors in Sweden and Norway. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2005, 60, 1312-1315.	5.7	44
210	Allergen Challenge Alters Intracellular Cytokine Expression. <i>Scandinavian Journal of Immunology</i> , 2005, 62, 161-167.	2.7	5
211	Rational design of hypoallergens applied to the major cat allergen Fel d 1. <i>Clinical and Experimental Allergy</i> , 2005, 35, 657-663.	2.9	46
212	Validation of questions on asthma and wheeze in farming and anthroposophic children. <i>Clinical and Experimental Allergy</i> , 2005, 35, 1033-1039.	2.9	12
213	Bacterial and fungal agents in house dust and wheeze in children: the PARSIFAL study. <i>Clinical and Experimental Allergy</i> , 2005, 35, 1272-1278.	2.9	133
214	Prevalence of self-reported food allergy and IgE antibodies to food allergens in Swedish and Estonian schoolchildren. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 399-403.	2.9	34
215	A mouse model for in vivo tracking of the major dust mite allergen Der p 2 after inhalation. <i>FEBS Journal</i> , 2005, 272, 3449-3460.	4.7	13
216	Crystallization and preliminary crystallographic data of a Fel d 1 (1+2) construct corresponding to the major allergen from cat. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005, 61, 232-234.	0.7	4

#	ARTICLE	IF	CITATIONS
217	Cytokine and Antibody Responses in Birch-Pollen-Allergic Patients Treated with Genetically Modified Derivatives of the Major Birch Pollen Allergen Bet v 1. <i>International Archives of Allergy and Immunology</i> , 2005, 138, 59-66.	2.1	82
218	Suggestions for the Assessment of the Allergenic Potential of Genetically Modified Organisms. <i>International Archives of Allergy and Immunology</i> , 2005, 137, 167-180.	2.1	34
219	Allergen-specific nasal IgG antibodies induced by vaccination with genetically modified allergens are associated with reduced nasal allergen sensitivity. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 347-354.	2.9	147
220	Qualitative and Quantitative Evaluation of Bird-Specific IgG Antibodies. <i>International Archives of Allergy and Immunology</i> , 2004, 134, 173-178.	2.1	19
221	Provocation testing with recombinant allergens. <i>Methods</i> , 2004, 32, 281-291.	3.8	26
222	RÃ©vision de la nomenclature de lâ€™allergie (version longue). <i>Revue Francaise D'allergologie Et D'immunologie Clinique</i> , 2004, 44, 218-230.	0.1	2
223	Vaccination with genetically engineered allergens prevents progression of allergic disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14677-14682.	7.1	340
224	Death in anaphylaxis in a man with house dust mite allergy. <i>International Journal of Legal Medicine</i> , 2003, 117, 299-301.	2.2	37
225	Mast cell tryptase and hemolysis after trauma. <i>Forensic Science International</i> , 2003, 131, 8-13.	2.2	43
226	IgE-mediated sensitization to predatory mites in Swedish greenhouse workers. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2003, 58, 337-341.	5.7	14
227	Quantification of IgE antibodies simplifies the classification of allergic diseases in 4-year-old children. A report from the prospective birth cohort study â€œ BAMSE. <i>Pediatric Allergy and Immunology</i> , 2003, 14, 441-447.	2.6	64
228	Lepâ€™f2 polymorphisms in wild and cultured <i>Lepidoglyphus destructor</i> mites. <i>FEBS Journal</i> , 2003, 270, 646-653.	0.2	6
229	Direct and indirect exposure to pets â€œ risk of sensitization and asthma at 4 years in a birth cohort. <i>Clinical and Experimental Allergy</i> , 2003, 33, 1190-1197.	2.9	128
230	Cat and dog allergens â€œ can intervention studies solve their inscrutable riddle?. <i>Clinical and Experimental Allergy</i> , 2003, 33, 1167-1170.	2.9	12
231	Production, crystallization and preliminary crystallographic study of the major cat allergen Fel d 1. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003, 59, 1103-1105.	2.5	13
232	Cloning and Characterisation of Two IgE-Binding Proteins, Homologous to Tropomyosin and β -Tubulin, from the Mite <i>Lepidoglyphus destructor</i> . <i>International Archives of Allergy and Immunology</i> , 2003, 130, 258-265.	2.1	26
233	Heredity, pet ownership, and confounding control in a population-based birth cohort. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 800-806.	2.9	80
234	Three-Dimensional Structure of Fel d 1, the Major Allergen in Cat. <i>International Archives of Allergy and Immunology</i> , 2003, 132, 25-26.	2.1	9

#	ARTICLE	IF	CITATIONS
235	Increased Levels of IL-2 and IL-4 in Stimulated Adenoidal Lymphocytes of Atopic Children. <i>International Archives of Allergy and Immunology</i> , 2003, 132, 329-335.	2.1	5
236	Formation of Disulfide Bonds and Homodimers of the Major Cat Allergen Fel d 1 Equivalent to the Natural Allergen by Expression in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 40144-40151.	3.4	71
237	The Crystal Structure of the Major Cat Allergen Fel d 1, a Member of the Secretoglobulin Family. <i>Journal of Biological Chemistry</i> , 2003, 278, 37730-37735.	3.4	96
238	Microarrayed allergen molecules: diagnostic gatekeepers for allergy treatment. <i>FASEB Journal</i> , 2002, 16, 414-416.	0.5	420
239	Sensitisation and allergic disease at four years of age in the BAMSE birth-cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 109, S136-S136.	2.9	1
240	Specific immunotherapy - the induction of new IgE-specificities?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 375-378.	5.7	29
241	Decreased frequency of intracellular IFN-gamma producing T cells in whole blood preparations from patients with atopic dermatitis. <i>Experimental Dermatology</i> , 2002, 11, 556-563.	2.9	17
242	An ELISA for recombinant <i>Lepidoglyphus destructor</i> , Lep d 2, and the monitoring of exposure to dust mite allergens in farming households. <i>Clinical and Experimental Allergy</i> , 2002, 32, 80-86.	2.9	12
243	Carbohydrate-based particles: a new adjuvant for allergen-specific immunotherapy. <i>Immunology</i> , 2002, 107, 523-529.	4.4	40
244	Nasal challenges with recombinant derivatives of the major birch pollen allergen Bet v 1 induce fewer symptoms and lower mediator release than rBet v 1 wild-type in patients with allergic rhinitis. <i>Clinical and Experimental Allergy</i> , 2002, 32, 1448-1453.	2.9	37
245	Associations of FcεR1-β ² polymorphisms with immunoglobulin E antibody responses to common inhalant allergens in a rural population. <i>Clinical and Experimental Allergy</i> , 2002, 32, 838-842.	2.9	14
246	Cross-reactivity studies of a new group 2 allergen from the dust mite <i>Glycyphagus domesticus</i> , Gly d 2, and group 2 allergens from <i>Dermatophagoides pteronyssinus</i> , <i>Lepidoglyphus destructor</i> , and <i>Tyrophagus putrescentiae</i> with recombinant allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 107, 511-518.	2.9	49
247	The molecular basis of antigenic cross-reactivity between the group 2 mite allergens. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 107, 977-984.	2.9	59
248	Fewer allergic respiratory disorders among farmers' children in a closed birth cohort from Sweden. <i>European Respiratory Journal</i> , 2001, 17, 1151-1157.	6.7	80
249	T cell responses to recombinant isoforms, synthetic peptides and a mutant variant of Lep d 2, a major allergen from the dust mite <i>Lepidoglyphus destructor</i> . <i>Clinical and Experimental Allergy</i> , 2001, 31, 1881-1890.	2.9	12
250	Cloning of three new allergens from the dust mite <i>Lepidoglyphus destructor</i> using phage surface display technology. <i>FEBS Journal</i> , 2001, 268, 287-294.	0.2	33
251	Influence of early and current environmental exposure factors on sensitization and outcome of asthma in pre-school children. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 646-652.	5.7	91
252	Allergenic cross-reactivity between the nematode <i>Anisakis simplex</i> and the dust mites <i>Acarus siro</i> , <i>Lepidoglyphus destructor</i> , <i>Tyrophagus putrescentiae</i> , and <i>Dermatophagoides pteronyssinus</i> . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 660-666.	5.7	87

#	ARTICLE	IF	CITATIONS
253	Working with male rodents may increase risk of allergy to laboratory animals. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 964-970.	5.7	38
254	Effectiveness of occlusive bedding in the treatment of atopic dermatitis - a placebo-controlled trial of 12 months' duration. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 152-158.	5.7	109
255	IgG1, IgG4 and IgE Antibody Reactivity to Mutant Forms of the Major Dust Mite Allergen Lep d 2 among Atopic and Nonatopic Subjects Naturally Exposed to <i>Lepidoglyphus destructor</i> . <i>International Archives of Allergy and Immunology</i> , 2001, 126, 50-58.	2.1	7
256	A Hypoallergenic Derivative of the Major Allergen of the Dust Mite <i>Lepidoglyphus destructor</i> , Lep d 2.6Cys, Induces Less IgE Reactivity and Cellular Response in the Skin than Recombinant Lep d 2. <i>International Archives of Allergy and Immunology</i> , 2001, 126, 41-49.	2.1	13
257	A revised nomenclature for allergy: An EAACI position statement from the EAACI nomenclature task force. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001, 56, 813-824.	5.7	1,395
258	A new method for collecting airborne allergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2000, 55, 1148-1154.	5.7	23
259	Comparison of inflammatory responses to genetically engineered hypoallergenic derivatives of the major birch pollen allergen Bet v 1 and to recombinant Bet v 1 wild type in skin chamber fluids collected from birch pollen allergic patients. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 101-109.	2.9	47
260	311 Less allergic respiratory disorders of farmer's children in a closed birth cohort on Gotland island. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 105, S104.	2.9	0
261	681 Cloning of two allergens from the dust mite <i>lepidoglyphus destructor</i> using phage display technology. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 105, S229.	2.9	0
262	Identification and Characterisation of Two Allergens from the Dust Mite <i>Acarus siro</i> , Homologous with Fatty Acid Binding Proteins. <i>International Archives of Allergy and Immunology</i> , 1999, 119, 275-281.	2.1	30
263	Evaluation of Specific IgE to the Recombinant Group 2 Mite Allergens Lep d 2 and Tyr p 2 in the Pharmacia CAP System. <i>International Archives of Allergy and Immunology</i> , 1999, 120, 43-49.	2.1	17
264	Sensitization to allergens of house dust mite in adults with atopic dermatitis in a cold temperate region. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 708-715.	5.7	26
265	Risk factors associated with asthma and rhinoconjunctivitis among Swedish farmers. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 1142-1149.	5.7	37
266	Cross-reacting allergens in natural rubber latex and jelutong. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 1331-1332.	5.7	4
267	Exposure to an abundance of cat (Fel d 1) and dog (Can f 1) allergens in Swedish farming households. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 229-234.	5.7	29
268	Markers of inflammation and bronchial reactivity in children with asthma, exposed to animal dander in school dust. <i>Pediatric Allergy and Immunology</i> , 1999, 10, 45-52.	2.6	24
269	Increased mast cell tryptase in sudden infant death - anaphylaxis, hypoxia or artefact?. <i>Clinical and Experimental Allergy</i> , 1999, 29, 1648-1654.	2.9	46
270	IgG subclass antibody responses to birch pollen in sibling pairs discordant for atopy. <i>Pediatric Allergy and Immunology</i> , 1998, 9, 208-214.	2.6	3

#	ARTICLE	IF	CITATIONS
271	β -Tryptase measurements post-mortem in anaphylactic deaths and in controls. <i>Forensic Science International</i> , 1998, 93, 135-142.	2.2	185
272	Cloning and characterisation of a group II allergen from the dust mite <i>Tyrophagus putrescentiae</i> . <i>FEBS Journal</i> , 1998, 251, 443-447.	0.2	31
273	Cytokine production in PBMC from allergics and non-allergics following in vitro allergen stimulation. <i>Immunology Letters</i> , 1998, 60, 45-49.	2.5	14
274	Contribution of disulphide bonds to antigenicity of Lep d 2, the major allergen of the dust mite <i>Lepidoglyphus destructor</i> . <i>Molecular Immunology</i> , 1998, 35, 1017-1023.	2.2	46
275	An Enzymatic Analysis of the Storage Mite <i>Lepidoglyphus destructor</i> . <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1998, 119, 341-347.	1.6	6
276	IgE Binding Capacity of Synthetic and Recombinant Peptides of the Major Storage Mite (<i>Lepidoglyphus</i>) Tj ETQq0 0,0 rgBT /Overlock 10	2.1	9
277	Anaphylactoid shock - a common cause of death in heroin addicts?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 950-954.	5.7	73
278	Diagnosis of latex allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 1042-1043.	5.7	7
279	Increased allergen-specific Th2 responses in vitro in atopic subjects receiving subclinical allergen challenge. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 860-865.	5.7	23
280	Specific induction of interleukin-4-producing cells in response to in vitro allergen stimulation in atopic individuals. <i>Clinical and Experimental Allergy</i> , 1997, 27, 808-815.	2.9	31
281	Anti-IgE-induced accumulation of leukocytes, mediators, and albumin in skin chamber fluid from healthy and atopic subjects. <i>Journal of Allergy and Clinical Immunology</i> , 1996, 97, 1151-1163.	2.9	13
282	Distribution of plasma cell markers and intracellular IgE in cell line U266. <i>Immunology Letters</i> , 1996, 49, 71-77.	2.5	2
283	ELISA method for detection of mite allergens in barn dust: comparison with mite counts. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996, 51, 257-261.	5.7	15
284	Eosinophil cationic protein in tears in allergic conjunctivitis.. <i>British Journal of Ophthalmology</i> , 1996, 80, 556-560.	3.9	81
285	Tryptase ? at last a useful diagnostic marker for anaphylactic death. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996, 51, 443-445.	5.7	15
286	Effects of loratadine on anti-IgE-induced inflammation, histamine release, and leukocyte recruitment in skin of atopics. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1995, 50, 414-420.	5.7	28
287	IgG1 and IgG4 antibody responses to the dust mite <i>Lepidoglyphus destructor</i> in a naturally exposed farming population. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1995, 50, 473-477.	5.7	10
288	Birch pollen allergens fail to evoke IgG1 responses in non-atopic individuals. <i>Immunology Letters</i> , 1995, 45, 223-224.	2.5	4

#	ARTICLE	IF	CITATIONS
289	Immunoglobulin E, mast cell-specific tryptase and the complement system in sudden death from coronary artery thrombosis. <i>International Journal of Cardiology</i> , 1995, 52, 77-81.	1.7	25
290	cDNA analysis of the mite allergen Lep d 1 identifies two different isoallergens and variants. <i>FEBS Letters</i> , 1995, 370, 11-14.	2.8	33
291	Dust mite allergy: An important cause of respiratory disease in farmers. <i>American Journal of Industrial Medicine</i> , 1994, 25, 47-48.	2.1	2
292	Mites, proteases, animal proteins, and microbes. <i>American Journal of Industrial Medicine</i> , 1994, 25, 145-146.	2.1	0
293	Glove-related skin symptoms among operating theatre and dental care unit personnel. <i>Contact Dermatitis</i> , 1994, 30, 102-107.	1.4	47
294	Glove-related skin symptoms among operating theatre and dental care unit personnel. <i>Contact Dermatitis</i> , 1994, 30, 139-143.	1.4	74
295	Detection of at least one high-molecular-mass, IgE-binding component of the dust mite <i>Lepidoglyphus destructor</i> . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1994, 49, 620-625.	5.7	10
296	Allergenic characterization of <i>Acarus siro</i> and <i>Tyrophagus putrescentiae</i> and their crossreactivity with <i>Lepidoglyphus destructor</i> and <i>Dermatophagoides pteronyssinus</i> . <i>Clinical and Experimental Allergy</i> , 1994, 24, 743-751.	2.9	83
297	N-terminal amino acid sequence of principal allergen of storage mite <i>Lepidoglyphus destructor</i> . <i>Lancet, The</i> , 1992, 340, 614.	13.7	39
298	Monoclonal antibodies to <i>Lepidoglyphus destructor</i> : delineation of crossreactivity between storage mites and house dust mites. <i>Clinical and Experimental Allergy</i> , 1992, 22, 1032-1037.	2.9	16
299	Comparison of allergic responses to dust mites in U.K. bakery workers and Swedish farmers. <i>Clinical and Experimental Allergy</i> , 1992, 22, 233-239.	2.9	17
300	Identification of a new major allergen of 39 kilodaltons of the storage mite <i>Lepidoglyphus destructor</i> . <i>Immunology Letters</i> , 1991, 27, 127-130.	2.5	18
301	Immunoblot multi-allergen inhibition studies of allergenic cross-reactivity of the dust mites <i>Lepidoglyphus destructor</i> and <i>Dermatophagoides pteronyssinus</i> . <i>Clinical and Experimental Allergy</i> , 1991, 21, 511-518.	2.9	70
302	Clinical significance and allergenic cross-reactivity of <i>Euroglyphus maynei</i> and other nonpyroglyphid and pyroglyphid mites. <i>Journal of Allergy and Clinical Immunology</i> , 1989, 83, 581-589.	2.9	42