

Kathryn J Boor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/866111/publications.pdf>

Version: 2024-02-01

165
papers

12,239
citations

14644

66
h-index

30058

103
g-index

166
all docs

166
docs citations

166
times ranked

7645
citing authors

#	ARTICLE	IF	CITATIONS
1	Machine Learning and Advanced Statistical Modeling Can Identify Key Quality Management Practices That Affect Postpasteurization Contamination of Fluid Milk. <i>Journal of Food Protection</i> , 2021, 84, 1496-1511.	0.8	7
2	A practical training program for fluid milk defect judging should focus on initial training of panelists. <i>Journal of Dairy Science</i> , 2020, 103, 6716-6726.	1.4	1
3	Systematic review of the <i>Listeria monocytogenes</i> σ^B regulon supports a role in stress response, virulence and metabolism. <i>Future Microbiology</i> , 2019, 14, 801-828.	1.0	59
4	Cross Talk between σ^B and PrfA in <i>Listeria monocytogenes</i> Facilitates Transitions between Extra- and Intracellular Environments. <i>Microbiology and Molecular Biology Reviews</i> , 2019, 83, .	2.9	53
5	Scientific Integrity Principles and Best Practices: Recommendations from a Scientific Integrity Consortium. <i>Science and Engineering Ethics</i> , 2019, 25, 327-355.	1.7	70
6	Emerging needs and opportunities in foodborne disease detection and prevention: From tools to people. <i>Food Microbiology</i> , 2018, 75, 65-71.	2.1	48
7	Symposium review: Effect of post-pasteurization contamination on fluid milk quality. <i>Journal of Dairy Science</i> , 2018, 101, 861-870.	1.4	59
8	The <i>Listeria monocytogenes</i> Bile Stimulon under Acidic Conditions Is Characterized by Strain-Specific Patterns and the Upregulation of Motility, Cell Wall Modification Functions, and the PrfA Regulon. <i>Frontiers in Microbiology</i> , 2018, 9, 120.	1.5	22
9	Survival and detection of coliforms, Enterobacteriaceae, and gram-negative bacteria in Greek yogurt. <i>Journal of Dairy Science</i> , 2017, 100, 950-960.	1.4	29
10	Internal transcribed spacer (ITS) sequencing reveals considerable fungal diversity in dairy products. <i>Journal of Dairy Science</i> , 2017, 100, 8814-8825.	1.4	29
11	Short communication: <i>Pseudomonas azotoformans</i> causes gray discoloration in HTST fluid milk. <i>Journal of Dairy Science</i> , 2017, 100, 7906-7909.	1.4	11
12	A 100-Year Review: Microbiology and safety of milk handling. <i>Journal of Dairy Science</i> , 2017, 100, 9933-9951.	1.4	100
13	Stochastic and Differential Activation of σ^B and PrfA in <i>Listeria monocytogenes</i> at the Single Cell Level under Different Environmental Stress Conditions. <i>Frontiers in Microbiology</i> , 2017, 8, 348.	1.5	19
14	Home Alone: Elimination of All but One Alternative Sigma Factor in <i>Listeria monocytogenes</i> Allows Prediction of New Roles for σ^B . <i>Frontiers in Microbiology</i> , 2017, 8, 1910.	1.5	49
15	Development and Validation of Pathogen Environmental Monitoring Programs for Small Cheese Processing Facilities. <i>Journal of Food Protection</i> , 2016, 79, 2095-2106.	0.8	33
16	<i>Bacillus wiedmannii</i> sp. nov., a psychrotolerant and cytotoxic <i>Bacillus cereus</i> group species isolated from dairy foods and dairy environments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4744-4753.	0.8	157
17	The Evolving Role of Coliforms As Indicators of Unhygienic Processing Conditions in Dairy Foods. <i>Frontiers in Microbiology</i> , 2016, 7, 1549.	1.5	114
18	Resilience in the Face of Uncertainty: Sigma Factor B Fine-Tunes Gene Expression To Support Homeostasis in Gram-Positive Bacteria. <i>Applied and Environmental Microbiology</i> , 2016, 82, 4456-4469.	1.4	66

#	ARTICLE	IF	CITATIONS
19	Spore test parameters matter: Mesophilic and thermophilic spore counts detected in raw milk and dairy powders differ significantly by test method. <i>Journal of Dairy Science</i> , 2016, 99, 5180-5191.	1.4	46
20	Evaluation of different methods to detect microbial hygiene indicators relevant in the dairy industry. <i>Journal of Dairy Science</i> , 2016, 99, 7033-7042.	1.4	28
21	An advanced bioinformatics approach for analyzing RNA-seq data reveals sigma H-dependent regulation of competence genes in <i>Listeria monocytogenes</i> . <i>BMC Genomics</i> , 2016, 17, 115.	1.2	17
22	Coliform detection in cheese is associated with specific cheese characteristics, but no association was found with pathogen detection. <i>Journal of Dairy Science</i> , 2016, 99, 6105-6120.	1.4	46
23	Identification and characterization of psychrotolerant coliform bacteria isolated from pasteurized fluid milk. <i>Journal of Dairy Science</i> , 2016, 99, 130-140.	1.4	48
24	The <i>Listeria monocytogenes</i> strain 10403S BioCyc database. <i>Database: the Journal of Biological Databases and Curation</i> , 2015, 2015, .	1.4	22
25	Different management practices are associated with mesophilic and thermophilic spore levels in bulk tank raw milk. <i>Journal of Dairy Science</i> , 2015, 98, 4338-4351.	1.4	40
26	A standard bacterial isolate set for research on contemporary dairy spoilage. <i>Journal of Dairy Science</i> , 2015, 98, 5806-5817.	1.4	52
27	VirR-Mediated Resistance of <i>Listeria monocytogenes</i> against Food Antimicrobials and Cross-Protection Induced by Exposure to Organic Acid Salts. <i>Applied and Environmental Microbiology</i> , 2015, 81, 4553-4562.	1.4	61
28	Short communication: Postpasteurization hold temperatures of 4 or 6°C, but not raw milk holding of 24 or 72 hours, affect bacterial outgrowth in pasteurized fluid milk. <i>Journal of Dairy Science</i> , 2015, 98, 7640-7643.	1.4	3
29	Spore populations among bulk tank raw milk and dairy powders are significantly different. <i>Journal of Dairy Science</i> , 2015, 98, 8492-8504.	1.4	60
30	Clonal Clustering Using 10-Gene Multilocus Sequence Typing Reveals an Association Between Genotype and <i>Listeria monocytogenes</i> Maximum Growth Rate in Defined Medium. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 972-982.	0.8	9
31	Transcriptomic Analysis of the Adaptation of <i>Listeria monocytogenes</i> to Growth on Vacuum-Packed Cold Smoked Salmon. <i>Applied and Environmental Microbiology</i> , 2015, 81, 6812-6824.	1.4	61
32	Regulatory network features in <i>Listeria monocytogenes</i> "changing the way we talk. <i>Frontiers in Cellular and Infection Microbiology</i> , 2014, 4, 14.	1.8	23
33	Phosphotransferase System-Dependent Extracellular Growth of <i>Listeria monocytogenes</i> Is Regulated by Alternative Sigma Factors σ^L and σ^H . <i>Applied and Environmental Microbiology</i> , 2014, 80, 7673-7682.	1.4	8
34	Responding to Bioterror Concerns by Increasing Milk Pasteurization Temperature Would Increase Estimated Annual Deaths from Listeriosis. <i>Journal of Food Protection</i> , 2014, 77, 696-705.	0.8	7
35	Peroxide Test Strips Detect Added Hydrogen Peroxide in Raw Milk at Levels Affecting Bacterial Load. <i>Journal of Food Protection</i> , 2014, 77, 1809-1813.	0.8	47
36	Identification of dairy farm management practices associated with the presence of psychrotolerant sporeformers in bulk tank milk. <i>Journal of Dairy Science</i> , 2014, 97, 4083-4096.	1.4	41

#	ARTICLE	IF	CITATIONS
37	Genomic comparison of sporeforming bacilli isolated from milk. BMC Genomics, 2014, 15, 26.	1.2	27
38	Contributions of <i>ĬfB</i> and PrfA to <i>Listeria monocytogenes</i> salt stress under food relevant conditions. International Journal of Food Microbiology, 2014, 177, 98-108.	2.1	40
39	Evaluation of dairy powder products implicates thermophilic sporeformers as the primary organisms of interest. Journal of Dairy Science, 2014, 97, 2487-2497.	1.4	70
40	Optimization of combinations of bactericidal and bacteriostatic treatments to control <i>Listeria monocytogenes</i> on cold-smoked salmon. International Journal of Food Microbiology, 2014, 179, 1-9.	2.1	21
41	Protein level identification of the <i>Listeria monocytogenes</i> Sigma H, Sigma L, and Sigma C regulons. BMC Microbiology, 2013, 13, 156.	1.3	27
42	Exploration of the Role of the Non-Coding RNA SbrE in <i>L. monocytogenes</i> Stress Response. International Journal of Molecular Sciences, 2013, 14, 378-393.	1.8	26
43	Refinement of the <i>Listeria monocytogenes</i> <i>ĬfB</i> regulon through quantitative proteomic analysis. Microbiology (United Kingdom), 2013, 159, 1109-1119.	0.7	33
44	Efficacy of different antimicrobials on inhibition of <i>Listeria monocytogenes</i> growth in laboratory medium and on cold-smoked salmon. International Journal of Food Microbiology, 2013, 165, 265-275.	2.1	27
45	Nisin Resistance of <i>Listeria monocytogenes</i> Is Increased by Exposure to Salt Stress and Is Mediated via LiaR. Applied and Environmental Microbiology, 2013, 79, 5682-5688.	1.4	103
46	<i>ĬfB</i> Plays a Limited Role in the Ability of <i>Listeria monocytogenes</i> Strain F2365 To Survive Oxidative and Acid Stress and in Its Virulence Characteristics. Journal of Food Protection, 2013, 76, 2079-2086.	0.8	7
47	Fluoro-Phenyl-Styrene-Sulfonamide, a Novel Inhibitor of <i>Ĭf^B</i> Activity, Prevents the Activation of <i>Ĭf^B</i> by Environmental and Energy Stresses in <i>Bacillus subtilis</i> . Journal of Bacteriology, 2013, 195, 2509-2517.	1.0	10
48	Formative Research on Hygiene Behaviors and Geophagy among Infants and Young Children and Implications of Exposure to Fecal Bacteria. American Journal of Tropical Medicine and Hygiene, 2013, 89, 709-716.	0.6	205
49	Effect of Curing Method and Freeze-Thawing on Subsequent Growth of <i>Listeria monocytogenes</i> on Cold-Smoked Salmon. Journal of Food Protection, 2012, 75, 1619-1626.	0.8	22
50	<i>Listeria monocytogenes</i> Grown at 7Å°C Shows Reduced Acid Survival and an Altered Transcriptional Response to Acid Shock Compared to <i>L. monocytogenes</i> Grown at 37Å°C. Applied and Environmental Microbiology, 2012, 78, 3824-3836.	1.4	68
51	Real-Time PCR Detection of <i>Paenibacillus</i> spp. in Raw Milk To Predict Shelf Life Performance of Pasteurized Fluid Milk Products. Applied and Environmental Microbiology, 2012, 78, 5855-5863.	1.4	54
52	Identification and Characterization of Psychrotolerant Sporeformers Associated with Fluid Milk Production and Processing. Applied and Environmental Microbiology, 2012, 78, 1853-1864.	1.4	160
53	Salt Stress-Induced Transcription of <i>Ĭf^B</i> - and CtsR-Regulated Genes in Persistent and Non-persistent <i>Listeria monocytogenes</i> Strains from Food Processing Plants. Foodborne Pathogens and Disease, 2012, 9, 198-206.	0.8	24
54	<i>Listeria monocytogenes</i> Shows Temperature-Dependent and -Independent Responses to Salt Stress, Including Responses That Induce Cross-Protection against Other Stresses. Applied and Environmental Microbiology, 2012, 78, 2602-2612.	1.4	108

#	ARTICLE	IF	CITATIONS
55	Reduction of pasteurization temperature leads to lower bacterial outgrowth in pasteurized fluid milk during refrigerated storage: A case study. <i>Journal of Dairy Science</i> , 2012, 95, 471-475.	1.4	24
56	Evaluation of various selective media for the detection of <i>Pseudomonas</i> species in pasteurized milk. <i>Journal of Dairy Science</i> , 2012, 95, 1568-1574.	1.4	24
57	Erratum to "Reduction of pasteurization temperature leads to lower bacterial outgrowth in pasteurized fluid milk during refrigerated storage: A case study" (<i>J. Dairy Sci.</i> 95:471-475). <i>Journal of Dairy Science</i> , 2012, 95, 1585.	1.4	0
58	A decade of improvement: New York State fluid milk quality. <i>Journal of Dairy Science</i> , 2012, 95, 7384-7390.	1.4	38
59	Results from raw milk microbiological tests do not predict the shelf-life performance of commercially pasteurized fluid milk. <i>Journal of Dairy Science</i> , 2011, 94, 1211-1222.	1.4	41
60	When cheese gets the blues: <i>Pseudomonas fluorescens</i> as the causative agent of cheese spoilage. <i>Journal of Dairy Science</i> , 2011, 94, 3176-3183.	1.4	101
61	The <i>Listeria monocytogenes</i> σ^B Regulon and Its Virulence-Associated Functions Are Inhibited by a Small Molecule. <i>MBio</i> , 2011, 2, .	1.8	33
62	Transcriptomic and Phenotypic Analyses Identify Coregulated, Overlapping Regulons among PrfA, CtsR, HrcA, and the Alternative Sigma Factors σ^B , σ^C , σ^H , and σ^L in <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2011, 77, 187-200.	1.4	100
63	Increased In Vitro Adherence and On-Farm Persistence of Predominant and Persistent <i>Listeria monocytogenes</i> Strains in the Milking System. <i>Applied and Environmental Microbiology</i> , 2011, 77, 3676-3684.	1.4	33
64	Quantitative Risk Assessment of Listeriosis Due to Consumption of Raw Milk. <i>Journal of Food Protection</i> , 2011, 74, 1268-1281.	0.8	51
65	A Small RNA Controls Expression of the Chitinase ChiA in <i>Listeria monocytogenes</i> . <i>PLoS ONE</i> , 2011, 6, e19019.	1.1	67
66	<i>Listeria monocytogenes</i> σ^B Has a Small Core Regulon and a Conserved Role in Virulence but Makes Differential Contributions to Stress Tolerance across a Diverse Collection of Strains. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4216-4232.	1.4	96
67	Salt Stress Phenotypes in <i>Listeria monocytogenes</i> Vary by Genetic Lineage and Temperature. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 1537-1549.	0.8	75
68	Biofilm in milking equipment on a dairy farm as a potential source of bulk tank milk contamination with <i>Listeria monocytogenes</i> . <i>Journal of Dairy Science</i> , 2010, 93, 2792-2802.	1.4	132
69	Growth Temperature-Dependent Contributions of Response Regulators, σ^B , PrfA, and Motility Factors to <i>Listeria monocytogenes</i> Invasion of Caco-2 Cells. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 1337-1349.	0.8	8
70	Bacterial Populations in Complementary Foods and Drinking-water in Households with Children Aged 10-15 Months in Zanzibar, Tanzania. <i>Journal of Health, Population and Nutrition</i> , 2009, 27, 41-52.	0.7	30
71	σ^B and σ^L Contribute to <i>Listeria monocytogenes</i> 10403S Response to the Antimicrobial Peptides SdpC and Nisin. <i>Foodborne Pathogens and Disease</i> , 2009, 6, 1057-1065.	0.8	42
72	Molecular Ecology of <i>Listeria monocytogenes</i> : Evidence for a Reservoir in Milking Equipment on a Dairy Farm. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1315-1323.	1.4	73

#	ARTICLE	IF	CITATIONS
73	<i>Listeria monocytogenes</i> σ^B Modulates PrfA-Mediated Virulence Factor Expression. <i>Infection and Immunity</i> , 2009, 77, 2113-2124.	1.0	104
74	Deep RNA sequencing of <i>L. monocytogenes</i> reveals overlapping and extensive stationary phase and σ^B -dependent transcriptomes, including multiple highly transcribed noncoding RNAs. <i>BMC Genomics</i> , 2009, 10, 641.	1.2	160
75	Food Safety Hazards Associated with Consumption of Raw Milk. <i>Foodborne Pathogens and Disease</i> , 2009, 6, 793-806.	0.8	305
76	High temperature, short time pasteurization temperatures inversely affect bacterial numbers during refrigerated storage of pasteurized fluid milk. <i>Journal of Dairy Science</i> , 2009, 92, 4823-4832.	1.4	109
77	Short communication: ϵ -L-lysine ethylester monohydrochloride reduces bacterial growth in pasteurized milk. <i>Journal of Dairy Science</i> , 2009, 92, 4207-4210.	1.4	20
78	Short communication: Bacterial ecology of high-temperature, short-time pasteurized milk processed in the United States. <i>Journal of Dairy Science</i> , 2009, 92, 4833-4840.	1.4	83
79	Growth and persistence of <i>Listeria monocytogenes</i> isolates on the plant model <i>Arabidopsis thaliana</i> . <i>Food Microbiology</i> , 2008, 25, 698-704.	2.1	32
80	Modulation of stress and virulence in <i>Listeria monocytogenes</i> . <i>Trends in Microbiology</i> , 2008, 16, 388-396.	3.5	173
81	Tracking Heat-Resistant, Cold-Thriving Fluid Milk Spoilage Bacteria from Farm to Packaged Product. <i>Journal of Dairy Science</i> , 2008, 91, 1218-1228.	1.4	100
82	Differential Regulation of <i>Listeria monocytogenes</i> Internalin and Internalin-Like Genes by σ^B and PrfA as Revealed by Subgenomic Microarray Analyses. <i>Foodborne Pathogens and Disease</i> , 2008, 5, 417-435.	0.8	32
83	σ^B - and PrfA-Dependent Transcription of Genes Previously Classified as Putative Constituents of the <i>Listeria monocytogenes</i> PrfA Regulon. <i>Foodborne Pathogens and Disease</i> , 2008, 5, 281-293.	0.8	32
84	Identification of Components of the σ^B Regulon in <i>Listeria monocytogenes</i> That Contribute to Acid and Salt Tolerance. <i>Applied and Environmental Microbiology</i> , 2008, 74, 6848-6858.	1.4	110
85	Proteomic Analyses of a <i>Listeria monocytogenes</i> Mutant Lacking σ^B Identify New Components of the σ^B Regulon and Highlight a Role for σ^B in the Utilization of Glycerol. <i>Applied and Environmental Microbiology</i> , 2008, 74, 594-604.	1.4	59
86	Comparative Analysis of the σ^B -Dependent Stress Responses in <i>Listeria monocytogenes</i> and <i>Listeria innocua</i> Strains Exposed to Selected Stress Conditions. <i>Applied and Environmental Microbiology</i> , 2008, 74, 158-171.	1.4	163
87	Contributions of Two-Component Regulatory Systems, Alternative σ Factors, and Negative Regulators to <i>Listeria monocytogenes</i> Cold Adaptation and Cold Growth. <i>Journal of Food Protection</i> , 2008, 71, 420-425.	0.8	70
88	Bacterial populations in complementary foods and drinking water in households with children 10–15 months old in Pemba Island, Tanzania. <i>FASEB Journal</i> , 2008, 22, 873.8.	0.2	0
89	The Alternative Sigma Factor σ^B and the Virulence Gene Regulator PrfA Both Regulate Transcription of <i>Listeria monocytogenes</i> Internalins. <i>Applied and Environmental Microbiology</i> , 2007, 73, 2919-2930.	1.4	54
90	Transcriptomic and Phenotypic Analyses Suggest a Network between the Transcriptional Regulators HrcA and σ^B in <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 7981-7991.	1.4	64

#	ARTICLE	IF	CITATIONS
91	σ ^B -Dependent and σ ^B -Independent Mechanisms Contribute to Transcription of <i>Listeria monocytogenes</i> Cold Stress Genes during Cold Shock and Cold Growth. <i>Applied and Environmental Microbiology</i> , 2007, 73, 6019-6029.	1.4	70
92	Phenotypic and Transcriptomic Analyses Demonstrate Interactions between the Transcriptional Regulators CtsR and Sigma B in <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 7967-7980.	1.4	54
93	Environmental Reservoir and Transmission into the Mammalian Host. , 2007, , 111-137.		12
94	Microarray-Based Characterization of the <i>Listeria monocytogenes</i> Cold Regulon in Log- and Stationary-Phase Cells. <i>Applied and Environmental Microbiology</i> , 2007, 73, 6484-6498.	1.4	114
95	Temperature-Dependent Expression of <i>Listeria monocytogenes</i> Internalin and Internalin-Like Genes Suggests Functional Diversity of These Proteins among the <i>Listeriae</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 2806-2814.	1.4	72
96	Tracking Spore-Forming Bacterial Contaminants in Fluid Milk-Processing Systems. <i>Journal of Dairy Science</i> , 2007, 90, 4872-4883.	1.4	95
97	Distribution of Internalin Gene Profiles of <i>Listeria monocytogenes</i> Isolates from Different Sources Associated with Phylogenetic Lineages. <i>Foodborne Pathogens and Disease</i> , 2007, 4, 222-232.	0.8	23
98	Molecular Subtyping and Characterization of Psychrotolerant Endospore-Forming Bacteria in Two New York State Fluid Milk Processing Systems. <i>Journal of Food Protection</i> , 2007, 70, 2354-2364.	0.8	67
99	Evaluation of a Tissue Culture-Based Approach for Differentiating between Virulent and Avirulent <i>Vibrio parahaemolyticus</i> Strains Based on Cytotoxicity. <i>Journal of Food Protection</i> , 2007, 70, 348-354.	0.8	4
100	<i>Vibrio parahaemolyticus</i> Growth under Low-Iron Conditions and Survival under High-Magnesium Conditions. <i>Journal of Food Protection</i> , 2006, 69, 1040-1045.	0.8	5
101	Development of Molecular Typing Methods for <i>Bacillus</i> spp. and <i>Paenibacillus</i> spp. Isolated from Fluid Milk Products. <i>Journal of Food Science</i> , 2006, 71, M50.	1.5	74
102	Exposure to Salt and Organic Acids Increases the Ability of <i>Listeria monocytogenes</i> To Invade Caco-2 Cells but Decreases Its Ability To Survive Gastric Stress. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5384-5395.	1.4	103
103	Bacterial Stress Responses: What Doesn't Kill Them Can Make Them Stronger. <i>PLoS Biology</i> , 2006, 4, e23.	2.6	151
104	How the Bacterial Pathogen <i>Listeria monocytogenes</i> Mediates the Switch from Environmental Dr. Jekyll to Pathogenic Mr. Hyde. <i>Infection and Immunity</i> , 2006, 74, 2505-2512.	1.0	174
105	Sigma B Contributes to <i>Listeria monocytogenes</i> Gastrointestinal Infection but Not to Systemic Spread in the Guinea Pig Infection Model. <i>Infection and Immunity</i> , 2006, 74, 876-886.	1.0	114
106	σ ^B Activation under Environmental and Energy Stress Conditions in <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 5197-5203.	1.4	72
107	Contributions of <i>Listeria monocytogenes</i> σ ^B and PrfA to expression of virulence and stress response genes during extra- and intracellular growth. <i>Microbiology (United Kingdom)</i> , 2006, 152, 1827-1838.	0.7	107
108	<i>Microbiology of Market Milks</i> . , 2005, , 91-122.		20

#	ARTICLE	IF	CITATIONS
109	The <i>Listeria monocytogenes</i> prfAP2 promoter is regulated by sigma B in a growth phase dependent manner. <i>FEMS Microbiology Letters</i> , 2005, 245, 329-336.	0.7	61
110	Ribotyping of <i>Streptococcus uberis</i> from a dairy's environment, bovine feces and milk. <i>Veterinary Microbiology</i> , 2005, 109, 257-265.	0.8	53
111	Alternative Sigma Factor σ^B Is Not Essential for <i>Listeria monocytogenes</i> Surface Attachment. <i>Journal of Food Protection</i> , 2005, 68, 311-317.	0.8	26
112	Alternative Sigma Factors and Their Roles in Bacterial Virulence. <i>Microbiology and Molecular Biology Reviews</i> , 2005, 69, 527-543.	2.9	325
113	Molecular Subtyping and Characterization of Bovine and Human <i>Streptococcus agalactiae</i> Isolates. <i>Journal of Clinical Microbiology</i> , 2005, 43, 1177-1186.	1.8	58
114	σ^B contributes to <i>Listeria monocytogenes</i> invasion by controlling expression of <i>inlA</i> and <i>inlB</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 3215-3222.	0.7	121
115	DNA Sequence-Based Subtyping and Evolutionary Analysis of Selected <i>Salmonella enterica</i> Serotypes. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3688-3698.	1.8	99
116	Distribution of Serotypes and Antimicrobial Resistance Genes among <i>Streptococcus agalactiae</i> Isolates from Bovine and Human Hosts. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5899-5906.	1.8	104
117	Mastitis-Causing <i>Streptococci</i> Are Important Contributors to Bacterial Counts in Raw Bulk Tank Milk. <i>Journal of Food Protection</i> , 2004, 67, 2644-2650.	0.8	51
118	Effects of Acid Stress on <i>Vibrio parahaemolyticus</i> Survival and Cytotoxicity. <i>Journal of Food Protection</i> , 2004, 67, 1328-1334.	0.8	17
119	<i>Listeria monocytogenes</i> σ^B Contributes to Invasion of Human Intestinal Epithelial Cells. <i>Infection and Immunity</i> , 2004, 72, 7374-7378.	1.0	82
120	<i>Listeria monocytogenes</i> Isolates from Foods and Humans Form Distinct but Overlapping Populations. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5833-5841.	1.4	229
121	RsbT and RsbV Contribute to σ^B -Dependent Survival under Environmental, Energy, and Intracellular Stress Conditions in <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 5349-5356.	1.4	101
122	σ^B -dependent gene induction and expression in <i>Listeria monocytogenes</i> during osmotic and acid stress conditions simulating the intestinal environment. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3843-3855.	0.7	160
123	Characterization of Pasteurized Fluid Milk Shelf-life Attributes. <i>Journal of Food Science</i> , 2004, 69, M207.	1.5	133
124	Comparative Genomic Analysis of the <i>sigB</i> Operon in <i>Listeria monocytogenes</i> and in Other Gram-Positive Bacteria. <i>Current Microbiology</i> , 2004, 48, 39-46.	1.0	60
125	Epidemiology, Pathogenesis, and Prevention of Foodborne <i>Vibrio parahaemolyticus</i> Infections. <i>Foodborne Pathogens and Disease</i> , 2004, 1, 74-88.	0.8	212
126	Detection of Viable <i>Mycobacterium avium</i> Subsp. <i>Paratuberculosis</i> Using Luciferase Reporter Systems. <i>Foodborne Pathogens and Disease</i> , 2004, 1, 258-266.	0.8	16

#	ARTICLE	IF	CITATIONS
127	Short Communication: Growth Characteristics of <i>Streptococcus uberis</i> in UHT-Treated Milk. <i>Journal of Dairy Science</i> , 2004, 87, 813-815.	1.4	4
128	Molecular Subtyping and Tracking of <i>Listeria monocytogenes</i> in Latin-Style Fresh-Cheese Processing Plants. <i>Journal of Dairy Science</i> , 2004, 87, 2803-2812.	1.4	128
129	Genetic Diversity and Spoilage Potentials among <i>Pseudomonas</i> spp. Isolated from Fluid Milk Products and Dairy Processing Plants. <i>Applied and Environmental Microbiology</i> , 2003, 69, 130-138.	1.4	287
130	Īf B-dependent expression patterns of compatible solute transporter genes <i>opuCA</i> and <i>lmo1421</i> and the conjugated bile salt hydrolase gene <i>bsh</i> in <i>Listeria monocytogenes</i> . <i>Microbiology (United Kingdom)</i> , 2003, 149, 3247-3256.	0.7	96
131	<i>Listeria monocytogenes</i> Īf B Regulates Stress Response and Virulence Functions. <i>Journal of Bacteriology</i> , 2003, 185, 5722-5734.	1.0	321
132	Role of <i>Listeria monocytogenes</i> Īf B in Survival of Lethal Acidic Conditions and in the Acquired Acid Tolerance Response. <i>Applied and Environmental Microbiology</i> , 2003, 69, 2692-2698.	1.4	165
133	Role of Īf B in Regulating the Compatible Solute Uptake Systems of <i>Listeria monocytogenes</i> : Osmotic Induction of <i>opuC</i> Is Īf B Dependent. <i>Applied and Environmental Microbiology</i> , 2003, 69, 2015-2022.	1.4	82
134	Sigma B Contributes to PrfA-Mediated Virulence in <i>Listeria monocytogenes</i> . <i>Infection and Immunity</i> , 2002, 70, 3948-3952.	1.0	153
135	Comparative Phenotypic, Molecular, and Virulence Characterization of <i>Vibrio parahaemolyticus</i> O3:K6 Isolates. <i>Applied and Environmental Microbiology</i> , 2002, 68, 2901-2909.	1.4	59
136	Vitamin A Degradation and Light-Oxidized Flavor Defects in Milk. <i>Journal of Dairy Science</i> , 2002, 85, 351-354.	1.4	70
137	Sensory Threshold of Light-Oxidized Flavor Defects in Milk. <i>Journal of Food Science</i> , 2002, 67, 2770-2773.	1.5	42
138	ADSA Foundation Scholar Award Fluid Dairy Product Quality and Safety: Looking to the Future. <i>Journal of Dairy Science</i> , 2001, 84, 1-11.	1.4	83
139	Quantitative Descriptive Analysis and Principal Component Analysis for Sensory Characterization of Ultrapasteurized Milk. <i>Journal of Dairy Science</i> , 2001, 84, 12-20.	1.4	148
140	Identification and Characterization of Elevated Microbial Counts in Bulk Tank Raw Milk. <i>Journal of Dairy Science</i> , 2001, 84, 292-298.	1.4	101
141	Acceptance of 2% Ultra-Pasteurized Milk by Consumers, 6 to 11 Years Old. <i>Journal of Dairy Science</i> , 2001, 84, 951-954.	1.4	41
142	Fluid Milk Vitamin Fortification Compliance in New York State. <i>Journal of Dairy Science</i> , 2001, 84, 2813-2820.	1.4	43
143	Molecular Studies on the Ecology of <i>Listeria monocytogenes</i> in the Smoked Fish Processing Industry. <i>Applied and Environmental Microbiology</i> , 2001, 67, 198-205.	1.4	203
144	Role of Ī, B in Heat, Ethanol, Acid, and Oxidative Stress Resistance and during Carbon Starvation in <i>Listeria monocytogenes</i> . <i>Applied and Environmental Microbiology</i> , 2001, 67, 4454-4457.	1.4	237

#	ARTICLE	IF	CITATIONS
145	Characterization and Pathogenic Potential of <i>Listeria monocytogenes</i> Isolates from the Smoked Fish Industry. <i>Applied and Environmental Microbiology</i> , 2001, 67, 646-653.	1.4	110
146	Comparative genetic characterization of <i>Listeria monocytogenes</i> isolates from human and animal listeriosis cases. <i>Microbiology (United Kingdom)</i> , 2001, 147, 1095-1104.	0.7	204
147	Characterization of Chocolate Milk Spoilage Patterns. <i>Journal of Food Protection</i> , 2000, 63, 516-521.	0.8	24
148	Application of the BAX for Screening/Genus <i>Listeria</i> Polymerase Chain Reaction System for Monitoring <i>Listeria</i> Species in Cold-Smoked Fish and in the Smoked Fish Processing Environment. <i>Journal of Food Protection</i> , 2000, 63, 343-346.	0.8	34
149	Effects of Somatic Cell Count on Quality and Shelf-Life of Pasteurized Fluid Milk. <i>Journal of Dairy Science</i> , 2000, 83, 264-274.	1.4	199
150	Molecular and Phenotypic Characterization of <i>Pseudomonas</i> spp. Isolated from Milk. <i>Applied and Environmental Microbiology</i> , 2000, 66, 2085-2095.	1.4	123
151	Phylogeny and functional conservation of σ^E in endospore-forming bacteria The GenBank accession numbers for the sequences determined in this work are AF225461-466. <i>Microbiology (United Kingdom)</i> , 2001, 147, 1095-1104.	1.4	10
152	Characterization of <i>Salmonella</i> serotypes in <i>Escherichia coli</i> O157:H7 and in other <i>E. coli</i> serotypes. <i>Journal of Applied Microbiology</i> , 1999, 86, 295-301.	1.4	10
153	DEVELOPMENT OF A PCR ASSAY FOR DETECTION OF SPORE-FORMING BACTERIA. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 1999, 7, 251-262.	0.4	1
154	Effects of Fat Content on the Sensory Properties, Melting, Color, and Hardness of Ice Cream. <i>Journal of Dairy Science</i> , 1999, 82, 32-38.	1.4	97
155	Effects of Fat Replacers on the Sensory Properties, Color, Melting, and Hardness of Ice Cream. <i>Journal of Dairy Science</i> , 1999, 82, 2094-2100.	1.4	68
156	Light-Oxidized Flavor Development and Vitamin A Degradation in Chocolate Milk. <i>Journal of Food Science</i> , 1998, 63, 930-934.	1.5	23
157	Evaluation of Adenosine Triphosphate-Bioluminescence Hygiene Monitoring for Trouble-Shooting Fluid Milk Shelf-Life Problems. <i>Journal of Dairy Science</i> , 1998, 81, 817-820.	1.4	25
158	Microbiological and Chemical Quality of Raw Milk in New York State. <i>Journal of Dairy Science</i> , 1998, 81, 1743-1748.	1.4	75
159	Persistence of <i>Escherichia coli</i> O157:H7 in Dairy Fermentation Systems. <i>Journal of Food Protection</i> , 1998, 61, 1602-1608.	0.8	88
160	Bacterial Tracking in a Dairy Production System Using Phenotypic and Ribotyping Methods. <i>Journal of Food Protection</i> , 1998, 61, 1336-1340.	0.8	61
161	General Stress Transcription Factor σ^B and Its Role in Acid Tolerance and Virulence of <i>Listeria monocytogenes</i> . <i>Journal of Bacteriology</i> , 1998, 180, 3650-3656.	1.0	280
162	Genetic and Transcriptional Organization of the Region Encoding the σ^{24} Subunit of <i>Bacillus subtilis</i> RNA Polymerase. <i>Journal of Biological Chemistry</i> , 1995, 270, 20329-20336.	1.6	60

#	ARTICLE	IF	CITATIONS
163	World nutrition—the great breadfruit source. <i>Ecology of Food and Nutrition</i> , 1994, 33, 131-134.	0.8	4
164	Protein Conversion Efficiencies of Four Test Diets Based on Milk, Two Milk and Tea Treatments, and Casein. <i>Journal of Dairy Science</i> , 1986, 69, 979-982.	1.4	1
165	Inhibition of Milk Lipolysis by Lambda Carrageenan. <i>Journal of Dairy Science</i> , 1982, 65, 24-27.	1.4	18