

# Christopher A Hunter

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8661201/publications.pdf>

Version: 2024-02-01

169  
papers

22,575  
citations

11908

72  
h-index

10399

144  
g-index

178  
all docs

178  
docs citations

178  
times ranked

30344  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enterocyte–innate lymphoid cell crosstalk drives early IFN- $\beta$ -mediated control of <i>Cryptosporidium</i> . <i>Mucosal Immunology</i> , 2022, 15, 362-372.	2.7	26
2	PD-L1–PD-1 interactions limit effector regulatory T cell populations at homeostasis and during infection. <i>Nature Immunology</i> , 2022, 23, 743-756.	7.0	47
3	Single-cell analysis identifies the interaction of altered renal tubules with basophils orchestrating kidney fibrosis. <i>Nature Immunology</i> , 2022, 23, 947-959.	7.0	37
4	A genetic screen identifies a protective type III interferon response to <i>Cryptosporidium</i> that requires TLR3 dependent recognition. <i>PLoS Pathogens</i> , 2022, 18, e1010003.	2.1	16
5	Impact of secondary TCR engagement on the heterogeneity of pathogen-specific CD8+ T cell response during acute and chronic toxoplasmosis. <i>PLoS Pathogens</i> , 2022, 18, e1010296.	2.1	9
6	Single-cell analysis highlights differences in druggable pathways underlying adaptive or fibrotic kidney regeneration. <i>Nature Communications</i> , 2022, 13, .	5.8	54
7	IL-33 promotes innate lymphoid cell-dependent IFN- $\beta$ production required for innate immunity to <i>Toxoplasma gondii</i> . <i>ELife</i> , 2021, 10, .	2.8	22
8	Is IL-6 a key cytokine target for therapy in COVID-19?. <i>Nature Reviews Immunology</i> , 2021, 21, 337-339.	10.6	102
9	Limited Impact of the Inhibitory Receptor TIGIT on NK and T Cell Responses during <i>Toxoplasma gondii</i> Infection. <i>ImmunoHorizons</i> , 2021, 5, 384-394.	0.8	4
10	Long live the king: <i>Toxoplasma gondii</i> nucleomodulin inhibits necroptotic cell death. <i>Cell Host and Microbe</i> , 2021, 29, 1165-1166.	5.1	4
11	B cells promote CD8 T cell primary and memory responses to subunit vaccines. <i>Cell Reports</i> , 2021, 36, 109591.	2.9	21
12	Gut epithelial IL-27 confers intestinal immunity through the induction of intraepithelial lymphocytes. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	16
13	The intestinal parasite <i>Cryptosporidium</i> is controlled by an enterocyte intrinsic inflammasome that depends on NLRP6. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	39
14	DNA binding to TLR9 expressed by red blood cells promotes innate immune activation and anemia. <i>Science Translational Medicine</i> , 2021, 13, eabj1008.	5.8	90
15	Lessons from <i>Toxoplasma</i> : Host responses that mediate parasite control and the microbial effectors that subvert them. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	44
16	The <i>Toxoplasma gondii</i> virulence factor ROP16 acts in cis and trans, and suppresses T cell responses. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	43
17	Loss of IL-27R $\beta$ Results in Enhanced Tubulointerstitial Fibrosis Associated with Elevated Th17 Responses. <i>Journal of Immunology</i> , 2020, 205, 377-386.	0.4	12
18	The role of macrophages in protective and pathological responses to <i>Toxoplasma gondii</i> . <i>Parasite Immunology</i> , 2020, 42, e12712.	0.7	30

#	ARTICLE	IF	CITATIONS
19	COVID-19-associated Acute Respiratory Distress Syndrome Clarified: A Vascular Endotype?. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 750-753.	2.5	36
20	Cytokine Storms: Understanding COVID-19. Immunity, 2020, 53, 19-25.	6.6	514
21	Innate immunity to <i>Toxoplasma gondii</i> . , 2020, , 1075-1105.		2
22	Î²-amyloid at the synapse of encephalitis and neurodegeneration in multiple sclerosis?. Immunology and Cell Biology, 2019, 97, 523-525.	1.0	1
23	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). European Journal of Immunology, 2019, 49, 1457-1973.	1.6	766
24	Diet-induced remission in chronic enteropathy is associated with altered microbial community structure and synthesis of secondary bile acids. Microbiome, 2019, 7, 126.	4.9	108
25	Impact of Interleukin-27p28 on T and B Cell Responses during Toxoplasmosis. Infection and Immunity, 2019, 87, .	1.0	13
26	A Genetically Tractable, Natural Mouse Model of Cryptosporidiosis Offers Insights into Host Protective Immunity. Cell Host and Microbe, 2019, 26, 135-146.e5.	5.1	72
27	Infection-Induced Intestinal Dysbiosis Is Mediated by Macrophage Activation and Nitrate Production. MBio, 2019, 10, .	1.8	49
28	Caspase-8 promotes c-Rel-dependent inflammatory cytokine expression and resistance against <i>Toxoplasma gondii</i> . Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 11926-11935.	3.3	42
29	The Immunobiology of the Interleukin-12 Family: Room for Discovery. Immunity, 2019, 50, 851-870.	6.6	298
30	The evolving role of T-bet in resistance to infection. Nature Reviews Immunology, 2019, 19, 398-410.	10.6	55
31	IL-27 and TCR Stimulation Promote T Cell Expression of Multiple Inhibitory Receptors. ImmunoHorizons, 2019, 3, 13-25.	0.8	66
32	Cytokine- and TCR-Mediated Regulation of T Cell Expression of Ly6C and Sca-1. Journal of Immunology, 2018, 200, 1761-1770.	0.4	57
33	Clonal expansion of vaccine-elicited T cells is independent of aerobic glycolysis. Science Immunology, 2018, 3, .	5.6	44
34	Pathogen interactions with endothelial cells and the induction of innate and adaptive immunity. European Journal of Immunology, 2018, 48, 1607-1620.	1.6	31
35	T Regulatory Cells Support Plasma Cell Populations in the Bone Marrow. Cell Reports, 2017, 18, 1906-1916.	2.9	95
36	CD11c-Expressing Cells Affect Regulatory T Cell Behavior in the Meninges during Central Nervous System Infection. Journal of Immunology, 2017, 198, 4054-4061.	0.4	29

#	ARTICLE	IF	CITATIONS
37	Protective and Pathological Immunity during Central Nervous System Infections. <i>Immunity</i> , 2017, 46, 891-909.	6.6	123
38	Guidelines for the use of flow cytometry and cell sorting in immunological studies<sup>*</sup>. <i>European Journal of Immunology</i> , 2017, 47, 1584-1797.	1.6	505
39	IL-27 Limits Type 2 Immunopathology Following Parainfluenza Virus Infection. <i>PLoS Pathogens</i> , 2017, 13, e1006173.	2.1	21
40	<i>Toxoplasma gondii</i> : Immune Protection and Evasion. , 2016, , 125-132.		0
41	Spontaneous partial loss of the OT-I transgene. <i>Nature Immunology</i> , 2016, 17, 471-471.	7.0	7
42	Inflammatory triggers associated with exacerbations of COPD orchestrate plasticity of group 2 innate lymphoid cells in the lungs. <i>Nature Immunology</i> , 2016, 17, 626-635.	7.0	357
43	<i>Leishmania major</i> Infectionâ€œInduced VEGF-A/VEGFR-2 Signaling Promotes Lymphangiogenesis That Controls Disease. <i>Journal of Immunology</i> , 2016, 197, 1823-1831.	0.4	27
44	Cutting Edge: IL-4, IL-21, and IFN- $\beta$ Interact To Govern T-bet and CD11c Expression in TLR-Activated B Cells. <i>Journal of Immunology</i> , 2016, 197, 1023-1028.	0.4	183
45	Endothelial cells are a replicative niche for entry of <i>Toxoplasma gondii</i> to the central nervous system. <i>Nature Microbiology</i> , 2016, 1, 16001.	5.9	160
46	STAT1 Signaling in Astrocytes Is Essential for Control of Infection in the Central Nervous System. <i>MBio</i> , 2016, 7, .	1.8	57
47	The Orphan Nuclear Receptor TLX Is an Enhancer of STAT1-Mediated Transcription and Immunity to <i>Toxoplasma gondii</i> . <i>PLoS Biology</i> , 2015, 13, e1002200.	2.6	25
48	The Group 3 Innate Lymphoid Cell Defect in Aryl Hydrocarbon Receptor Deficient Mice Is Associated with T Cell Hyperactivation during Intestinal Infection. <i>PLoS ONE</i> , 2015, 10, e0128335.	1.1	37
49	Diverse Roles for T-bet in the Effector Responses Required for Resistance to Infection. <i>Journal of Immunology</i> , 2015, 194, 1131-1140.	0.4	53
50	Immune-mediated viral clearance from the CNS without collateral damage. <i>Journal of Experimental Medicine</i> , 2015, 212, 1141-1142.	4.2	3
51	IFN $\beta$ Signaling Endows DCs with the Capacity to Control Type I Inflammation during Parasitic Infection through Promoting T-bet+ Regulatory T Cells. <i>PLoS Pathogens</i> , 2015, 11, e1004635.	2.1	25
52	Heterogeneous CD8+ T Cell Migration in the Lymph Node in the Absence of Inflammation Revealed by Quantitative Migration Analysis. <i>PLoS Computational Biology</i> , 2015, 11, e1004058.	1.5	55
53	IL-6 as a keystone cytokine in health and disease. <i>Nature Immunology</i> , 2015, 16, 448-457.	7.0	1,825
54	Editorial overview: Cytokines: New roles for old friends!. <i>Current Opinion in Immunology</i> , 2015, 34, ix-x.	2.4	0

#	ARTICLE	IF	CITATIONS
55	Asymmetric Action of STAT Transcription Factors Drives Transcriptional Outputs and Cytokine Specificity. <i>Immunity</i> , 2015, 42, 877-889.	6.6	137
56	The Immunobiology of Interleukin-27. <i>Annual Review of Immunology</i> , 2015, 33, 417-443.	9.5	358
57	Flt3 Ligand Is Essential for Survival and Protective Immune Responses during Toxoplasmosis. <i>Journal of Immunology</i> , 2015, 195, 4369-4377.	0.4	15
58	IL-27 shakes up the establishment of ectopic lymphoid structures. <i>Journal of Experimental Medicine</i> , 2015, 212, 1757-1757.	4.2	1
59	Simvastatin Prevents and Reverses Depigmentation in a Mouse Model of Vitiligo. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1080-1088.	0.3	79
60	Combination of Anti-CD123 and Anti-CD19 Chimeric Antigen Receptor T Cells for the Treatment and Prevention of Antigen-Loss Relapses Occurring after CD19-Targeted Immunotherapies. <i>Blood</i> , 2015, 126, 2523-2523.	0.6	7
61	Differential Induction of TLR3-Dependent Innate Immune Signaling by Closely Related Parasite Species. <i>PLoS ONE</i> , 2014, 9, e88398.	1.1	57
62	Innate Immunity to Parasitic Infections. , 2014, , 225-236.		0
63	Timed Action of IL-27 Protects from Immunopathology while Preserving Defense in Influenza. <i>PLoS Pathogens</i> , 2014, 10, e1004110.	2.1	62
64	Parasite Fate and Involvement of Infected Cells in the Induction of CD4+ and CD8+ T Cell Responses to <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , 2014, 10, e1004047.	2.1	86
65	IL-30 (IL27p28) attenuates liver fibrosis through inducing NKG2D- $\alpha$ 1 interaction between NKT and activated hepatic stellate cells in mice. <i>Hepatology</i> , 2014, 60, 2027-2039.	3.6	105
66	Innate Immunity to <i>Toxoplasma gondii</i> . , 2014, , 797-817.		0
67	Infection-Induced Changes in Hematopoiesis. <i>Journal of Immunology</i> , 2014, 192, 27-33.	0.4	96
68	Contractile Forces Sustain and Polarize Hematopoiesis from Stem and Progenitor Cells. <i>Cell Stem Cell</i> , 2014, 14, 81-93.	5.2	114
69	The Aryl Hydrocarbon Receptor Promotes IL-10 Production by NK Cells. <i>Journal of Immunology</i> , 2014, 192, 1661-1670.	0.4	92
70	Use of Transgenic Parasites and Host Reporters To Dissect Events That Promote Interleukin-12 Production during Toxoplasmosis. <i>Infection and Immunity</i> , 2014, 82, 4056-4067.	1.0	31
71	Immune Cell Trafficking in the Central Nervous System. , 2014, , 29-45.		2
72	Disruption of TgPHIL1 Alters Specific Parameters of <i>Toxoplasma gondii</i> Motility Measured in a Quantitative, Three-Dimensional Live Motility Assay. <i>PLoS ONE</i> , 2014, 9, e85763.	1.1	64

#	ARTICLE	IF	CITATIONS
73	Replication and Distribution of <i>Toxoplasma gondii</i> in the Small Intestine after Oral Infection with Tissue Cysts. <i>Infection and Immunity</i> , 2013, 81, 1635-1643.	1.0	69
74	<i>Toxoplasma gondii</i> Rhoptry 16 Kinase Promotes Host Resistance to Oral Infection and Intestinal Inflammation Only in the Context of the Dense Granule Protein GRA15. <i>Infection and Immunity</i> , 2013, 81, 2156-2167.	1.0	90
75	IL-27 Receptor Signalling Restricts the Formation of Pathogenic, Terminally Differentiated Th1 Cells during Malaria Infection by Repressing IL-12 Dependent Signals. <i>PLoS Pathogens</i> , 2013, 9, e1003293.	2.1	53
76	IL-27 Receptor Signaling Regulates CD4+ T Cell Chemotactic Responses during Infection. <i>Journal of Immunology</i> , 2013, 190, 4553-4561.	0.4	26
77	IL-21 Is Required for Optimal Antibody Production and T Cell Responses during Chronic <i>Toxoplasma gondii</i> Infection. <i>PLoS ONE</i> , 2013, 8, e62889.	1.1	32
78	<i>Toxoplasma</i> Co-opts Host Cells It Does Not Invade. <i>PLoS Pathogens</i> , 2012, 8, e1002825.	2.1	138
79	Infection with <i>Toxoplasma gondii</i> Alters Lymphotoxin Expression Associated with Changes in Splenic Architecture. <i>Infection and Immunity</i> , 2012, 80, 3602-3610.	1.0	38
80	Pivotal Advance: Peritoneal cavity B-1 B cells have phagocytic and microbicidal capacities and present phagocytosed antigen to CD4+ T cells. <i>Journal of Leukocyte Biology</i> , 2012, 91, 525-536.	1.5	183
81	Cutting Edge: Suppression of GM-CSF Expression in Murine and Human T Cells by IL-27. <i>Journal of Immunology</i> , 2012, 189, 2079-2083.	0.4	47
82	Interleukin-27: Balancing Protective and Pathological Immunity. <i>Immunity</i> , 2012, 37, 960-969.	6.6	231
83	The Cytokines Interleukin 27 and Interferon- $\gamma$ Promote Distinct Treg Cell Populations Required to Limit Infection-Induced Pathology. <i>Immunity</i> , 2012, 37, 511-523.	6.6	340
84	Immune response and immunopathology during toxoplasmosis. <i>Seminars in Immunopathology</i> , 2012, 34, 793-813.	2.8	288
85	Interleukin-27 Priming of T Cells Controls IL-17 Production In trans via Induction of the Ligand PD-L1. <i>Immunity</i> , 2012, 36, 1017-1030.	6.6	229
86	New directions in the basic and translational biology of interleukin-27. <i>Trends in Immunology</i> , 2012, 33, 91-97.	2.9	101
87	The Immunobiology of IL-27. <i>Advances in Immunology</i> , 2012, 115, 1-44.	1.1	107
88	Modulation of innate immunity by <i>Toxoplasma gondii</i> virulence effectors. <i>Nature Reviews Microbiology</i> , 2012, 10, 766-778.	13.6	470
89	The composition and signaling of the IL-35 receptor are unconventional. <i>Nature Immunology</i> , 2012, 13, 290-299.	7.0	371
90	Generalized L $\alpha$ vy walks and the role of chemokines in migration of effector CD8+ T cells. <i>Nature</i> , 2012, 486, 545-548.	13.7	483

#	ARTICLE	IF	CITATIONS
91	Toxoplasma Polymorphic Effectors Determine Macrophage Polarization and Intestinal Inflammation. <i>Cell Host and Microbe</i> , 2011, 9, 472-483.	5.1	238
92	A Critical Role for SOCS3 in Innate Resistance to <i>Toxoplasma gondii</i> . <i>Cell Host and Microbe</i> , 2011, 10, 224-236.	5.1	69
93	CXCL10 Is Required to Maintain T-Cell Populations and to Control Parasite Replication during Chronic Ocular Toxoplasmosis. , 2011, 52, 389.		65
94	Subcellular Antigen Location Influences T-Cell Activation during Acute Infection with <i>Toxoplasma gondii</i> . <i>PLoS ONE</i> , 2011, 6, e22936.	1.1	44
95	A Role for IL-27 in Limiting T Regulatory Cell Populations. <i>Journal of Immunology</i> , 2011, 187, 266-273.	0.4	93
96	IL-6 Mediates the Susceptibility of Glycoprotein 130 Hypermorphs to <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2011, 187, 350-360.	0.4	36
97	Analysis of Behavior and Trafficking of Dendritic Cells within the Brain during Toxoplasmic Encephalitis. <i>PLoS Pathogens</i> , 2011, 7, e1002246.	2.1	61
98	Regulation of CD8+ T cell responses to infection with parasitic protozoa. <i>Experimental Parasitology</i> , 2010, 126, 318-325.	0.5	86
99	A role for IL-27p28 as an antagonist of gp130-mediated signaling. <i>Nature Immunology</i> , 2010, 11, 1119-1126.	7.0	168
100	Essential Role for IL-27 Receptor Signaling in Prevention of Th1-Mediated Immunopathology during Malaria Infection. <i>Journal of Immunology</i> , 2010, 185, 2482-2492.	0.4	108
101	Role of the NF- $\kappa$ B transcription factor c-Rel in the generation of CD8+ T-cell responses to <i>Toxoplasma gondii</i> . <i>International Immunology</i> , 2010, 22, 851-861.	1.8	15
102	Advances in imaging the innate and adaptive immune response to <i>Toxoplasma gondii</i> . <i>Future Microbiology</i> , 2010, 5, 1321-1328.	1.0	14
103	Virulence of <i>Toxoplasma gondii</i> Is Associated with Distinct Dendritic Cell Responses and Reduced Numbers of Activated CD8+ T Cells. <i>Journal of Immunology</i> , 2010, 185, 1502-1512.	0.4	46
104	gp130 at the nexus of inflammation, autoimmunity, and cancer. <i>Journal of Leukocyte Biology</i> , 2010, 88, 1145-1156.	1.5	203
105	Trafficking of immune cells in the central nervous system. <i>Journal of Clinical Investigation</i> , 2010, 120, 1368-1379.	3.9	426
106	Advances in understanding immunity to <i>Toxoplasma gondii</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 201-210.	0.8	39
107	IL-27 Blocks RORc Expression to Inhibit Lineage Commitment of Th17 Cells. <i>Journal of Immunology</i> , 2009, 182, 5748-5756.	0.4	302
108	Kinetics and Phenotype of Vaccine-Induced CD8 <sup>+</sup> T-Cell Responses to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2009, 77, 3894-3901.	1.0	60

#	ARTICLE	IF	CITATIONS
109	Dynamic Imaging of CD8+ T Cells and Dendritic Cells during Infection with <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , 2009, 5, e1000505.	2.1	107
110	IL-27 Regulates Homeostasis of the Intestinal CD4+ Effector T Cell Pool and Limits Intestinal Inflammation in a Murine Model of Colitis. <i>Journal of Immunology</i> , 2009, 183, 2037-2044.	0.4	68
111	IL-27 Regulates IL-10 and IL-17 from CD4+ Cells in Nonhealing <i>Leishmania major</i> Infection. <i>Journal of Immunology</i> , 2009, 183, 4619-4627.	0.4	122
112	The Foxo and the hound: chasing the in vivo regulation of T cell populations during infection. <i>Nature Immunology</i> , 2009, 10, 457-458.	7.0	6
113	Behavior of Parasite-Specific Effector CD8+ T Cells in the Brain and Visualization of a Kinesis-Associated System of Reticular Fibers. <i>Immunity</i> , 2009, 30, 300-311.	6.6	184
114	Decrease of Foxp3+ Treg Cell Number and Acquisition of Effector Cell Phenotype during Lethal Infection. <i>Immunity</i> , 2009, 31, 772-786.	6.6	546
115	New paradigms in inflammation: where to next?. <i>Immunological Reviews</i> , 2008, 226, 6-9.	2.8	2
116	Anomalous Type 17 Response to Viral Infection by CD8 <sup>+</sup> T Cells Lacking T-bet and Eomesodermin. <i>Science</i> , 2008, 321, 408-411.	6.0	339
117	Neutrophil Soldiers or Trojan Horses?. <i>Science</i> , 2008, 321, 917-918.	6.0	45
118	Plasmacytoid Dendritic Cells Are Activated by <i>Toxoplasma gondii</i> to Present Antigen and Produce Cytokines. <i>Journal of Immunology</i> , 2008, 180, 6229-6236.	0.4	97
119	Immunodominance and Recognition of Intracellular Pathogens. <i>Journal of Infectious Diseases</i> , 2008, 198, 1579-1581.	1.9	10
120	T cell expression of MyD88 is required for resistance to <i>Toxoplasma gondii</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 3855-3860.	3.3	96
121	IL-27R deficiency delays the onset of colitis and protects from helminth-induced pathology in a model of chronic IBD. <i>International Immunology</i> , 2008, 20, 739-752.	1.8	47
122	IL-27R interactions regulate homeostasis of the TH17 pool and limit intestinal inflammation. <i>FASEB Journal</i> , 2008, 22, 1069-7.	0.2	0
123	Presentation of <i>Toxoplasma gondii</i> Antigens via the Endogenous Major Histocompatibility Complex Class I Pathway in Nonprofessional and Professional Antigen-Presenting Cells. <i>Infection and Immunity</i> , 2007, 75, 5200-5209.	1.0	75
124	Discovery and Biology of IL-23 and IL-27: Related but Functionally Distinct Regulators of Inflammation. <i>Annual Review of Immunology</i> , 2007, 25, 221-242.	9.5	698
125	Activating IL-17 inflammation. <i>Nature Immunology</i> , 2007, 8, 232-234.	7.0	28
126	Interleukins 27 and 6 induce STAT3-mediated T cell production of interleukin 10. <i>Nature Immunology</i> , 2007, 8, 1363-1371.	7.0	733



#	ARTICLE	IF	CITATIONS
127	Interleukin-27R (WSX-1/T-Cell Cytokine Receptor) Gene-Deficient Mice Display Enhanced Resistance to <i>Leishmania donovani</i> Infection but Develop Severe Liver Immunopathology. <i>American Journal of Pathology</i> , 2006, 168, 158-169.	1.9	126
128	Interleukin 27 negatively regulates the development of interleukin 17-producing T helper cells during chronic inflammation of the central nervous system. <i>Nature Immunology</i> , 2006, 7, 937-945.	7.0	874
129	IL-27 Limits IL-2 Production during Th1 Differentiation. <i>Journal of Immunology</i> , 2006, 176, 237-247.	0.4	196
130	New IL-12-family members: IL-23 and IL-27, cytokines with divergent functions. <i>Nature Reviews Immunology</i> , 2005, 5, 521-531.	10.6	741
131	A critical role for IL-10 in limiting inflammation during toxoplasmic encephalitis. <i>Journal of Neuroimmunology</i> , 2005, 165, 63-74.	1.1	180
132	Positive and Negative Regulation of the IL-27 Receptor during Lymphoid Cell Activation. <i>Journal of Immunology</i> , 2005, 174, 7684-7691.	0.4	154
133	Initiation and termination of NF- $\kappa$ B signaling by the intracellular protozoan parasite <i>Toxoplasma gondii</i> . <i>Journal of Cell Science</i> , 2005, 118, 3501-3508.	1.2	61
134	Interleukin-15-Deficient Mice Develop Protective Immunity to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2004, 72, 6729-6732.	1.0	34
135	Development of a System To Study CD4 + T-Cell Responses to Transgenic Ovalbumin-Expressing <i>Toxoplasma gondii</i> during Toxoplasmosis. <i>Infection and Immunity</i> , 2004, 72, 7240-7246.	1.0	67
136	The IL-27 Receptor (WSX-1) Is an Inhibitor of Innate and Adaptive Elements of Type 2 Immunity. <i>Journal of Immunology</i> , 2004, 173, 5626-5634.	0.4	226
137	Cutting Edge: Early IL-4 Production Governs the Requirement for IL-27-WSX-1 Signaling in the Development of Protective Th1 Cytokine Responses following <i>Leishmania major</i> Infection. <i>Journal of Immunology</i> , 2004, 172, 4672-4675.	0.4	97
138	IL-23 Provides a Limited Mechanism of Resistance to Acute Toxoplasmosis in the Absence of IL-12. <i>Journal of Immunology</i> , 2004, 173, 1887-1893.	0.4	149
139	STAT1 Plays a Critical Role in the Regulation of Antimicrobial Effector Mechanisms, but Not in the Development of Th1-Type Responses during Toxoplasmosis. <i>Journal of Immunology</i> , 2004, 172, 457-463.	0.4	144
140	TRAF6-Dependent Mitogen-Activated Protein Kinase Activation Differentially Regulates the Production of Interleukin-12 by Macrophages in Response to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2004, 72, 5662-5667.	1.0	68
141	New lessons from old pathogens: what parasitic infections have taught us about the role of nuclear factor-kappaB in the regulation of immunity. <i>Immunological Reviews</i> , 2004, 201, 48-56.	2.8	63
142	The role of IL-27 in the development of T-cell responses during parasitic infections. <i>Immunological Reviews</i> , 2004, 202, 106-114.	2.8	56
143	The role of astrocytes in the immunopathogenesis of toxoplasmic encephalitis. <i>International Journal for Parasitology</i> , 2004, 34, 543-548.	1.3	80
144	Costimulation in Resistance to Infection and Development of Immune Pathology: Lessons from <i>Toxoplasma</i> . <i>Immunologic Research</i> , 2003, 27, 331-340.	1.3	8

#	ARTICLE	IF	CITATIONS
145	Understanding the role of the CD40-CD40L interaction in resistance to parasitic infections. <i>Parasite Immunology</i> , 2003, 25, 179-183.	0.7	6
146	The IL-27R (WSX-1) Is Required to Suppress T Cell Hyperactivity during Infection. <i>Immunity</i> , 2003, 19, 645-655.	6.6	439
147	IL-10 fails to inhibit the production of IL-18 in response to inflammatory stimuli. <i>Cytokine</i> , 2003, 21, 84-90.	1.4	12
148	Control of Effector CD8+ T Cell Function by the Transcription Factor Eomesodermin. <i>Science</i> , 2003, 302, 1041-1043.	6.0	896
149	An essential role of Th1 responses and interferon gamma in infection-mediated suppression of neoplastic growth. <i>Cancer Biology and Therapy</i> , 2003, 2, 687-93.	1.5	17
150	Cutting Edge: Identification of c-Rel-Dependent and -Independent Pathways of IL-12 Production During Infectious and Inflammatory Stimuli. <i>Journal of Immunology</i> , 2002, 168, 2590-2594.	0.4	102
151	Susceptibility of Interleukin-2-Deficient Mice to <i>Toxoplasma gondii</i> Is Associated with a Defect in the Production of Gamma Interferon. <i>Infection and Immunity</i> , 2002, 70, 4757-4761.	1.0	36
152	NF- $\kappa$ B2 Is Required for Optimal CD40-Induced IL-12 Production but Dispensable for Th1 Cell Differentiation. <i>Journal of Immunology</i> , 2002, 168, 4406-4413.	0.4	47
153	Contribution of Interleukin-12 (IL-12) and the CD28/B7 and CD40/CD40 Ligand Pathways to the Development of a Pathological T-Cell Response in IL-10-Deficient Mice. <i>Infection and Immunity</i> , 2002, 70, 6940-6947.	1.0	17
154	A Role for Inducible Costimulator Protein in the CD28- Independent Mechanism of Resistance to <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2002, 169, 937-943.	0.4	57
155	THE ROLE OF CYTOKINES AND THEIR SIGNALING PATHWAYS IN THE REGULATION OF IMMUNITY TO <i>Toxoplasma gondii</i> . <i>International Reviews of Immunology</i> , 2002, 21, 373-403.	1.5	67
156	Regulatory pathways involved in the infection-induced production of IFN- $\gamma$ by NK cells. <i>Microbes and Infection</i> , 2002, 4, 1531-1538.	1.0	72
157	Interleukin-10 does not contribute to the pathogenesis of a virulent strain of <i>Toxoplasma gondii</i> . <i>Parasite Immunology</i> , 2001, 23, 291-296.	0.7	33
158	A Role for CD44 in the Production of IFN- $\gamma$ and Immunopathology During Infection with <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2001, 166, 5726-5732.	0.4	34
159	Bystander Activation of CD8+ T Cells Contributes to the Rapid Production of IFN- $\gamma$ in Response to Bacterial Pathogens. <i>Journal of Immunology</i> , 2001, 166, 1097-1105.	0.4	275
160	The CD40/CD40 Ligand Interaction Is Required for Resistance to Toxoplasmic Encephalitis. <i>Infection and Immunity</i> , 2000, 68, 1312-1318.	1.0	113
161	Identification of STAT4-Dependent and Independent Mechanisms of Resistance to <i>Toxoplasma gondii</i> . <i>Journal of Immunology</i> , 2000, 165, 2619-2627.	0.4	80
162	Blockade of Costimulation Prevents Infection-Induced Immunopathology in Interleukin-10-Deficient Mice. <i>Infection and Immunity</i> , 2000, 68, 2837-2844.	1.0	30

#	ARTICLE	IF	CITATIONS
163	Interleukin-18 (IL-18) Enhances Innate IL-12-Mediated Resistance to <i>Toxoplasma gondii</i> . <i>Infection and Immunity</i> , 2000, 68, 6932-6938.	1.0	104
164	IL-10 enhances NK cell proliferation, cytotoxicity and production of IFN- $\gamma$ when combined with IL-18. <i>European Journal of Immunology</i> , 1999, 29, 2658-2665.	1.6	174
165	IL-10 enhances NK cell proliferation, cytotoxicity and production of IFN- $\gamma$ when combined with IL-18. , 1999, 29, 2658.		4
166	Type I interferons enhance production of IFN- $\gamma$ by NK cells. <i>Immunology Letters</i> , 1997, 59, 1-5.	1.1	88
167	Comparison of the effects of interleukin-1 $\beta$ , interleukin-1 $\alpha$ and interferon- $\gamma$ -inducing factor on the production of interferon- $\gamma$ by natural killer. <i>European Journal of Immunology</i> , 1997, 27, 2787-2792.	1.6	124
168	Transforming growth factor- $\beta$ inhibits interleukin-12-induced production of interferon- $\gamma$ by natural killer cells: A role for transforming growth factor- $\beta$ in the regulation of T cell-independent resistance to <i>Toxoplasma gondii</i> . <i>European Journal of Immunology</i> , 1995, 25, 994-1000.	1.6	143
169	Innate Immunity to Parasitic Infections. , 0, , 111-125.		2