

# Rikke Nielsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8667606/publications.pdf>

Version: 2024-02-01

48  
papers

3,137  
citations

257450

24  
h-index

243625

44  
g-index

48  
all docs

48  
docs citations

48  
times ranked

4607  
citing authors

#	ARTICLE	IF	CITATIONS
1	In vitro study on effect of bardoxolone methyl on cisplatin-induced cellular senescence in human proximal tubular cells. <i>Molecular and Cellular Biochemistry</i> , 2022, 477, 689-699.	3.1	4
2	Migraine-associated Mutation in the Na,K-ATPase Leads to Disturbances in Cardiac Metabolism and Reduced Cardiac Function. <i>Journal of the American Heart Association</i> , 2022, 11, e021814.	3.7	9
3	A well-developed endolysosomal system reflects protein reabsorption in segment 1 and 2 of rat proximal tubules. <i>Kidney International</i> , 2021, 99, 841-853.	5.2	17
4	Acidosis, cognitive dysfunction and motor impairments in patients with kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, ii4-ii12.	0.7	16
5	Chronic kidney disease and neurological disorders: are uraemic toxins the missing piece of the puzzle?. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, ii33-ii44.	0.7	26
6	Cognitive disorders in patients with chronic kidney disease: specificities of clinical assessment. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, ii23-ii32.	0.7	25
7	Present and future of CONNECT: a new and compelling project of modern medicine. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, ii1-ii3.	0.7	0
8	Sodium retention by uPA-plasmin-ENaC in nephrotic syndrome? Authors reply. <i>Acta Physiologica</i> , 2020, 228, e13432.	3.8	4
9	Beyond the tubule: pathological variants of <i>LRP2</i> , encoding the megalin receptor, result in glomerular loss and early progressive chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F988-F999.	2.7	13
10	Induced pluripotent stem cell-based disease modeling identifies ligand-induced decay of megalin as a cause of Donnai-Barrow syndrome. <i>Kidney International</i> , 2020, 98, 159-167.	5.2	11
11	Distinct functions of megalin and cubilin receptors in recovery of normal and nephrotic levels of filtered albumin. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, F1284-F1294.	2.7	37
12	Urokinase-type plasminogen activator contributes to amiloride-sensitive sodium retention in nephrotic range glomerular proteinuria in mice. <i>Acta Physiologica</i> , 2019, 227, e13362.	3.8	30
13	Immature megalin expression in the preterm neonatal kidney is associated with urinary loss of vitamin carrier proteins. <i>Pediatric Research</i> , 2019, 85, 405-411.	2.3	5
14	Selective Ablation of Megalin in the Retinal Pigment Epithelium Results in Megaophthalmos, Macromelanosome Formation and Severe Retina Degeneration. , 2019, 60, 322.		13
15	Protection of Cystinotic Mice by Kidney-Specific Megalin Ablation Supports an Endocytosis-Based Mechanism for Nephropathic Cystinosis Progression. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2177-2190.	6.1	12
16	Attenuation of cGAS-STING signaling is mediated by a p62/SQSTM1-dependent autophagy pathway activated by TBK1. <i>EMBO Journal</i> , 2018, 37, .	7.8	283
17	Site-specific O-glycosylation of members of the low-density lipoprotein receptor superfamily enhances ligand interactions. <i>Journal of Biological Chemistry</i> , 2018, 293, 7408-7422.	3.4	57
18	The Authors Reply. <i>Kidney International</i> , 2018, 93, 1014-1015.	5.2	1

#	ARTICLE	IF	CITATIONS
19	Abolishment of proximal tubule albumin endocytosis does not affect plasma albumin during nephrotic syndrome in mice. <i>Kidney International</i> , 2018, 93, 335-342.	5.2	35
20	SP015 SUCCESSFUL OUTCOME OF PREGNANCY IN A SEVERELY AFFECTED FEMALE PATIENT WITH FABRY DISEASE COMPLICATED BY PRE-ECLAMPSIA: CLINICAL MANAGEMENT AND PLACENTAL EXAMINATION. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i351-i352.	0.7	0
21	Enzyme Replacement Therapy During Pregnancy in Fabry Patients. <i>JIMD Reports</i> , 2018, 44, 93-101.	1.5	5
22	APD-Containing Cyclolipopeptides Target Mitochondrial Function in Hypoxic Cancer Cells. <i>Cell Chemical Biology</i> , 2018, 25, 1337-1349.e12.	5.2	27
23	Megalin dependent urinary cystatin C excretion in ischemic kidney injury in rats. <i>PLoS ONE</i> , 2017, 12, e0178796.	2.5	18
24	Megalin and cubilin in proximal tubule protein reabsorption: from experimental models to human disease. <i>Kidney International</i> , 2016, 89, 58-67.	5.2	321
25	Vitamin D in Tear Fluid. , 2015, 56, 5880.		26
26	Megalin in acute kidney injury: foe and friend. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 306, F147-F154.	2.7	50
27	Megalin deficiency causes high myopia, retinal pigment epithelium-macromelanosomes and abnormal development of the ciliary body in mice. <i>Cell and Tissue Research</i> , 2014, 358, 99-107.	2.9	25
28	Long-term enzyme replacement therapy is associated with reduced proteinuria and preserved proximal tubular function in women with Fabry disease. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 619-625.	0.7	26
29	<i>Listeria monocytogenes</i> induces IFN $\gamma$ expression through an IFI16, cGAS and STING dependent pathway. <i>EMBO Journal</i> , 2014, 33, 1654-1666.	7.8	232
30	Increased lysosomal proteolysis counteracts protein accumulation in the proximal tubule during focal segmental glomerulosclerosis. <i>Kidney International</i> , 2013, 84, 902-910.	5.2	44
31	From bowel to kidneys: the role of cubilin in physiology and disease. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 274-281.	0.7	43
32	Renal uptake of the antiapoptotic protein survivin is mediated by megalin at the apical membrane of the proximal tubule. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F734-F744.	2.7	14
33	Renal phenotypic investigations of megalin-deficient patients: novel insights into tubular proteinuria and albumin filtration*. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 585-591.	0.7	71
34	Generation of Urinary Albumin Fragments Does Not Require Proximal Tubular Uptake. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 591-596.	6.1	23
35	Endocytic Receptors in the Renal Proximal Tubule. <i>Physiology</i> , 2012, 27, 223-236.	3.1	204
36	Mannose 6-Phosphate Receptor and Sortilin Mediated Endocytosis of $\beta$ -Galactosidase A in Kidney Endothelial Cells. <i>PLoS ONE</i> , 2012, 7, e39975.	2.5	26

#	ARTICLE	IF	CITATIONS
37	Receptor-Mediated Endocytosis of $\beta$ -Galactosidase A in Human Podocytes in Fabry Disease. PLoS ONE, 2011, 6, e25065.	2.5	96
38	A Patient with Cubilin Deficiency. New England Journal of Medicine, 2011, 364, 89-91.	27.0	59
39	Mouse model of proximal tubule endocytic dysfunction. Nephrology Dialysis Transplantation, 2011, 26, 3446-3451.	0.7	62
40	Proteinuria and events beyond the slit. Pediatric Nephrology, 2010, 25, 813-822.	1.7	85
41	Cubilin Is Essential for Albumin Reabsorption in the Renal Proximal Tubule. Journal of the American Society of Nephrology: JASN, 2010, 21, 1859-1867.	6.1	254
42	The effect of progressive glomerular disease on megalin-mediated endocytosis in the kidney. Nephrology Dialysis Transplantation, 2010, 25, 2458-2467.	0.7	44
43	Receptor-mediated endocytosis in renal proximal tubule. Pflugers Archiv European Journal of Physiology, 2009, 458, 1039-1048.	2.8	199
44	Distribution of $\beta$ -Galactosidase A in Normal Human Kidney and Renal Accumulation and Distribution of Recombinant $\beta$ -Galactosidase A in Fabry Mice. Journal of the American Society of Nephrology: JASN, 2007, 18, 698-706.	6.1	40
45	Endocytosis provides a major alternative pathway for lysosomal biogenesis in kidney proximal tubular cells. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 5407-5412.	7.1	97
46	Loss of chloride channel CIC-5 impairs endocytosis by defective trafficking of megalin and cubilin in kidney proximal tubules. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 8472-8477.	7.1	290
47	The tandem endocytic receptors megalin and cubilin are important proteins in renal pathology. Kidney International, 2002, 62, 745-756.	5.2	135
48	Transcellular Transport of Vitamin B12 in LLC-PK1 Renal Proximal Tubule Cells. Journal of the American Society of Nephrology: JASN, 2001, 12, 1099-1106.	6.1	23