Alberto Edefonti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8668171/publications.pdf

Version: 2024-02-01

178 papers 6,318 citations

42 h-index 71 g-index

181 all docs

181 docs citations

times ranked

181

4813 citing authors

#	Article	IF	CITATIONS
1	Epidemiology of Chronic Renal Failure in Children: Data From the ItalKid Project. Pediatrics, 2003, 111, e382-e387.	2.1	463
2	A randomized trial of cyclosporine in steroid-resistant idiopathic nephrotic syndrome. Kidney International, 1993, 43, 1377-1384.	5.2	247
3	Short-Term Effects of Rituximab in Children with Steroid- and Calcineurin-Dependent Nephrotic Syndrome. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1308-1315.	4.5	180
4	Shiga Toxin–Producing <i>Escherichia coli</i> Infections Associated with Hemolytic Uremic Syndrome, Italy, 1988–2000. Emerging Infectious Diseases, 2003, 9, 106-108.	4.3	171
5	Prevention and treatment of renal osteodystrophy in children on chronic renal failure: European guidelines. Pediatric Nephrology, 2006, 21, 151-159.	1.7	168
6	Rituximab in Children with Steroid-Dependent Nephrotic Syndrome. Journal of the American Society of Nephrology: JASN, 2015, 26, 2259-2266.	6.1	156
7	Purpura of the ears: a distinctive vasculopathy with circulating autoantibodies complicating long-term treatment with levamisole in children. British Journal of Dermatology, 1999, 140, 948-951.	1.5	152
8	Rituximab in Children with Resistant Idiopathic Nephrotic Syndrome. Journal of the American Society of Nephrology: JASN, 2012, 23, 1117-1124.	6.1	144
9	Hemodialysis in children: general practical guidelines. Pediatric Nephrology, 2005, 20, 1054-1066.	1.7	136
10	Plasma infusion for hemolytic-uremic syndrome in children: Results of a multicenter controlled trial. Journal of Pediatrics, 1988, 112, 284-290.	1.8	128
11	Growth in Very Young Children Undergoing Chronic Peritoneal Dialysis. Journal of the American Society of Nephrology: JASN, 2011, 22, 2303-2312.	6.1	115
12	Rituximab is a safe and effective long-term treatment for children with steroid and calcineurin inhibitor–dependent idiopathic nephrotic syndrome. Kidney International, 2013, 84, 1025-1033.	5.2	109
13	The bone and mineral disorder of children undergoing chronic peritoneal dialysis. Kidney International, 2010, 78, 1295-1304.	5.2	105
14	Clinical practice recommendations for growth hormone treatment in children with chronic kidney disease. Nature Reviews Nephrology, 2019, 15, 577-589.	9.6	103
15	Clinical practice recommendations for the care of infants with stage 5 chronic kidney disease (CKD5). Pediatric Nephrology, 2013, 28, 1739-1748.	1.7	93
16	Use of National and International Growth Charts for Studying Height in European Children: Development of Up-To-Date European Height-For-Age Charts. PLoS ONE, 2012, 7, e42506.	2.5	91
17	Normal values of the bioelectrical impedance vector in childhood and puberty. Nutrition, 2000, 16, 417-424.	2.4	86
18	A multicenter experience on patient and technique survival in children on chronic dialysis. Pediatric Nephrology, 2004, 19, 82-90.	1.7	85

#	Article	IF	CITATIONS
19	Impact of Global Economic Disparities on Practices and Outcomes of Chronic Peritoneal Dialysis in Children: Insights from the International Pediatric Peritoneal Dialysis Network Registry. Peritoneal Dialysis International, 2012, 32, 399-409.	2.3	85
20	Electrocardiogram with prolonged QT interval in Gitelman disease. Kidney International, 2002, 62, 580-584.	5 . 2	81
21	Chronic Peritoneal Dialysis Catheters in Children: A Fifteen-year Experience of the Italian Registry of Pediatric Chronic Peritoneal Dialysis. Peritoneal Dialysis International, 2004, 24, 481-486.	2.3	78
22	Management of Anemia in Children Receiving Chronic Peritoneal Dialysis. Journal of the American Society of Nephrology: JASN, 2013, 24, 665-676.	6.1	76
23	Vascular access: choice and complications in European paediatric haemodialysis units. Pediatric Nephrology, 2012, 27, 999-1004.	1.7	70
24	Dietary prescription based on estimated nitrogen balance during peritoneal dialysis. Pediatric Nephrology, 1999, 13, 253-258.	1.7	68
25	Clinical Relevance of Shiga Toxin Concentrations in the Blood of Patients With Hemolytic Uremic Syndrome. Pediatric Infectious Disease Journal, 2011, 30, 486-490.	2.0	67
26	Peritoneal dialysis in infants: the experience of the Italian Registry of Paediatric Chronic Dialysis. Nephrology Dialysis Transplantation, 2012, 27, 388-395.	0.7	65
27	Cardiac work up in primary renal hypokalaemia-hypomagnesaemia (Gitelman syndrome). Nephrology Dialysis Transplantation, 2004, 19, 1398-1402.	0.7	62
28	No clear evidence of ACEi efficacy on the progression of chronic kidney disease in children with hypodysplastic nephropathy report from the ItalKid Project database. Nephrology Dialysis Transplantation, 2007, 22, 2525-2530.	0.7	60
29	Influence of the Cyp3a5 genotype on tacrolimus pharmacokinetics and pharmacodynamics in young kidney transplant recipients. Pediatric Transplantation, 2007, 11, 296-300.	1.0	60
30	Patients With Biallelic Mutations in the Chloride Channel Gene CLCNKB: Long-Term Management and Outcome. American Journal of Kidney Diseases, 2007, 49, 91-98.	1.9	59
31	Comorbidities in Chronic Pediatric Peritoneal Dialysis Patients: A Report of the International Pediatric Peritoneal Dialysis International, 2012, 32, 410-418.	2.3	57
32	A Review on JC Virus Infection in Kidney Transplant Recipients. Clinical and Developmental Immunology, 2013, 2013, 1-7.	3.3	54
33	Shiga Toxins Present in the Gut and in the Polymorphonuclear Leukocytes Circulating in the Blood of Children with Hemolytic-Uremic Syndrome. Journal of Clinical Microbiology, 2006, 44, 313-317.	3.9	52
34	Underweight, overweight and obesity in paediatric dialysis and renal transplant patients. Nephrology Dialysis Transplantation, 2013, 28, iv195-iv204.	0.7	51
35	Risk factors for poor renal prognosis in children with hemolytic uremic syndrome. Pediatric Nephrology, 2003, 18, 1229-1235.	1.7	50
36	Identification of fifteen novel mutations in the SLC12A3 gene encoding the Na-Cl Co-transporter in Italian patients with Gitelman syndrome. Human Mutation, 2002, 20, 78-78.	2.5	49

#	Article	IF	CITATIONS
37	Chronic peritoneal dialysis in children: catheter related complications. A single centre experience. Pediatric Surgery International, 2006, 22, 524-528.	1.4	49
38	Lupus nephritis in children and adolescents: results of the Italian Collaborative Study. Nephrology Dialysis Transplantation, 2013, 28, 1487-1496.	0.7	49
39	Plasma Exchange in Children With Hemolytic-Uremic Syndrome at Risk of Poor Outcome. American Journal of Kidney Diseases, 1993, 22, 264-266.	1.9	48
40	Ear Lobe Bilateral Necrosis by Levamisoleâ€Induced Occlusive Vasculitis in a Pediatric Patient. Pediatric Dermatology, 1997, 14, 477-479.	0.9	48
41	Frequencies and roles of CYP3A5, CYP3A4 and ABCB1 single nucleotide polymorphisms in Italian teenagers after kidney transplantation. Pharmacological Reports, 2010, 62, 1159-1169.	3.3	44
42	The Italian Registry of Pediatric Chronic Peritoneal Dialysis: A Ten-Year Experience with Chronic Peritoneal Dialysis Catheters. Peritoneal Dialysis International, 1998, 18, 71-74.	2.3	42
43	<scp>BDNF</scp> repairs podocyte damage by <scp>microRNA</scp> â€mediated increase of actin polymerization. Journal of Pathology, 2015, 235, 731-744.	4.5	42
44	Encapsulating peritoneal sclerosis in children on chronic PD: a survey from the European Paediatric Dialysis Working Group. Nephrology Dialysis Transplantation, 2013, 28, 1908-1914.	0.7	41
45	Indications, technique, and outcome of therapeutic apheresis in European pediatric nephrology units. Pediatric Nephrology, 2015, 30, 103-111.	1.7	41
46	Bioimpedance and Fluid Status in Children and Adolescents Treated With Dialysis. American Journal of Kidney Diseases, 2017, 69, 428-435.	1.9	41
47	Successful medical treatment of multiple brain abscesses due to Nocardia farcinica in a paediatric renal transplant recipient. Pediatric Nephrology, 2005, 20, 1186-1188.	1.7	40
48	Risk factors for loss of residual renal function in children treated with chronic peritoneal dialysis. Kidney International, 2015, 88, 605-613.	5.2	39
49	Comparison of Patient Hospitalization in Chronic Peritoneal Dialysis and Hemodialysis: A Pediatric Multicenter Study. Peritoneal Dialysis International, 1996, 16, 574-577.	2.3	38
50	Treatment data during pediatric home peritoneal teledialysis. Pediatric Nephrology, 2003, 18, 560-564.	1.7	38
51	Clinical Features and Long-Term Outcome of Nephrotic Syndrome Associated with Heterozygous NPHS1 and NPHS2 Mutations. Clinical Journal of the American Society of Nephrology: CJASN, 2009, 4, 1065-1072.	4.5	38
52	Nutrition assessment and management in children on peritoneal dialysis. Pediatric Nephrology, 2009, 24, 721-730.	1.7	38
53	Better renoprotective effect of angiotensin II antagonist compared to dihydropyridine calcium channel blocker in childhood. Kidney International, 2003, 64, 1450-1454.	5.2	37
54	Immunity to diphtheria and tetanus in a young population on a dialysis regimen or with a renal transplant. Journal of Pediatrics, 1997, 130, 987-989.	1.8	36

#	Article	IF	CITATIONS
55	Urine erythrocyte morphology in patients with microscopic haematuria caused by a glomerulopathy. Pediatric Nephrology, 2008, 23, 1093-1100.	1.7	36
56	Prevalence of Malnutrition Assessed by Bioimpedance Analysis and Anthropometry in Children on Peritoneal Dialysis. Peritoneal Dialysis International, 2001, 21, 172-179.	2.3	35
57	An open-label, randomized clinical trial assessing immunogenicity, safety and tolerability of pandemic influenza A/H1N1 MF59-adjuvanted vaccine administered sequentially or simultaneously with seasonal virosomal-adjuvanted influenza vaccine to paediatric kidney transplant recipients. Nephrology Dialysis Transplantation, 2011, 26, 2018-2024.	0.7	35
58	Duration of immunity to diphtheria and tetanus in young kidney transplant patients. Pediatric Transplantation, 1999, 3, 109-114.	1.0	34
59	Interdialytic weight gain in oligoanuric children and adolescents on chronic hemodialysis. Pediatric Nephrology, 2015, 30, 999-1005.	1.7	34
60	Factors influencing choice of renal replacement therapy in European Paediatric Nephrology Units. Pediatric Nephrology, 2013, 28, 2361-2368.	1.7	33
61	Best practice guidelines for idiopathic nephrotic syndrome: recommendations versus reality. Pediatric Nephrology, 2015, 30, 91-101.	1.7	33
62	Catheter-related infections in children treated with hemodialysis. Pediatric Nephrology, 2004, 19, 1324-1333.	1.7	32
63	A prospective multicentre study of the nutritional status in children on chronic peritoneal dialysis. Nephrology Dialysis Transplantation, 2006, 21, 1946-1951.	0.7	32
64	Bioimpedance analysis and cardiovascular status in pediatric patients on chronic hemodialysis. Hemodialysis International, 2012, 16, S20-5.	0.9	32
65	Encapsulating peritoneal sclerosis in paediatric peritoneal dialysis patients: the experience of the Italian Registry of Pediatric Chronic Dialysis. Nephrology Dialysis Transplantation, 2013, 28, 1603-1609.	0.7	31
66	Assessment of nutritional status in children with chronic kidney disease and on dialysis. Pediatric Nephrology, 2014, 29, 1349-1358.	1.7	31
67	Polymer Nanoparticle Engineering for Podocyte Repair: From in Vitro Models to New Nanotherapeutics in Kidney Diseases. ACS Omega, 2017, 2, 599-610.	3.5	30
68	Similarity of Shiga Toxin–producingEscherichia coliO104:H4 Strains from Italy and Germany. Emerging Infectious Diseases, 2011, 17, 1957-1958.	4.3	28
69	Deciphering Variability of PKD1 and PKD2 in an Italian Cohort of 643 Patients with Autosomal Dominant Polycystic Kidney Disease (ADPKD). Scientific Reports, 2016, 6, 30850.	3.3	28
70	Pharmacokinetics and hematologic response to subcutaneous administration of recombinant human erythropoietin in children undergoing long-term peritoneal dialysis: A multicenter study. Journal of Pediatrics, 1993, 122, 297-302.	1.8	27
71	Allogeneic mesenchymal stem cell infusion for the stabilization ofÂfocal segmental glomerulosclerosis. Biologicals, 2013, 41, 439-445.	1.4	27
72	Skin Involvement in Atypical Hemolytic Uremic Syndrome. American Journal of Kidney Diseases, 2014, 63, 652-655.	1.9	27

#	Article	IF	Citations
73	Adherence to transition guidelines in European paediatric nephrology units. Pediatric Nephrology, 2014, 29, 1617-1624.	1.7	26
74	ADVANTAGES OF CYCLOSPORINE AS SOLE IMMUNOSUPPRESSIVE AGENT IN CHILDREN WITH TRANSPLANTED KIDNEYS. Transplantation, 1992, 54, 834-838.	1.0	25
75	Differences between office and ambulatory blood pressures in children and adolescents attending a hospital hypertension clinic. Journal of Hypertension, 2013, 31, 2165-2175.	0.5	25
76	Left renal vein entrapment: a frequent feature in children with postural proteinuria. Pediatric Nephrology, 2008, 23, 1837-1839.	1.7	24
77	Combined liver-kidney transplantation in glycogen storage disease Ia: A case beyond the guidelines. Liver Transplantation, 2007, 13, 762-764.	2.4	23
78	Assessment and Monitoring of Nutrition Status in Pediatric Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2009, 29, 176-179.	2.3	23
79	Unacylated ghrelin and obestatin: promising biomarkers of protein energy wasting in children with chronic kidney disease. Pediatric Nephrology, 2018, 33, 661-672.	1.7	23
80	Dialysis delivery in children on nightly intermittent and tidal peritoneal dialysis. Pediatric Nephrology, 1995, 9, 329-332.	1.7	22
81	Genetic risk factors in typical haemolytic uraemic syndrome. Nephrology Dialysis Transplantation, 2009, 24, 1851-1857.	0.7	22
82	Pleuro-peritoneal or pericardio-peritoneal leak in children on chronic peritoneal dialysis—A survey from the European Paediatric Dialysis Working Group. Pediatric Nephrology, 2015, 30, 2021-2027.	1.7	21
83	Chronic haemodialysis in small children: a retrospective study of the Italian Pediatric Dialysis Registry. Pediatric Nephrology, 2016, 31, 833-841.	1.7	21
84	Infectious Complications in Pediatric Patients Treated with Chronic Peritoneal Dialysis (Cpd). Peritoneal Dialysis International, 1996, 16, 543-547.	2.3	20
85	The biochemical diagnosis of Gitelman disease and the definition of "hypocalciuria". Pediatric Nephrology, 2003, 18, 409-411.	1.7	20
86	Reduction in catheterâ€related infections after switching from povidoneâ€iodine to chlorhexidine for the exitâ€site care of tunneled central venous catheters in children on hemodialysis. Hemodialysis International, 2014, 18, S13-8.	0.9	20
87	Fatty Acids in Nephrotic Syndrome and Chronic Kidney Disease. , 2018, 28, 145-155.		20
88	Disposition of pulse dose methylprednisolone in adult and paediatric patients with the nephrotic syndrome. European Journal of Clinical Pharmacology, 1982, 23, 429-433.	1.9	19
89	One-year results of basiliximab induction and tacrolimus associated with sequential steroid and MMF treatment in pediatric kidney transplant recipient. Transplant International, 2005, 18, 36-42.	1.6	19
90	Conservative surgical management of catheter infections in children on peritoneal dialysis. Pediatric Surgery International, 2009, 25, 703-707.	1.4	19

#	Article	IF	Citations
91	Accuracy of Prediction Formulae for the Assessment of Resting Energy Expenditure in Hospitalized Children. Journal of Pediatric Gastroenterology and Nutrition, 2016, 63, 708-712.	1.8	19
92	Chronic peritoneal dialysis catheters in children: a fifteen-year experience of the Italian Registry of Pediatric Chronic Peritoneal Dialysis. Peritoneal Dialysis International, 2004, 24, 481-6.	2.3	19
93	Analysis of Complications in a Chronic Peritoneal Dialysis Pediatric Patient Population. Peritoneal Dialysis International, 1993, 13, 257-259.	2.3	18
94	A Case Study: Telemedicine Technology and Peritoneal Dialysis in Children. Telemedicine Journal and E-Health, 2002, 8, 355-359.	2.8	18
95	Simultaneous Mutations in the CLCNKB and SLC12A3 Genes in Two Siblings with Phenotypic Heterogeneity in Classic Bartter Syndrome. Pediatric Research, 2005, 58, 1269-1273.	2.3	18
96	Febrile Urinary Tract Infections: Clinical and Laboratory Diagnosis, Imaging, and Prognosis. Seminars in Nuclear Medicine, 2014, 44, 123-128.	4.6	18
97	The polyunsaturated fatty acid balance in kidney health and disease: AÂreview. Clinical Nutrition, 2018, 37, 1829-1839.	5.0	18
98	The Italian Pediatric Chronic Peritoneal Dialysis Registry. Peritoneal Dialysis International, 1999, 19, 479-483.	2.3	17
99	Pharmacokinetic of Cyclosporine Microemulsion in Pediatric Kidney Recipients Receiving A Quadruple Immunosuppressive Regimen: The Value of C2 Blood Levels. Transplantation, 2005, 79, 1164-1168.	1.0	17
100	Longitudinal evaluation of mycophenolic acid pharmacokinetics in pediatric kidney transplant recipients. The role of postâ€transplant clinical and therapeutic variables. Clinical Transplantation, 2009, 23, 264-270.	1.6	17
101	Successful medical treatment of EBV smooth muscle tumor in a renal transplant recipient. Pediatric Transplantation, 2010, 14, E101-E104.	1.0	17
102	Intradialytic cycling in children and young adults on chronic hemodialysis. Pediatric Nephrology, 2014, 29, 431-438.	1.7	17
103	Rapid response in the COVID-19 pandemic: a Delphi study from the European Pediatric Dialysis Working Group. Pediatric Nephrology, 2020, 35, 1669-1678.	1.7	17
104	BIOKID: Randomized controlled trial comparing bicarbonate and lactate buffer in biocompatible peritoneal dialysis solutions in children [ISRCTN81137991]. BMC Nephrology, 2004, 5, 14.	1.8	16
105	Infants with congenital nephrotic syndrome have comparable outcomes to infants with other renal diseases. Pediatric Nephrology, 2019, 34, 649-655.	1.7	16
106	Chronic peritoneal dialysis in paediatrics: Experience of a national registry. Pediatric Nephrology, 1992, 6, 78-81.	1.7	15
107	How good is blood pressure control among treated hypertensive children and adolescents?. Journal of Hypertension, 2003, 21, 633-637.	0.5	15
108	Renal effects of cyclosporin A in children treated for idiopathic nephrotic syndrome. Acta Paediatrica, International Journal of Paediatrics, 1993, 82, 463-468.	1.5	14

#	Article	IF	CITATIONS
109	Nephrotic syndrome in a mother and her infant: relationship with cytomegalovirus infection. Pediatric Nephrology, 1996, 10, 73-75.	1.7	14
110	Association Between CYP3A5 Polymorphisms and Blood Pressure in Kidney Transplant Recipients Receiving Calcineurin Inhibitors. Clinical and Experimental Hypertension, 2011, 33, 359-365.	1.3	14
111	Tandem plasma-exchange and haemodialysis in a paediatric dialysis unit. Pediatric Nephrology, 2012, 27, 493-495.	1.7	14
112	Non-Medical Risk Factors as Avoidable Determinants of Excess Mortality in Children with Chronic Kidney Disease. A Prospective Cohort Study in Nicaragua, a Model Low Income Country. PLoS ONE, 2016, 11, e0153963.	2.5	14
113	Renal Replacement Therapy in children with severe developmental disability: guiding questions for decision-making. European Journal of Pediatrics, 2018, 177, 1735-1743.	2.7	14
114	Role of Arachidonic Acid and Its Metabolites in the Biological and Clinical Manifestations of Idiopathic Nephrotic Syndrome. International Journal of Molecular Sciences, 2021, 22, 5452.	4.1	14
115	Reduced coronary flow reserve in young adults with renal transplant. Nephrology Dialysis Transplantation, 2007, 22, 2328-2333.	0.7	13
116	The potential of steroids and xenobiotic receptor polymorphisms in forecasting cyclosporine pharmacokinetic variability in young kidney transplant recipients. Pediatric Transplantation, 2012, 16, 658-663.	1.0	13
117	Alport syndrome: the effects of spironolactone on proteinuria and urinary TGF- \hat{l}^21 . Pediatric Nephrology, 2013, 28, 1837-1842.	1.7	13
118	Long-term effects of <i>ABCB1</i> and <i>SXR</i> SNPs on the systemic exposure to cyclosporine in pediatric kidney transplant patients. Pharmacogenomics, 2013, 14, 1605-1613.	1.3	13
119	Evaluation of the Peritoneal Equilibration Test in Children on Chronic Peritoneal Dialysis. Peritoneal Dialysis International, 1993, 13, 260-262.	2.3	11
120	Role of non-polio enterovirus infection in pediatric hemolytic uremic syndrome. Pediatric Nephrology, 2002, 17, 852-855.	1.7	10
121	Mycophenolate Mofetil Pharmacokinetic Monitoring in Pediatric Kidney Transplant Recipients. Transplantation Proceedings, 2005, 37, 856-858.	0.6	10
122	Adenine Phosphoribosyltransferase Deficiency: An Underdiagnosed Cause of Lithiasis and Renal Failure. JIMD Reports, 2011, 5, 45-48.	1.5	10
123	Sch�nlein-Henoch Glomerulonephritis. Virchows Archiv A, Pathological Anatomy and Histology, 1980, 388, 155-165.	1.3	9
124	Lipid profile during rhGH therapy in pediatric renal transplant patients. Pediatric Transplantation, 2002, 6, 127-131.	1.0	9
125	Conversion from cyclosporine to tacrolimus in pediatric kidney transplant recipients. Pediatric Nephrology, 2002, 17, 664-667.	1.7	9
126	Effects of treatment in the levels of circulating cytokines and growth factors in cystic fibrosis and dialyzed patients by multi-analytical determination with a biochip array platform. Cytokine, 2013, 62, 413-420.	3.2	9

#	Article	IF	CITATIONS
127	<i>SXR</i> rs3842689: a prognostic factor for steroid sensitivity or resistance in pediatric idiopathic nephrotic syndrome. Pharmacogenomics, 2016, 17, 1227-1233.	1.3	9
128	Bioimpedance Spectroscopy Imprecisely Assesses Lean Body Mass in Pediatric Dialysis Patients. Journal of Pediatric Gastroenterology and Nutrition, 2018, 67, 533-537.	1.8	9
129	The European Experience with CAPD/CCPD in Children. , 1998, , 17-34.		9
130	Changes in visual evoked potentials in children on chronic dialysis treatment. Child's Nervous System, 1985, 1, 282-287.	1.1	8
131	Effects of 1,25-Dihydroxyvitamin-D3 Treatment on Mineral Balance in Children with End Stage Renal Disease Undergoing Chronic Hemofiltration. Pediatric Research, 1986, 20, 5-8.	2.3	8
132	A Novel Objective Nutritional Score for Children on Chronic Peritoneal Dialysis. Peritoneal Dialysis International, 2002, 22, 602-607.	2.3	8
133	Countermeasures against COVID-19: how to navigate medical practice through a nascent, evolving evidence base $\hat{a} \in \mathbb{Z}$ a European multicentre mixed methods study. BMJ Open, 2021, 11, e043015.	1.9	8
134	Pediatric Kidney Transplantation: A Snapshot 10 Years Later. Transplantation Proceedings, 2008, 40, 1852-1853.	0.6	7
135	Nonacidotic kidney proximal tubulopathy with absorptive hypercalciuria. American Journal of Kidney Diseases, 1995, 25, 222-227.	1.9	6
136	Cyclosporine monitoring in stable, long-term, pediatric kidney transplant recipients: the value of C2 determination. Transplantation Proceedings, 2004, 36, 685-686.	0.6	6
137	Medulloblastoma presenting as dialysis disequilibrium syndrome. Hemodialysis International, 2011, 15, S64-7.	0.9	6
138	Correlates of Exercise Capacity in Pediatric Patients on Chronic Hemodialysis., 2013, 23, 380-386.		6
139	Nutritional assessment and risk of malnutrition in hospitalised children in northern Italy. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, e416-7.	1.5	6
140	Influenza immunization in hemodialyzed or kidney transplanted adolescents and young adults. Expert Review of Vaccines, 2014, 13, 1059-1066.	4.4	6
141	Antithrombotic prophylaxis in a patient with nephrotic syndrome and congenital protein S deficiency. Italian Journal of Pediatrics, 2016, 42, 22.	2.6	6
142	Plasma-exchange in pediatric patients: a single-center experience. Minerva Pediatrics, 2017, 69, 113-120.	0.4	6
143	Assessment and monitoring of nutrition status in pediatric peritoneal dialysis patients. Peritoneal Dialysis International, 2009, 29 Suppl 2, S176-9.	2.3	6
144	Conversion from tacrolimus to cyclosporine for a non–dose-dependent tacrolimus-induced toxicity, a pediatric kidney transplant recipient case report. Transplantation Proceedings, 2004, 36, 1332-1335.	0.6	5

#	Article	IF	Citations
145	The acute interstitial nephritis induced by azithromycin. CKJ: Clinical Kidney Journal, 2011, 4, 218-218.	2.9	5
146	Fifteen years of research on nephrin: what we still need to know. Nephrology Dialysis Transplantation, 2013, 28, 767-770.	0.7	5
147	Relationship between mRNA expression levels of CYP3A4, CYP3A5 and SXR in peripheral mononuclear blood cells and aging in young kidney transplant recipients under tacrolimus treatment. Pharmacogenomics, 2015, 16, 483-491.	1.3	5
148	Vitamin K antagonists in children with central venous catheter on chronic haemodialysis: a pilot study. Pediatric Nephrology, 2016, 31, 827-832.	1.7	5
149	The first hour refill index: a promising marker of volume overload in children and young adults on chronic hemodialysis. Pediatric Nephrology, 2018, 33, 1209-1214.	1.7	5
150	Myocardial function in Bartter's and Gitelman's syndromes. Kidney International, 2003, 64, 367.	5.2	4
151	CO or C2 driven cyclosporine monitoring in long-term pediatric kidney transplant recipients: Is there any threat for chronic rejection development?. Pediatric Transplantation, 2005, 9, 328-331.	1.0	4
152	Relevance of a database for monitoring a cooperative paediatric nephrology project in Nicaragua. Pediatric Nephrology, 2011, 26, 641-642.	1.7	4
153	Nutcracker phenomenon and idiopathic IgA nephropathy. CKJ: Clinical Kidney Journal, 2011, 4, 453-454.	2.9	4
154	Severe and isolated headache associated with hypertension as unique clinical presentation of posterior reversible encephalopathy syndrome. BMC Pediatrics, 2014, 14, 190.	1.7	4
155	Social and economic determinants of pediatric health inequalities: the model of chronic kidney disease. Pediatric Research, 2016, 79, 159-168.	2.3	4
156	Haemodiafiltration use in children: data from the Italian Pediatric Dialysis Registry. Pediatric Nephrology, 2019, 34, 1057-1063.	1.7	4
157	Kidney-Detrimental Factors and Estimated Glomerular Filtration Rate in Preterm Newborns: The Role of Nutrition. Nutrients, 2020, 12, 651.	4.1	4
158	A novel objective nutritional score for children on chronic peritoneal dialysis. Peritoneal Dialysis International, 2002, 22, 602-7.	2.3	4
159	Isolation in Italy of a verotoxin-producing strain of Escherichia coli 0157:H7 from a child with hemolytic-uraemic syndrome. European Journal of Epidemiology, 1990, 6, 102-104.	5.7	3
160	Cardiovascular Function in a Chronic Peritoneal Dialysis Pediatric Population on Recombinant Human Erythropoietin Treatment. Peritoneal Dialysis International, 1993, 13, 267-269.	2.3	3
161	Clinical Features and Prognosis in Childhood IgA Nephropathy. Renal Failure, 1994, 16, 629-636.	2.1	3
162	C2 is an age-independent parameter for optimal cyclosporine exposure in long-term kidney transplant recipients. Transplantation Proceedings, 2004, 36, 2656-2658.	0.6	3

#	Article	IF	CITATIONS
163	Split catheters in children on chronic hemodialysis: A singleâ€center experience. Hemodialysis International, 2012, 16, 394-400.	0.9	3
164	Childhood Idiopathic Nephrotic Syndrome: Does the Initial Steroid Treatment Modify the Outcome? A Multicentre, Prospective Cohort Study. Frontiers in Pediatrics, 2021, 9, 627636.	1.9	3
165	Guidelines by An AD HOC European Committee on the Assessment of Growth and Nutrition Status in Children on Chronic Peritoneal Dialysis. Peritoneal Dialysis International, 2001, 21, 1-9.	2.3	2
166	Cyclosporin enhances the tendency towards oedema and flushing noted on dihydropyridine calcium channel blockers. British Journal of Clinical Pharmacology, 2002, 54, 334-335.	2.4	2
167	Weather and hemolytic uremic syndrome. Pediatric Nephrology, 2003, 18, 1195-1196.	1.7	2
168	Resident foreign patients receive adequate dialysis but fewer preemptive transplantations: data from the Italian pediatric dialysis registry. Pediatric Nephrology, 2021, 36, 639-647.	1.7	2
169	Conversion from cyclosporine to tacrolimus for refractory acute rejection in pediatric kidney transplant recipients: a single-center experience. Transplantation Proceedings, 2001, 33, 3590-3591.	0.6	1
170	Hemodialysis in children with ventriculoperitoneal shunts: prevalence, management and outcomes. Pediatric Nephrology, 2016, 31, 137-143.	1.7	1
171	CYP and SXR gene polymorphisms influence in opposite ways acute rejection rate in pediatric patients with renal transplant. BMC Pediatrics, 2020, 20, 246.	1.7	1
172	Influenza and pneumococcus vaccination rates in pediatric dialysis patients in Europe: recommendations vs reality A European Pediatric Dialysis Working Group and European Society for Pediatric Nephrology Dialysis Working Group study. Turkish Journal of Medical Sciences, 2021, 51, 2881-2886.	0.9	1
173	INFLUENCE OF HEMOFILTRATION ON NITROGEN BALANCE AND GROWTH RATE IN CHILDREN ON END STAGE RENAL DISEASE. Pediatric Research, 1984, 18, 361A-361A.	2.3	0
174	The impact of eNOS, MTR and MTHFR polymorphisms on renal graft survival in children and young adults. Nephrology Dialysis Transplantation, 2009, 24, 2931-2937.	0.7	0
175	Editorial. Paediatrics and International Child Health, 2017, 37, 238-239.	1.0	0
176	Attualità in nefrologia pediatrica: le conoscenze di rilievo per il nefrologo dell'adulto. Giornale Di Clinica Nefrologica E Dialisi, 0, 33, 67-76.	0.0	0
177	RENAL TRANSPLANTATION IN CHILDREN UNDER 5 YEARS OF AGE: NORTH ITALY TRANSPLANT (NITp) EXPERIENCE Transplantation, 1999, 67, S184.	1.0	0
178	Dry weight in children on hemodialysis. Giornale De Techniche Nefrologiche & Dialitiche, 2015, 27, 221-225.	0.1	0