## **Robert A Harris**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8669118/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Loss of metabolic flexibility as a result of overexpression of pyruvate dehydrogenase kinases in muscle, liver and the immune system: Therapeutic targets in metabolic diseases. Journal of Diabetes Investigation, 2021, 12, 21-31.	2.4	34
2	PDK2: An Underappreciated Regulator of Liver Metabolism. Livers, 2021, 1, 82-97.	1.9	1
3	Pyruvate dehydrogenase kinase 1 and 2 deficiency reduces high-fat diet-induced hypertrophic obesity and inhibits the differentiation of preadipocytes into mature adipocytes. Experimental and Molecular Medicine, 2021, 53, 1390-1401.	7.7	5
4	Induction of SIRT1 by melatonin improves alcoholâ€mediated oxidative liver injury by disrupting the CRBNâ€YY1â€CYP2E1 signaling pathway. Journal of Pineal Research, 2020, 68, e12638.	7.4	29
5	Metabolic Flexibility in Cancer: Targeting the Pyruvate Dehydrogenase Kinase:Pyruvate Dehydrogenase Axis. Molecular Cancer Therapeutics, 2019, 18, 1673-1681.	4.1	91
6	A critical review of the role of M2PYK in the Warburg effect. Biochimica Et Biophysica Acta: Reviews on Cancer, 2019, 1871, 225-239.	7.4	22
7	Pyruvate Dehydrogenase Kinase Is a Metabolic Checkpoint for Polarization of Macrophages to the M1 Phenotype. Frontiers in Immunology, 2019, 10, 944.	4.8	58
8	PDK4 drives metabolic alterations and muscle atrophy in cancer cachexia. FASEB Journal, 2019, 33, 7778-7790.	0.5	46
9	SIRT6 Promotes Hepatic Beta-Oxidation via Activation of PPARα. Cell Reports, 2019, 29, 4127-4143.e8.	6.4	68
10	PDK4 Augments ER–Mitochondria Contact to Dampen Skeletal Muscle Insulin Signaling During Obesity. Diabetes, 2019, 68, 571-586.	0.6	116
11	Ca2+-dependent inhibition of branched-chain α-ketoacid dehydrogenase kinase by thiamine pyrophosphate. Biochemical and Biophysical Research Communications, 2018, 504, 916-920.	2.1	9
12	The SMILE transcriptional corepressor inhibits cAMP response element–binding protein (CREB)–mediated transactivation of gluconeogenic genes. Journal of Biological Chemistry, 2018, 293, 13125-13133.	3.4	25
13	PDK4 Deficiency Suppresses Hepatic Glucagon Signaling by Decreasing cAMP Levels. Diabetes, 2018, 67, 2054-2068.	0.6	40
14	Melatonin ameliorates alcoholâ€induced bile acid synthesis by enhancing miRâ€497 expression. Journal of Pineal Research, 2017, 62, e12386.	7.4	29
15	Pyruvate dehydrogenase kinase 4 deficiency attenuates cisplatin-induced acute kidney injury. Kidney International, 2017, 91, 880-895.	5.2	77
16	Insulin-Inducible SMILE Inhibits Hepatic Gluconeogenesis. Diabetes, 2016, 65, 62-73.	0.6	24
17	The Orphan Nuclear Receptor ERRÎ <sup>3</sup> Regulates Hepatic CB1 Receptor-Mediated Fibroblast Growth Factor 21 Gene Expression. PLoS ONE, 2016, 11, e0159425.	2.5	13
18	Inhibition of Pyruvate Dehydrogenase Kinase 2 Protects Against Hepatic Steatosis Through Modulation of Tricarboxylic Acid Cycle Anaplerosis and Ketogenesis. Diabetes, 2016, 65, 2876-2887.	0.6	53

**ROBERT A HARRIS** 

#	Article	IF	CITATIONS
19	Nitric Oxide Produced by Macrophages Inhibits Adipocyte Differentiation and Promotes Profibrogenic Responses in Preadipocytes to Induce Adipose Tissue Fibrosis. Diabetes, 2016, 65, 2516-2528.	0.6	46
20	Pyruvate Dehydrogenase Kinase-mediated Glycolytic Metabolic Shift in the Dorsal Root Ganglion Drives Painful Diabetic Neuropathy. Journal of Biological Chemistry, 2016, 291, 6011-6025.	3.4	62
21	Sirtuin 6 regulates glucose-stimulated insulin secretion in mouse pancreatic beta cells. Diabetologia, 2016, 59, 151-160.	6.3	56
22	Pyruvate Dehydrogenase Kinase 4 Promotes Vascular Calcification via SMAD1/5/8 Phosphorylation. Scientific Reports, 2015, 5, 16577.	3.3	55
23	L-Asparaginase delivered by Salmonella typhimurium suppresses solid tumors. Molecular Therapy - Oncolytics, 2015, 2, 15007.	4.4	38
24	Retinoic acidâ€related orphan receptor alpha reprograms glucose metabolism in glutamineâ€deficient hepatoma cells. Hepatology, 2015, 61, 953-964.	7.3	51
25	Ablation of XP-V gene causes adipose tissue senescence and metabolic abnormalities. Proceedings of the United States of America, 2015, 112, E4556-64.	7.1	69
26	Inhibition of cereblon by fenofibrate ameliorates alcoholic liver disease by enhancing AMPK. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2015, 1852, 2662-2670.	3.8	18
27	Metabolic Connection of Inflammatory Pain: Pivotal Role of a Pyruvate Dehydrogenase Kinase-Pyruvate Dehydrogenase-Lactic Acid Axis. Journal of Neuroscience, 2015, 35, 14353-14369.	3.6	56
28	Ferroxitosis: A cell death from modulation of oxidative phosphorylation and PKM2-dependent glycolysis in melanoma. Oncotarget, 2014, 5, 12694-12703.	1.8	13
29	Fasting induces ketoacidosis and hypothermia in PDHK2/PDHK4-double-knockout mice. Biochemical Journal, 2012, 443, 829-839.	3.7	42
30	Sulforaphane attenuates hepatic fibrosis via NF-E2-related factor 2-mediated inhibition of transforming growth factor-1²/Smad signaling. Free Radical Biology and Medicine, 2012, 52, 671-682.	2.9	125
31	PDH activation during in vitro muscle contractions in PDH kinase 2 knockout mice: effect of PDH kinase 1 compensation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 300, R1487-R1493.	1.8	21
32	Role of Pyruvate Dehydrogenase Kinase 4 in Regulation of Blood Glucose Levels. Korean Diabetes Journal, 2010, 34, 274.	0.8	60
33	GCN2 is Essential for Oligodendrocyte Development and Myelination in the Brains of Mice Born Deficient in Branchedâ€Chain αâ€Ketoacid Dehydrogenase Kinase (BDK). FASEB Journal, 2010, 24, 331.5.	0.5	0
34	GCN2 is Essential for the Survival of Mice Born Deficient in Branchedâ€Chain alphaâ€Ketoacid Dehydrogenase Kinase (BDK) FASEB Journal, 2009, 23, 228.8.	0.5	0
35	Pyruvate dehydrogenase kinase 4 (PDK4) deficiency attenuates the longâ€ŧerm negative effects of a highâ€saturated fat diet. FASEB Journal, 2009, 23, 856.19.	0.5	0
36	Carbohydrate-response Element-binding Protein Deletion Alters Substrate Utilization Producing an Energy-deficient Liver. Journal of Biological Chemistry, 2008, 283, 1670-1678.	3.4	50

**ROBERT A HARRIS** 

#	Article	IF	CITATIONS
37	Proteomic Comparison of Heart and Liver Mitochondria in Diabetes. FASEB Journal, 2006, 20, A65.	0.5	0
38	BCAA hypercatabolism does not inhibit leucine stimulation of the mTOR pathway in skeletal muscle of mice deleted for BDK FASEB Journal, 2006, 20, A161.	0.5	0
39	Knocking out pyruvate dehydrogenase kinase 4 lowers blood glucose by altering fuel selection in peripheral tissues. FASEB Journal, 2006, 20, .	0.5	0
40	Overview of the Molecular and Biochemical Basis of Branched-Chain Amino Acid Catabolism. Journal of Nutrition, 2005, 135, 1527S-1530S.	2.9	153
41	Protein Kinase B-Â Inhibits Human Pyruvate Dehydrogenase Kinase-4 Gene Induction by Dexamethasone Through Inactivation of FOXO Transcription Factors. Diabetes, 2004, 53, 899-910.	0.6	141
42	Mechanisms responsible for regulation of branched-chain amino acid catabolism. Biochemical and Biophysical Research Communications, 2004, 313, 391-396.	2.1	145
43	Regulation of Pyruvate Dehydrogenase Kinase Expression by Peroxisome Proliferator–Activated Receptor-α Ligands, Glucocorticoids, and Insulin. Diabetes, 2002, 51, 276-283.	0.6	221
44	Regulation of the activity of the pyruvate dehydrogenase complex. Advances in Enzyme Regulation, 2002, 42, 249-259.	2.6	280
45	Regulation of the activity of branched-chain 2-oxo acid dehydrogenase (BCODH) complex by binding BCODH kinase. FEBS Letters, 2001, 491, 50-54.	2.8	34
46	Human skeletal muscle PDH kinase activity and isoform expression during a 3-day high-fat/low-carbohydrate diet. American Journal of Physiology - Endocrinology and Metabolism, 2001, 281, E1151-E1158.	3.5	131
47	Introduction. Journal of Nutrition, 2001, 131, 839S-840S.	2.9	15
48	Structure of Pyruvate Dehydrogenase Kinase. Journal of Biological Chemistry, 2001, 276, 37443-37450.	3.4	89
49	Insulin Downregulates Pyruvate Dehydrogenase Kinase (PDK) mRNA: Potential Mechanism Contributing to Increased Lipid Oxidation in Insulin-Resistant Subjects. Molecular Genetics and Metabolism, 1998, 65, 181-186.	1.1	101
50	Structural and mechanistic similarities of 6-phosphogluconate and 3-hydroxyisobutyrate dehydrogenases reveal a new enzyme family, the 3-hydroxyacid dehydrogenases. FEBS Letters, 1996, 389, 263-267.	2.8	38
51	Mammalian αâ€keto acid dehydrogenase complexes: gene regulation and genetic defects 1. FASEB Journal, 1995, 9, 1164-1172.	0.5	86
52	Regulation of Branched-Chain Amino Acid Catabolism ,. Journal of Nutrition, 1994, 124, 1499S-1502S.	2.9	34
53	Immunochemical identification of branched-chain 2-oxo acid dehydrogenase kinase. FEBS Letters, 1991, 288, 95-97.	2.8	8
54	Regulation of branched-chain amino acid metabolism. Biochemical Society Transactions, 1986, 14, 1005-1008.	3.4	8

**ROBERT A HARRIS** 

#	Article	IF	CITATIONS
55	Phosphorylation affects the mobility of the E1 α-subunit of branched-chain 2-oxo acid dehydrogenase on sodium dodecyl sulphate/polyacrylamide-gel electrophoresis. Biochemical Society Transactions, 1986, 14, 1077-1078.	3.4	9
56	COMPARATIVE STUDIES OF HEPATOCYTES ISOLATED FROM LEAN AND OBESE ZUCKER RATS. Biochemical Society Transactions, 1981, 9, 309P-309P.	3.4	0
57	Studies on the inhibition of hepatic lipogenesis by carboxylic acids. Biochemical Society Transactions, 1980, 8, 562-563.	3.4	7
58	Glucagon and N6,O2â€2-dibutyryl adenosine 3â€2â^¶5â€2-monophosphate inhibition of lipogenesis and phosphofructokinase activity of hepatocytes from meal-fed rats. Lipids, 1980, 15, 504-511.	1.7	8
59	Inhibition of hepatic lipogenesis by 2-tetradecylglycidic acid. Lipids, 1979, 14, 880-882.	1.7	32
60	The predominance of binucleation in isolated rat heart myocytes. American Journal of Anatomy, 1977, 149, 489-499.	1.0	84
61	Studies on the Cardiomegaly of the Spontaneously Hypertensive Rat. Circulation Research, 1974, 35, 102-110.	4.5	26
62	Regulatory function of mitochondria in lipogenesis. Lipids, 1973, 8, 711-716.	1.7	2
63	Stimulation of ion transport by phosphoglycerides. Lipids, 1973, 8, 717-721.	1.7	4