Cape John

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8669237/publications.pdf

Version: 2024-02-01

279798 254184 2,349 46 23 43 h-index citations g-index papers 46 46 46 3498 times ranked all docs docs citations citing authors

#	Article	IF	Citations
1	The effects of improving sleep on mental health (OASIS): a randomised controlled trial with mediation analysis. Lancet Psychiatry,the, 2017, 4, 749-758.	7.4	459
2	The Sleep Condition Indicator: a clinical screening tool to evaluate insomnia disorder:. BMJ Open, 2014, 4, e004183.	1.9	305
3	Effect of Digital Cognitive Behavioral Therapy for Insomnia on Health, Psychological Well-being, and Sleep-Related Quality of Life: A Randomized Clinical Trial. JAMA Psychiatry, 2019, 76, 21.	11.0	269
4	Brief psychological therapies for anxiety and depression in primary care: meta-analysis and meta-regression. BMC Medicine, 2010, 8, 38.	5 . 5	207
5	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. BMJ, The, 2013, 347, f4913-f4913.	6.0	173
6	Delivering stepped care: an analysis of implementation in routine practice. Implementation Science, 2012, 7, 3.	6.9	120
7	Consultation length, patient-estimated consultation length, and satisfaction with the consultation. British Journal of General Practice, 2002, 52, 1004-6.	1.4	64
8	The Sleep Condition Indicator: reference values derived from a sample of 200Â000 adults. Journal of Sleep Research, 2018, 27, e12643.	3.2	47
9	Trajectories of depression and anxiety symptom change during psychological therapy. Journal of Affective Disorders, 2019, 249, 327-335.	4.1	44
10	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-192.	2.8	41
11	Psychological treatment of emotional problems by general practitioners. The British Journal of Medical Psychology, 1996, 69, 85-99.	0.5	40
12	Predicting treatment outcome in psychological treatment services by identifying latent profiles of patients. Journal of Affective Disorders, 2016, 197, 107-115.	4.1	39
13	Cost-Effectiveness of Collaborative Care for Depression in UK Primary Care: Economic Evaluation of a Randomised Controlled Trial (CADET). PLoS ONE, 2014, 9, e104225.	2.5	38
14	What is the role of consultation–liaison psychiatry in the management of depression in primary care? A systematic review and meta-analysis. General Hospital Psychiatry, 2010, 32, 246-254.	2.4	37
15	Older adults respond better to psychological therapy than working-age adults: evidence from a large sample of mental health service attendees Journal of Affective Disorders, 2021, 294, 85-93.	4.1	36
16	Facilitating access to voluntary and community services for patients with psychosocial problems: a before-after evaluation. BMC Family Practice, 2008, 9, 27.	2.9	33
17	Digital Cognitive Behavioural Therapy for Insomnia versus sleep hygiene education: the impact of improved sleep on functional health, quality of life and psychological well-being. Study protocol for a randomised controlled trial. Trials, 2016, 17, 257.	1.6	32
18	Patients' experiences of GP consultations for psychological problems: a qualitative study. British Journal of General Practice, 2006, 56, 496-503.	1.4	32

#	Article	IF	CITATIONS
19	Patient-rated therapeutic relationship and outcome in general practitioner treatment of psychological problems. British Journal of Clinical Psychology, 2000, 39, 383-395.	3.5	31
20	Clinical practice guidelines in clinical psychology and psychotherapy. Clinical Psychology and Psychotherapy, 2003, 10, 337-351.	2.7	30
21	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depression - study protocol. BMC Health Services Research, 2009, 9, 188.	2.2	30
22	Group cognitive behavioural treatment for insomnia in primary care: a randomized controlled trial. Psychological Medicine, 2016, 46, 1015-1025.	4.5	26
23	Facilitating understanding of mental health problems in GP consultations: a qualitative study using taped-assisted recall. British Journal of General Practice, 2010, 60, 837-845.	1.4	24
24	Practice improvement methods: Conceptual base, evidence-based research, and practice-based recommendations. British Journal of Clinical Psychology, 2002, 41, 285-307.	3.5	22
25	Decisions about referrals for psychological therapies: a matched-patient qualitative study. British Journal of General Practice, 2009, 59, e289-e298.	1.4	20
26	Improvement in IAPT outcomes over time: are they driven by changes in clinical practice?. The Cognitive Behaviour Therapist, 2020, 13, e16.	1.0	18
27	Dynamic interpersonal therapy for moderate to severe depression: a pilot randomized controlled and feasibility trial. Psychological Medicine, 2020, 50, 1010-1019.	4.5	17
28	Management of generalised anxiety disorder in adults: summary of NICE guidance. BMJ: British Medical Journal, 2011, 342, c7460-c7460.	2.3	16
29	The Cost Effectiveness of Pharmacological Treatments for Generalized Anxiety Disorder. Pharmacoeconomics, 2013, 31, 317-333.	3.3	14
30	Trends in depression & Depression & Trends in department & Trends in	4.1	12
31	Clinical guidelines: involving patients and users of services. Journal of Clinical Effectiveness, 1996, 1, 104-112.	0.2	10
32	Understanding the psychological therapy treatment outcomes for young adults who are not in education, employment, or training (NEET), moderators of outcomes, and what might be done to improve them. Psychological Medicine, 2023, 53, 2808-2819.	4.5	9
33	Rated casemix of general practitioner referrals to practice counsellors and clinical psychologists: A retrospective survey of a year's caseload. The British Journal of Medical Psychology, 2001, 74, 237-246.	0.5	8
34	Complexity of GPs' explanations about mental health problems: development, reliability, and validity of a measure. British Journal of General Practice, 2008, 58, 403-410.	1.4	8
35	Verbal Exchange Structure of General Practice Consultations with Patients Presenting Psychological Problems. Journal of Health Psychology, 1998, 3, 5-21.	2.3	7
36	Pilot of a randomised controlled trial of the selective serotonin reuptake inhibitor sertraline versus cognitive behavioural therapy for anxiety symptoms in people with generalised anxiety disorder who have failed to respond to low-intensity psychological treatments as defined by the National Institute for Health and Care Excellence guidelines. Health Technology Assessment, 2017, 21, 1-138.	2.8	6

#	Article	IF	CITATIONS
37	Patients' views of the letters their psychiatrists and psychologists send to referrers. Journal of Mental Health, 2005, 14, 369-382.	1.9	5
38	Barriers to recruitment when conducting a commissioned randomised controlled trial of medication versus psychological therapy for generalised anxiety disorder: some lessons learned. Trials, 2019, 20, 284.	1.6	5
39	Involving patients and users of services in quality improvement: what are the benefits?. Journal of Clinical Effectiveness, 1996, 1, 63-67.	0.2	4
40	Clinical effectiveness in the UK: Definitions, history and policy trends. Journal of Mental Health, 2000, 9, 237-246.	1.9	4
41	Identification of psychological morbidity in older people in primary care by practice nurses. Aging and Mental Health, 2003, 7, 446-451.	2.8	4
42	Development of local clinical practice guidelines to assist GPs, counsellors and psychological therapists in matching patients to the most appropriate psychological treatment. Journal of Clinical Effectiveness, 1998, 3, 116-121.	0.2	2
43	The cognitive–phenomenological assessment of delusions and hallucinations at the early intervention in psychosis service stage: The results of a quality improvement project. Microbial Biotechnology, 2022, , .	1.7	1
44	Promoting Diversity. Advances in Early Childhood and K-12 Education, 2018, , 33-52.	0.2	0
45	Consultation-liaison. , 0, , 81-86.		0
46	Clinical effectiveness in the UK: Definitions, history and policy trends. Journal of Mental Health, 2000, 9, 237-246.	1.9	0