

Nicholas T Funderburg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8671361/publications.pdf>

Version: 2024-02-01

116
papers

6,197
citations

76326

40
h-index

74163

75
g-index

164
all docs

164
docs citations

164
times ranked

7813
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Heroin and HIV on Gut Integrity and Immune Activation. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2022, Publish Ahead of Print, .	2.1	7
2	Sexual minorities are at elevated risk of cardiovascular disease from a younger age than heterosexuals. <i>Journal of Behavioral Medicine</i> , 2022, 45, 571-579.	2.1	12
3	Lipidome Alterations with Exercise Among People With and Without HIV: An Exploratory Study. <i>AIDS Research and Human Retroviruses</i> , 2022, 38, 544-551.	1.1	2
4	A Pilot Study Comparing Aortic Sonography, Flow Cytometry, and Coronary CT.. <i>Radiologic Technology</i> , 2022, 93, 454-461.	0.1	0
5	Estrogen May Enhance Toll-Like Receptor 4-Induced Inflammatory Pathways in People With HIV: Implications for Transgender Women on Hormone Therapy. <i>Frontiers in Immunology</i> , 2022, 13, .	4.8	1
6	Levels of Soluble CD14 and Tumor Necrosis Factor Receptors 1 and 2 May Be Predictive of Death in Severe Coronavirus Disease 2019. <i>Journal of Infectious Diseases</i> , 2021, 223, 805-810.	4.0	27
7	Lipidome association with vascular disease and inflammation in HIV+ Ugandan children. <i>Aids</i> , 2021, 35, 1615-1623.	2.2	6
8	Changes in lipidomic profile by anti-retroviral treatment regimen. <i>Medicine (United States)</i> , 2021, 100, e26588.	1.0	1
9	Chronic cannabis smoking-enriched oral pathobiont drives behavioral changes, macrophage infiltration, and increases I ² -amyloid protein production in the brain. <i>EBioMedicine</i> , 2021, 74, 103701.	6.1	8
10	Editorial: Infectious Agent-Induced Chronic Immune Activation: Causes, Phenotypes, and Consequences. <i>Frontiers in Immunology</i> , 2021, 12, 740556.	4.8	1
11	Altered Intestinal Permeability and Fungal Translocation in Ugandan Children With Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2020, 70, 2413-2422.	5.8	26
12	Highly oxidized low-density lipoprotein mediates activation of monocytes but does not confer interleukin-1 ² secretion nor interleukin-15 transpresentation function. <i>Immunology</i> , 2020, 159, 221-230.	4.4	3
13	Insulin resistance and intestinal integrity in children with and without HIV infection in Uganda. <i>HIV Medicine</i> , 2020, 21, 119-127.	2.2	13
14	Subclinical Vascular Disease in Children With Human Immunodeficiency Virus in Uganda Is Associated With Intestinal Barrier Dysfunction. <i>Clinical Infectious Diseases</i> , 2020, 71, 3025-3032.	5.8	13
15	<i>In Vitro</i> Exposure of Leukocytes to HIV Preexposure Prophylaxis Decreases Mitochondrial Function and Alters Gene Expression Profiles. <i>Antimicrobial Agents and Chemotherapy</i> , 2020, 65, .	3.2	8
16	Macrophage maturation from blood monocytes is altered in people with HIV, and is linked to serum lipid profiles and activation indices: A model for studying atherogenic mechanisms. <i>PLoS Pathogens</i> , 2020, 16, e1008869.	4.7	21
17	CX3CL1 and IL-15 Promote CD8 T cell chemoattraction in HIV and in atherosclerosis. <i>PLoS Pathogens</i> , 2020, 16, e1008885.	4.7	17
18	Innate Immune Responses to Highly Pathogenic Coronaviruses and Other Significant Respiratory Viral Infections. <i>Frontiers in Immunology</i> , 2020, 11, 1979.	4.8	25

#	ARTICLE	IF	CITATIONS
19	PLATELET AND MONOCYTE ACTIVATION AFTER TRANSCATHETER AORTIC VALVE REPLACEMENT (POTENT-TAVR): A RANDOMIZED CONTROLLED TRIAL OF TICAGRELOR VERSUS CLOPIDOGREL BEFORE TAVR. <i>Journal of the American College of Cardiology</i> , 2020, 75, 1470.	2.8	0
20	Plasma lipidome abnormalities in people with HIV initiating antiretroviral therapy. <i>Translational Medicine Communications</i> , 2020, 5, .	1.4	1
21	Micronutrients, Metabolic Complications, and Inflammation in Ugandan Children With HIV. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2020, 70, e100-e105.	1.8	7
22	Immunomodulatory and Anti-Inflammatory Strategies to Reduce Comorbidity Risk in People with HIV. <i>Current HIV/AIDS Reports</i> , 2020, 17, 394-404.	3.1	11
23	Relationship between economic insecurity, inflammation, monocyte activation and intestinal integrity in children living with HIV in Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, 32, 1451-1456.	1.2	4
24	Increased monocyte and T-cell activation in treated HIV+ Ugandan children: associations with gut alteration and HIV factors. <i>Aids</i> , 2020, 34, 1009-1018.	2.2	14
25	Cytomegalovirus Coinfection Is Associated with Increased Vascular-Homing CD57+ CD4 T Cells in HIV Infection. <i>Journal of Immunology</i> , 2020, 204, 2722-2733.	0.8	23
26	"Inflammascent" CX3CR1+CD57+ CD8 T cells are generated and expanded by IL-15. <i>JCI Insight</i> , 2020, 5, .	5.0	18
27	Pathogenesis of Aging and Age-related Comorbidities in People with HIV: Highlights from the HIV ACTION Workshop. <i>Pathogens and Immunity</i> , 2020, 5, 143.	3.1	42
28	Altered Lipidome Composition Is Related to Markers of Monocyte and Immune Activation in Antiretroviral Therapy Treated Human Immunodeficiency Virus (HIV) Infection and in Uninfected Persons. <i>Frontiers in Immunology</i> , 2019, 10, 785.	4.8	34
29	Harvard HIV and Aging Workshop: Perspectives and Priorities from Claude D. Pepper Centers and Centers for AIDS Research. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 999-1012.	1.1	12
30	CD8+ T-Cellâ€œDerived Tumor Necrosis Factor Can Induce Tissue Factor Expression on Monocytes. <i>Journal of Infectious Diseases</i> , 2019, 220, 73-77.	4.0	14
31	Lipidome Abnormalities and Cardiovascular Disease Risk in HIV Infection. <i>Current HIV/AIDS Reports</i> , 2019, 16, 214-223.	3.1	19
32	Fungal Translocation Is Associated with Immune Activation and Systemic Inflammation in Treated HIV. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 461-472.	1.1	26
33	HIV-exposed-uninfected infants have increased inflammation and monocyte activation. <i>Aids</i> , 2019, 33, 845-853.	2.2	54
34	2528. Inflammation and Plasma Selenium and Chromium in Ugandan Children Living with HIV. <i>Open Forum Infectious Diseases</i> , 2019, 6, S879-S879.	0.9	0
35	Changes in the Fungal Marker Î²-D-Glucan After Antiretroviral Therapy and Association With Adiposity. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz434.	0.9	15
36	Brief Report: Zinc Supplementation and Inflammation in Treated HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 82, 275-280.	2.1	10

#	ARTICLE	IF	CITATIONS
37	Soluble Urokinase Plasminogen Activator Receptor Is Predictive of Non-AIDS Events During Antiretroviral Therapy-mediated Viral Suppression. <i>Clinical Infectious Diseases</i> , 2019, 69, 676-686.	5.8	49
38	Statin Therapy Does Not Reduce Liver Fat Scores in Patients Receiving Antiretroviral Therapy for HIV Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 536-542.e1.	4.4	8
39	Heavy Cannabis Use Associated With Reduction in Activated and Inflammatory Immune Cell Frequencies in Antiretroviral Therapy-treated Human Immunodeficiency Virus-infected Individuals. <i>Clinical Infectious Diseases</i> , 2018, 66, 1872-1882.	5.8	85
40	Serum Albumin Is Associated With Higher Inflammation and Carotid Atherosclerosis in Treated Human Immunodeficiency Virus Infection. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy291.	0.9	15
41	933. Serum Albumin Is Associated With Higher Inflammation and Carotid Atherosclerosis in Treated HIV Infection. <i>Open Forum Infectious Diseases</i> , 2018, 5, S32-S32.	0.9	0
42	937. Virally Suppressed PLH Switching From Abacavir to Tenofovir Alafenamide Did Not Have Changes in Immune Activation or Inflammation. <i>Open Forum Infectious Diseases</i> , 2018, 5, S34-S34.	0.9	0
43	Anisocytosis and leukocytosis are independently related to survival after transcatheter aortic valve replacement. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 191-194.	1.5	2
44	Transcriptional Profiling Identifies Mechanisms Associated With Platelet Activation in HIV Infection. <i>JACC Basic To Translational Science</i> , 2018, 3, 23-24.	4.1	0
45	CD56bright NK IL-7R α expression negatively associates with HCV level, and IL-7-induced NK function is impaired during HCV and HIV infections. <i>Journal of Leukocyte Biology</i> , 2017, 102, 171-184.	3.3	18
46	Inflammation, Immune Activation, and Antiretroviral Therapy in HIV. <i>Current HIV/AIDS Reports</i> , 2017, 14, 93-100.	3.1	170
47	Alcohol and dietary factors associate with gut integrity and inflammation in HIV-infected adults. <i>HIV Medicine</i> , 2017, 18, 402-411.	2.2	22
48	Comprehensive assessment of the arginine pathway and its relationship to inflammation in HIV. <i>Aids</i> , 2017, 31, 533-537.	2.2	6
49	HIV-positive youth who are perinatally infected have impaired endothelial function. <i>Aids</i> , 2017, 31, 1917-1924.	2.2	29
50	Brief Report: Elevated Red Cell Distribution Width Identifies Elevated Cardiovascular Disease Risk in Patients With HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 74, 298-302.	2.1	17
51	Effect of statin on arginine metabolites in treated HIV-infection. <i>Atherosclerosis</i> , 2017, 266, 74-80.	0.8	4
52	Soluble TWEAK may predict carotid atherosclerosis in treated HIV infection. <i>HIV Clinical Trials</i> , 2017, 18, 156-163.	2.0	10
53	Effects of atorvastatin on biomarkers of immune activation, inflammation, and lipids in virologically suppressed, human immunodeficiency virus-1-infected individuals with low-density lipoprotein cholesterol ≥ 130 mg/dL (AIDS Clinical Trials Group Study A5275). <i>Journal of Clinical Lipidology</i> , 2017, 11, 61-69.	1.5	27
54	A Randomized Placebo Controlled Trial of Aspirin Effects on Immune Activation in Chronically Human Immunodeficiency Virus-Infected Adults on Virologically Suppressive Antiretroviral Therapy. <i>Open Forum Infectious Diseases</i> , 2017, 4, ofw278.	0.9	58

#	ARTICLE	IF	CITATIONS
55	Cellular fatty acid synthase is required for late stages of HIV-1 replication. <i>Retrovirology</i> , 2017, 14, 45.	2.0	36
56	Prospective Analysis of Lipid Composition Changes with Antiretroviral Therapy and Immune Activation in Persons Living with HIV. <i>Pathogens and Immunity</i> , 2017, 2, 376.	3.1	36
57	Rosuvastatin Decreases Intestinal Fatty Acid Binding Protein (I-FABP), but does not Alter Zonulin or Lipopolysaccharide Binding Protein (LBP) Levels, in HIV-Infected Subjects on Antiretroviral Therapy. <i>Pathogens and Immunity</i> , 2016, 1, 118.	3.1	13
58	Equivalent Decline in Inflammation Markers with Tenofovir Disoproxil Fumarate vs. Tenofovir Alafenamide. <i>EBioMedicine</i> , 2016, 13, 321-327.	6.1	16
59	Altered Monocyte and Endothelial Cell Adhesion Molecule Expression Is Linked to Vascular Inflammation in Human Immunodeficiency Virus Infection. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw224.	0.9	41
60	Identification of Immune Activation Profiles That May Predict Morbidity During Antiretroviral Therapy Treated HIV Infection. <i>EBioMedicine</i> , 2016, 8, 16-17.	6.1	1
61	Inflammatory Function of CX3CR1 ⁺ CD8 ⁺ T Cells in Treated HIV Infection Is Modulated by Platelet Interactions. <i>Journal of Infectious Diseases</i> , 2016, 214, 1808-1816.	4.0	35
62	High levels of self-reported prescription opioid use by HIV-positive individuals. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1559-1565.	1.2	16
63	Brief Report: CD14 ^{bright} CD16 ⁺ monocytes and sCD14 level negatively associate with CD4-memory T-cell frequency and predict HCV-decline on therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 258-262.	2.1	5
64	Treatment of HIV infection with a raltegravir-based regimen increases LDL levels, but improves HDL cholesterol efflux capacity. <i>Antiviral Therapy</i> , 2016, 22, 71-75.	1.0	11
65	Inflammation Perturbs the IL-7 Axis, Promoting Senescence and Exhaustion that Broadly Characterize Immune Failure in Treated HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 71, 483-492.	2.1	59
66	Lipid Abnormalities and Inflammation in HIV Infection. <i>Current HIV/AIDS Reports</i> , 2016, 13, 218-225.	3.1	100
67	SIV/SHIV Infection Triggers Vascular Inflammation, Diminished Expression of KrÄ¼ppel-like Factor 2 and Endothelial Dysfunction. <i>Journal of Infectious Diseases</i> , 2016, 213, 1419-1427.	4.0	20
68	Altered Maturation Status and Possible Immune Exhaustion of CD8 T Lymphocytes in the Peripheral Blood of Patients Presenting With Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 389-397.	2.4	14
69	Changes in oxidized lipids drive the improvement in monocyte activation and vascular disease after statin therapy in HIV. <i>Aids</i> , 2016, 30, 65-73.	2.2	49
70	Oxidized LDL Levels Are Increased in HIV Infection and May Drive Monocyte Activation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, 154-160.	2.1	85
71	Anaemia is Associated with Monocyte Activation in HIV-Infected Adults on Antiretroviral Therapy. <i>Antiviral Therapy</i> , 2015, 20, 521-527.	1.0	6
72	Altered Monocyte Phenotype in HIV-1 Infection Tends to Normalize with Integrase-Inhibitor-Based Antiretroviral Therapy. <i>PLoS ONE</i> , 2015, 10, e0139474.	2.5	25

#	ARTICLE	IF	CITATIONS
73	Rosuvastatin Reduces Vascular Inflammation and T-cell and Monocyte Activation in HIV-Infected Subjects on Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2015, 68, 396-404.	2.1	135
74	Lipopolysaccharide and soluble CD14 in cord blood plasma are associated with prematurity and chorioamnionitis. <i>Pediatric Research</i> , 2014, 75, 67-74.	2.3	28
75	Gut Epithelial Barrier Dysfunction and Innate Immune Activation Predict Mortality in Treated HIV Infection. <i>Journal of Infectious Diseases</i> , 2014, 210, 1228-1238.	4.0	395
76	Progressive Proximal-to-Distal Reduction in Expression of the Tight Junction Complex in Colonic Epithelium of Virally-Suppressed HIV+ Individuals. <i>PLoS Pathogens</i> , 2014, 10, e1004198.	4.7	61
77	Markers of coagulation and inflammation often remain elevated in ART-treated HIV-infected patients. <i>Current Opinion in HIV and AIDS</i> , 2014, 9, 80-86.	3.8	82
78	Soluble CD14 is independently associated with coronary calcification and extent of subclinical vascular disease in treated HIV infection. <i>Aids</i> , 2014, 28, 969-977.	2.2	121
79	Plasmacytoid Dendritic Cells Mediate Synergistic Effects of HIV and Lipopolysaccharide on CD27 ⁺ IgD ⁺ Memory B Cell Apoptosis. <i>Journal of Virology</i> , 2014, 88, 11430-11441.	3.4	14
80	Rosuvastatin Treatment Reduces Markers of Monocyte Activation in HIV-Infected Subjects on Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2014, 58, 588-595.	5.8	125
81	Sevelamer Does Not Decrease Lipopolysaccharide or Soluble CD14 Levels But Decreases Soluble Tissue Factor, Low-Density Lipoprotein (LDL) Cholesterol, and Oxidized LDL Cholesterol Levels in Individuals With Untreated HIV Infection. <i>Journal of Infectious Diseases</i> , 2014, 210, 1549-1554.	4.0	80
82	Effect of 24 Weeks of Statin Therapy on Systemic and Vascular Inflammation in HIV-Infected Subjects Receiving Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2014, 209, 1156-1164.	4.0	105
83	Inflammatory Cytokines Drive CD4 ⁺ T-Cell Cycling and Impaired Responsiveness to Interleukin 7: Implications for Immune Failure in HIV Disease. <i>Journal of Infectious Diseases</i> , 2014, 210, 619-629.	4.0	77
84	Rosuvastatin Preserves Renal Function and Lowers Cystatin C in HIV-Infected Subjects on Antiretroviral Therapy: The SATURN-HIV Trial. <i>Clinical Infectious Diseases</i> , 2014, 59, 1148-1156.	5.8	39
85	Cycling Memory CD4 ⁺ T Cells in HIV Disease Have a Diverse T Cell Receptor Repertoire and a Phenotype Consistent with Bystander Activation. <i>Journal of Virology</i> , 2014, 88, 5369-5380.	3.4	24
86	Coagulation and morbidity in treated HIV infection. <i>Thrombosis Research</i> , 2014, 133, S21-S24.	1.7	45
87	Alterations in Regulatory T Cell Subpopulations Seen in Preterm Infants. <i>PLoS ONE</i> , 2014, 9, e95867.	2.5	42
88	Residual Immune Dysregulation Syndrome in Treated HIV infection. <i>Advances in Immunology</i> , 2013, 119, 51-83.	2.2	295
89	Circulating CD4 ⁺ and CD8 ⁺ T cells are activated in inflammatory bowel disease and are associated with plasma markers of inflammation. <i>Immunology</i> , 2013, 140, 87-97.	4.4	124
90	Markers of inflammation and CD8 T cell activation, but not monocyte activation, are associated with subclinical carotid artery disease in HIV-infected individuals. <i>HIV Medicine</i> , 2013, 14, 385-390.	2.2	107

#	ARTICLE	IF	CITATIONS
91	Human β defensin-3 induces chemokines from monocytes and macrophages: diminished activity in cells from HIV-infected persons. <i>Immunology</i> , 2013, 140, 413-420.	4.4	30
92	Perivascular fat, inflammation, and cardiovascular risk in HIV-infected patients on antiretroviral therapy. <i>International Journal of Cardiology</i> , 2013, 168, 4039-4045.	1.7	44
93	Microbial translocation, immune activation, and HIV disease. <i>Trends in Microbiology</i> , 2013, 21, 6-13.	7.7	289
94	Systemic Immune Activation and Microbial Translocation in Dual HIV/Tuberculosis-Infected Subjects. <i>Journal of Infectious Diseases</i> , 2013, 207, 1841-1849.	4.0	21
95	The immunologic effects of maraviroc intensification in treated HIV-infected individuals with incomplete CD4+ T-cell recovery: a randomized trial. <i>Blood</i> , 2013, 121, 4635-4646.	1.4	117
96	Plasma Proteome Analysis Reveals Overlapping, yet Distinct Mechanisms of Immune Activation in Chronic HCV and HIV Infections. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 63, 563-571.	2.1	15
97	Interferon- β Is the Primary Plasma Type-I IFN in HIV-1 Infection and Correlates with Immune Activation and Disease Markers. <i>PLoS ONE</i> , 2013, 8, e56527.	2.5	146
98	Probiotic/prebiotic supplementation of antiretrovirals improves gastrointestinal immunity in SIV-infected macaques. <i>Journal of Clinical Investigation</i> , 2013, 123, 903-7.	8.2	135
99	Decreased IL-7 Responsiveness Is Related to Oxidative Stress in HIV Disease. <i>PLoS ONE</i> , 2013, 8, e58764.	2.5	26
100	Dynamics of Immune Reconstitution and Activation Markers in HIV+ Treatment-Naïve Patients Treated with Raltegravir, Tenofovir Disoproxil Fumarate and Emtricitabine. <i>PLoS ONE</i> , 2013, 8, e83514.	2.5	45
101	Magnesium Decreases Inflammatory Cytokine Production: A Novel Innate Immunomodulatory Mechanism. <i>Journal of Immunology</i> , 2012, 188, 6338-6346.	0.8	276
102	Membrane damage and repair in primary monocytes exposed to human β -defensin-3. <i>Journal of Leukocyte Biology</i> , 2012, 92, 1083-1091.	3.3	20
103	Increased Platelet and Microparticle Activation in HIV Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 59, 340-346.	2.1	131
104	HIV-1 Is Not a Major Driver of Increased Plasma IL-6 Levels in Chronic HIV-1 Disease. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 145-152.	2.1	30
105	Shared monocyte subset phenotypes in HIV-1 infection and in uninfected subjects with acute coronary syndrome. <i>Blood</i> , 2012, 120, 4599-4608.	1.4	188
106	Diminished responsiveness to human β -defensin-3 and decreased TLR1 expression on monocytes and mDCs from HIV-1-infected patients. <i>Journal of Leukocyte Biology</i> , 2012, 92, 1103-1109.	3.3	8
107	Interferon-Alpha Administration Enhances CD8+ T Cell Activation in HIV Infection. <i>PLoS ONE</i> , 2012, 7, e30306.	2.5	42
108	The Toll-like receptor 1/2 agonists Pam3CSK4 and human β -defensin-3 differentially induce interleukin-10 and nuclear factor- κ B signalling patterns in human monocytes. <i>Immunology</i> , 2011, 134, 151-160.	4.4	72

#	ARTICLE	IF	CITATIONS
109	Frequencies of FoxP3+ na ⁺ ve T cells are related to both viral load and na ⁺ ve T cell proliferation responses in HIV disease. <i>Journal of Leukocyte Biology</i> , 2011, 90, 621-628.	3.3	4
110	Immunologic Failure Despite Suppressive Antiretroviral Therapy Is Related to Activation and Turnover of Memory CD4 Cells. <i>Journal of Infectious Diseases</i> , 2011, 204, 1217-1226.	4.0	265
111	Increased tissue factor expression on circulating monocytes in chronic HIV infection: relationship to in vivo coagulation and immune activation. <i>Blood</i> , 2010, 115, 161-167.	1.4	241
112	Effects of Maraviroc and Efavirenz on Markers of Immune Activation and Inflammation and Associations with CD4+ Cell Rises in HIV-Infected Patients. <i>PLoS ONE</i> , 2010, 5, e13188.	2.5	76
113	Toll-Like Receptor Ligands Induce Human T Cell Activation and Death, a Model for HIV Pathogenesis. <i>PLoS ONE</i> , 2008, 3, e1915.	2.5	120
114	Human β -defensin-3 activates professional antigen-presenting cells via Toll-like receptors 1 and 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18631-18635.	7.1	321
115	Genetic Analysis of Developmentally Regulated Resistance to Downy Mildew (<i>Hyaloperonospora</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 1	2.6	53
116	SARS-CoV-2 Survivors With Chronic Health Conditions: A Pilot Study on "COVID Long-Haulers". <i>Journal of Diagnostic Medical Sonography</i> , 0, , 875647932211002.	0.3	0