

# J Angel Menéndez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8673380/publications.pdf>

Version: 2024-02-01

185  
papers

12,064  
citations

25034

57  
h-index

29157

104  
g-index

188  
all docs

188  
docs citations

188  
times ranked

9880  
citing authors

#	ARTICLE	IF	CITATIONS
1	CO <sub>2</sub> Gasification Reactivity and Syngas Production of Greek Lignite Coal and Ex-Situ Produced Chars under Non-Isothermal and Isothermal Conditions: Structure-Performance Relationships. <i>Energies</i> , 2022, 15, 679.	3.1	2
2	Facile Synthesis of Unsupported Pd Aerogel for High Performance Formic Acid Microfluidic Fuel Cell. <i>Materials</i> , 2022, 15, 1422.	2.9	7
3	Whey as a sustainable binder for the production of extruded activated carbon. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107590.	6.7	4
4	Tortuosity of the porous structure of carbon gels. <i>Carbon</i> , 2021, 171, 921-930.	10.3	10
5	Effect of the porosity and microstructure on the mechanical properties of organic xerogels. <i>Journal of Materials Science</i> , 2021, 56, 10312-10325.	3.7	8
6	3-D structured porous carbons with virtually any shape from whey powders. <i>Carbon</i> , 2021, 175, 403-412.	10.3	8
7	MOLDABLE AND MACHINABLE POROUS CARBON STRUCTURES OBTAINED FROM WHEY. <i>Dyna (Spain)</i> , 2021, 96, 422-428.	0.2	1
8	Whey-Derived Porous Carbon Scaffolds for Bone Tissue Engineering. <i>Biomedicines</i> , 2021, 9, 1091.	3.2	9
9	Ultralight Weight Graphene Aerogels with Extremely High Electrical Conductivity. <i>Small</i> , 2021, 17, e2103407.	10.0	17
10	Effect of porous structure on doping and the catalytic performance of carbon xerogels towards the oxygen reduction reaction. <i>Microporous and Mesoporous Materials</i> , 2020, 293, 109811.	4.4	16
11	Graphitized Carbon Xerogels for Lithium-Ion Batteries. <i>Materials</i> , 2020, 13, 119.	2.9	5
12	Well-defined meso/macroporous materials as a host structure for methane hydrate formation: Organic versus carbon xerogels. <i>Chemical Engineering Journal</i> , 2020, 402, 126276.	12.7	19
13	Effect of Olive Kernel thermal treatment (torrefaction vs. slow pyrolysis) on the physicochemical characteristics and the CO <sub>2</sub> or H <sub>2</sub> O gasification performance of as-prepared biochars. <i>International Journal of Hydrogen Energy</i> , 2020, , .	7.1	27
14	Production of H <sub>2</sub> -Rich Syngas From Lignocellulosic Biomass Using Microwave-Assisted Pyrolysis Coupled With Activated Carbon Enabled Reforming. <i>Frontiers in Chemistry</i> , 2020, 8, 3.	3.6	36
15	The relevance of conductive additive addition methodology for optimizing the performance of electrodes based on carbon xerogels in aqueous supercapacitors. <i>Journal of Electroanalytical Chemistry</i> , 2019, 836, 45-49.	3.8	7
16	Multiphase graphitisation of carbon xerogels and its dependence on their pore size. <i>Carbon</i> , 2019, 152, 704-714.	10.3	14
17	Organic and Carbon Gels. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , .	0.2	15
18	Properties of Carbon Aerogels and Their Organic Precursors. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 87-121.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Fitting Carbon Gels and Composites for Environmental Processes. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 123-147.	0.2	0
20	Organic and Carbon Gels: From Laboratory to Industry?. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 1-26.	0.2	1
21	Organic and Carbon Gels Derived from Biosourced Polyphenols. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 27-85.	0.2	2
22	Carbon Gels for Electrochemical Applications. <i>Advances in Sol-gel Derived Materials and Technologies</i> , 2019, , 149-189.	0.2	1
23	The synergistic catalyst-carbonates effect on the direct bituminous coal fuel cell performance. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 10033-10042.	7.1	8
24	The role of conductive additives on the performance of hybrid carbon xerogels as electrodes in aqueous supercapacitors. <i>Electrochimica Acta</i> , 2019, 295, 693-702.	5.2	18
25	The combined impact of carbon type and catalyst-aided gasification process on the performance of a Direct Carbon Solid Oxide Fuel Cell. <i>Solid State Ionics</i> , 2018, 317, 268-275.	2.7	8
26	Performance of carbon xerogel-graphene hybrids as electrodes in aqueous supercapacitors. <i>Electrochimica Acta</i> , 2018, 276, 28-36.	5.2	26
27	Load-dependent surface diffusion model for analyzing the kinetics of protein adsorption onto mesoporous materials. <i>Journal of Colloid and Interface Science</i> , 2018, 511, 27-38.	9.4	16
28	Determinant influence of the electrical conductivity versus surface area on the performance of graphene oxide-doped carbon xerogel supercapacitors. <i>Carbon</i> , 2018, 126, 456-463.	10.3	30
29	Carbon Xerogels: The Bespoke Nanoporous Carbons. , 2018, , .		2
30	Carbon xerogels graphitized by microwave heating as anode materials in lithium-ion batteries. <i>Carbon</i> , 2018, 137, 384-394.	10.3	37
31	Electrical Charge Distribution on Carbon Surfaces as a Function of the pH and Point of Zero Charge. An Approximate Solution. <i>Research &amp; Development in Material Science</i> , 2018, 8, .	0.1	1
32	Exploring the potential of resorcinol-formaldehyde xerogels as thermal insulators. <i>Microporous and Mesoporous Materials</i> , 2017, 244, 50-54.	4.4	24
33	Carbon Gels and Their Applications: A Review of Patents. , 2017, , 25-52.		8
34	On the desiccant capacity of the mesoporous RF-xerogels. <i>Microporous and Mesoporous Materials</i> , 2017, 248, 1-6.	4.4	6
35	Protein adsorption and activity on carbon xerogels with narrow pore size distributions covering a wide mesoporous range. <i>Carbon</i> , 2017, 118, 743-751.	10.3	12
36	Microporous carbon spheres derived from resorcinol-formaldehyde solutions. A new approach to coat supports. <i>Microporous and Mesoporous Materials</i> , 2017, 252, 154-160.	4.4	12

#	ARTICLE	IF	CITATIONS
37	Superhydrophobic and breathable resorcinol-formaldehyde Xerogels. <i>Journal of Non-Crystalline Solids</i> , 2017, 471, 202-208.	3.1	11
38	Graphene-doped carbon xerogel combining high electrical conductivity and surface area for optimized aqueous supercapacitors. <i>Carbon</i> , 2017, 118, 291-298.	10.3	58
39	Synthesis of hydrophobic resorcinol-formaldehyde xerogels by grafting with silanes. <i>Reactive and Functional Polymers</i> , 2017, 120, 92-97.	4.1	7
40	Acid-based resorcinol-formaldehyde xerogels synthesized by microwave heating. <i>Journal of Sol-Gel Science and Technology</i> , 2017, 84, 60-69.	2.4	18
41	An underrated variable essential for tailoring the structure of xerogel: the methanol content of commercial formaldehyde solutions. <i>Journal of Sol-Gel Science and Technology</i> , 2017, 83, 478-488.	2.4	9
42	Syngas obtained by microwave pyrolysis of household wastes as feedstock for polyhydroxyalkanoate production in <i>Rhodospirillum rubrum</i> . <i>Microbial Biotechnology</i> , 2017, 10, 1412-1417.	4.2	29
43	Microwave-induced cracking of pyrolytic tars coupled to microwave pyrolysis for syngas production. <i>Bioresource Technology</i> , 2016, 218, 687-691.	9.6	23
44	A visual validation of the combined effect of pH and dilution on the porosity of carbon xerogels. <i>Microporous and Mesoporous Materials</i> , 2016, 223, 89-93.	4.4	40
45	Ecotoxicity tests on solid residues from microwave induced pyrolysis of different organic residues: An addendum. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 121, 329-332.	5.5	6
46	Influence of alkaline compounds on the porosity of resorcinol-formaldehyde xerogels. <i>Journal of Non-Crystalline Solids</i> , 2016, 452, 286-290.	3.1	13
47	Aqueous and organic inks of carbon xerogels as models for studying the role of porosity in lithium-ion battery electrodes. <i>Materials and Design</i> , 2016, 109, 282-288.	7.0	22
48	Desiccant capability of organic xerogels: Surface chemistry vs porous texture. <i>Microporous and Mesoporous Materials</i> , 2016, 232, 70-76.	4.4	22
49	Dielectric characterization of biodegradable wastes during pyrolysis. <i>Fuel</i> , 2016, 172, 146-152.	6.4	31
50	Advances in tailoring the porosity of tannin-based carbon xerogels. <i>Industrial Crops and Products</i> , 2016, 82, 100-106.	5.2	26
51	Effect of fuel thermal pretreatment on the electrochemical performance of a direct lignite coal fuel cell. <i>Solid State Ionics</i> , 2016, 288, 140-146.	2.7	14
52	Selectivity matters: Graphene oxide-mediated oxidative coupling of benzylamine to N-benzylidene-1-phenylmethanamine under microwave irradiation. <i>Journal of Molecular Catalysis A</i> , 2015, 406, 19-22.	4.8	12
53	Hybrid direct carbon fuel cell anode processes investigated using a 3-electrode half-cell setup. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 1945-1958.	7.1	15
54	Comparing the composition of the synthesis-gas obtained from the pyrolysis of different organic residues for a potential use in the synthesis of bioplastics. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 111, 55-63.	5.5	35

#	ARTICLE	IF	CITATIONS
55	Direct utilization of lignite coal in a Co/CeO <sub>2</sub> /YSZ/Ag solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 14353-14363.	7.1	21
56	The enhancement of porosity of carbon xerogels by using additives. <i>Microporous and Mesoporous Materials</i> , 2015, 217, 39-45.	4.4	9
57	Oil fractions from the pyrolysis of diverse organic wastes: The different effects of conventional and microwave induced pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 114, 256-264.	5.5	17
58	Towards a feasible and scalable production of bio-xerogels. <i>Journal of Colloid and Interface Science</i> , 2015, 456, 138-144.	9.4	15
59	Energy consumption estimation in the scaling-up of microwave heating processes. <i>Chemical Engineering and Processing: Process Intensification</i> , 2015, 95, 1-8.	3.6	84
60	Effect of methanol content in commercial formaldehyde solutions on the porosity of RF carbon xerogels. <i>Journal of Non-Crystalline Solids</i> , 2015, 426, 13-18.	3.1	21
61	Graphene oxide-catalysed oxidation reaction of unsaturated compounds under microwave irradiation. <i>Catalysis Communications</i> , 2015, 72, 133-137.	3.3	12
62	Influence of carrier gas on microwave-induced pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2015, 113, 153-157.	5.5	11
63	Simultaneous adjustment of the main chemical variables to fine-tune the porosity of carbon xerogels. <i>Carbon</i> , 2014, 78, 490-499.	10.3	50
64	Integrated microwave drying, pyrolysis and gasification for valorisation of organic wastes to syngas. <i>Fuel</i> , 2014, 132, 20-26.	6.4	43
65	Optimization of the process variables in the microwave-induced synthesis of carbon xerogels. <i>Journal of Sol-Gel Science and Technology</i> , 2014, 69, 488-497.	2.4	26
66	Effect of unequal load of carbon xerogel in electrodes on the electrochemical performance of asymmetric supercapacitors. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 481-489.	2.9	11
67	Optimization of microalgae oil extraction under ultrasound and microwave irradiation. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1779-1784.	3.2	72
68	RF xerogels with tailored porosity over the entire nanoscale. <i>Microporous and Mesoporous Materials</i> , 2014, 195, 266-275.	4.4	60
69	The effect of the carbon surface chemistry and electrolyte pH on the energy storage of supercapacitors. <i>RSC Advances</i> , 2014, 4, 32398-32404.	3.6	45
70	An electrical conductivity translator for carbons. <i>Measurement: Journal of the International Measurement Confederation</i> , 2014, 56, 215-218.	5.0	27
71	Effect of carbon type on the performance of a direct or hybrid carbon solid oxide fuel cell. <i>RSC Advances</i> , 2014, 4, 18792-18800.	3.6	42
72	Microwave-induced low temperature pyrolysis of macroalgae for unprecedented hydrogen-enriched syngas production. <i>RSC Advances</i> , 2014, 4, 38144-38151.	3.6	20

#	ARTICLE	IF	CITATIONS
73	New concept for energy storage: Microwave-induced carbon gasification with CO <sub>2</sub> . <i>Energy Conversion and Management</i> , 2014, 78, 559-564.	9.2	48
74	Influence of the microwave absorbent and moisture content on the microwave pyrolysis of an organic municipal solid waste. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014, 105, 234-240.	5.5	57
75	Molienda asistida con microondas de un coque metalúrgico. <i>Revista De Metalurgia</i> , 2014, 50, e013.	0.5	0
76	Microwave pyrolysis of microalgae for high syngas production. <i>Bioresource Technology</i> , 2013, 144, 240-246.	9.6	134
77	New process for producing methanol from coke oven gas by means of CO <sub>2</sub> reforming. Comparison with conventional process. <i>Fuel Processing Technology</i> , 2013, 115, 215-221.	7.2	54
78	Continuous flow nanocatalysis: reaction pathways in the conversion of levulinic acid to valuable chemicals. <i>Green Chemistry</i> , 2013, 15, 2786.	9.0	70
79	Optimizing the electrochemical performance of aqueous symmetric supercapacitors based on an activated carbon xerogel. <i>Journal of Power Sources</i> , 2013, 241, 776-782.	7.8	68
80	Optimizing the performance of supercapacitors based on carbon electrodes and protic ionic liquids as electrolytes. <i>Electrochimica Acta</i> , 2013, 108, 361-368.	5.2	49
81	Carbonisation of resorcinol-formaldehyde organic xerogels: Effect of temperature, particle size and heating rate on the porosity of carbon xerogels. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013, 100, 111-116.	5.5	60
82	An overview of novel technologies to valorise coke oven gas surplus. <i>Fuel Processing Technology</i> , 2013, 110, 150-159.	7.2	116
83	Microwave synthesis of micro-mesoporous activated carbon xerogels for high performance supercapacitors. <i>Microporous and Mesoporous Materials</i> , 2013, 168, 206-212.	4.4	63
84	Microwave-assisted pyrolysis of biomass feedstocks: the way forward?. <i>Energy and Environmental Science</i> , 2012, 5, 5481-5488.	30.8	234
85	Equilibrium prediction of CO <sub>2</sub> reforming of coke oven gas: Suitability for methanol production. <i>Chemical Engineering Science</i> , 2012, 82, 95-103.	3.8	42
86	Mixtures of Steel-Making Slag and Carbons as Catalyst for Microwave-Assisted Dry Reforming of CH <sub>4</sub> . <i>Chinese Journal of Catalysis</i> , 2012, 33, 1115-1118.	14.0	13
87	Carbon xerogels as electrochemical supercapacitors. Relation between impedance physicochemical parameters and electrochemical behaviour. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 10249-10255.	7.1	10
88	High energy ultracapacitor based on carbon xerogel electrodes and sodium sulfate electrolyte. <i>Journal of Power Sources</i> , 2012, 214, 137-141.	7.8	21
89	Effect of H <sub>2</sub> S on carbon-catalyzed methane decomposition and CO <sub>2</sub> reforming reactions. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 14187-14194.	7.1	37
90	Pulses of microwave radiation to improve coke grindability. <i>Fuel</i> , 2012, 102, 65-71.	6.4	27

#	ARTICLE	IF	CITATIONS
91	The Basicity of Carbons. , 2012, , 173-203.		12
92	Electrochemical behavior and capacitance properties of carbon xerogel/multiwalled carbon nanotubes composites. Journal of Solid State Electrochemistry, 2012, 16, 1067-1076.	2.5	13
93	A microwave-based method for the synthesis of carbon xerogel spheres. Carbon, 2012, 50, 3555-3560.	10.3	17
94	CO <sub>2</sub> reforming of coke oven gas over a Ni/Al <sub>2</sub> O <sub>3</sub> catalyst to produce syngas for methanol synthesis. Fuel, 2012, 94, 197-203.	6.4	89
95	Study of energy consumption in a laboratory pilot plant for the microwave-assisted CO <sub>2</sub> reforming of CH <sub>4</sub> . Fuel Processing Technology, 2012, 95, 55-61.	7.2	44
96	Low temperature regeneration of activated carbons using microwaves: Revising conventional wisdom. Journal of Environmental Management, 2012, 102, 134-140.	7.8	61
97	Syngas from CO <sub>2</sub> reforming of coke oven gas: Synergetic effect of activated carbon/Ni/Al <sub>2</sub> O <sub>3</sub> catalyst. International Journal of Hydrogen Energy, 2011, 36, 13361-13368.	7.1	32
98	Mixtures of carbon and Ni/Al <sub>2</sub> O <sub>3</sub> as catalysts for the microwave-assisted CO <sub>2</sub> reforming of CH <sub>4</sub> . Fuel Processing Technology, 2011, 92, 1531-1536.	7.2	60
99	Carbon Materials as Catalysts for Decomposition and CO <sub>2</sub> Reforming of Methane: A Review. Chinese Journal of Catalysis, 2011, 32, 207-216.	14.0	85
100	Ball lightning plasma and plasma arc formation during the microwave heating of carbons. Carbon, 2011, 49, 346-349.	10.3	139
101	Influence of feed characteristics on the microwave-assisted pyrolysis used to produce syngas from biomass wastes. Journal of Analytical and Applied Pyrolysis, 2011, 91, 316-322.	5.5	121
102	Fast microwave-assisted synthesis of tailored mesoporous carbon xerogels. Journal of Colloid and Interface Science, 2011, 357, 541-547.	9.4	62
103	Comparative study of conventional and microwave-assisted pyrolysis, steam and dry reforming of glycerol for syngas production, using a carbonaceous catalyst. Journal of Analytical and Applied Pyrolysis, 2010, 88, 155-159.	5.5	73
104	Adsorption isotherms and kinetics of methylene blue on a low-cost adsorbent recovered from a spent catalyst of vinyl acetate synthesis. Applied Surface Science, 2010, 256, 2569-2576.	6.1	70
105	Leaching zinc from spent catalyst: Process optimization using response surface methodology. Journal of Hazardous Materials, 2010, 176, 1113-1117.	12.4	40
106	Effect of temperature on the properties of ZnO/activated carbon composites from spent catalysts containing zinc acetate. Journal of the Taiwan Institute of Chemical Engineers, 2010, 41, 617-621.	5.3	6
107	Dry reforming of coke oven gases over activated carbon to produce syngas for methanol synthesis. Fuel, 2010, 89, 2897-2902.	6.4	102
108	Influence of porosity and surface groups on the catalytic activity of carbon materials for the microwave-assisted CO <sub>2</sub> reforming of CH <sub>4</sub> . Fuel, 2010, 89, 4002-4007.	6.4	40

#	ARTICLE	IF	CITATIONS
109	Microwave heating processes involving carbon materials. <i>Fuel Processing Technology</i> , 2010, 91, 1-8.	7.2	833
110	Synthesis of carbon-supported nickel catalysts for the dry reforming of CH <sub>4</sub> . <i>Fuel Processing Technology</i> , 2010, 91, 765-769.	7.2	56
111	Ni-doped carbon xerogels for H <sub>2</sub> storage. <i>Carbon</i> , 2010, 48, 2722-2733.	10.3	47
112	Synergetic effect of a mixture of activated carbon+Ni/Al <sub>2</sub> O <sub>3</sub> used as catalysts for the CO <sub>2</sub> reforming of CH <sub>4</sub> . <i>Applied Catalysis A: General</i> , 2010, 390, 78-83.	4.3	48
113	Precise determination of the point of sol-gel transition in carbon gel synthesis using a microwave heating method. <i>Carbon</i> , 2010, 48, 3305-3308.	10.3	17
114	Ni-Doped Carbons as a Carbon Support for Metal Hydride Electrodes. <i>Energy &amp; Fuels</i> , 2010, 24, 3302-3306.	5.1	6
115	Exploring New Routes in the Synthesis of Carbon Xerogels for Their Application in Electric Double-Layer Capacitors. <i>Energy &amp; Fuels</i> , 2010, 24, 3334-3339.	5.1	52
116	Microwave-assisted synthesis of CuO/ZnO and CuO/ZnO/Al <sub>2</sub> O <sub>3</sub> precursors using urea hydrolysis. <i>Solid State Ionics</i> , 2009, 180, 1372-1378.	2.7	24
117	Pyrolysis of glycerol over activated carbons for syngas production. <i>Journal of Analytical and Applied Pyrolysis</i> , 2009, 84, 145-150.	5.5	137
118	Improving hydrogen storage in Ni-doped carbon nanospheres. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 3070-3076.	7.1	73
119	Graphitic encapsulation of micron- and nano-sized Ni particles using ethylene as precursor. <i>Applied Surface Science</i> , 2009, 256, 194-201.	6.1	5
120	Effect of pyrolysis temperature on the composition of the oils obtained from sewage sludge. <i>Biomass and Bioenergy</i> , 2009, 33, 933-940.	5.7	178
121	The production of carbon nanofibers and thin films on palladium catalysts from ethylene-oxygen mixtures. <i>Carbon</i> , 2009, 47, 2269-2280.	10.3	18
122	Growth of nanofilaments on carbon-based materials from microwave-assisted decomposition of CH <sub>4</sub> . <i>Applied Surface Science</i> , 2008, 254, 3553-3557.	6.1	33
123	Microwave-assisted pyrolysis of CH <sub>4</sub> /N <sub>2</sub> mixtures over activated carbon. <i>Journal of Analytical and Applied Pyrolysis</i> , 2008, 82, 158-162.	5.5	48
124	Microwave-assisted dry reforming of methane. <i>International Journal of Hydrogen Energy</i> , 2008, 33, 4337-4344.	7.1	201
125	Development of microporous carbon xerogels by controlling synthesis conditions. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 817-825.	3.1	50
126	Microwave drying as an effective method to obtain porous carbon xerogels. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 4024-4026.	3.1	37

#	ARTICLE	IF	CITATIONS
127	Bio-syngas production with low concentrations of CO <sub>2</sub> and CH <sub>4</sub> from microwave-induced pyrolysis of wet and dried sewage sludge. <i>Chemosphere</i> , 2008, 70, 397-403.	8.2	162
128	Microwave-assisted regeneration of activated carbons loaded with pharmaceuticals. <i>Water Research</i> , 2007, 41, 3299-3306.	11.3	111
129	Evidence of Self-Gasification during the Microwave-Induced Pyrolysis of Coffee Hulls. <i>Energy &amp; Fuels</i> , 2007, 21, 373-378.	5.1	174
130	Biogas to Syngas by Microwave-Assisted Dry Reforming in the Presence of Char. <i>Energy &amp; Fuels</i> , 2007, 21, 2066-2071.	5.1	91
131	Carbon nanofilament synthesis by the decomposition of CH <sub>4</sub> /CO <sub>2</sub> under microwave heating. <i>Carbon</i> , 2007, 45, 1706-1709.	10.3	17
132	Conventional and microwave induced pyrolysis of coffee hulls for the production of a hydrogen rich fuel gas. <i>Journal of Analytical and Applied Pyrolysis</i> , 2007, 79, 128-135.	5.5	295
133	Microwave-assisted catalytic decomposition of methane over activated carbon for CO <sub>2</sub> CO <sub>2</sub> -free hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2007, 32, 4792-4799.	7.1	123
134	Chapter 1 Types of carbon adsorbents and their production. <i>Interface Science and Technology</i> , 2006, 7, 1-47.	3.3	74
135	New acrylic monolithic carbon molecular sieves for O <sub>2</sub> /N <sub>2</sub> and CO <sub>2</sub> /CH <sub>4</sub> separations. <i>Carbon</i> , 2006, 44, 1158-1165.	10.3	33
136	Production of bio-fuels by high temperature pyrolysis of sewage sludge using conventional and microwave heating. <i>Bioresource Technology</i> , 2006, 97, 1185-1193.	9.6	343
137	Hydrogen rich fuel gas production from the pyrolysis of wet sewage sludge at high temperature. <i>Journal of Analytical and Applied Pyrolysis</i> , 2006, 77, 127-132.	5.5	127
138	Investigations into the characteristics of oils produced from microwave pyrolysis of sewage sludge. <i>Fuel Processing Technology</i> , 2005, 86, 1007-1020.	7.2	176
139	Effect of microwave and conventional regeneration on the microporous and mesoporous network and on the adsorptive capacity of activated carbons. <i>Microporous and Mesoporous Materials</i> , 2005, 85, 7-15.	4.4	241
140	Oxidative adsorption of methyl mercaptan on nitrogen-enriched bituminous coal-based activated carbon. <i>Carbon</i> , 2005, 43, 208-210.	10.3	41
141	Microwave-induced drying, pyrolysis and gasification (MWDPG) of sewage sludge: Vitrification of the solid residue. <i>Journal of Analytical and Applied Pyrolysis</i> , 2005, 74, 406-412.	5.5	93
142	Microwave heating as a novel method for introducing molecular sieve properties into activated carbon fibres. <i>Carbon</i> , 2004, 42, 227-229.	10.3	23
143	Microwave-induced regeneration of activated carbons polluted with phenol. A comparison with conventional thermal regeneration. <i>Carbon</i> , 2004, 42, 1383-1387.	10.3	165
144	On the nature of basic sites on carbon surfaces: an overview. <i>Carbon</i> , 2004, 42, 1219-1225.	10.3	461

#	ARTICLE	IF	CITATIONS
145	Preparation and modification of activated carbon fibres by microwave heating. <i>Carbon</i> , 2004, 42, 1315-1320.	10.3	142
146	Effects of oxidative treatments with air and CO <sub>2</sub> on vapour grown carbon nanofibres (VGCNFs) produced at industrial scale. <i>Thermochimica Acta</i> , 2004, 423, 99-106.	2.7	19
147	Microwave pyrolysis of sewage sludge: analysis of the gas fraction. <i>Journal of Analytical and Applied Pyrolysis</i> , 2004, 71, 657-667.	5.5	173
148	Bituminous coal-based activated carbons modified with nitrogen as adsorbents of hydrogen sulfide. <i>Carbon</i> , 2004, 42, 469-476.	10.3	252
149	Gas chromatographic-mass spectrometric study of the oil fractions produced by microwave-assisted pyrolysis of different sewage sludges. <i>Journal of Chromatography A</i> , 2003, 1012, 193-206.	3.7	157
150	Infrared Spectroscopy of Carbon Materials: A Quantum Chemical Study of Model Compounds. <i>Journal of Physical Chemistry B</i> , 2003, 107, 6350-6359.	2.6	328
151	Basic Surface Oxides on Carbon Materials: A Global View. <i>Langmuir</i> , 2003, 19, 3505-3511.	3.5	132
152	Microwave-induced pyrolysis of sewage sludge. <i>Water Research</i> , 2002, 36, 3261-3264.	11.3	252
153	On the pyrolysis of sewage sludge: the influence of pyrolysis conditions on solid, liquid and gas fractions. <i>Journal of Analytical and Applied Pyrolysis</i> , 2002, 63, 209-222.	5.5	327
154	Relation between texture and reactivity in metallurgical cokes obtained from coal using petroleum coke as additive. <i>Fuel Processing Technology</i> , 2002, 77-78, 199-205.	7.2	23
155	Reactivity of pyrolyzed sewage sludge in air and CO <sub>2</sub> . <i>Journal of Analytical and Applied Pyrolysis</i> , 2001, 58-59, 943-954.	5.5	57
156	Thermal treatments of activated carbon fibres using a microwave furnace. <i>Microporous and Mesoporous Materials</i> , 2001, 47, 243-252.	4.4	93
157	Thermal performance of numerical model of hot strip mill runout table. <i>Ironmaking and Steelmaking</i> , 2001, 28, 474-480.	2.1	4
158	Pyrone-Like Structures as Novel Oxygen-Based Organic Superbases. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1320-1323.	13.8	17
159	Microcalorimetric study of acid sites on ammonia- and acid-pretreated activated carbon. <i>Carbon</i> , 2000, 38, 691-700.	10.3	51
160	Determination of metallurgical coke reactivity at INCAR: NSC and ECE-INCAR reactivity tests. <i>Ironmaking and Steelmaking</i> , 1999, 26, 117-121.	2.1	53
161	Modification of the surface chemistry of active carbons by means of microwave-induced treatments. <i>Carbon</i> , 1999, 37, 1115-1121.	10.3	117
162	Contribution of pyrone-type structures to carbon-basicity: Theoretical evaluation of the pK <sub>a</sub> of model compounds. <i>Carbon</i> , 1999, 37, 1002-1006.	10.3	13

#	ARTICLE	IF	CITATIONS
163	Impact of Pretreatments on the Selectivity of Carbon for NO <sub>x</sub> Adsorption/Reduction. <i>Energy &amp; Fuels</i> , 1999, 13, 903-906.	5.1	26
164	Contribution of Pyrone-Type Structures to Carbon Basicity: An ab Initio Study. <i>Langmuir</i> , 1999, 15, 3897-3904.	3.5	54
165	Thermal Treatment of Active Carbons: a Comparison Between Microwave and Electrical Heating. <i>Journal of Microwave Power and Electromagnetic Energy</i> , 1999, 34, 137-143.	0.8	54
166	A semi-industrial scale study of petroleum coke as an additive in cokemaking. <i>Fuel Processing Technology</i> , 1998, 55, 129-141.	7.2	26
167	On the use of calorimetric techniques for the characterization of carbons: A brief review. <i>Thermochimica Acta</i> , 1998, 312, 79-86.	2.7	28
168	Calorimetric study of oxygen adsorption on activated carbon. <i>Thermochimica Acta</i> , 1998, 312, 87-93.	2.7	18
169	Thermal behaviour and reactivity of green petroleum cokes used as additives in metallurgical cokemaking. <i>Journal of Analytical and Applied Pyrolysis</i> , 1998, 45, 75-87.	5.5	4
170	On the distribution of oxygen-containing surface groups in carbons and their influence on the preparation of carbon-supported molybdenum catalysts. <i>Solid State Ionics</i> , 1998, 112, 103-111.	2.7	21
171	Contribution of the Basal Planes to Carbon Basicity: An Ab Initio Study of the H <sub>3</sub> O <sup>+</sup> Interaction in Cluster Models. <i>Journal of Physical Chemistry B</i> , 1998, 102, 5595-5601.	2.6	77
172	On the Modification and Characterization of Chemical Surface Properties of Activated Carbon: Microcalorimetric, Electrochemical, and Thermal Desorption Probes. <i>Langmuir</i> , 1997, 13, 3414-3421.	3.5	96
173	Characterization of Petroleum Coke as an Additive in Metallurgical Cokemaking. Influence on Metallurgical Coke Quality. <i>Energy &amp; Fuels</i> , 1997, 11, 379-384.	5.1	34
174	Thermal stability of oxygenated functions in activated carbons. <i>Journal of Analytical and Applied Pyrolysis</i> , 1997, 43, 125-138.	5.5	195
175	An experimental and theoretical study of the adsorption of aromatics possessing electron-withdrawing and electron-donating functional groups by chemically modified activated carbons. <i>Carbon</i> , 1997, 35, 1339-1348.	10.3	377
176	Low-Temperature Generation of Basic Carbon Surfaces by Hydrogen Spillover. <i>The Journal of Physical Chemistry</i> , 1996, 100, 17243-17248.	2.9	70
177	On the Modification and Characterization of Chemical Surface Properties of Activated Carbon: In the Search of Carbons with Stable Basic Properties. <i>Langmuir</i> , 1996, 12, 4404-4410.	3.5	319
178	Characterization of Petroleum Coke as an Additive in Metallurgical Cokemaking. Modification of Thermoplastic Properties of Coal. <i>Energy &amp; Fuels</i> , 1996, 10, 1262-1268.	5.1	56
179	Carbonization of wet and preheated coal. Effect on coke quality and its relation with textural properties. <i>Journal of Analytical and Applied Pyrolysis</i> , 1996, 38, 119-130.	5.5	12
180	On the difference between the isoelectric point and the point of zero charge of carbons. <i>Carbon</i> , 1995, 33, 1655-1657.	10.3	147

#	ARTICLE	IF	CITATIONS
181	Adición de coque de petróleo a mezclas coquizables. Modificación de la calidad del coque metalúrgico. Revista De Metalurgia, 1995, 31, 235-241.	0.5	1
182	Modification of coke properties as a consequence of coal preheating. Fuel Processing Technology, 1993, 36, 307-312.	7.2	2
183	Relation between reactivity and textural properties in cokes from wet and preheated coals. Solid State Ionics, 1993, 63-65, 772-776.	2.7	6
184	Microwave Heating Applied to Pyrolysis. , 0, , .		41
185	Designing Nanostructured Carbon Xerogels. , 0, , .		5