

Peter Wilf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/867508/publications.pdf>

Version: 2024-02-01

95
papers

8,084
citations

66250

44
h-index

56606

87
g-index

97
all docs

97
docs citations

97
times ranked

8306
citing authors

#	ARTICLE	IF	CITATIONS
1	The Angiosperm Terrestrial Revolution and the origins of modern biodiversity. <i>New Phytologist</i> , 2022, 233, 2017-2035.	3.5	119
2	First fossil-leaf floras from Brunei Darussalam show dipterocarp dominance in Borneo by the Pliocene. <i>PeerJ</i> , 2022, 10, e12949.	0.9	2
3	Gondwanan survivor lineages and the high-risk biogeography of Anthropocene Southeast Asia. <i>Journal of Systematics and Evolution</i> , 2022, 60, 715-727.	1.6	4
4	Decoding family-level features for modern and fossil leaves from computer vision heat maps. <i>American Journal of Botany</i> , 2022, 109, 768-788.	0.8	1
5	Cunoniaceae infructescences from the early Eocene Laguna del Hunco flora, Patagonia, Argentina. <i>American Journal of Botany</i> , 2022, , .	0.8	2
6	Facies interpretation and geochronology of diverse Eocene floras and faunas, northwest Chubut Province, Patagonia, Argentina. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 740-752.	1.6	10
7	Unexpected larger distribution of paleogene stem-rollers (AVES, CORACII): new evidence from the Eocene of Patagonia, Argentina. <i>Scientific Reports</i> , 2021, 11, 1363.	1.6	5
8	First South American Record of Winteroxylon, Eocene of Laguna del Hunco (Chubut, Patagonia,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4</i> 185-197.	0.6	7
9	An image dataset of cleared, x-rayed, and fossil leaves vetted to plant family for human and machine learning. <i>PhytoKeys</i> , 2021, 187, 93-128.	0.4	12
10	Cretaceous-Paleogene plant extinction and recovery in Patagonia. <i>Paleobiology</i> , 2020, 46, 445-469.	1.3	24
11	New physaloid fruit-fossil species from early Eocene South America. <i>American Journal of Botany</i> , 2020, 107, 1749-1762.	0.8	13
12	Persistent biotic interactions of a Gondwanan conifer from Cretaceous Patagonia to modern Malesia. <i>Communications Biology</i> , 2020, 3, 708.	2.0	15
13	Eocene Araucaria Sect. Eutacta from Patagonia and floristic turnover during the initial isolation of South America. <i>American Journal of Botany</i> , 2020, 107, 806-832.	0.8	13
14	Early Eocene Spore and Pollen Assemblages from the Laguna del Hunco Fossil Lake Beds, Patagonia, Argentina. <i>International Journal of Plant Sciences</i> , 2020, 181, 594-615.	0.6	22
15	Protect Australia's Gondwana Rainforests. <i>Science</i> , 2020, 367, 1083-1083.	6.0	36
16	Eocene Chusquea-fossil from Patagonia is a conifer, not a bamboo. <i>PhytoKeys</i> , 2020, 139, 77-89.	0.4	9
17	Conifer wood assemblage dominated by Podocarpaceae, early Eocene of Laguna del Hunco, central Argentinean Patagonia. <i>PhytoKeys</i> , 2020, 156, 81-102.	0.4	10
18	Origins and Assembly of Malesian Rainforests. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2019, 50, 119-143.	3.8	46

#	ARTICLE	IF	CITATIONS
19	A South American fossil relative of <i>Phyllocladus</i> : <i>Huncocladus laubenfelsii</i> gen. et sp. nov. (Podocarpaceae), from the early Eocene of Laguna del Hunco, Patagonia, Argentina. <i>Australian Systematic Botany</i> , 2019, , .	0.3	3
20	Eocene Fagaceae from Patagonia and Gondwanan legacy in Asian rainforests. <i>Science</i> , 2019, 364, .	6.0	45
21	Response to Comment on "Eocene Fagaceae from Patagonia and Gondwanan legacy in Asian rainforests" Science, 2019, 366, .	6.0	3
22	Oldest record of the scale-leaved clade of Podocarpaceae, early Paleocene of Patagonia, Argentina. <i>Alcheringa</i> , 2019, 43, 127-145.	0.5	13
23	Fossil fern rhizomes as a model system for exploring epiphyte community structure across geologic time: evidence from Patagonia. <i>PeerJ</i> , 2019, 7, e8244.	0.9	7
24	Fossil flowers from the early Palaeocene of Patagonia, Argentina, with affinity to Schizomerieae (Cunoniaceae). <i>Annals of Botany</i> , 2018, 121, 431-442.	1.4	25
25	Early Cenozoic Vegetation in Patagonia: New Insights from Organically Preserved Plant Fossils (Ligorio Mrquez Formation, Argentina). <i>International Journal of Plant Sciences</i> , 2018, 179, 115-135.	0.6	14
26	Diverse Plant-Insect Associations from the Latest Cretaceous and Early Paleocene of Patagonia, Argentina. <i>Ameghiniana</i> , 2018, 55, 303.	0.3	29
27	Agathis trees of Patagonia's Cretaceous-Paleogene death landscapes and their evolutionary significance. <i>American Journal of Botany</i> , 2018, 105, 1345-1368.	0.8	49
28	Fossil moonseeds from the Paleogene of West Gondwana (Patagonia, Argentina). <i>American Journal of Botany</i> , 2018, 105, 927-942.	0.8	22
29	Eocene lantern fruits from Gondwanan Patagonia and the early origins of Solanaceae. <i>Science</i> , 2017, 355, 71-75.	6.0	80
30	New age constraints for early Paleogene strata of central Patagonia, Argentina: Implications for the timing of South American Land Mammal Ages. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 886-903.	1.6	51
31	The fossil flip-leaves (<i>Retrophyllum</i> , Podocarpaceae) of southern South America. <i>American Journal of Botany</i> , 2017, 104, 1344-1369.	0.8	36
32	Global climatic drivers of leaf size. <i>Science</i> , 2017, 357, 917-921.	6.0	580
33	Rapid recovery of Patagonian plant-insect associations after the end-Cretaceous extinction. <i>Nature Ecology and Evolution</i> , 2017, 1, 12.	3.4	72
34	Flowering after disaster: Early Danian buckthorn (Rhamnaceae) flowers and leaves from Patagonia. <i>PLoS ONE</i> , 2017, 12, e0176164.	1.1	25
35	The last Patagonian cycad, <i>Austrozamia stockeyi</i> gen. et sp. nov., early Eocene of Laguna del Hunco, Chubut, Argentina. <i>Botany</i> , 2016, 94, 817-829.	0.5	16
36	Molecular dates require geologic testing. <i>New Phytologist</i> , 2016, 209, 1359-1362.	3.5	21

#	ARTICLE	IF	CITATIONS
37	Computer vision cracks the leaf code. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3305-3310.	3.3	114
38	Peaches Preceded Humans: Fossil Evidence from SW China. Scientific Reports, 2015, 5, 16794.	1.6	38
39	Green Web or megabiased clock? Plant fossils from Gondwanan Patagonia speak on evolutionary radiations. New Phytologist, 2015, 207, 283-290.	3.5	63
40	SEDIMENTARY FACIES AND DEPOSITIONAL ENVIRONMENTS OF DIVERSE EARLY PALEOCENE FLORAS, NORTH-CENTRAL SAN JORGE BASIN, PATAGONIA, ARGENTINA. Palaios, 2015, 30, 553-573.	0.6	26
41	Resolving Australian analogs for an Eocene Patagonian paleorainforest using leaf size and floristics. American Journal of Botany, 2015, 102, 1160-1173.	0.8	31
42	<i>Ginkgoites patagonica</i> (Berry) comb. nov. from the Eocene of Patagonia, Last Ginkgoalean Record in South America. International Journal of Plant Sciences, 2015, 176, 346-363.	0.6	17
43	Insect Leaf-Chewing Damage Tracks Herbivore Richness in Modern and Ancient Forests. PLoS ONE, 2014, 9, e94950.	1.1	88
44	Novel Insect Leaf-Mining after the End-Cretaceous Extinction and the Demise of Cretaceous Leaf Miners, Great Plains, USA. PLoS ONE, 2014, 9, e103542.	1.1	54
45	Functional distinctiveness of major plant lineages. Journal of Ecology, 2014, 102, 345-356.	1.9	108
46	Paleo-Antarctic rainforest into the modern Old World tropics: The rich past and threatened future of the southern wet forest survivors. American Journal of Botany, 2014, 101, 2121-2135.	0.8	87
47	Miocene leaves of <i>Elaeagnus</i> (Elaeagnaceae) from the Qinghai-Tibet Plateau, its modern center of diversity and endemism. American Journal of Botany, 2014, 101, 1350-1361.	0.8	26
48	Reinvestigation of Leaf Rank, an Underappreciated Component of Leo Hickey's Legacy. Bulletin of the Peabody Museum of Natural History, 2014, 55, 79.	0.6	8
49	First South American <i>Agathis</i> (Araucariaceae), Eocene of Patagonia. American Journal of Botany, 2014, 101, 156-179.	0.8	78
50	First record of <i>Todea</i> (Osmundaceae) in South America, from the early Eocene paleorainforests of Laguna del Hunco (Patagonia, Argentina). American Journal of Botany, 2013, 100, 1831-1848.	0.8	40
51	Splendid and Seldom Isolated: The Paleobiogeography of Patagonia. Annual Review of Earth and Planetary Sciences, 2013, 41, 561-603.	4.6	120
52	Subfossil Leaves Reveal a New Upland Hardwood Component of the Pre-European Piedmont Landscape, Lancaster County, Pennsylvania. PLoS ONE, 2013, 8, e79317.	1.1	9
53	First Evidence for Wollemi Pine-type Pollen (Dilwynites: Araucariaceae) in South America. PLoS ONE, 2013, 8, e69281.	1.1	24
54	Rainforest conifers of Eocene Patagonia: Attached cones and foliage of the extant Southeast Asian and Australasian genus <i>Dacrycarpus</i> (Podocarpaceae). American Journal of Botany, 2012, 99, 562-584.	0.8	75

#	ARTICLE	IF	CITATIONS
55	Cretaceous/Paleogene Floral Turnover in Patagonia: Drop in Diversity, Low Extinction, and a Classopollis Spike. <i>PLoS ONE</i> , 2012, 7, e52455.	1.1	126
56	Testing the Impact of Calibration on Molecular Divergence Times Using a Fossil-Rich Group: The Case of <i>Nothofagus</i> (Fagales). <i>Systematic Biology</i> , 2012, 61, 289-313.	2.7	351
57	Oldest Known <i>Eucalyptus</i> Macrofossils Are from South America. <i>PLoS ONE</i> , 2011, 6, e21084.	1.1	109
58	Paleotemperature Proxies from Leaf Fossils Reinterpreted in Light of Evolutionary History. <i>PLoS ONE</i> , 2010, 5, e15161.	1.1	95
59	Early Eocene $^{40}\text{Ar}/^{39}\text{Ar}$ Age for the Pampa de Jones plant, Frog, and Insect Biota (Huitrera Formation), Tj ETQq1 1 0,784314 rgBT /Overl	0.3	30
60	Fossil insect folivory tracks paleotemperature for six million years. <i>Ecological Monographs</i> , 2010, 80, 547-567.	2.4	110
61	Quantification of large uncertainties in fossil leaf paleoaltimetry. <i>Tectonics</i> , 2010, 29, .	1.3	40
62	Distinguishing <i>Agromyzidae</i> (Diptera) Leaf Mines in the Fossil Record: New Taxa from the Paleogene of North America and Germany and Their Evolutionary Implications. <i>Journal of Paleontology</i> , 2010, 84, 935-954.	0.5	49
63	Late Paleocene fossils from the Cerrejón Formation, Colombia, are the earliest record of Neotropical rainforest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 18627-18632.	3.3	256
64	Ecology of leaf teeth: A multi-site analysis from an Australian subtropical rainforest. <i>American Journal of Botany</i> , 2009, 96, 738-750.	0.8	43
65	Phylogenetic biome conservatism on a global scale. <i>Nature</i> , 2009, 458, 754-756.	13.7	588
66	No post-Cretaceous ecosystem depression in European forests? Rich insect-feeding damage on diverse middle Palaeocene plants, Menat, France. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 4271-4277.	1.2	97
67	<i>Papuacedrus</i> (Cupressaceae) in Eocene Patagonia: A new fossil link to Australasian rainforests. <i>American Journal of Botany</i> , 2009, 96, 2031-2047.	0.8	91
68	Odonatan endophytic oviposition from the Eocene of Patagonia: The ichnogenus <i>Paleoovoidus</i> and implications for behavioral stasis. <i>Journal of Paleontology</i> , 2009, 83, 431-447.	0.5	42
69	Insect-damaged fossil leaves record food web response to ancient climate change and extinction. <i>New Phytologist</i> , 2008, 178, 486-502.	3.5	68
70	Sensitivity of leaf size and shape to climate within <i>Acer rubrum</i> and <i>Quercus kelloggii</i> . <i>New Phytologist</i> , 2008, 179, 808-817.	3.5	120
71	Sharply increased insect herbivory during the Paleocene "Eocene Thermal Maximum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1960-1964.	3.3	224
72	Fossil Angiosperm Leaves: Paleobotany's Difficult Children Prove Themselves. <i>The Paleontological Society Papers</i> , 2008, 14, 319-333.	0.8	12

#	ARTICLE	IF	CITATIONS
73	Fossil leaf economics quantified: calibration, Eocene case study, and implications. <i>Paleobiology</i> , 2007, 33, 574-589.	1.3	107
74	A Paleocene lowland macroflora from Patagonia reveals significantly greater richness than North American analogs. <i>Geology</i> , 2007, 35, 947.	2.0	130
75	Revision of the Proteaceae Macrofossil Record from Patagonia, Argentina. <i>Botanical Review</i> , The, 2007, 73, 235-266.	1.7	42
76	Why Do Toothed Leaves Correlate with Cold Climates? Gas Exchange at Leaf Margins Provides New Insights into a Classic Paleotemperature Proxy. <i>International Journal of Plant Sciences</i> , 2006, 167, 11-18.	0.6	191
77	Decoupled Plant and Insect Diversity After the End-Cretaceous Extinction. <i>Science</i> , 2006, 313, 1112-1115.	6.0	149
78	Casuarinaceae from the Eocene of Patagonia, Argentina. <i>International Journal of Plant Sciences</i> , 2006, 167, 1279-1289.	0.6	65
79	Richness of plant-insect associations in Eocene Patagonia: A legacy for South American biodiversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8944-8948.	3.3	102
80	Correlations of climate and plant ecology to leaf size and shape: potential proxies for the fossil record. <i>American Journal of Botany</i> , 2005, 92, 1141-1151.	0.8	271
81	Eocene Plant Diversity at Laguna del Hunco and Río Pichileufú, Patagonia, Argentina. <i>American Naturalist</i> , 2005, 165, 634-650.	1.0	200
82	Land plant extinction at the end of the Cretaceous: a quantitative analysis of the North Dakota megafloreal record. <i>Paleobiology</i> , 2004, 30, 347-368.	1.3	135
83	High Plant Diversity in Eocene South America: Evidence from Patagonia. <i>Science</i> , 2003, 300, 122-125.	6.0	263
84	Correlated terrestrial and marine evidence for global climate changes before mass extinction at the Cretaceous-Paleogene boundary. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 599-604.	3.3	214
85	Digital Future for Paleoclimate Estimation from Fossil Leaves? Preliminary Results. <i>Palaios</i> , 2003, 18, 266-274.	0.6	78
86	Impact of the terminal Cretaceous event on plant-insect associations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2061-2066.	3.3	252
87	Habitat-related error in estimating temperatures from leaf margins in a humid tropical forest. <i>American Journal of Botany</i> , 2001, 88, 1096-1102.	0.8	101
88	Effects of Paleocene-Eocene warming on insect herbivory. <i>Gff</i> , 2000, 122, 178-179.	0.4	1
89	Response of Plant-Insect Associations to Paleocene-Eocene Warming. <i>Science</i> , 1999, 284, 2153-2156.	6.0	213
90	Using fossil leaves as paleoprecipitation indicators: An Eocene example: Comment and Reply. <i>Geology</i> , 1999, 27, 91.	2.0	13

#	ARTICLE	IF	CITATIONS
91	Portrait of a Late Paleocene (Early Clarkforkian) Terrestrial Ecosystem: Big Multi Quarry and Associated Strata, Washakie Basin, Southwestern Wyoming. <i>Palaios</i> , 1998, 13, 514.	0.6	45
92	Using fossil leaves as paleoprecipitation indicators: An Eocene example. <i>Geology</i> , 1998, 26, 203.	2.0	264
93	When are leaves good thermometers? A new case for Leaf Margin Analysis. <i>Paleobiology</i> , 1997, 23, 373-390.	1.3	344
94	Reaffirming the phyllocladoid affinities of <i>Huncocladus laubenfelsii</i> (Podocarpaceae) from the early Eocene of Patagonia: a comment on DÄrken et al. (2021). <i>Botanical Journal of the Linnean Society</i> , 0, , .	0.8	1
95	Patagoniaâ€™s diverse but homogeneous early Paleocene forests: Angiosperm leaves from the Danian Salamanca and PeÃ±as Coloradas formations, San Jorge Basin, Chubut, Argentina. <i>Palaeontologia Electronica</i> , 0, , .	0.9	4