

Robert J Derubeis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8678936/publications.pdf>

Version: 2024-02-01

181
papers

16,482
citations

28274

55
h-index

16183

124
g-index

186
all docs

186
docs citations

186
times ranked

12914
citing authors

#	ARTICLE	IF	CITATIONS
1	Antidepressant Drug Effects and Depression Severity. JAMA - Journal of the American Medical Association, 2010, 303, 47.	7.4	1,616
2	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. Nature Reviews Drug Discovery, 2012, 11, 141-168.	46.4	960
3	Cognitive Therapy vs Medications in the Treatment of Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 409.	12.3	806
4	Prevention of Relapse Following Cognitive Therapy vs Medications in Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 417.	12.3	619
5	Cognitive therapy versus medication for depression: treatment outcomes and neural mechanisms. Nature Reviews Neuroscience, 2008, 9, 788-796.	10.2	573
6	Screening, Assessment, and Care of Anxiety and Depressive Symptoms in Adults With Cancer: An American Society of Clinical Oncology Guideline Adaptation. Journal of Clinical Oncology, 2014, 32, 1605-1619.	1.6	558
7	Therapist adherence/competence and treatment outcome: A meta-analytic review.. Journal of Consulting and Clinical Psychology, 2010, 78, 200-211.	2.0	540
8	Sudden gains and critical sessions in cognitive-behavioral therapy for depression.. Journal of Consulting and Clinical Psychology, 1999, 67, 894-904.	2.0	504
9	Empirically supported individual and group psychological treatments for adult mental disorders.. Journal of Consulting and Clinical Psychology, 1998, 66, 37-52.	2.0	437
10	The Personalized Advantage Index: Translating Research on Prediction into Individualized Treatment Recommendations. A Demonstration. PLoS ONE, 2014, 9, e83875.	2.5	358
11	Determinants of change in cognitive therapy for depression. Cognitive Therapy and Research, 1990, 14, 469-482.	1.9	348
12	Personality Change During Depression Treatment. Archives of General Psychiatry, 2009, 66, 1322.	12.3	338
13	Medications Versus Cognitive Behavior Therapy for Severely Depressed Outpatients: Mega-Analysis of Four Randomized Comparisons. American Journal of Psychiatry, 1999, 156, 1007-1013.	7.2	328
14	How does cognitive therapy work? Cognitive change and symptom change in cognitive therapy and pharmacotherapy for depression.. Journal of Consulting and Clinical Psychology, 1990, 58, 862-869.	2.0	322
15	Treatment Selection in Depression. Annual Review of Clinical Psychology, 2018, 14, 209-236.	12.3	276
16	Prediction of response to medication and cognitive therapy in the treatment of moderate to severe depression.. Journal of Consulting and Clinical Psychology, 2009, 77, 775-787.	2.0	274
17	The temporal relation of adherence and alliance to symptom change in cognitive therapy for depression.. Journal of Consulting and Clinical Psychology, 1999, 67, 578-582.	2.0	273
18	Cognitive Changes, Critical Sessions, and Sudden Gains in Cognitive-Behavioral Therapy for Depression.. Journal of Consulting and Clinical Psychology, 2005, 73, 168-172.	2.0	233

#	ARTICLE	IF	CITATIONS
19	A Conceptual and Methodological Analysis of the Nonspecifics Argument.. <i>Clinical Psychology: Science and Practice</i> , 2005, 12, 174-183.	0.9	224
20	The use of psychotherapy treatment manuals: A small revolution in psychotherapy research style. <i>Clinical Psychology Review</i> , 1984, 4, 5-14.	11.4	216
21	Depressive symptoms are associated with unrealistic negative predictions of future life events. <i>Behaviour Research and Therapy</i> , 2006, 44, 861-882.	3.1	209
22	Sudden gains and critical sessions in cognitive-behavioral therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1999, 67, 894-904.	2.0	202
23	Is depressive realism real?. <i>Clinical Psychology Review</i> , 1991, 11, 565-584.	11.4	187
24	The promise of machine learning in predicting treatment outcomes in psychiatry. <i>World Psychiatry</i> , 2021, 20, 154-170.	10.4	174
25	On second thought: Where the action is in cognitive therapy for depression. <i>Cognitive Therapy and Research</i> , 1989, 13, 441-457.	1.9	165
26	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. <i>JAMA Psychiatry</i> , 2015, 72, 1102.	11.0	155
27	Reliability and validity of a daily diary for premenstrual syndrome. <i>Psychiatry Research</i> , 1996, 65, 97-106.	3.3	148
28	Causal mediation of change in treatment for depression: Discriminating between nonspecificity and noncausality.. <i>Psychological Bulletin</i> , 1987, 102, 139-149.	6.1	145
29	Effect of Cognitive Therapy With Antidepressant Medications vs Antidepressants Alone on the Rate of Recovery in Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 1157.	11.0	143
30	The process of change in cognitive therapy for depression: Predictors of early inter-session symptom gains. <i>Behaviour Research and Therapy</i> , 2010, 48, 599-606.	3.1	139
31	Patients' competence in and performance of cognitive therapy skills: Relation to the reduction of relapse risk following treatment for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 523-530.	2.0	138
32	It's complicated: The relation between cognitive change procedures, cognitive change, and symptom change in cognitive therapy for depression. <i>Clinical Psychology Review</i> , 2015, 41, 3-15.	11.4	133
33	Two aspects of the therapeutic alliance: Differential relations with depressive symptom change.. <i>Journal of Consulting and Clinical Psychology</i> , 2011, 79, 279-283.	2.0	131
34	Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. <i>PLoS ONE</i> , 2015, 10, e0140771.	2.5	131
35	Are Samples in Randomized Controlled Trials of Psychotherapy Representative of Community Outpatients? A New Methodology and Initial Findings.. <i>Journal of Consulting and Clinical Psychology</i> , 2003, 71, 963-972.	2.0	125
36	Achieving successful dissemination of empirically supported psychotherapies: A synthesis of dissemination theory.. <i>Clinical Psychology: Science and Practice</i> , 2004, 11, 343-359.	0.9	125

#	ARTICLE	IF	CITATIONS
37	GENDER AS PREDICTOR AND MODERATOR OF OUTCOME IN COGNITIVE BEHAVIOR THERAPY AND PHARMACOTHERAPY FOR ADULT DEPRESSION: AN "INDIVIDUAL PATIENT DATA" META-ANALYSIS. <i>Depression and Anxiety</i> , 2014, 31, 941-951.	4.1	122
38	Antidepressant medications v. cognitive therapy in people with depression with or without personality disorder. <i>British Journal of Psychiatry</i> , 2008, 192, 124-129.	2.8	121
39	Can psychotherapies for depression be discriminated? A systematic investigation of cognitive therapy and interpersonal therapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1982, 50, 744-756.	2.0	117
40	Personalized prediction of antidepressant v. placebo response: evidence from the EMBARC study. <i>Psychological Medicine</i> , 2019, 49, 1118-1127.	4.5	109
41	Therapist competence in cognitive therapy for depression: Predicting subsequent symptom change.. <i>Journal of Consulting and Clinical Psychology</i> , 2010, 78, 429-437.	2.0	107
42	Sudden gains in cognitive therapy of depression and depression relapse/recurrence.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 404-408.	2.0	105
43	Allegiance in psychotherapy outcome research: Separating association from bias.. <i>Clinical Psychology: Science and Practice</i> , 2009, 16, 54-65.	0.9	103
44	Can the Randomized Controlled Trial Literature Generalize to Nonrandomized Patients?. <i>Journal of Consulting and Clinical Psychology</i> , 2005, 73, 127-135.	2.0	88
45	Empirically supported individual and group psychological treatments for adult mental disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 1998, 66, 37-52.	2.0	80
46	Decision-Making and Depressive Symptomatology. <i>Cognitive Therapy and Research</i> , 2011, 35, 333-341.	1.9	71
47	Client characteristics as moderators of the relation between the therapeutic alliance and outcome in cognitive therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 368-373.	2.0	70
48	Understanding processes of change: How some patients reveal more than others" and some groups of therapists less" about what matters in psychotherapy. <i>Psychotherapy Research</i> , 2014, 24, 419-428.	1.8	69
49	Cognitive therapy and the prevention of depression. <i>Applied and Preventive Psychology</i> , 1992, 1, 89-95.	0.8	68
50	Progressive resistance to a selective serotonin reuptake inhibitor but not to cognitive therapy in the treatment of major depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2007, 75, 267-276.	2.0	68
51	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. <i>World Psychiatry</i> , 2019, 18, 183-191.	10.4	68
52	The Relation of Patients' Treatment Preferences to Outcome in a Randomized Clinical Trial. <i>Behavior Therapy</i> , 2007, 38, 209-217.	2.4	66
53	The process of change in cognitive therapy for depression when combined with antidepressant medication: Predictors of early intersession symptom gains.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 730-738.	2.0	66
54	Reconsidering rapid early response in cognitive behavioral therapy for depression.. <i>Clinical Psychology: Science and Practice</i> , 1999, 6, 283-288.	0.9	63

#	ARTICLE	IF	CITATIONS
55	Cognitive behavioral therapy: Current status and future research directions. <i>Psychotherapy Research</i> , 2015, 25, 321-329.	1.8	62
56	Placebo-psychotherapy combinations: Inappropriate representations of psychotherapy in drug-psychotherapy comparative trials.. <i>Psychological Bulletin</i> , 1981, 90, 467-477.	6.1	59
57	A prognostic index (PI) as a moderator of outcomes in the treatment of depression: A proof of concept combining multiple variables to inform risk-stratified stepped care models. <i>Journal of Affective Disorders</i> , 2017, 213, 78-85.	4.1	58
58	Stratified Care vs Stepped Care for Depression. <i>JAMA Psychiatry</i> , 2022, 79, 101.	11.0	58
59	Initial severity of depression and efficacy of cognitive-behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2017, 210, 190-196.	2.8	56
60	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2017, 94, 81-92.	3.1	56
61	High self-esteem, hardiness and affective stability are associated with higher basal pituitary-adrenal hormone levels. <i>Psychoneuroendocrinology</i> , 1995, 20, 591-601.	2.7	55
62	Predictors of patient cognitive therapy skills and symptom change in two randomized clinical trials: The role of therapist adherence and the therapeutic alliance.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 373-381.	2.0	50
63	Reduced Cytokine Levels and T-Cell Function in Healthy Males: Relation to Individual Differences in Subclinical Anxiety. <i>Brain, Behavior, and Immunity</i> , 1994, 8, 293-312.	4.1	49
64	Safety and effectiveness of continuation antidepressant versus mood stabilizer monotherapy for relapse-prevention of bipolar II depression: A randomized, double-blind, parallel-group, prospective study. <i>Journal of Affective Disorders</i> , 2015, 185, 31-37.	4.1	48
65	Changes in Positive and Negative Affect During Pharmacological Treatment and Cognitive Therapy for Major Depressive Disorder: A Secondary Analysis of Two Randomized Controlled Trials. <i>Clinical Psychological Science</i> , 2020, 8, 36-51.	4.0	47
66	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 560-566.	2.0	46
67	In rape trauma PTSD, patient characteristics indicate which trauma-focused treatment they are most likely to complete. <i>Depression and Anxiety</i> , 2018, 35, 330-338.	4.1	46
68	Cross-sectional networks of depressive symptoms before and after antidepressant medication treatment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 617-627.	3.1	46
69	Promoting Graduate Student Mental Health During COVID-19: Acceptability, Feasibility, and Perceived Utility of an Online Single-Session Intervention. <i>Frontiers in Psychology</i> , 2021, 12, 569785.	2.1	46
70	Miles to Go Before We Sleep: Advancing the Understanding of Psychotherapy by Modeling Complex Processes. <i>Cognitive Therapy and Research</i> , 2018, 42, 212-217.	1.9	45
71	The clinical effectiveness of cognitive therapy for depression in an outpatient clinic. <i>Journal of Affective Disorders</i> , 2010, 125, 169-176.	4.1	44
72	Relationship of intelligence with cognitive therapy outcome. <i>Behaviour Research and Therapy</i> , 1991, 29, 277-281.	3.1	43

#	ARTICLE	IF	CITATIONS
73	Short-term venlafaxine <i>v.</i> lithium monotherapy for bipolar type II major depressive episodes: Effectiveness and mood conversion rate. <i>British Journal of Psychiatry</i> , 2016, 208, 359-365.	2.8	42
74	Cognitive-Behavioral Therapy: Nature and Relation to Non-Cognitive Behavioral Therapy. <i>Behavior Therapy</i> , 2016, 47, 785-803.	2.4	42
75	Processes of Change in CBT of Adolescent Depression: Review and Recommendations. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2012, 41, 654-665.	3.4	41
76	Mediation Analysis with Survival Outcomes: Accelerated Failure Time vs. Proportional Hazards Models. <i>Frontiers in Psychology</i> , 2016, 7, 423.	2.1	41
77	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. <i>American Journal of Psychiatry</i> , 2016, 173, 481-490.	7.2	41
78	Translating the BDI and BDI-II into the HAMD and vice versa with equipercetile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e24.	3.9	39
79	Cognitive Mediation of Relapse Prevention Following Treatment for Depression: Implications of Differential Risk. , 1990, , 117-136.		38
80	Consistency in Interpersonal Themes in Narratives About Relationships. <i>Psychotherapy Research</i> , 2002, 12, 139-159.	1.8	37
81	Commonly Reported Problems and Coping Strategies During the COVID-19 Crisis: A Survey of Graduate and Professional Students. <i>Frontiers in Psychology</i> , 2021, 12, 598557.	2.1	36
82	The Potential Role of Learning Capacity in Cognitive Behavior Therapy for Depression: A Systematic Review of the Evidence and Future Directions for Improving Therapeutic Learning. <i>Clinical Psychological Science</i> , 2019, 7, 668-692.	4.0	35
83	Differential change in specific depressive symptoms during antidepressant medication or cognitive therapy. <i>Behaviour Research and Therapy</i> , 2013, 51, 392-398.	3.1	34
84	Response to tryptophan depletion in major depression treated with either cognitive therapy or selective serotonin reuptake inhibitor antidepressants. <i>Biological Psychiatry</i> , 2004, 55, 957-959.	1.3	33
85	Identifying moderators of the adherence-outcome relation in cognitive therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 976-984.	2.0	32
86	A re-examination of processâ€™outcome relations in cognitive therapy for depression: Disaggregating within-patient and between-patient effects. <i>Psychotherapy Research</i> , 2016, 26, 387-398.	1.8	32
87	Cognitive Therapy for Depression: A Review of Its Efficacy. <i>Journal of Cognitive Psychotherapy</i> , 2001, 15, 289-297.	0.4	32
88	Combined Treatment for Obesity and Depression: A Pilot Study. <i>Obesity</i> , 2018, 26, 1144-1152.	3.0	31
89	Distress and anhedonia as predictors of depression treatment outcome: A secondary analysis of a randomized clinical trial. <i>Behaviour Research and Therapy</i> , 2020, 125, 103507.	3.1	31
90	Dysfunctional cognitions in personality pathology: the structure and validity of the Personality Belief Questionnaire. <i>Psychological Medicine</i> , 2012, 42, 795-805.	4.5	30

#	ARTICLE	IF	CITATIONS
91	Pretreatment anxiety predicts patterns of change in cognitive behavioral therapy and medications for depression.. Journal of Consulting and Clinical Psychology, 2013, 81, 774-782.	2.0	30
92	Gains in employment status following antidepressant medication or cognitive therapy for depression. British Journal of Psychiatry, 2015, 206, 332-338.	2.8	30
93	Prevention of Recurrence After Recovery From a Major Depressive Episode With Antidepressant Medication Alone or in Combination With Cognitive Behavioral Therapy. JAMA Psychiatry, 2020, 77, 237.	11.0	30
94	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. JAMA Psychiatry, 2022, 79, 406.	11.0	30
95	Anxiety Symptom Focus in Sessions of Cognitive Therapy for Depression. Behavior Therapy, 2008, 39, 117-125.	2.4	28
96	In cognitive therapy for depression, early focus on maladaptive beliefs may be especially efficacious for patients with personality disorders.. Journal of Consulting and Clinical Psychology, 2016, 84, 353-364.	2.0	28
97	The contribution of depressive "disorder characteristics"™ to determinations of prognosis for adults with depression: an individual patient data meta-analysis. Psychological Medicine, 2021, 51, 1068-1081.	4.5	28
98	The focus of therapist interventions in cognitive therapy for depression. Cognitive Therapy and Research, 1995, 19, 485-503.	1.9	27
99	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. Behaviour Research and Therapy, 2016, 77, 170-176.	3.1	27
100	Precision medicine for long-term depression outcomes using the Personalized Advantage Index approach: cognitive therapy or interpersonal psychotherapy?. Psychological Medicine, 2021, 51, 279-289.	4.5	26
101	Estimating the real-world usage of mobile apps for mental health: development and application of two novel metrics. World Psychiatry, 2021, 20, 137-138.	10.4	26
102	Sequence of improvement in depressive symptoms across cognitive therapy and pharmacotherapy. Journal of Affective Disorders, 2008, 110, 161-166.	4.1	25
103	Exploring mechanisms of change in schema therapy for chronic depression. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 58, 97-105.	1.2	25
104	Harnessing single-session interventions to improve adolescent mental health and well-being in India: Development, adaptation, and pilot testing of online single-session interventions in Indian secondary schools. Asian Journal of Psychiatry, 2020, 50, 101980.	2.0	25
105	Moderation of the Alliance-Outcome Association by Prior Depressive Episodes: Differential Effects in Cognitive-Behavioral Therapy and Short-Term Psychodynamic Supportive Psychotherapy. Behavior Therapy, 2017, 48, 581-595.	2.4	24
106	Cross-trial prediction in psychotherapy: External validation of the Personalized Advantage Index using machine learning in two Dutch randomized trials comparing CBT versus IPT for depression. Psychotherapy Research, 2021, 31, 78-91.	1.8	24
107	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. Depression and Anxiety, 2017, 34, 246-256.	4.1	23
108	Smartphone apps for eating disorders: A systematic review of evidence-based content and application of "adjusted" analyses. International Journal of Eating Disorders, 2021, 54, 690-700.	4.0	23

#	ARTICLE	IF	CITATIONS
109	The therapeutic alliance and therapist adherence as predictors of dropout from cognitive therapy for depression when combined with antidepressant medication. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 50, 113-119.	1.2	22
110	The history, current status, and possible future of precision mental health. <i>Behaviour Research and Therapy</i> , 2019, 123, 103506.	3.1	21
111	Dysfunctional attitudes or extreme response style as predictors of depressive relapse and recurrence after mobile cognitive therapy for recurrent depression. <i>Journal of Affective Disorders</i> , 2019, 243, 48-54.	4.1	20
112	Psychometric Properties of the Reconstructed Hamilton Depression and Anxiety Scales. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 656-664.	1.0	19
113	Extreme response style and symptom return after depression treatment: The role of positive extreme responding. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 500-509.	2.0	18
114	Are there any robust predictors of "sudden gainers" and how is sustained improvement in treatment outcome achieved following a gain?. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 491-500.	2.0	18
115	Specific expectancies are associated with symptomatic outcomes and side effect burden in a trial of chamomile extract for generalized anxiety disorder. <i>Journal of Psychiatric Research</i> , 2017, 84, 90-97.	3.1	17
116	Leveraging routine clinical materials and mobile technology to assess CBT fidelity: the Innovative Methods to Assess Psychotherapy Practices (imAPP) study. <i>Implementation Science</i> , 2018, 13, 69.	6.9	16
117	Three questions to consider before developing a mental health app. <i>World Psychiatry</i> , 2020, 19, 252-253.	10.4	16
118	Treatment selection in borderline personality disorder between dialectical behavior therapy and psychodynamic psychiatric management. <i>Psychological Medicine</i> , 2020, 51, 1-9.	4.5	16
119	Does 24-h urinary MHPG predict treatment response to antidepressants? I. A review. <i>Journal of Affective Disorders</i> , 1990, 20, 173-179.	4.1	15
120	Stepwise loss of antidepressant effectiveness with repeated antidepressant trials in bipolar II depression. <i>Bipolar Disorders</i> , 2016, 18, 563-570.	1.9	15
121	Predictive modeling for response to lithium and quetiapine in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 428-436.	1.9	15
122	Metraits and cognitive assessment: Application to attributional style and depressive symptoms. <i>Cognitive Therapy and Research</i> , 1995, 19, 121-142.	1.9	14
123	Cognitive Therapy in the Treatment and Prevention of Depression: A Fifty-Year Retrospective with an Evolutionary Coda. <i>Cognitive Therapy and Research</i> , 2021, 45, 402-417.	1.9	14
124	Changes in Patients' Beliefs About the Causes of their Depression Following Successful Treatment. <i>Cognitive Therapy and Research</i> , 2007, 31, 437-449.	1.9	13
125	Mediating the Effects of Cognitive Therapy for Depression. <i>Cognitive Behaviour Therapy</i> , 2009, 38, 43-47.	3.5	13
126	Convergence and divergence in the delivery of cognitive therapy in two randomized clinical trials. <i>Behaviour Research and Therapy</i> , 2013, 51, 493-498.	3.1	13

#	ARTICLE	IF	CITATIONS
127	Predicting optimal interventions for clinical depression: Moderators of outcomes in a positive psychological intervention vs. cognitive-behavioral therapy. <i>General Hospital Psychiatry</i> , 2019, 61, 104-110.	2.4	13
128	A prognostic index for long-term outcome after successful acute phase cognitive therapy and interpersonal psychotherapy for major depressive disorder. <i>Depression and Anxiety</i> , 2019, 36, 252-261.	4.1	13
129	Research Setting Versus Clinic Setting: Which Produces Better Outcomes in Cognitive Therapy for Depression?. <i>Cognitive Therapy and Research</i> , 2013, 37, 605-612.	1.9	12
130	Recognizing that truth is unattainable and attending to the most informative research evidence. <i>Psychotherapy Research</i> , 2017, 27, 33-35.	1.8	12
131	Revisiting How We Assess Therapist Competence in Cognitive Therapy. <i>Cognitive Therapy and Research</i> , 2018, 42, 369-384.	1.9	12
132	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 560-566.	2.0	12
133	Adding cognitive therapy to antidepressant medications decreases suicidal ideation. <i>Journal of Affective Disorders</i> , 2021, 281, 183-191.	4.1	11
134	Prognosis moderates the engagementâ€œoutcome relationship in unguided cCBT for depression: A proof of concept for the prognosis moderation hypothesis.. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 471-483.	2.0	11
135	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	1.8	11
136	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	1.8	11
137	Economic evaluation of an online single-session intervention for depression in Kenyan adolescents.. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 657-667.	2.0	10
138	Which symptoms of depression and anxiety are most strongly associated with happiness? A network analysis of Indian and Kenyan adolescents. <i>Journal of Affective Disorders</i> , 2021, 295, 811-821.	4.1	10
139	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1295.	2.5	10
140	Improving Mental Health on College Campuses: Perspectives of Indian College Students. <i>Behavior Therapy</i> , 2022, 53, 348-364.	2.4	9
141	Changing character: A narrative review of personality change in psychotherapies for personality disorder. <i>Psychotherapy Research</i> , 2019, 29, 752-769.	1.8	8
142	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whomâ€œKey Findings From an RCT. <i>American Journal of Psychotherapy</i> , 2020, 73, 8-14.	1.2	8
143	The association of MHPG to dexamethasone suppression test status. <i>Psychiatry Research</i> , 1988, 24, 223-230.	3.3	7
144	Focus is key: Panic-focused interpretations are associated with symptomatic improvement in panic-focused psychodynamic psychotherapy. <i>Psychotherapy Research</i> , 2019, 29, 1033-1044.	1.8	7

#	ARTICLE	IF	CITATIONS
145	The relation between therapy quality, therapy processes and outcomes and identifying for whom therapy quality matters in CBT and IPT for depression. <i>Behaviour Research and Therapy</i> , 2021, 139, 103815.	3.1	7
146	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 298-308.	4.1	7
147	Does 24-h urinary MHPG predict treatment response to antidepressants? II. Association between imipramine response and low MHPG. <i>Journal of Affective Disorders</i> , 1990, 20, 181-184.	4.1	6
148	Do depressed patients with higher pretreatment stress levels respond better to cognitive therapy than imipramine?. <i>Journal of Affective Disorders</i> , 1994, 32, 45-50.	4.1	6
149	Reducing exposure of clinical research subjects to placebo treatments. <i>Journal of Clinical Psychology</i> , 2005, 61, 881-892.	1.9	6
150	The Development of a Psychoanalytic Outcome Study. <i>Journal of the American Psychoanalytic Association</i> , 2012, 60, 311-335.	0.6	6
151	Residual anxiety may be associated with depressive relapse during continuation therapy of bipolar II depression. <i>Journal of Affective Disorders</i> , 2018, 227, 379-383.	4.1	6
152	A personalized index to inform selection of a trauma-focused or non-trauma-focused treatment for PTSD. <i>Behaviour Research and Therapy</i> , 2021, 142, 103872.	3.1	6
153	Response of depression to very high plasma levels of imipramine plus desipramine. <i>Biological Psychiatry</i> , 1991, 30, 57-62.	1.3	5
154	Bias resulting from the use of "assay sensitivity"™ as an inclusion criterion for meta-analysis. <i>Statistics in Medicine</i> , 2006, 25, 943-955.	1.6	5
155	Differential response to depression prevention among a sample of informal caregivers: Moderator analysis of longer-term follow-up trial data. <i>Psychiatry Research</i> , 2015, 230, 271-278.	3.3	5
156	Outcomes, skill acquisition, and the alliance: Similarities and differences between clinical trial and student therapists. <i>Behaviour Research and Therapy</i> , 2020, 129, 103608.	3.1	5
157	Evaluating the Effectiveness of Personalized Medicine With Software. <i>Frontiers in Big Data</i> , 2021, 4, 572532.	2.9	5
158	Individual differences in response to once versus twice weekly sessions of CBT and IPT for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2022, 90, 5-17.	2.0	5
159	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 2023, 11, 59-76.	4.0	5
160	Is there a relationship between MHPG and anxiety in depressed patients?. <i>Psychiatry Research</i> , 1991, 38, 187-195.	3.3	4
161	Some lessons from group supervision of cognitive therapy for depression. <i>Cognitive and Behavioral Practice</i> , 2003, 10, 30-40.	1.5	4
162	Positive extreme responding after cognitive therapy for depression: Correlates and potential mechanisms. <i>Behaviour Research and Therapy</i> , 2016, 83, 11-18.	3.1	4

#	ARTICLE	IF	CITATIONS
163	Online single-session interventions for Kenyan adolescents: study protocol for a comparative effectiveness randomised controlled trial. <i>Annals of General Psychiatry</i> , 2021, 34, e100446.	3.1	4
164	Initial Severity and Depressive Relapse in Cognitive Behavioral Therapy and Antidepressant Medications: An Individual Patient Data Meta-analysis. <i>Cognitive Therapy and Research</i> , 2022, 46, 517-531.	1.9	4
165	IQ independence of measures of dysfunctional cognition. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1990, 12, 299-307.	1.2	3
166	Changes in urinary MHPG during treatment of depression with imipramine. <i>Biological Psychiatry</i> , 1993, 34, 562-564.	1.3	3
167	Determining the pertinence of psychotherapy outcome research findings for clinical practice: Comment on Westen and Morrison (2001).. <i>Journal of Consulting and Clinical Psychology</i> , 2001, 69, 908-909.	2.0	3
168	Depression Severity and Effect of Antidepressant Medications—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 1596.	7.4	3
169	Patient's Attributions about Symptom Improvement in CBT for Depression: Development of a Rating System and an Initial Test of Validity. <i>International Journal of Cognitive Therapy</i> , 2014, 7, 272-286.	2.2	3
170	Notice of Retraction and Replacement. Hollon et al. Effect of cognitive therapy with antidepressant medications vs antidepressants alone on the rate of recovery in major depressive disorder: a randomized clinical trial. <i>JAMA Psychiatry</i> . 2014;71(10):1157-1164. <i>JAMA Psychiatry</i> , 2016, 73, 639.	11.0	3
171	Comparison of treatment outcome using two definitions of rapid cycling in subjects with bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 6-12.	1.9	3
172	Specific Pharmacological Effects of Paroxetine Comprise Psychological but Not Somatic Symptoms of Depression. <i>PLoS ONE</i> , 2016, 11, e0159647.	2.5	3
173	Depression—General. , 2005, , 158-161.		2
174	Therapy Processes Associated With Sudden Gains in Cognitive Therapy for Depression: Exploring Therapeutic Changes in the Sessions Surrounding the Gains. <i>Frontiers in Psychiatry</i> , 2021, 12, 576432.	2.6	2
175	Emotion regulation strategy correlates with discrete state emotion in major depression. <i>Anxiety, Stress and Coping</i> , 2022, 35, 637-648.	2.9	2
176	The Temporal Associations of Therapeutic Alliance and Manual Adherence With Depressive Symptom Change in Cognitive Behavioral Therapy for Adult Outpatient Major Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 602294.	2.6	1
177	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 0, 4, 69.	1.8	1
178	Affective Disorders. , 1998, , 339-366.		0
179	Cognitive therapy and psychosocial interventions in chronic and treatment-resistant mood disorders. , 2001, , 252-270.		0
180	Patients' judgments of the importance of treatment-induced reductions in symptoms of depression: The role of specific symptoms, magnitudes of change, and post-treatment levels. <i>Psychotherapy Research</i> , 2021, , 1-10.	1.8	0

#	ARTICLE	IF	CITATIONS
181	Mapping Female Patients'™ Judgments of Satisfaction to Hypothetical Changes in Depression Symptom Severity. Behavior Therapy, 2021, 53, 392-399.	2.4	0