

Robert J Derubeis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8678936/publications.pdf>

Version: 2024-02-01

181
papers

16,482
citations

28274

55
h-index

16183

124
g-index

186
all docs

186
docs citations

186
times ranked

12914
citing authors

#	ARTICLE	IF	CITATIONS
1	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 2023, 11, 59-76.	4.0	5
2	Improving Mental Health on College Campuses: Perspectives of Indian College Students. <i>Behavior Therapy</i> , 2022, 53, 348-364.	2.4	9
3	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 298-308.	4.1	7
4	Initial Severity and Depressive Relapse in Cognitive Behavioral Therapy and Antidepressant Medications: An Individual Patient Data Meta-analysis. <i>Cognitive Therapy and Research</i> , 2022, 46, 517-531.	1.9	4
5	Stratified Care vs Stepped Care for Depression. <i>JAMA Psychiatry</i> , 2022, 79, 101.	11.0	58
6	Individual differences in response to once versus twice weekly sessions of CBT and IPT for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2022, 90, 5-17.	2.0	5
7	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. <i>JAMA Psychiatry</i> , 2022, 79, 406.	11.0	30
8	Emotion regulation strategy correlates with discrete state emotion in major depression. <i>Anxiety, Stress and Coping</i> , 2022, 35, 637-648.	2.9	2
9	Cognitive Therapy in the Treatment and Prevention of Depression: A Fifty-Year Retrospective with an Evolutionary Coda. <i>Cognitive Therapy and Research</i> , 2021, 45, 402-417.	1.9	14
10	Cross-trial prediction in psychotherapy: External validation of the Personalized Advantage Index using machine learning in two Dutch randomized trials comparing CBT versus IPT for depression. <i>Psychotherapy Research</i> , 2021, 31, 78-91.	1.8	24
11	Adding cognitive therapy to antidepressant medications decreases suicidal ideation. <i>Journal of Affective Disorders</i> , 2021, 281, 183-191.	4.1	11
12	Precision medicine for long-term depression outcomes using the Personalized Advantage Index approach: cognitive therapy or interpersonal psychotherapy?. <i>Psychological Medicine</i> , 2021, 51, 279-289.	4.5	26
13	Estimating the real-world usage of mobile apps for mental health: development and application of two novel metrics. <i>World Psychiatry</i> , 2021, 20, 137-138.	10.4	26
14	Commonly Reported Problems and Coping Strategies During the COVID-19 Crisis: A Survey of Graduate and Professional Students. <i>Frontiers in Psychology</i> , 2021, 12, 598557.	2.1	36
15	Smartphone apps for eating disorders: A systematic review of evidence-based content and application of user-adjusted analyses. <i>International Journal of Eating Disorders</i> , 2021, 54, 690-700.	4.0	23
16	Therapy Processes Associated With Sudden Gains in Cognitive Therapy for Depression: Exploring Therapeutic Changes in the Sessions Surrounding the Gains. <i>Frontiers in Psychiatry</i> , 2021, 12, 576432.	2.6	2
17	The relation between therapy quality, therapy processes and outcomes and identifying for whom therapy quality matters in CBT and IPT for depression. <i>Behaviour Research and Therapy</i> , 2021, 139, 103815.	3.1	7
18	The contribution of depressive disorder characteristics™ to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1068-1081.	4.5	28

#	ARTICLE	IF	CITATIONS
19	Promoting Graduate Student Mental Health During COVID-19: Acceptability, Feasibility, and Perceived Utility of an Online Single-Session Intervention. <i>Frontiers in Psychology</i> , 2021, 12, 569785.	2.1	46
20	The promise of machine learning in predicting treatment outcomes in psychiatry. <i>World Psychiatry</i> , 2021, 20, 154-170.	10.4	174
21	Evaluating the Effectiveness of Personalized Medicine With Software. <i>Frontiers in Big Data</i> , 2021, 4, 572532.	2.9	5
22	Online single-session interventions for Kenyan adolescents: study protocol for a comparative effectiveness randomised controlled trial. <i>Annals of General Psychiatry</i> , 2021, 34, e100446.	3.1	4
23	Patients' judgments of the importance of treatment-induced reductions in symptoms of depression: The role of specific symptoms, magnitudes of change, and post-treatment levels. <i>Psychotherapy Research</i> , 2021, , 1-10.	1.8	0
24	A personalized index to inform selection of a trauma-focused or non-trauma-focused treatment for PTSD. <i>Behaviour Research and Therapy</i> , 2021, 142, 103872.	3.1	6
25	Economic evaluation of an online single-session intervention for depression in Kenyan adolescents.. <i>Journal of Consulting and Clinical Psychology</i> , 2021, 89, 657-667.	2.0	10
26	Which symptoms of depression and anxiety are most strongly associated with happiness? A network analysis of Indian and Kenyan adolescents. <i>Journal of Affective Disorders</i> , 2021, 295, 811-821.	4.1	10
27	Mapping Female Patients' Judgments of Satisfaction to Hypothetical Changes in Depression Symptom Severity. <i>Behavior Therapy</i> , 2021, 53, 392-399.	2.4	0
28	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1295.	2.5	10
29	Translating the BDI and BDI-II into the HAMD and vice versa with equipercetile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e24.	3.9	39
30	Distress and anhedonia as predictors of depression treatment outcome: A secondary analysis of a randomized clinical trial. <i>Behaviour Research and Therapy</i> , 2020, 125, 103507.	3.1	31
31	Changes in Positive and Negative Affect During Pharmacological Treatment and Cognitive Therapy for Major Depressive Disorder: A Secondary Analysis of Two Randomized Controlled Trials. <i>Clinical Psychological Science</i> , 2020, 8, 36-51.	4.0	47
32	Prevention of Recurrence After Recovery From a Major Depressive Episode With Antidepressant Medication Alone or in Combination With Cognitive Behavioral Therapy. <i>JAMA Psychiatry</i> , 2020, 77, 237.	11.0	30
33	Three questions to consider before developing a mental health app. <i>World Psychiatry</i> , 2020, 19, 252-253.	10.4	16
34	Treatment selection in borderline personality disorder between dialectical behavior therapy and psychodynamic psychiatric management. <i>Psychological Medicine</i> , 2020, 51, 1-9.	4.5	16
35	Harnessing single-session interventions to improve adolescent mental health and well-being in India: Development, adaptation, and pilot testing of online single-session interventions in Indian secondary schools. <i>Asian Journal of Psychiatry</i> , 2020, 50, 101980.	2.0	25
36	Outcomes, skill acquisition, and the alliance: Similarities and differences between clinical trial and student therapists. <i>Behaviour Research and Therapy</i> , 2020, 129, 103608.	3.1	5

#	ARTICLE	IF	CITATIONS
37	The Temporal Associations of Therapeutic Alliance and Manual Adherence With Depressive Symptom Change in Cognitive Behavioral Therapy for Adult Outpatient Major Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 602294.	2.6	1
38	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whom—Key Findings From an RCT. <i>American Journal of Psychotherapy</i> , 2020, 73, 8-14.	1.2	8
39	Personalized prediction of antidepressant v. placebo response: evidence from the EMBARC study. <i>Psychological Medicine</i> , 2019, 49, 1118-1127.	4.5	109
40	Predicting optimal interventions for clinical depression: Moderators of outcomes in a positive psychological intervention vs. cognitive-behavioral therapy. <i>General Hospital Psychiatry</i> , 2019, 61, 104-110.	2.4	13
41	The history, current status, and possible future of precision mental health. <i>Behaviour Research and Therapy</i> , 2019, 123, 103506.	3.1	21
42	The symptom-specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data meta-analysis. <i>World Psychiatry</i> , 2019, 18, 183-191.	10.4	68
43	The Potential Role of Learning Capacity in Cognitive Behavior Therapy for Depression: A Systematic Review of the Evidence and Future Directions for Improving Therapeutic Learning. <i>Clinical Psychological Science</i> , 2019, 7, 668-692.	4.0	35
44	Predictive modeling for response to lithium and quetiapine in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 428-436.	1.9	15
45	Dysfunctional attitudes or extreme response style as predictors of depressive relapse and recurrence after mobile cognitive therapy for recurrent depression. <i>Journal of Affective Disorders</i> , 2019, 243, 48-54.	4.1	20
46	A prognostic index for long-term outcome after successful acute phase cognitive therapy and interpersonal psychotherapy for major depressive disorder. <i>Depression and Anxiety</i> , 2019, 36, 252-261.	4.1	13
47	Changing character: A narrative review of personality change in psychotherapies for personality disorder. <i>Psychotherapy Research</i> , 2019, 29, 752-769.	1.8	8
48	Focus is key: Panic-focused interpretations are associated with symptomatic improvement in panic-focused psychodynamic psychotherapy. <i>Psychotherapy Research</i> , 2019, 29, 1033-1044.	1.8	7
49	Are there any robust predictors of "sudden gainers," and how is sustained improvement in treatment outcome achieved following a gain?. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 491-500.	2.0	18
50	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	1.8	11
51	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. <i>Wellcome Open Research</i> , 2019, 4, 69.	1.8	11
52	In rape trauma PTSD, patient characteristics indicate which trauma-focused treatment they are most likely to complete. <i>Depression and Anxiety</i> , 2018, 35, 330-338.	4.1	46
53	Treatment Selection in Depression. <i>Annual Review of Clinical Psychology</i> , 2018, 14, 209-236.	12.3	276
54	Cross-sectional networks of depressive symptoms before and after antidepressant medication treatment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 617-627.	3.1	46

#	ARTICLE	IF	CITATIONS
55	Miles to Go Before We Sleep: Advancing the Understanding of Psychotherapy by Modeling Complex Processes. <i>Cognitive Therapy and Research</i> , 2018, 42, 212-217.	1.9	45
56	Exploring mechanisms of change in schema therapy for chronic depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 58, 97-105.	1.2	25
57	Residual anxiety may be associated with depressive relapse during continuation therapy of bipolar II depression. <i>Journal of Affective Disorders</i> , 2018, 227, 379-383.	4.1	6
58	Combined Treatment for Obesity and Depression: A Pilot Study. <i>Obesity</i> , 2018, 26, 1144-1152.	3.0	31
59	Revisiting How We Assess Therapist Competence in Cognitive Therapy. <i>Cognitive Therapy and Research</i> , 2018, 42, 369-384.	1.9	12
60	Leveraging routine clinical materials and mobile technology to assess CBT fidelity: the Innovative Methods to Assess Psychotherapy Practices (imAPP) study. <i>Implementation Science</i> , 2018, 13, 69.	6.9	16
61	Initial severity of depression and efficacy of cognitive-behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. <i>British Journal of Psychiatry</i> , 2017, 210, 190-196.	2.8	56
62	A prognostic index (PI) as a moderator of outcomes in the treatment of depression: A proof of concept combining multiple variables to inform risk-stratified stepped care models. <i>Journal of Affective Disorders</i> , 2017, 213, 78-85.	4.1	58
63	Comparison of treatment outcome using two definitions of rapid cycling in subjects with bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 6-12.	1.9	3
64	Psychometric Properties of the Reconstructed Hamilton Depression and Anxiety Scales. <i>Journal of Nervous and Mental Disease</i> , 2017, 205, 656-664.	1.0	19
65	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2017, 94, 81-92.	3.1	56
66	Recognizing that truth is unattainable and attending to the most informative research evidence. <i>Psychotherapy Research</i> , 2017, 27, 33-35.	1.8	12
67	Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. <i>Depression and Anxiety</i> , 2017, 34, 246-256.	4.1	23
68	Specific expectancies are associated with symptomatic outcomes and side effect burden in a trial of chamomile extract for generalized anxiety disorder. <i>Journal of Psychiatric Research</i> , 2017, 84, 90-97.	3.1	17
69	Moderation of the Alliance-Outcome Association by Prior Depressive Episodes: Differential Effects in Cognitive-Behavioral Therapy and Short-Term Psychodynamic Supportive Psychotherapy. <i>Behavior Therapy</i> , 2017, 48, 581-595.	2.4	24
70	Prognosis moderates the engagement-outcome relationship in unguided cCBT for depression: A proof of concept for the prognosis moderation hypothesis. <i>Journal of Consulting and Clinical Psychology</i> , 2017, 85, 471-483.	2.0	11
71	Mediation Analysis with Survival Outcomes: Accelerated Failure Time vs. Proportional Hazards Models. <i>Frontiers in Psychology</i> , 2016, 7, 423.	2.1	41
72	Positive extreme responding after cognitive therapy for depression: Correlates and potential mechanisms. <i>Behaviour Research and Therapy</i> , 2016, 83, 11-18.	3.1	4

#	ARTICLE	IF	CITATIONS
73	Short-term venlafaxine <i>v.</i> lithium monotherapy for bipolar type II major depressive episodes: Effectiveness and mood conversion rate. <i>British Journal of Psychiatry</i> , 2016, 208, 359-365.	2.8	42
74	Notice of Retraction and Replacement. Hollon et al. Effect of cognitive therapy with antidepressant medications vs antidepressants alone on the rate of recovery in major depressive disorder: a randomized clinical trial. <i>JAMA Psychiatry</i> . 2014;71(10):1157-1164. <i>JAMA Psychiatry</i> , 2016, 73, 639.	11.0	3
75	In cognitive therapy for depression, early focus on maladaptive beliefs may be especially efficacious for patients with personality disorders.. <i>Journal of Consulting and Clinical Psychology</i> , 2016, 84, 353-364.	2.0	28
76	Stepwise loss of antidepressant effectiveness with repeated antidepressant trials in bipolar II depression. <i>Bipolar Disorders</i> , 2016, 18, 563-570.	1.9	15
77	The therapeutic alliance and therapist adherence as predictors of dropout from cognitive therapy for depression when combined with antidepressant medication. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 50, 113-119.	1.2	22
78	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. <i>American Journal of Psychiatry</i> , 2016, 173, 481-490.	7.2	41
79	Cognitive-Behavioral Therapy: Nature and Relation to Non-Cognitive Behavioral Therapy. <i>Behavior Therapy</i> , 2016, 47, 785-803.	2.4	42
80	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2016, 77, 170-176.	3.1	27
81	A re-examination of process outcome relations in cognitive therapy for depression: Disaggregating within-patient and between-patient effects. <i>Psychotherapy Research</i> , 2016, 26, 387-398.	1.8	32
82	Specific Pharmacological Effects of Paroxetine Comprise Psychological but Not Somatic Symptoms of Depression. <i>PLoS ONE</i> , 2016, 11, e0159647.	2.5	3
83	Identifying moderators of the adherence-outcome relation in cognitive therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 976-984.	2.0	32
84	Differential response to depression prevention among a sample of informal caregivers: Moderator analysis of longer-term follow-up trial data. <i>Psychiatry Research</i> , 2015, 230, 271-278.	3.3	5
85	It's complicated: The relation between cognitive change procedures, cognitive change, and symptom change in cognitive therapy for depression. <i>Clinical Psychology Review</i> , 2015, 41, 3-15.	11.4	133
86	Gains in employment status following antidepressant medication or cognitive therapy for depression. <i>British Journal of Psychiatry</i> , 2015, 206, 332-338.	2.8	30
87	Safety and effectiveness of continuation antidepressant versus mood stabilizer monotherapy for relapse-prevention of bipolar II depression: A randomized, double-blind, parallel-group, prospective study. <i>Journal of Affective Disorders</i> , 2015, 185, 31-37.	4.1	48
88	Cognitive behavioral therapy: Current status and future research directions. <i>Psychotherapy Research</i> , 2015, 25, 321-329.	1.8	62
89	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. <i>JAMA Psychiatry</i> , 2015, 72, 1102.	11.0	155
90	Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. <i>PLoS ONE</i> , 2015, 10, e0140771.	2.5	131

#	ARTICLE	IF	CITATIONS
91	GENDER AS PREDICTOR AND MODERATOR OF OUTCOME IN COGNITIVE BEHAVIOR THERAPY AND PHARMACOTHERAPY FOR ADULT DEPRESSION: AN "INDIVIDUAL PATIENT DATA" META-ANALYSIS. <i>Depression</i> 4.1 and <i>Anxiety</i> , 2014, 31, 941-951.		122
92	Effect of Cognitive Therapy With Antidepressant Medications vs Antidepressants Alone on the Rate of Recovery in Major Depressive Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 1157.	11.0	143
93	Understanding processes of change: How some patients reveal more than others" and some groups of therapists less" about what matters in psychotherapy. <i>Psychotherapy Research</i> , 2014, 24, 419-428.	1.8	69
94	Screening, Assessment, and Care of Anxiety and Depressive Symptoms in Adults With Cancer: An American Society of Clinical Oncology Guideline Adaptation. <i>Journal of Clinical Oncology</i> , 2014, 32, 1605-1619.	1.6	558
95	Extreme response style and symptom return after depression treatment: The role of positive extreme responding.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 500-509.	2.0	18
96	Client characteristics as moderators of the relation between the therapeutic alliance and outcome in cognitive therapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 368-373.	2.0	70
97	Patient's Attributions about Symptom Improvement in CBT for Depression: Development of a Rating System and an Initial Test of Validity. <i>International Journal of Cognitive Therapy</i> , 2014, 7, 272-286.	2.2	3
98	The Personalized Advantage Index: Translating Research on Prediction into Individualized Treatment Recommendations. A Demonstration. <i>PLoS ONE</i> , 2014, 9, e83875.	2.5	358
99	Differential change in specific depressive symptoms during antidepressant medication or cognitive therapy. <i>Behaviour Research and Therapy</i> , 2013, 51, 392-398.	3.1	34
100	Research Setting Versus Clinic Setting: Which Produces Better Outcomes in Cognitive Therapy for Depression?. <i>Cognitive Therapy and Research</i> , 2013, 37, 605-612.	1.9	12
101	Convergence and divergence in the delivery of cognitive therapy in two randomized clinical trials. <i>Behaviour Research and Therapy</i> , 2013, 51, 493-498.	3.1	13
102	Pretreatment anxiety predicts patterns of change in cognitive behavioral therapy and medications for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2013, 81, 774-782.	2.0	30
103	Dysfunctional cognitions in personality pathology: the structure and validity of the Personality Belief Questionnaire. <i>Psychological Medicine</i> , 2012, 42, 795-805.	4.5	30
104	Predictors of patient cognitive therapy skills and symptom change in two randomized clinical trials: The role of therapist adherence and the therapeutic alliance.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 373-381.	2.0	50
105	The process of change in cognitive therapy for depression when combined with antidepressant medication: Predictors of early intersession symptom gains.. <i>Journal of Consulting and Clinical Psychology</i> , 2012, 80, 730-738.	2.0	66
106	Processes of Change in CBT of Adolescent Depression: Review and Recommendations. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2012, 41, 654-665.	3.4	41
107	The Development of a Psychoanalytic Outcome Study. <i>Journal of the American Psychoanalytic Association</i> , 2012, 60, 311-335.	0.6	6
108	Cognitive dysfunction in psychiatric disorders: characteristics, causes and the quest for improved therapy. <i>Nature Reviews Drug Discovery</i> , 2012, 11, 141-168.	46.4	960

#	ARTICLE	IF	CITATIONS
109	Two aspects of the therapeutic alliance: Differential relations with depressive symptom change.. Journal of Consulting and Clinical Psychology, 2011, 79, 279-283.	2.0	131
110	Decision-Making and Depressive Symptomatology. Cognitive Therapy and Research, 2011, 35, 333-341.	1.9	71
111	Therapist adherence/competence and treatment outcome: A meta-analytic review.. Journal of Consulting and Clinical Psychology, 2010, 78, 200-211.	2.0	540
112	Therapist competence in cognitive therapy for depression: Predicting subsequent symptom change.. Journal of Consulting and Clinical Psychology, 2010, 78, 429-437.	2.0	107
113	The clinical effectiveness of cognitive therapy for depression in an outpatient clinic. Journal of Affective Disorders, 2010, 125, 169-176.	4.1	44
114	Antidepressant Drug Effects and Depression Severity. JAMA - Journal of the American Medical Association, 2010, 303, 47.	7.4	1,616
115	Depression Severity and Effect of Antidepressant Medicationsâ€™ Reply. JAMA - Journal of the American Medical Association, 2010, 303, 1596.	7.4	3
116	The process of change in cognitive therapy for depression: Predictors of early inter-session symptom gains. Behaviour Research and Therapy, 2010, 48, 599-606.	3.1	139
117	Personality Change During Depression Treatment. Archives of General Psychiatry, 2009, 66, 1322.	12.3	338
118	Mediating the Effects of Cognitive Therapy for Depression. Cognitive Behaviour Therapy, 2009, 38, 43-47.	3.5	13
119	Allegiance in psychotherapy outcome research: Separating association from bias.. Clinical Psychology: Science and Practice, 2009, 16, 54-65.	0.9	103
120	Prediction of response to medication and cognitive therapy in the treatment of moderate to severe depression.. Journal of Consulting and Clinical Psychology, 2009, 77, 775-787.	2.0	274
121	Cognitive therapy versus medication for depression: treatment outcomes and neural mechanisms. Nature Reviews Neuroscience, 2008, 9, 788-796.	10.2	573
122	Anxiety Symptom Focus in Sessions of Cognitive Therapy for Depression. Behavior Therapy, 2008, 39, 117-125.	2.4	28
123	Sequence of improvement in depressive symptoms across cognitive therapy and pharmacotherapy. Journal of Affective Disorders, 2008, 110, 161-166.	4.1	25
124	Antidepressant medications<i>v.</i>cognitive therapy in people with depression with or without personality disorder. British Journal of Psychiatry, 2008, 192, 124-129.	2.8	121
125	Progressive resistance to a selective serotonin reuptake inhibitor but not to cognitive therapy in the treatment of major depression.. Journal of Consulting and Clinical Psychology, 2007, 75, 267-276.	2.0	68
126	Sudden gains in cognitive therapy of depression and depression relapse/recurrence.. Journal of Consulting and Clinical Psychology, 2007, 75, 404-408.	2.0	105

#	ARTICLE	IF	CITATIONS
127	Patients' competence in and performance of cognitive therapy skills: Relation to the reduction of relapse risk following treatment for depression.. Journal of Consulting and Clinical Psychology, 2007, 75, 523-530.	2.0	138
128	The Relation of Patientsâ€™ Treatment Preferences to Outcome in a Randomized Clinical Trial. Behavior Therapy, 2007, 38, 209-217.	2.4	66
129	Changes in Patientsâ€™ Beliefs About the Causes of their Depression Following Successful Treatment. Cognitive Therapy and Research, 2007, 31, 437-449.	1.9	13
130	Depressive symptoms are associated with unrealistic negative predictions of future life events. Behaviour Research and Therapy, 2006, 44, 861-882.	3.1	209
131	Bias resulting from the use of "assay sensitivity" as an inclusion criterion for meta-analysis. Statistics in Medicine, 2006, 25, 943-955.	1.6	5
132	Cognitive Changes, Critical Sessions, and Sudden Gains in Cognitive-Behavioral Therapy for Depression.. Journal of Consulting and Clinical Psychology, 2005, 73, 168-172.	2.0	233
133	Can the Randomized Controlled Trial Literature Generalize to Nonrandomized Patients?. Journal of Consulting and Clinical Psychology, 2005, 73, 127-135.	2.0	88
134	A Conceptual and Methodological Analysis of the Nonspecifics Argument.. Clinical Psychology: Science and Practice, 2005, 12, 174-183.	0.9	224
135	Reducing exposure of clinical research subjects to placebo treatments. Journal of Clinical Psychology, 2005, 61, 881-892.	1.9	6
136	Cognitive Therapy vs Medications in the Treatment of Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 409.	12.3	806
137	Prevention of Relapse Following Cognitive Therapy vs Medications in Moderate to Severe Depression. Archives of General Psychiatry, 2005, 62, 417.	12.3	619
138	Depressionâ€™General. , 2005, , 158-161.		2
139	Achieving successful dissemination of empirically supported psychotherapies: A synthesis of dissemination theory.. Clinical Psychology: Science and Practice, 2004, 11, 343-359.	0.9	125
140	Response to tryptophan depletion in major depression treated with either cognitive therapy or selective serotonin reuptake inhibitor antidepressants. Biological Psychiatry, 2004, 55, 957-959.	1.3	33
141	Some lessons from group supervision of cognitive therapy for depression. Cognitive and Behavioral Practice, 2003, 10, 30-40.	1.5	4
142	Are Samples in Randomized Controlled Trials of Psychotherapy Representative of Community Outpatients? A New Methodology and Initial Findings.. Journal of Consulting and Clinical Psychology, 2003, 71, 963-972.	2.0	125
143	Consistency in Interpersonal Themes in Narratives About Relationships. Psychotherapy Research, 2002, 12, 139-159.	1.8	37
144	Cognitive therapy and psychosocial interventions in chronic and treatmentresistant mood disorders. , 2001, , 252-270.		0

#	ARTICLE	IF	CITATIONS
145	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders.. Journal of Consulting and Clinical Psychology, 2001, 69, 560-566.	2.0	46
146	Determining the pertinence of psychotherapy outcome research findings for clinical practice: Comment on Westen and Morrison (2001).. Journal of Consulting and Clinical Psychology, 2001, 69, 908-909.	2.0	3
147	Cognitive Therapy for Depression: A Review of Its Efficacy. Journal of Cognitive Psychotherapy, 2001, 15, 289-297.	0.4	32
148	Response to cognitive therapy in depression: The role of maladaptive beliefs and personality disorders.. Journal of Consulting and Clinical Psychology, 2001, 69, 560-566.	2.0	12
149	Reconsidering rapid early response in cognitive behavioral therapy for depression.. Clinical Psychology: Science and Practice, 1999, 6, 283-288.	0.9	63
150	The temporal relation of adherence and alliance to symptom change in cognitive therapy for depression.. Journal of Consulting and Clinical Psychology, 1999, 67, 578-582.	2.0	273
151	Sudden gains and critical sessions in cognitive-behavioral therapy for depression.. Journal of Consulting and Clinical Psychology, 1999, 67, 894-904.	2.0	504
152	Sudden gains and critical sessions in cognitive-behavioral therapy for depression.. Journal of Consulting and Clinical Psychology, 1999, 67, 894-904.	2.0	202
153	Medications Versus Cognitive Behavior Therapy for Severely Depressed Outpatients: Mega-Analysis of Four Randomized Comparisons. American Journal of Psychiatry, 1999, 156, 1007-1013.	7.2	328
154	Empirically supported individual and group psychological treatments for adult mental disorders.. Journal of Consulting and Clinical Psychology, 1998, 66, 37-52.	2.0	437
155	Affective Disorders. , 1998, , 339-366.		0
156	Empirically supported individual and group psychological treatments for adult mental disorders.. Journal of Consulting and Clinical Psychology, 1998, 66, 37-52.	2.0	80
157	Reliability and validity of a daily diary for premenstrual syndrome. Psychiatry Research, 1996, 65, 97-106.	3.3	148
158	Metatraits and cognitive assessment: Application to attributional style and depressive symptoms. Cognitive Therapy and Research, 1995, 19, 121-142.	1.9	14
159	The focus of therapist interventions in cognitive therapy for depression. Cognitive Therapy and Research, 1995, 19, 485-503.	1.9	27
160	High self-esteem, hardiness and affective stability are associated with higher basal pituitary-adrenal hormone levels. Psychoneuroendocrinology, 1995, 20, 591-601.	2.7	55
161	Reduced Cytokine Levels and T-Cell Function in Healthy Males: Relation to Individual Differences in Subclinical Anxiety. Brain, Behavior, and Immunity, 1994, 8, 293-312.	4.1	49
162	Do depressed patients with higher pretreatment stress levels respond better to cognitive therapy than imipramine?. Journal of Affective Disorders, 1994, 32, 45-50.	4.1	6

#	ARTICLE	IF	CITATIONS
163	Changes in urinary MHPG during treatment of depression with imipramine. <i>Biological Psychiatry</i> , 1993, 34, 562-564.	1.3	3
164	Cognitive therapy and the prevention of depression. <i>Applied and Preventive Psychology</i> , 1992, 1, 89-95.	0.8	68
165	Is depressive realism real?. <i>Clinical Psychology Review</i> , 1991, 11, 565-584.	11.4	187
166	Relationship of intelligence with cognitive therapy outcome. <i>Behaviour Research and Therapy</i> , 1991, 29, 277-281.	3.1	43
167	Is there a relationship between MHPG and anxiety in depressed patients?. <i>Psychiatry Research</i> , 1991, 38, 187-195.	3.3	4
168	Response of depression to very high plasma levels of imipramine plus desipramine. <i>Biological Psychiatry</i> , 1991, 30, 57-62.	1.3	5
169	How does cognitive therapy work? Cognitive change and symptom change in cognitive therapy and pharmacotherapy for depression.. <i>Journal of Consulting and Clinical Psychology</i> , 1990, 58, 862-869.	2.0	322
170	IQ independence of measures of dysfunctional cognition. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1990, 12, 299-307.	1.2	3
171	Determinants of change in cognitive therapy for depression. <i>Cognitive Therapy and Research</i> , 1990, 14, 469-482.	1.9	348
172	Does 24-h urinary MHPG predict treatment response to antidepressants? I. A review. <i>Journal of Affective Disorders</i> , 1990, 20, 173-179.	4.1	15
173	Does 24-h urinary MHPG predict treatment response to antidepressants? II. Association between imipramine response and low MHPG. <i>Journal of Affective Disorders</i> , 1990, 20, 181-184.	4.1	6
174	Cognitive Mediation of Relapse Prevention Following Treatment for Depression: Implications of Differential Risk. , 1990, , 117-136.		38
175	On second thought: Where the action is in cognitive therapy for depression. <i>Cognitive Therapy and Research</i> , 1989, 13, 441-457.	1.9	165
176	The association of MHPG to dexamethasone suppression test status. <i>Psychiatry Research</i> , 1988, 24, 223-230.	3.3	7
177	Causal mediation of change in treatment for depression: Discriminating between nonspecificity and noncausality.. <i>Psychological Bulletin</i> , 1987, 102, 139-149.	6.1	145
178	The use of psychotherapy treatment manuals: A small revolution in psychotherapy research style. <i>Clinical Psychology Review</i> , 1984, 4, 5-14.	11.4	216
179	Can psychotherapies for depression be discriminated? A systematic investigation of cognitive therapy and interpersonal therapy.. <i>Journal of Consulting and Clinical Psychology</i> , 1982, 50, 744-756.	2.0	117
180	Placebo-psychotherapy combinations: Inappropriate representations of psychotherapy in drug-psychotherapy comparative trials.. <i>Psychological Bulletin</i> , 1981, 90, 467-477.	6.1	59

#	ARTICLE	IF	CITATIONS
181	What factors indicate prognosis for adults with depression in primary care? A protocol for meta-analyses of individual patient data using the Dep-GP database. Wellcome Open Research, 0, 4, 69.	1.8	1