
## Andrea Sylvia Winkler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8680216/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global survey on disruption and mitigation of neurological services during COVID-19: the perspective of global international neurological patients and scientific associations. Journal of Neurology, 2022, 269, 26-38.	3.6	12
2	Pediatric Hydrocephalus in Northwest Tanzania: A Descriptive Cross-Sectional Study of Clinical Characteristics and Early Surgical Outcomes from the Bugando Medical Centre. World Neurosurgery, 2022, 161, e339-e346.	1.3	4
3	Thick Mucus in ALS: A Mixed-Method Study on Associated Factors and Its Impact on Quality of Life of Patients and Caregivers. Brain Sciences, 2022, 12, 252.	2.3	2
4	The global cost of epilepsy: A systematic review and extrapolation. Epilepsia, 2022, 63, 892-903.	5.1	32
5	Helminthic dehydrogenase drives PGE <sub>2</sub> and ILâ€10 production in monocytes to potentiate Treg induction. EMBO Reports, 2022, 23, e54096.	4.5	7
6	Ictal Electroencephalographic Characteristics of Nodding Syndrome: A Comparative Case‧eries from South Sudan, Tanzania, and Uganda. Annals of Neurology, 2022, 92, 75-80.	5.3	6
7	Prognostic indicators and outcomes of hospitalised COVID-19 patients with neurological disease: An individual patient data meta-analysis. PLoS ONE, 2022, 17, e0263595.	2.5	22
8	Challenges in the Diagnosis of Taenia solium Cysticercosis and Taeniosis in Medical and Veterinary Settings in Selected Regions of Tanzania: A Cross-Sectional Study. Veterinary Medicine International, 2022, 2022, 1-15.	1.5	4
9	The Berlin principles on one health – Bridging global health and conservation. Science of the Total Environment, 2021, 764, 142919.	8.0	68
10	Translation and validation of an epilepsy-screening questionnaire in three Nigerian languages. Epilepsy and Behavior, 2021, 114, 107604.	1.7	2
11	Estimates of the global burden of cervical cancer associated with HIV. The Lancet Global Health, 2021, 9, e161-e169.	6.3	319
12	Febrile seizures in an urban Tanzanian population: lessons learned from a communityâ€based random cluster survey. Tropical Medicine and International Health, 2021, 26, 492-502.	2.3	6
13	The effectiveness of anti-inflammatory and anti-seizure medication for individuals with single enhancing lesion neurocysticercosis: A meta-analysis and expert group-based consensus recommendations. PLoS Neglected Tropical Diseases, 2021, 15, e0009193.	3.0	8
14	A WHO resolution on epilepsy and other neurological disorders. Lancet Neurology, The, 2021, 20, 171-172.	10.2	8
15	High frequency of Taenia solium antigen positivity in patients admitted for neurological disorders in the Rural Hospital of Mosango, Democratic Republic of Congo. BMC Infectious Diseases, 2021, 21, 359.	2.9	4
16	Digital Health Intervention to Increase Health Knowledge Related to Diseases of High Public Health Concern in Iringa, Tanzania: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2021, 10, e25128.	1.0	9
17	Collaborative Studies for the Detection of Taenia spp. Infections in Humans within CYSTINET, the European Network on Taeniosis/Cysticercosis. Microorganisms, 2021, 9, 1173.	3.6	3
18	Disruptions of neurological services, its causes and mitigation strategies during COVID-19: a global review. Journal of Neurology, 2021, 268, 3947-3960.	3.6	26

#	Article	IF	CITATIONS
19	First description of Nodding Syndrome in the Central African Republic. PLoS Neglected Tropical Diseases, 2021, 15, e0009430.	3.0	8
20	Trial Design for a Diagnostic Accuracy Study of a Point-of-Care Test for the Detection of Taenia solium Taeniosis and (Neuro)Cysticercosis in Community Settings of Highly Endemic, Resource-Poor Areas in Zambia: Challenges and Rationale. Diagnostics, 2021, 11, 1138.	2.6	8
21	Epidemiology of Epilepsy in Nigeria. Neurology, 2021, 97, e728-e738.	1.1	5
22	Trial Design of a Prospective Multicenter Diagnostic Accuracy Study of a Point-of-Care Test for the Detection of Taenia solium Taeniosis and Neurocysticercosis in Hospital-Based Settings in Tanzania. Diagnostics, 2021, 11, 1528.	2.6	4
23	Neurocysticercosis and HIV/AIDS coâ€infection: A scoping review. Tropical Medicine and International Health, 2021, 26, 1140-1152.	2.3	3
24	Clinical review of cerebral venous thrombosis in the context of COVID-19 vaccinations: Evaluation, management, and scientific questions. Journal of the Neurological Sciences, 2021, 427, 117532.	0.6	28
25	Lifetime prevalence of epilepsy in urban Tanzania – A door-to-door random cluster survey. ENeurologicalSci, 2021, 24, 100352.	1.3	9
26	Development of Digital Health Messages for Rural Populations in Tanzania: Multi- and Interdisciplinary Approach. JMIR MHealth and UHealth, 2021, 9, e25558.	3.7	5
27	Clinico-genetic findings in 509 frontotemporal dementia patients. Molecular Psychiatry, 2021, 26, 5824-5832.	7.9	23
28	Brain Health, One Health, and COVID-19. Neuroepidemiology, 2021, 55, 425-426.	2.3	5
29	Challenges Encountered When Evaluating an Antibody-Detecting Point-of-Care Test for Taeniosis in an Endemic Community in Zambia: A Prospective Diagnostic Accuracy Study. Diagnostics, 2021, 11, 2039.	2.6	0
30	OUP accepted manuscript. Health Promotion International, 2021, , .	1.8	1
31	Evaluation of an Antibody Detecting Point of Care Test for Diagnosis of Taenia solium Cysticercosis in a Zambian Rural Community: A Prospective Diagnostic Accuracy Study. Diagnostics, 2021, 11, 2121.	2.6	3
32	Human health and economic impact of neurocysticercosis in Uganda. Tropical Medicine and International Health, 2021, , .	2.3	7
33	Beyond Zoonoses in One Health: Non-communicable Diseases Across the Animal Kingdom. Frontiers in Public Health, 2021, 9, 807186.	2.7	6
34	Diagnosis of Taenia solium infections based on "mail order―RNA-sequencing of single tapeworm egg isolates from stool samples. PLoS Neglected Tropical Diseases, 2021, 15, e0009787.	3.0	1
35	Effect of Highâ€Caloric Nutrition on Survival in Amyotrophic Lateral Sclerosis. Annals of Neurology, 2020, 87, 206-216.	5.3	105
36	The growing burden of neurological disorders in low-income and middle-income countries: priorities for policy making. Lancet Neurology, The, 2020, 19, 200-202.	10.2	18

#	Article	IF	CITATIONS
37	Could Differences in Infection Pressure Be Involved in Cysticercosis Heterogeneity?. Trends in Parasitology, 2020, 36, 826-834.	3.3	21
38	The data are inadequate to assess safety and efficacy of mass chemotherapy for Taenia solium taeniasis. PLoS Neglected Tropical Diseases, 2020, 14, e0008294.	3.0	4
39	Effect of high-caloric nutrition on serum neurofilament light chain levels in amyotrophic lateral sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 1007-1009.	1.9	36
40	Avoiding the Banality of Evil in Times of COVID-19: Thinking Differently with a Biopsychosocial Perspective for Future Health and Social Policies Development. SN Comprehensive Clinical Medicine, 2020, 2, 1758-1760.	0.6	10
41	One Health or Planetary Health for pandemic prevention? – Authors' reply. Lancet, The, 2020, 396, 1882-1883.	13.7	6
42	Sub-Saharan Africa—the new breeding ground for global digital health. The Lancet Digital Health, 2020, 2, e160-e162.	12.3	75
43	Reconnecting for our future: The Lancet One Health Commission. Lancet, The, 2020, 395, 1469-1471.	13.7	79
44	Calling for a COVID-19 One Health Research Coalition. Lancet, The, 2020, 395, 1543-1544.	13.7	47
45	Epidemiology and surveillance of human (neuro)cysticercosis in Europe: is enhanced surveillance required?. Tropical Medicine and International Health, 2020, 25, 566-578.	2.3	9
46	Host immune responses during Taenia solium Neurocysticercosis infection and treatment. PLoS Neglected Tropical Diseases, 2020, 14, e0008005.	3.0	43
47	Global, regional, and national burden of dementia, 1990–2016. Neurology, 2020, 94, 718-719.	1.1	9
48	A call for a global COVID-19 Neuro Research Coalition. Lancet Neurology, The, 2020, 19, 482-484.	10.2	22
49	Digital Literacy Key Performance Indicators for Sustainable Development. Social Inclusion, 2020, 8, 151-167.	0.9	48
50	An emphasis on neurology in low and middle-income countries. Lancet Neurology, The, 2019, 18, 1078-1079.	10.2	15
51	Taenia solium taeniosis and cysticercosis literature in Tanzania provides research evidence justification for control: A systematic scoping review. PLoS ONE, 2019, 14, e0217420.	2.5	28
52	The 2017 Oslo conference report on neglected tropical diseases and emerging/re-emerging infectious diseases – focus on populations underserved. Infectious Diseases of Poverty, 2019, 8, 40.	3.7	12
53	Prognostic factors in ALS: a comparison between Germany and China. Journal of Neurology, 2019, 266, 1516-1525.	3.6	46
54	Approaches to protect and maintain health care services in armed conflict – meeting SDGs 3 and 16. Conflict and Health, 2019, 13, 2.	2.7	32

ANDREA SYLVIA WINKLER

#	Article	IF	CITATIONS
55	Physicians' attitudes toward end-of-life decisions in amyotrophic lateral sclerosis. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2019, 20, 74-81.	1.7	16
56	Epilepsy surgery in low- and middle-income countries: A scoping review. Epilepsy and Behavior, 2019, 92, 311-326.	1.7	28
57	Global, regional, and national burden of epilepsy, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 357-375.	10.2	526
58	Potential usefulness of C-reactive protein and procalcitonin determination in patients admitted for neurological disorders in rural Democratic Republic of Congo. Scientific Reports, 2019, 9, 15505.	3.3	4
59	Taenia solium cysticercosis and taeniasis in urban settings: Epidemiological evidence from a health-center based study among people with epilepsy in Dar es Salaam, Tanzania. PLoS Neglected Tropical Diseases, 2019, 13, e0007751.	3.0	15
60	Cognitive impairment and quality of life of people with epilepsy and neurocysticercosis in Zambia. Epilepsy and Behavior, 2018, 80, 354-359.	1.7	20
61	Antimicrobial resistance in livestock and poor quality veterinary medicines. Bulletin of the World Health Organization, 2018, 96, 662-664.	3.3	55
62	Global, regional, and national burden of meningitis, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2018, 17, 1061-1082.	10.2	221
63	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: eastern Europe. Parasites and Vectors, 2018, 11, 569.	2.5	50
64	Where there is no brain imaging: Safety and diagnostic value of lumbar puncture in patients with neurological disorders in a rural hospital of Central Africa. Journal of the Neurological Sciences, 2018, 393, 72-79.	0.6	13
65	Safety and efficacy of rasagiline as an add-on therapy to riluzole in patients with amyotrophic lateral sclerosis: a randomised, double-blind, parallel-group, placebo-controlled, phase 2 trial. Lancet Neurology, The, 2018, 17, 681-688.	10.2	51
66	Evaluating the Recombinant T24H Enzyme-Linked Immunoelectrotransfer Blot Assay for the Diagnosis of Neurocysticercosis in a Panel of Samples from a Large Community-Based Randomized Control Trial in 60 Villages in Burkina Faso. American Journal of Tropical Medicine and Hygiene, 2018, 98, 565-569.	1.4	8
67	The societal cost of Taenia solium cysticercosis in Tanzania. Acta Tropica, 2017, 165, 141-154.	2.0	66
68	Health service provision for people with epilepsy in sub-Saharan Africa: A situational review. Epilepsy and Behavior, 2017, 70, 24-32.	1.7	14
69	Nodding Syndrome in the Spotlight – Placing Recent Findings in Perspective. Trends in Parasitology, 2017, 33, 490-492.	3.3	14
70	Nakalanga Syndrome: Clinical Characteristics, Potential Causes, and Its Relationship with Recently Described Nodding Syndrome. PLoS Neglected Tropical Diseases, 2017, 11, e0005201.	3.0	46
71	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: Western Europe. Parasites and Vectors, 2017, 10, 349.	2.5	61
72	Taenia solium cysticercosis and taeniosis: Achievements from the past 10 years and the way forward. PLoS Neglected Tropical Diseases, 2017, 11, e0005478.	3.0	12

#	Article	IF	CITATIONS
73	The Art of Writing and Implementing Standard Operating Procedures (SOPs) for Laboratories in Low-Resource Settings: Review of Guidelines and Best Practices. PLoS Neglected Tropical Diseases, 2016, 10, e0005053.	3.0	32
74	A mapping review of international guidance on the management and care of amyotrophic lateral sclerosis (ALS). Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2016, 17, 325-336.	1.7	14
75	Clinical findings and management of patients with meningitis with an emphasis on Haemophilus influenzae meningitis in rural Tanzania. Journal of the Neurological Sciences, 2016, 366, 52-58.	0.6	4
76	Association between Taenia solium infection and HIV/AIDS in northern Tanzania: a matched cross sectional-study. Infectious Diseases of Poverty, 2016, 5, 111.	3.7	18
77	An Unusual Presentation of Neurocysticercosis: A Space-Occupying Lesion in the Fourth Ventricle Associated with Progressive Cognitive Decline. American Journal of Tropical Medicine and Hygiene, 2016, 94, 172-175.	1.4	4
78	Prevalence of Neurocysticercosis in People with Epilepsy in the Eastern Province of Zambia. PLoS Neglected Tropical Diseases, 2015, 9, e0003972.	3.0	48
79	A School Based Cluster Randomised Health Education Intervention Trial for Improving Knowledge and Attitudes Related to Taenia solium Cysticercosis and Taeniasis in Mbulu District, Northern Tanzania. PLoS ONE, 2015, 10, e0118541.	2.5	39
80	Community-based prevalence and clinical characteristics of febrile seizures in Tanzania. Pediatric Research, 2015, 77, 591-596.	2.3	9
81	Haploinsufficiency of TBK1 causes familial ALS and fronto-temporal dementia. Nature Neuroscience, 2015, 18, 631-636.	14.8	652
82	Nodding syndrome in Tanzania may not be associated with circulating anti-NMDA- and anti-VGKC receptor antibodies or decreased pyridoxal phosphate serum levels-a pilot study. African Health Sciences, 2014, 14, 434.	0.7	20
83	A longitudinal study on nodding syndrome—a new African epilepsy disorder. Epilepsia, 2014, 55, 86-93.	5.1	50
84	Prevalence of restless legs syndrome in an urban population of eastern Africa (Tanzania). Journal of the Neurological Sciences, 2014, 346, 121-127.	0.6	17
85	Traumatic Brain Injury in a Rural and an Urban Tanzanian Hospital—A Comparative, Retrospective Analysis Based on Computed Tomography. World Neurosurgery, 2014, 81, 478-482.	1.3	26
86	Clinical, neurological, and electrophysiological features of nodding syndrome in Kitgum, Uganda: an observational case series. Lancet Neurology, The, 2013, 12, 166-174.	10.2	119
87	Nodding Syndrome. Emerging Infectious Diseases, 2013, 19, 1374-1373.	4.3	115
88	Febrile Seizures in Rural Tanzania: Hospital-based Incidence and Clinical Characteristics. Journal of Tropical Pediatrics, 2013, 59, 298-304.	1.5	15
89	Neurocysticercosis in sub-Saharan Africa: a review of prevalence, clinical characteristics, diagnosis, and management. Pathogens and Global Health, 2012, 106, 261-274.	2.3	88
90	Measuring the epilepsy treatment gap in sub-Saharan Africa. Lancet Neurology, The, 2012, 11, 655-657.	10.2	15

#	Article	IF	CITATIONS
91	Aetiologies of altered states of consciousness: A prospective hospital-based study in a series of 464 patients of northern Tanzania. Journal of the Neurological Sciences, 2011, 300, 47-51.	0.6	8
92	A Cross-Sectional Study of People with Epilepsy and Neurocysticercosis in Tanzania: Clinical Characteristics and Diagnostic Approaches. PLoS Neglected Tropical Diseases, 2011, 5, e1185.	3.0	52
93	Parkinsonism in a population of northern Tanzania: a community-based door-to-door study in combination with a prospective hospital-based evaluation. Journal of Neurology, 2010, 257, 799-805.	3.6	23
94	The Pattern of Neurosurgical Disorders in Rural Northern Tanzania: A Prospective Hospital-Based Study. World Neurosurgery, 2010, 73, 264-269.	1.3	29
95	Restless legs syndrome in a population of northern Tanzania: A communityâ€based study. Movement Disorders, 2010, 25, 596-601.	3.9	21
96	Attitudes towards african traditional medicine and christian spiritual healing regarding treatment of epilepsy in a rural community of northern Tanzania. Tropical Journal of Obstetrics and Gynaecology, 2010, 7, 162-70.	0.3	30
97	Clinical characteristics of people with head nodding in southern Tanzania. Tropical Doctor, 2010, 40, 173-175.	0.5	41
98	Belief systems of epilepsy and attitudes toward people living with epilepsy in a rural community of northern Tanzania. Epilepsy and Behavior, 2010, 19, 596-601.	1.7	54
99	Neurological disorders in rural Africa: a systematic approach. Tropical Doctor, 2009, 39, 102-104.	0.5	26
100	The pattern of epilepsy in a rural African hospital – an approach adapted to local circumstances. Tropical Doctor, 2009, 39, 44-47.	0.5	5
101	Epilepsy and neurocysticercosis in sub-Saharan Africa. Wiener Klinische Wochenschrift, 2009, 121, 3-12.	1.9	37
102	Epilepsy and neurocysticercosis in rural Tanzania—An imaging study. Epilepsia, 2009, 50, 987-993.	5.1	75
103	Prevalence, incidence, and clinical characteristics of epilepsy—A communityâ€based doorâ€toâ€door study in northern Tanzania. Epilepsia, 2009, 50, 2310-2313.	5.1	66
104	Epilepsie in einem lädlichen Krankenhaus in Afrika. Zeitschrift Fur Epileptologie, 2008, 21, 199-208.	0.7	1
105	Anticysticercal and antitoxocaral antibodies in people with epilepsy in rural Tanzania. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 1032-1038.	1.8	39
106	The head nodding syndrome—Clinical classification and possible causes. Epilepsia, 2008, 49, 2008-2015.	5.1	124
107	In-Hospital Risk Estimation in Children with MalariaEarly Predictors of Morbidity and Mortality. Journal of Tropical Pediatrics, 2007, 54, 184-191.	1.5	8