

Niels Å~dum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8682058/publications.pdf>

Version: 2024-02-01

141
papers

6,121
citations

66343

42
h-index

82547

72
g-index

146
all docs

146
docs citations

146
times ranked

7227
citing authors

#	ARTICLE	IF	CITATIONS
1	CD8 ⁺ tissue-resident memory T cells recruit neutrophils that are essential for flare-ups in contact dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 513-524.	5.7	22
2	Evidence of gene-gene interaction in hidradenitis suppurativa: a nationwide registry study of Danish twins. <i>British Journal of Dermatology</i> , 2022, 186, 78-85.	1.5	18
3	Staphylococcus aureus and Antibiotics in Cutaneous T-Cell Lymphoma. <i>Dermatology</i> , 2022, 238, 551-553.	2.1	11
4	Proinflammatory biomarkers are associated with prediabetes in patients with schizophrenia. <i>CNS Spectrums</i> , 2022, 27, 347-354.	1.2	3
5	Peptide vaccination activating Galectin-3-specific T cells offers a novel means to target Galectin-3-expressing cells in the tumor microenvironment. <i>Oncolmmunology</i> , 2022, 11, 2026020.	4.6	9
6	FcγRIIIa receptor interacts with androgen receptor and PIP5K1 α to promote growth and metastasis of prostate cancer. <i>Molecular Oncology</i> , 2022, 16, 2496-2517.	4.6	0
7	Understanding Cell Lines, Patient-Derived Xenograft and Genetically Engineered Mouse Models Used to Study Cutaneous T-Cell Lymphoma. <i>Cells</i> , 2022, 11, 593.	4.1	6
8	Omalizumab serum levels predict treatment outcomes in patients with chronic spontaneous urticaria: A three-month prospective study. <i>Clinical and Experimental Allergy</i> , 2022, 52, 715-718.	2.9	2
9	The Thioredoxin-Interacting Protein TXNIP Is a Putative Tumour Suppressor in Cutaneous T-Cell Lymphoma. <i>Dermatology</i> , 2021, 237, 283-290.	2.1	8
10	MicroRNA-93 Targets p21 and Promotes Proliferation in Mycosis Fungoides T Cells. <i>Dermatology</i> , 2021, 237, 277-282.	2.1	8
11	Diagnostic Two-Gene Classifier in Early-Stage Mycosis Fungoides: A Retrospective Multicenter Study. <i>Journal of Investigative Dermatology</i> , 2021, 141, 213-217.e5.	0.7	6
12	Merkel cell carcinoma-derived exosome-shuttle miR-375 induces fibroblast polarization by inhibition of RBPJ and p53. <i>Oncogene</i> , 2021, 40, 980-996.	5.9	32
13	Inhibition of succinate dehydrogenase activity impairs human T cell activation and function. <i>Scientific Reports</i> , 2021, 11, 1458.	3.3	24
14	JAK3 Is Expressed in the Nucleus of Malignant T Cells in Cutaneous T Cell Lymphoma (CTCL). <i>Cancers</i> , 2021, 13, 280.	3.7	17
15	Epidermal T cell subsets: Effect of age and antigen exposure in humans and mice. <i>Contact Dermatitis</i> , 2021, 84, 375-384.	1.4	1
16	Improving oligo-conjugated antibody signal in multimodal single-cell analysis. <i>ELife</i> , 2021, 10, .	6.0	33
17	Impaired Vitamin D Signaling in T Cells From a Family With Hereditary Vitamin D Resistant Rickets. <i>Frontiers in Immunology</i> , 2021, 12, 684015.	4.8	8
18	Bacterial genotoxins induce T cell senescence. <i>Cell Reports</i> , 2021, 35, 109220.	6.4	20

#	ARTICLE	IF	CITATIONS
19	Multimodal single-cell analysis of cutaneous T-cell lymphoma reveals distinct subclonal tissue-dependent signatures. <i>Blood</i> , 2021, 138, 1456-1464.	1.4	39
20	Vitamin D Inhibits IL-22 Production Through a Repressive Vitamin D Response Element in the il22 Promoter. <i>Frontiers in Immunology</i> , 2021, 12, 715059.	4.8	9
21	Macrophages Control the Bioavailability of Vitamin D and Vitamin D-Regulated T Cell Responses. <i>Frontiers in Immunology</i> , 2021, 12, 722806.	4.8	21
22	Normal T and B Cell Responses Against SARS-CoV-2 in a Family With a Non-Functional Vitamin D Receptor: A Case Report. <i>Frontiers in Immunology</i> , 2021, 12, 758154.	4.8	7
23	<i>Staphylococcus aureus</i> Induces Signal Transducer and Activator of Transcription 5' Dependent miR-155 Expression in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2449-2458.	0.7	15
24	PADI4 Polymorphisms Confer Risk of Anti-CCP-Positive Rheumatoid Arthritis in Synergy With HLA-DRB1*04 and Smoking. <i>Frontiers in Immunology</i> , 2021, 12, 707690.	4.8	10
25	Applicability of Small-Molecule Inhibitors in the Study of Peptidyl Arginine Deiminase 2 (PAD2) and PAD4. <i>Frontiers in Immunology</i> , 2021, 12, 716250.	4.8	16
26	Deregulated signalling and inflammation in cutaneous T-cell lymphoma. <i>British Journal of Dermatology</i> , 2020, 182, 16-17.	1.5	5
27	Expression of the Voltage-Gated Potassium Channel Kv1.3 in Lesional Skin from Patients with Cutaneous T-Cell Lymphoma and Benign Dermatitis. <i>Dermatology</i> , 2020, 236, 123-132.	2.1	3
28	Pathogenic CD8+ Epidermis-Resident Memory T Cells Displace Dendritic Epidermal T Cells in Allergic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2020, 140, 806-815.e5.	0.7	28
29	Low SATB1 Expression Promotes IL-5 and IL-9 Expression in SÅzary Syndrome. <i>Journal of Investigative Dermatology</i> , 2020, 140, 713-716.	0.7	5
30	The functional interlink between AR and MMP9/VEGF signaling axis is mediated through PIP5K1±/pAKT in prostate cancer. <i>International Journal of Cancer</i> , 2020, 146, 1686-1699.	5.1	24
31	The <i>Escherichia coli</i> protein toxin cytotoxic necrotizing factor 1 induces epithelial mesenchymal transition. <i>Cellular Microbiology</i> , 2020, 22, e13138.	2.1	21
32	Cellular Interactions and Inflammation in the Pathogenesis of Cutaneous T-Cell Lymphoma. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 851.	3.7	28
33	Hypopigmented Mycosis Fungoides: Loss of Pigmentation Reflects Antitumor Immune Response in Young Patients. <i>Cancers</i> , 2020, 12, 2007.	3.7	12
34	<i>Staphylococcus aureus</i> alpha-toxin inhibits CD8 ⁺ T cell-mediated killing of cancer cells in cutaneous T-cell lymphoma. <i>OncImmunology</i> , 2020, 9, 1751561.	4.6	24
35	MicroRNAs in the Pathogenesis, Diagnosis, Prognosis and Targeted Treatment of Cutaneous T-Cell Lymphomas. <i>Cancers</i> , 2020, 12, 1229.	3.7	28
36	<i>Staphylococcus aureus</i> enterotoxins induce FOXP3 in neoplastic T cells in SÅzary syndrome. <i>Blood Cancer Journal</i> , 2020, 10, 57.	6.2	24

#	ARTICLE	IF	CITATIONS
37	Suppressed microRNAâ€195â€5p expression in mycosis fungoides promotes tumor cell proliferation. <i>Experimental Dermatology</i> , 2020, 30, 1141-1149.	2.9	4
38	The metabolic enzyme arginase-2 is a potential target for novel immune modulatory vaccines. <i>Oncolmmunology</i> , 2020, 9, 1771142.	4.6	18
39	Establishment of Prostate Tumor Growth and Metastasis Is Supported by Bone Marrow Cells and Is Mediated by PIP5K1Î± Lipid Kinase. <i>Cancers</i> , 2020, 12, 2719.	3.7	3
40	The role of PIP5K1Î±/pAKT and targeted inhibition of growth of subtypes of breast cancer using PIP5K1Î± inhibitor. <i>Oncogene</i> , 2019, 38, 375-389.	5.9	29
41	Antibiotics inhibit tumor and disease activity in cutaneous T-cell lymphoma. <i>Blood</i> , 2019, 134, 1072-1083.	1.4	94
42	STAT3 Dysregulation in Mature T and NK Cell Lymphomas. <i>Cancers</i> , 2019, 11, 1711.	3.7	23
43	Staphylococcal alpha-toxin tilts the balance between malignant and non-malignant CD4⁺ T cells in cutaneous T-cell lymphoma. <i>Oncolmmunology</i> , 2019, 8, e1641387.	4.6	32
44	OMIPâ€057: Mouse Î³Î± Tâ€Cell Development Characterized by a 14 Color Flow Cytometry Panel. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2019, 95, 726-729.	1.5	4
45	Clonotypic Diversity of the T-cell Receptor Corroborates the Immature Precursor Origin of Cutaneous T-cell Lymphoma. <i>Clinical Cancer Research</i> , 2019, 25, 3104-3114.	7.0	36
46	Tumor necrosis factor induces rapid down-regulation of TXNIP in human T cells. <i>Scientific Reports</i> , 2019, 9, 16725.	3.3	16
47	Peptidylarginine deiminase-4 gene polymorphisms are associated with systemic lupus erythematosus and lupus nephritis. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 133-140.	1.1	25
48	Anti-regulatory T cells are natural regulatory effector T cells. <i>Cell Stress</i> , 2019, 3, 310-311.	3.2	2
49	Expression and function of Kv1.3 channel in malignant T cells in SÃ©zary syndrome. <i>Oncotarget</i> , 2019, 10, 4894-4906.	1.8	3
50	MicroRNA Expression Profile Differs Between Erythrodermic Mycosis Fungoides and SÃ©zary Syndrome. <i>Acta Dermato-Venereologica</i> , 2019, 99, 1148-1153.	1.3	7
51	Skin Associated Staphylococcus Aureus Contributes to Disease Progression in CTCL. <i>Blood</i> , 2019, 134, 659-659.	1.4	5
52	Diagnostic 2-Gene Classifier in Early-Stage Mycosis Fungoides: A Retrospective Multicenter Study. <i>Blood</i> , 2019, 134, 2772-2772.	1.4	0
53	Role of Dysregulated Cytokine Signaling and Bacterial Triggers in the Pathogenesis ofÃ¢Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1116-1125.	0.7	68
54	The inhibitory checkpoint, PD-L2, is a target for effector T cells: Novel possibilities for immune therapy. <i>Oncolmmunology</i> , 2018, 7, e1390641.	4.6	33

#	ARTICLE	IF	CITATIONS
55	Prognostic miRNA classifier in early-stage mycosis fungoides: development and validation in a Danish nationwide study. <i>Blood</i> , 2018, 131, 759-770.	1.4	54
56	PS2:40 Association of peptidylarginine deiminase (padi)-4 polymorphisms with systemic lupus erythematosus and lupus nephritis. , 2018, , .		0
57	Interleukin-26 (IL-26) is a novel anti-microbial peptide produced by T cells in response to staphylococcal enterotoxin. <i>Oncotarget</i> , 2018, 9, 19481-19489.	1.8	15
58	Single-cell heterogeneity in SÅzary syndrome. <i>Blood Advances</i> , 2018, 2, 2115-2126.	5.2	78
59	SATB1 in Malignant T Cells. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1805-1815.	0.7	38
60	Circulating Cell-Free miR-375 as Surrogate Marker of Tumor Burden in Merkel Cell Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 5873-5882.	7.0	45
61	Increased Production of IL-17A-Producing Î³Î³ T Cells in the Thymus of Filaggrin-Deficient Mice. <i>Frontiers in Immunology</i> , 2018, 9, 988.	4.8	12
62	Human P2Y11 Expression Level Affects Human P2X7 Receptor-Mediated Cell Death. <i>Frontiers in Immunology</i> , 2018, 9, 1159.	4.8	17
63	Androgen dependent mechanisms of pro-angiogenic networks in placental and tumor development. <i>Placenta</i> , 2017, 56, 79-85.	1.5	8
64	Gene variation in IL-7 receptor (IL-7R)Î± affects IL-7R response in CD4+ T cells in HIV-infected individuals. <i>Scientific Reports</i> , 2017, 7, 42036.	3.3	12
65	Expression of NAD(P)H quinone dehydrogenase 1 (NQO1) is increased in the endometrium of women with endometrial cancer and women with polycystic ovary syndrome. <i>Clinical Endocrinology</i> , 2017, 87, 557-565.	2.4	14
66	Three distinct developmental pathways for adaptive and two IFN-Î³-producing Î³Î³ T subsets in adult thymus. <i>Nature Communications</i> , 2017, 8, 1911.	12.8	38
67	Butyrate and propionate inhibit antigen-specific CD8+ T cell activation by suppressing IL-12 production by antigen-presenting cells. <i>Scientific Reports</i> , 2017, 7, 14516.	3.3	77
68	Malignant inflammation in cutaneous T-cell lymphomaâ€”a hostile takeover. <i>Seminars in Immunopathology</i> , 2017, 39, 269-282.	6.1	110
69	Rapid allergen-induced interleukin-17 and interferon-Î³ secretion by skin-resident memory CD8 ⁺ T cells. <i>Contact Dermatitis</i> , 2017, 76, 218-227.	1.4	71
70	Vitamin D Counteracts Mycobacterium tuberculosis-Induced Cathelicidin Downregulation in Dendritic Cells and Allows Th1 Differentiation and IFNÎ³ Secretion. <i>Frontiers in Immunology</i> , 2017, 8, 656.	4.8	37
71	Analysis of CTCL cell lines reveals important differences between mycosis fungoides/SÅzary syndrome <i>vs.</i> HTLV-1+ leukemic cell lines. <i>Oncotarget</i> , 2017, 8, 95981-95998.	1.8	44
72	Staphylococcal enterotoxin A (SEA) stimulates STAT3 activation and IL-17 expression in cutaneous T-cell lymphoma. <i>Blood</i> , 2016, 127, 1287-1296.	1.4	86

#	ARTICLE	IF	CITATIONS
73	The Expression of IL-21 Is Promoted by MEKK4 in Malignant T Cells and Associated with Increased Progression Risk in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2016, 136, 866-869.	0.7	4
74	Investigating potential exogenous tumor initiating and promoting factors for Cutaneous T-Cell Lymphomas (CTCL), a rare skin malignancy. <i>Oncolmmunology</i> , 2016, 5, e1175799.	4.6	36
75	STAT3/5-Dependent IL9 Overexpression Contributes to Neoplastic Cell Survival in Mycosis Fungoides. <i>Clinical Cancer Research</i> , 2016, 22, 3328-3339.	7.0	36
76	STAT5 induces miR-21 expression in cutaneous T cell lymphoma. <i>Oncotarget</i> , 2016, 7, 45730-45744.	1.8	45
77	Ubiquitin-specific protease 2 decreases p53-dependent apoptosis in cutaneous T-cell lymphoma. <i>Oncotarget</i> , 2016, 7, 48391-48400.	1.8	16
78	The effect of short-chain fatty acids on human monocyte-derived dendritic cells. <i>Scientific Reports</i> , 2015, 5, 16148.	3.3	269
79	NKG2D-Dependent Activation of Dendritic Epidermal T Cells in Contact Hypersensitivity. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1311-1319.	0.7	30
80	Regulation of vascular endothelial growth factor in prostate cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, R107-R123.	3.1	47
81	Haematopoietic stem cells and their niches. <i>Cell Cycle</i> , 2015, 14, 3524-3525.	2.6	0
82	<scp>MID</scp>2 can substitute for <scp>MID</scp>1 and control exocytosis of lytic granules in cytotoxic T cells. <i>Apmis</i> , 2015, 123, 682-687.	2.0	4
83	Malignant T Cells Secrete Galectins and Induce Epidermal Hyperproliferation and Disorganized Stratification in a Skin Model of Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2015, 135, 238-246.	0.7	28
84	Ectopic expression of a novel CD22 splice-variant regulates survival and proliferation in malignant T cells from cutaneous T cell lymphoma (CTCL) patients. <i>Oncotarget</i> , 2015, 6, 14374-14384.	1.8	4
85	Malignant T cells express lymphotoxin $\hat{\pm}$ and drive endothelial activation in cutaneous T cell lymphoma. <i>Oncotarget</i> , 2015, 6, 15235-15249.	1.8	27
86	Jak3, STAT3, and STAT5 inhibit expression of miR-22, a novel tumor suppressor microRNA, in cutaneous T-Cell lymphoma. <i>Oncotarget</i> , 2015, 6, 20555-20569.	1.8	78
87	Human CD4+ T cells require exogenous cystine for glutathione and DNA synthesis. <i>Oncotarget</i> , 2015, 6, 21853-21864.	1.8	33
88	MiR137 is an androgen regulated repressor of an extended network of transcriptional coregulators. <i>Oncotarget</i> , 2015, 6, 35710-35725.	1.8	45
89	Vitamin D Up-Regulates the Vitamin D Receptor by Protecting It from Proteasomal Degradation in Human CD4+ T Cells. <i>PLoS ONE</i> , 2014, 9, e96695.	2.5	65
90	Vitamin D-binding protein controls T cell responses to vitamin D. <i>BMC Immunology</i> , 2014, 15, 35.	2.2	100

#	ARTICLE	IF	CITATIONS
91	IL-15 and IL-17F are differentially regulated and expressed in mycosis fungoides (MF). <i>Cell Cycle</i> , 2014, 13, 1306-1312.	2.6	27
92	Validation of a diagnostic microRNA classifier in cutaneous T-cell lymphomas. <i>Leukemia and Lymphoma</i> , 2014, 55, 957-958.	1.3	28
93	Analysis of STAT4 expression in cutaneous T-cell lymphoma (CTCL) patients and patient-derived cell lines. <i>Cell Cycle</i> , 2014, 13, 2975-2982.	2.6	62
94	Epicutaneous exposure to nickel induces nickel allergy in mice via a MyD88-dependent and interleukin-1-dependent pathway. <i>Contact Dermatitis</i> , 2014, 71, 224-232.	1.4	28
95	Ectopic expression of embryonic stem cell and other developmental genes in cutaneous T-cell lymphoma. <i>Oncolmmunology</i> , 2014, 3, e970025.	4.6	38
96	Midline 1 directs lytic granule exocytosis and cytotoxicity of mouse killer T cells. <i>European Journal of Immunology</i> , 2014, 44, 3109-3118.	2.9	16
97	Staphylococcal enterotoxins stimulate lymphoma-associated immune dysregulation. <i>Blood</i> , 2014, 124, 761-770.	1.4	59
98	Midline 1 controls polarization and migration of murine cytotoxic T cells. <i>Immunity, Inflammation and Disease</i> , 2014, 2, 262-271.	2.7	6
99	STAT3 activation and infiltration of eosinophil granulocytes in mycosis fungoides. <i>Anticancer Research</i> , 2014, 34, 5277-86.	1.1	15
100	MicroRNA expression in early mycosis fungoides is distinctly different from atopic dermatitis and advanced cutaneous T-cell lymphoma. <i>Anticancer Research</i> , 2014, 34, 7207-17.	1.1	55
101	CDK1 links to RAR β 3 in treatment response of cancer cells. <i>Cell Cycle</i> , 2013, 12, 1659-1659.	2.6	2
102	Bacterial Toxins Fuel Disease Progression in Cutaneous T-Cell Lymphoma. <i>Toxins</i> , 2013, 5, 1402-1421.	3.4	66
103	Vascular endothelial growth factor receptor-3 expression in mycosis fungoides. <i>Leukemia and Lymphoma</i> , 2013, 54, 819-826.	1.3	21
104	Expression of miR-155 and miR-126 <i>in situ</i> in cutaneous T-cell lymphoma. <i>Apmis</i> , 2013, 121, 1020-1024.	2.4	25
105	STAT5-mediated expression of oncogenic miR-155 in cutaneous T-cell lymphoma. <i>Cell Cycle</i> , 2013, 12, 1939-1947.	2.6	123
106	Elucidating the role of interleukin-17F in cutaneous T-cell lymphoma. <i>Blood</i> , 2013, 122, 943-950.	1.4	78
107	cMyc/miR-125b-5p Signalling Determines Sensitivity to Bortezomib in Preclinical Model of Cutaneous T-Cell Lymphomas. <i>PLoS ONE</i> , 2013, 8, e59390.	2.5	46
108	Activated human CD4+ T cells express transporters for both cysteine and cystine. <i>Scientific Reports</i> , 2012, 2, 266.	3.3	85

#	ARTICLE	IF	CITATIONS
109	miR-122 Regulates p53/Akt Signalling and the Chemotherapy-Induced Apoptosis in Cutaneous T-Cell Lymphoma. PLoS ONE, 2012, 7, e29541.	2.5	99
110	FoxP3 mRNA splice forms in synovial CD4+ T cells in rheumatoid arthritis and psoriatic arthritis. Arthritis, 2012, 120, 387-396.	2.0	24
111	Allergic contact dermatitis induces upregulation of identical microRNAs in humans and mice. Contact Dermatitis, 2012, 67, 298-305.	1.4	70
112	Diagnostic microRNA profiling in cutaneous T-cell lymphoma (CTCL). Blood, 2011, 118, 5891-5900.	1.4	237
113	Malignant Cutaneous T-Cell Lymphoma Cells Express IL-17 Utilizing the Jak3/Stat3 Signaling Pathway. Journal of Investigative Dermatology, 2011, 131, 1331-1338.	0.7	94
114	Oncogenic kinase NPM/ALK induces expression of the cell growth stimulatory receptor ICOS. FASEB Journal, 2011, 25, 243.7.	0.5	0
115	Notch1 as a potential therapeutic target in cutaneous T-cell lymphoma. Blood, 2010, 116, 2504-2512.	1.4	78
116	A novel xenograft model of cutaneous T-cell lymphoma. Experimental Dermatology, 2010, 19, 1096-1102.	2.9	40
117	Vitamin D controls T cell antigen receptor signaling and activation of human T cells. Nature Immunology, 2010, 11, 344-349.	14.5	493
118	EGFR induces expression of IRF1 via STAT1 and STAT3 activation leading to growth arrest of human cancer cells. International Journal of Cancer, 2008, 122, 342-349.	5.1	43
119	Loss of SHP-1 tyrosine phosphatase expression correlates with the advanced stages of cutaneous T-cell lymphoma. Human Pathology, 2007, 38, 462-467.	2.0	42
120	Nonmalignant T cells stimulate growth of T-cell lymphoma cells in the presence of bacterial toxins. Blood, 2007, 109, 3325-3332.	1.4	66
121	Jak3- and JNK-dependent vascular endothelial growth factor expression in cutaneous T-cell lymphoma. Leukemia, 2006, 20, 1759-1766.	7.2	103
122	Spirolactone induces apoptosis and inhibits NF- κ B independent of the mineralocorticoid receptor. Apoptosis: an International Journal on Programmed Cell Death, 2006, 11, 2159-2165.	4.9	25
123	MEK kinase-1 is a negative regulator of virus-specific CD8+ T cells. European Journal of Immunology, 2006, 36, 2076-2084.	2.9	14
124	Constitutive SOCS-3 expression protects T-cell lymphoma against growth inhibition by IFN- γ . Leukemia, 2005, 19, 209-213.	7.2	76
125	In vivo activation of STAT3 in cutaneous T-cell lymphoma. Evidence for an antiapoptotic function of STAT3. Leukemia, 2004, 18, 1288-1295.	7.2	150
126	Multilevel Dysregulation of STAT3 Activation in Anaplastic Lymphoma Kinase-Positive T/Null-Cell Lymphoma. Journal of Immunology, 2002, 168, 466-474.	0.8	247

#	ARTICLE	IF	CITATIONS
127	Spontaneous interleukin-5 production in cutaneous T-cell lymphoma lines is mediated by constitutively activated Stat3. <i>Blood</i> , 2002, 99, 973-977.	1.4	60
128	SHP2 REGULATES IL-2 INDUCED MAPK ACTIVATION, BUT NOT Stat3 OR Stat5 TYROSINE PHOSPHORYLATION, IN CUTANEOUS T CELL LYMPHOMA CELLS. <i>Cytokine</i> , 2002, 20, 141-147.	3.2	12
129	Endo- and exocytic rate constants for spontaneous and protein kinase C-activated T cell receptor cycling. <i>European Journal of Immunology</i> , 2002, 32, 616-626.	2.9	13
130	STAT3-mediated constitutive expression of SOCS-3 in cutaneous T-cell lymphoma. <i>Blood</i> , 2001, 97, 1056-1062.	1.4	121
131	T-Cell Receptor Downregulation by Ceramide-Induced Caspase Activation and Cleavage of the ζ Chain. <i>Scandinavian Journal of Immunology</i> , 2001, 53, 176-183.	2.7	13
132	Radically altered T cell receptor signaling in glycopeptide-specific T cell hybridoma induced by antigen with minimal differences in the glycan group. <i>European Journal of Immunology</i> , 2001, 31, 3197-3206.	2.9	12
133	Constitutive STAT3-activation in Sezary syndrome: tyrphostin AG490 inhibits STAT3-activation, interleukin-2 receptor expression and growth of leukemic Sezary cells. <i>Leukemia</i> , 2001, 15, 787-793.	7.2	151
134	Low prevalence of antibodies and other plasma factors binding to CC chemokines and IL-2 in HIV-positive patients. <i>Apmis</i> , 2000, 108, 122-130.	2.0	1
135	Lack of Phosphotyrosine Phosphatase SHP-1 Expression in Malignant T-Cell Lymphoma Cells Results from Methylation of the SHP-1 Promoter. <i>American Journal of Pathology</i> , 2000, 157, 1137-1146.	3.8	118
136	Inhibition of constitutively activated Stat3 correlates with altered Bcl-2/Bax expression and induction of apoptosis in mycosis fungoides tumor cells. <i>Leukemia</i> , 1999, 13, 735-738.	7.2	189
137	Staphylococcal enterotoxin A directly stimulates signal transduction and interferon γ production in psoriatic T cell lines. <i>Tissue Antigens</i> , 1998, 52, 530-538.	1.0	17
138	Activation of Stat-3 Is Involved in the Induction of Apoptosis After Ligation of Major Histocompatibility Complex Class I Molecules on Human Jurkat T Cells. <i>Blood</i> , 1998, 91, 3566-3573.	1.4	43
139	Human thymic epithelial cells express functional HLA-DR molecules. <i>Tissue Antigens</i> , 1996, 47, 300-306.	1.0	3
140	ZAP70 and p72 ^{syk} are signaling response elements through MHC class II molecules. <i>Tissue Antigens</i> , 1995, 46, 145-154.	1.0	26
141	Characterization and Expression of the Human T Cell Receptor-T3 Complex by Monoclonal Antibody F101.01. <i>Scandinavian Journal of Immunology</i> , 1988, 27, 685-696.	2.7	47