

Michael J Crawford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8683017/publications.pdf>

Version: 2024-02-01

193
papers

8,641
citations

50276
46
h-index

53230
85
g-index

206
all docs

206
docs citations

206
times ranked

7908
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Patient experiences of therapy for borderline personality disorder: Commonalities and differences between dialectical behaviour therapy and mentalization-based therapy and relation to outcomes. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 212-233. | 2.5 | 6 |
| 2 | Clinician views on best practice community care for people with complex emotional needs and how it can be achieved: a qualitative study. <i>BMC Psychiatry</i> , 2022, 22, 72. | 2.6 | 4 |
| 3 | Service user perspectives of community mental health services for people with complex emotional needs: a co-produced qualitative interview study. <i>BMC Psychiatry</i> , 2022, 22, 55. | 2.6 | 16 |
| 4 | The clinical effectiveness and cost effectiveness of clozapine for inpatients with severe borderline personality disorder (CALMED study): a randomised placebo-controlled trial. <i>Therapeutic Advances in Psychopharmacology</i> , 2022, 12, 204512532210908. | 2.7 | 2 |
| 5 | Matching ICD-11 personality status to clinical management in a community team – The Boston (UK) Personality Project: Study protocol. <i>Personality and Mental Health</i> , 2022, 16, 130-137. | 1.2 | 5 |
| 6 | Sustained benefit of cognitive behaviour therapy for health anxiety in medical patients (CHAMP) over 8 years: a randomised-controlled trial. <i>Psychological Medicine</i> , 2021, 51, 1714-1722. | 4.5 | 10 |
| 7 | Influence of apparently negative personality characteristics on the long-term outcome of health anxiety: Secondary analysis of a randomized controlled trial. <i>Personality and Mental Health</i> , 2021, 15, 72-86. | 1.2 | 5 |
| 8 | 116 Impact of COVID 19 Pandemic on Hospital Care For People with Dementia – Feedback From Hospital Leads and Carers. <i>Age and Ageing</i> , 2021, 50, i12-i42. | 1.6 | 0 |
| 9 | Workplace factors associated with mental health of healthcare workers during the COVID-19 pandemic: an international cross-sectional study. <i>BMC Health Services Research</i> , 2021, 21, 262. | 2.2 | 71 |
| 10 | The factor structure of the Zanarini Rating Scale for Borderline Personality Disorder: Exploratory Structural Equation Modelling and measurement invariance over time. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1874. | 2.1 | 3 |
| 11 | Examining the effects of national initiatives to improve the physical health of people with psychosis in England: secondary analysis of data from the National Clinical Audit of Psychosis. <i>BJPsych Bulletin</i> , 2021, , 1-8. | 1.1 | 2 |
| 12 | Use of AUDIT-C alcohol screening tool in NHS general dental practices in North London. <i>British Dental Journal</i> , 2021, , . | 0.6 | 0 |
| 13 | Is social function a good proxy measure of personality disorder?. <i>Personality and Mental Health</i> , 2021, 15, 261-272. | 1.2 | 5 |
| 14 | Standard set of patient-reported outcomes for personality disorder. <i>Quality of Life Research</i> , 2021, 30, 3485-3500. | 3.1 | 22 |
| 15 | Experiences of people seen in an acute hospital setting by liaison mental health services: responses from an online survey. <i>BJPsych Open</i> , 2021, 7, S346-S346. | 0.7 | 0 |
| 16 | Incidence and risk factors of mental disorders in the elderly: The European MentDis_ICF65+ study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110257. | 2.3 | 7 |
| 17 | Factors associated with shorter length of admission among people with dementia in England and Wales: retrospective cohort study. <i>BMJ Open</i> , 2021, 11, e047255. | 1.9 | 2 |
| 18 | Evaluating the effectiveness and cost effectiveness of the “strengthening families, strengthening communities” group-based parenting programme: study protocol and initial insights. <i>BMC Public Health</i> , 2021, 21, 1887. | 2.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Community interventions for people with complex emotional needs that meet the criteria for personality disorder diagnoses: systematic review of economic evaluations and expert commentary. BJPsych Open, 2021, 7, . | 0.7 | 1 |
| 20 | Patient experience of lasting negative effects of psychological interventions for anxiety and depression in secondary mental health care services: a national cross-sectional study. BMC Psychiatry, 2021, 21, 578. | 2.6 | 4 |
| 21 | Variation in clinical care associated with weekend admission and discharge in psychiatric in-patient units: retrospective case-note review. BJPsych Open, 2020, 6, e103. | 0.7 | 1 |
| 22 | Risperidone versus placebo for aggression following traumatic brain injury: a feasibility randomised controlled trial. BMJ Open, 2020, 10, e036300. | 1.9 | 5 |
| 23 | Randomised feasibility trial of the helping families programme-modified: an intensive parenting intervention for parents affected by severe personality difficulties. BMJ Open, 2020, 10, e033637. | 1.9 | 5 |
| 24 | Short-term PsychoEducation for Carers To Reduce Over Medication of people with intellectual disabilities (SPECTROM): study protocol. BMJ Open, 2020, 10, e037912. | 1.9 | 12 |
| 25 | Burdens and awareness of adverse self-reported lifestyle factors in men with subfertility: A cross-sectional study in 1149 men. Clinical Endocrinology, 2020, 93, 312-321. | 2.4 | 8 |
| 26 | Quality of life, level of functioning, and its relationship with mental and physical disorders in the elderly: results from the MentDis_ICF65+ study. Health and Quality of Life Outcomes, 2020, 18, 61. | 2.4 | 28 |
| 27 | Structured Psychological Support for people with personality disorder: feasibility randomised controlled trial of a low-intensity intervention. BJPsych Open, 2020, 6, e25. | 0.7 | 11 |
| 28 | Older adult experience of care and staffing on hospital and community wards: a cross-sectional study. BMC Health Services Research, 2020, 20, 583. | 2.2 | 4 |
| 29 | The nature and activity of liaison mental services in acute hospital settings: a multi-site cross sectional study. BMC Health Services Research, 2020, 20, 308. | 2.2 | 13 |
| 30 | An intervention for parents with severe personality difficulties whose children have mental health problems: a feasibility RCT. Health Technology Assessment, 2020, 24, 1-188. | 2.8 | 6 |
| 31 | Switching antipsychotic medication to reduce sexual dysfunction in people with psychosis: the REMEDY RCT. Health Technology Assessment, 2020, 24, 1-54. | 2.8 | 7 |
| 32 | Identifying features associated with higher-quality hospital care and shorter length of admission for people with dementia: a mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-92. | 1.4 | 1 |
| 33 | Process evaluation of a randomised controlled trial of PBS-based staff training for challenging behaviour in adults with intellectual disability. PLoS ONE, 2019, 14, e0221507. | 2.5 | 20 |
| 34 | Impact of secondary care financial incentives on the quality of physical healthcare for people with psychosis: a longitudinal controlled study. British Journal of Psychiatry, 2019, 215, 720-725. | 2.8 | 2 |
| 35 | Affective disorders in the elderly in different European countries: Results from the MentDis_ICF65+ study. PLoS ONE, 2019, 14, e0224871. | 2.5 | 8 |
| 36 | Conclusions and questions from a non-randomised comparison of routine clinical services implementing different treatment models for borderline personality disorder. Psychological Medicine, 2019, 49, 2812-2814. | 4.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Lasting personality pathology following exposure to severe trauma in adulthood: retrospective cohort study. BMC Psychiatry, 2019, 19, 3. | 2.6 | 8 |
| 38 | Alcohol Screening and Brief Advice in NHS General Dental Practices: A Cluster Randomized Controlled Feasibility Trial. Alcohol and Alcoholism, 2019, 54, 235-242. | 1.6 | 2 |
| 39 | Recognition and treatment of depression in older adults admitted to acute hospitals in England. Clinical Medicine, 2019, 19, 114-118. | 1.9 | 10 |
| 40 | Improved mental health among LABILE study participants: A qualitative exploration. Personality and Mental Health, 2019, 13, 75-83. | 1.2 | 3 |
| 41 | A systematic review of interventions aimed at improving the cardiovascular health of people diagnosed with personality disorders. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 897-904. | 3.1 | 7 |
| 42 | Liaison psychiatryâ€™ measurement and evaluation of service types, referral patterns and outcomes (LP-MAESTRO): a protocol. BMJ Open, 2019, 9, e032179. | 1.9 | 6 |
| 43 | The Development of the ICD-11 Classification of Personality Disorders: An Amalgam of Science, Pragmatism, and Politics. Annual Review of Clinical Psychology, 2019, 15, 481-502. | 12.3 | 211 |
| 44 | Dialectical behaviour therapy <i>v.</i> mentalisation-based therapy for borderline personality disorder. Psychological Medicine, 2019, 49, 2060-2068. | 4.5 | 44 |
| 45 | The Clinical Effectiveness and Cost-Effectiveness of Lamotrigine in Borderline Personality Disorder: A Randomized Placebo-Controlled Trial. American Journal of Psychiatry, 2018, 175, 756-764. | 7.2 | 78 |
| 46 | Clinical outcomes of staff training in positive behaviour support to reduce challenging behaviour in adults with intellectual disability: cluster randomised controlled trial. British Journal of Psychiatry, 2018, 212, 161-168. | 2.8 | 61 |
| 47 | Predisposing, enabling, and need factors of service utilization in the elderly with mental health problems. International Psychogeriatrics, 2018, 30, 1027-1037. | 1.0 | 23 |
| 48 | Development and Psychometric Properties of the Standardized Assessment of Severity of Personality Disorder (SASPD). Journal of Personality Disorders, 2018, 32, 44-56. | 1.4 | 77 |
| 49 | Anxiety Disorders in Old Age: Psychiatric Comorbidities, Quality of Life, and Prevalence According to Age, Gender, and Country. American Journal of Geriatric Psychiatry, 2018, 26, 174-185. | 1.2 | 99 |
| 50 | Impact of a peer-review network on the quality of inpatient low secure mental health services: cluster randomised control trial. BMC Health Services Research, 2018, 18, 994. | 2.2 | 4 |
| 51 | Posttraumatic Stress Disorder in Patients With Borderline Personality Disorder: Treatment Outcomes and Mediators. Journal of Traumatic Stress, 2018, 31, 899-908. | 1.8 | 16 |
| 52 | A programme theory for liaison mental health services in England. BMC Health Services Research, 2018, 18, 742. | 2.2 | 14 |
| 53 | No Effect of Lamotrigine in Subgroups of Patients With Borderline Personality Disorder: Response to Smith. American Journal of Psychiatry, 2018, 175, 1265-1266. | 7.2 | 2 |
| 54 | Aggression Following Traumatic brain injury: Effectiveness of Risperidone (AFTER): study protocol for a feasibility randomised controlled trial. Trials, 2018, 19, 325. | 1.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Psychological Support for Personality (PSP) versus treatment as usual: study protocol for a feasibility randomized controlled trial of a low intensity intervention for people with personality disorder. <i>Trials</i> , 2018, 19, 547. | 1.6 | 7 |
| 56 | Organisation and delivery of liaison psychiatry services in general hospitals in England: results of a national survey. <i>BMJ Open</i> , 2018, 8, e023091. | 1.9 | 42 |
| 57 | Ethnic minority inequalities in access to treatments for schizophrenia and schizoaffective disorders: findings from a nationally representative cross-sectional study. <i>BMC Medicine</i> , 2018, 16, 55. | 5.5 | 51 |
| 58 | Alcohol use, abuse and dependence in an older European population: Results from the MentDis_ICF65+ study. <i>PLoS ONE</i> , 2018, 13, e0196574. | 2.5 | 24 |
| 59 | Positive behaviour support training for staff for treating challenging behaviour in people with intellectual disabilities: a cluster RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-110. | 2.8 | 20 |
| 60 | Lamotrigine for people with borderline personality disorder: a RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-68. | 2.8 | 24 |
| 61 | Prevalence and correlates of somatoform disorders in the elderly: Results of a European study. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, . | 2.1 | 18 |
| 62 | Democratic therapeutic community treatment for personality disorder: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 149-156. | 2.8 | 83 |
| 63 | Prevalence of mental disorders in elderly people: The European MentDis_ICF65+ study. <i>British Journal of Psychiatry</i> , 2017, 210, 125-131. | 2.8 | 261 |
| 64 | Feasibility trial of a psychoeducational intervention for parents with personality difficulties: The Helping Families Programme. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 67-74. | 1.1 | 7 |
| 65 | Effects of Improvisational Music Therapy vs Enhanced Standard Care on Symptom Severity Among Children With Autism Spectrum Disorder. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 525. | 7.4 | 104 |
| 66 | Music therapy for depression. <i>The Cochrane Library</i> , 2017, 2017, CD004517. | 2.8 | 291 |
| 67 | Psychoeducation and Problem Solving (PEPS) Therapy for Adults With Personality Disorder: A Pragmatic Randomized-Controlled Trial. <i>Journal of Personality Disorders</i> , 2017, 31, 810-826. | 1.4 | 14 |
| 68 | Severe war-related trauma and personality pathology: a case-control study. <i>BMC Psychiatry</i> , 2017, 17, 100. | 2.6 | 16 |
| 69 | A prospective, quantitative study of mental health act assessments in England following the 2007 amendments to the 1983 act: did the changes fulfill their promise?. <i>BMC Psychiatry</i> , 2017, 17, 246. | 2.6 | 4 |
| 70 | Study approach and field work procedures of the MentDis_ICF65+ project on the prevalence of mental disorders in the older adult European population. <i>BMC Psychiatry</i> , 2017, 17, 366. | 2.6 | 11 |
| 71 | Specific Mental Health Disorders: Personality Disorders. , 2017, , 55-59. | | 0 |
| 72 | Cognitive-behaviour therapy for health anxiety in medical patients (CHAMP): a randomised controlled trial with outcomes to 5 years. <i>Health Technology Assessment</i> , 2017, 21, 1-58. | 2.8 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | International multicentre randomised controlled trial of improvisational music therapy for children with autism spectrum disorder: TIME-A study. <i>Health Technology Assessment</i> , 2017, 21, 1-40. | 2.8 | 27 |
| 74 | Loss of relational continuity of care in schizophrenia: associations with patient satisfaction and quality of care. <i>BJPsych Open</i> , 2016, 2, 318-322. | 0.7 | 21 |
| 75 | An audit of the quality of inpatient care for adults with learning disability in the UK. <i>BMJ Open</i> , 2016, 6, e010480. | 1.9 | 21 |
| 76 | Dimensions of dependence and their influence on the outcome of cognitive behaviour therapy for health anxiety: randomized controlled trial. <i>Personality and Mental Health</i> , 2016, 10, 96-105. | 1.2 | 13 |
| 77 | Likelihood and predictors of detention in patients with personality disorder compared with other mental disorders: A retrospective, quantitative study of Mental Health Act assessments. <i>Personality and Mental Health</i> , 2016, 10, 191-204. | 1.2 | 5 |
| 78 | Schedule for personality assessment from notes and documents (SPAN-DOC): Preliminary validation, links to the ICD-11 classification of personality disorder, and use in eating disorders. <i>Personality and Mental Health</i> , 2016, 10, 106-117. | 1.2 | 16 |
| 79 | Impact of personality status on the outcomes and cost of cognitive-behavioural therapy for health anxiety. <i>British Journal of Psychiatry</i> , 2016, 209, 244-250. | 2.8 | 23 |
| 80 | Quality of low secure services in the UK: development and use of the Quality of Environment In Low Secure Services (QELS) checklist. <i>Journal of Forensic Psychiatry and Psychology</i> , 2016, 27, 504-516. | 1.0 | 2 |
| 81 | Authors' reply. <i>British Journal of Psychiatry</i> , 2016, 209, 262-262. | 2.8 | 3 |
| 82 | Patient preference in psychological treatment and associations with self-reported outcome: national cross-sectional survey in England and Wales. <i>BMC Psychiatry</i> , 2016, 16, 4. | 2.6 | 60 |
| 83 | Negative results in phase III trials of complex interventions: Cause for concern or just good science?. <i>British Journal of Psychiatry</i> , 2016, 209, 6-8. | 2.8 | 20 |
| 84 | Patient experience of negative effects of psychological treatment: results of a national survey. <i>British Journal of Psychiatry</i> , 2016, 208, 260-265. | 2.8 | 156 |
| 85 | Iatrogenic harm from psychological therapies – time to move on. <i>British Journal of Psychiatry</i> , 2016, 208, 210-212. | 2.8 | 99 |
| 86 | Psychoeducation with problem-solving (PEPS) therapy for adults with personality disorder: a pragmatic randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of a manualised intervention to improve social functioning. <i>Health Technology Assessment</i> , 2016, 20, 1-250. | 2.8 | 11 |
| 87 | Assessing the feasibility of screening and providing brief advice for alcohol misuse in general dental practice: a clustered randomised control trial protocol for the DART study. <i>BMJ Open</i> , 2015, 5, e008586. | 1.9 | 4 |
| 88 | Lamotrigine versus inert placebo in the treatment of borderline personality disorder: study protocol for a randomized controlled trial and economic evaluation. <i>Trials</i> , 2015, 16, 308. | 1.6 | 9 |
| 89 | Measuring symptoms and diagnosing mental disorders in the elderly community: the test-retest reliability of the CIDI65+. <i>International Journal of Methods in Psychiatric Research</i> , 2015, 24, 116-129. | 2.1 | 35 |
| 90 | Cognitive behaviour therapy for non-cardiac pain in the chest (COPIC): a multicentre randomized controlled trial with economic evaluation. <i>BMC Psychology</i> , 2015, 3, 41. | 2.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Quality of physical health care among patients with personality disorder. <i>Personality and Mental Health</i> , 2015, 9, 319-329. | 1.2 | 14 |
| 92 | Riding the wake: Detailing the art therapy delivered in the MATISSE study. <i>International Journal of Art Therapy: Inscape</i> , 2015, 20, 28-38. | 1.6 | 8 |
| 93 | Therapist differences in a randomised trial of the outcome of cognitive behaviour therapy for health anxiety in medical patients. <i>International Journal of Nursing Studies</i> , 2015, 52, 686-694. | 5.6 | 28 |
| 94 | Classification, assessment, prevalence, and effect of personality disorder. <i>Lancet, The</i> , 2015, 385, 717-726. | 13.7 | 443 |
| 95 | The clinical and cost-effectiveness of brief advice for excessive alcohol consumption among people attending sexual health clinics: a randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2015, 91, 37-43. | 1.9 | 21 |
| 96 | The Use of Psychotropic Medication in Patients With Emotionally Unstable Personality Disorder Under the Care of UK Mental Health Services. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e512-e518. | 2.2 | 106 |
| 97 | The Effectiveness of Alcohol Screening and Brief Intervention in Emergency Departments: A Multicentre Pragmatic Cluster Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e99463. | 2.5 | 89 |
| 98 | Author's reply to Agius and Verdolini. <i>BMJ, The</i> , 2014, 349, g6799-g6799. | 6.0 | 0 |
| 99 | Activity groups for people with schizophrenia: a randomized controlled trial. <i>Journal of Mental Health</i> , 2014, 23, 171-175. | 1.9 | 2 |
| 100 | Quality of care for people with dementia in general hospitals: national cross-sectional audit of patient assessment. <i>Clinical Medicine</i> , 2014, 14, 490-494. | 1.9 | 13 |
| 101 | Assessment and treatment of physical health problems among people with schizophrenia: national cross-sectional study. <i>British Journal of Psychiatry</i> , 2014, 205, 473-477. | 2.8 | 98 |
| 102 | Service user involvement: impact and participation: a survey of service user and staff perspectives. <i>BMC Health Services Research</i> , 2014, 14, 491. | 2.2 | 83 |
| 103 | Quality of prescribing for schizophrenia: Evidence from a national audit in England and Wales. <i>European Neuropsychopharmacology</i> , 2014, 24, 499-509. | 0.7 | 64 |
| 104 | Are mood stabilisers helpful in treatment of borderline personality disorder?. <i>BMJ, The</i> , 2014, 349, g5378-g5378. | 6.0 | 6 |
| 105 | Clinical and cost effectiveness of staff training in Positive Behaviour Support (PBS) for treating challenging behaviour in adults with intellectual disability: a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 219. | 2.6 | 36 |
| 106 | Are recommendations for psychological treatment of borderline personality disorder in current UK guidelines justified? Systematic review and subgroup analysis. <i>Personality and Mental Health</i> , 2014, 8, 228-237. | 1.2 | 14 |
| 107 | Moderating factors for the effectiveness of group art therapy for schizophrenia: secondary analysis of data from the MATISSE randomised controlled trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1703-1710. | 3.1 | 15 |
| 108 | Preliminary studies of the ICD-11 classification of personality disorder in practice. <i>Personality and Mental Health</i> , 2014, 8, 254-263. | 1.2 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Lasting personality pathology following exposure to catastrophic trauma in adults: Systematic review. <i>Personality and Mental Health</i> , 2014, 8, 320-336. | 1.2 | 12 |
| 110 | Assessing the severity of borderline personality disorder. <i>British Journal of Psychiatry</i> , 2013, 203, 163-164. | 2.8 | 7 |
| 111 | Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. <i>BMJ: British Medical Journal</i> , 2012, 344, e846-e846. | 2.3 | 99 |
| 112 | Relationship Between Price Paid for Off-Trade Alcohol, Alcohol Consumption and Income in England: A Cross-Sectional Survey. <i>Alcohol and Alcoholism</i> , 2012, 47, 738-742. | 1.6 | 16 |
| 113 | Brief intervention for alcohol misuse in people attending sexual health clinics: study protocol for a randomized controlled trial. <i>Trials</i> , 2012, 13, 149. | 1.6 | 4 |
| 114 | The prevalence of personality disorder among ethnic minorities: findings from a national household survey. <i>Personality and Mental Health</i> , 2012, 6, 175-182. | 1.2 | 13 |
| 115 | Selecting outcome measures in mental health: the views of service users. <i>Journal of Mental Health</i> , 2011, 20, 336-346. | 1.9 | 136 |
| 116 | Art therapy for people diagnosed with schizophrenia: Therapists' views about what changes, how and for whom. <i>International Journal of Art Therapy: Inscape</i> , 2011, 16, 70-80. | 1.6 | 46 |
| 117 | Prevalence of health anxiety problems in medical clinics. <i>Journal of Psychosomatic Research</i> , 2011, 71, 392-394. | 2.6 | 125 |
| 118 | Nidotherapy in the treatment of substance misuse, psychosis and personality disorder: secondary analysis of a controlled trial. <i>The Psychiatrist</i> , 2011, 35, 9-14. | 0.3 | 48 |
| 119 | Music therapy for depression: it seems to work, but how?. <i>British Journal of Psychiatry</i> , 2011, 199, 92-93. | 2.8 | 66 |
| 120 | Impact of screening for risk of suicide: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011, 198, 379-384. | 2.8 | 71 |
| 121 | Medication prescribed to people with personality disorder: the influence of patient factors and treatment setting. <i>Acta Psychiatrica Scandinavica</i> , 2011, 124, 396-402. | 4.5 | 25 |
| 122 | Psycho-education with problem solving (PEPS) therapy for adults with personality disorder: A pragmatic multi-site community-based randomised clinical trial. <i>Trials</i> , 2011, 12, 198. | 1.6 | 13 |
| 123 | A classification based on evidence is the first step to clinical utility. <i>Personality and Mental Health</i> , 2011, 5, 304-307. | 1.2 | 11 |
| 124 | The rationale for the reclassification of personality disorder in the 11th revision of the International Classification of Diseases (ICD-11). <i>Personality and Mental Health</i> , 2011, 5, 246-259. | 1.2 | 208 |
| 125 | CHAMP: Cognitive behaviour therapy for health anxiety in medical patients, a randomised controlled trial. <i>BMC Psychiatry</i> , 2011, 11, 99. | 2.6 | 28 |
| 126 | Classifying Personality Disorder According to Severity. <i>Journal of Personality Disorders</i> , 2011, 25, 321-330. | 1.4 | 110 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Provision and practice of art therapy for people with schizophrenia: Results of a national survey. <i>Journal of Mental Health</i> , 2011, 20, 328-335. | 1.9 | 25 |
| 128 | The Central Domains of Personality Pathology in Psychiatric Patients. <i>Journal of Personality Disorders</i> , 2011, 25, 364-377. | 1.4 | 62 |
| 129 | Clinical and economic outcomes from the UK pilot psychiatric services for personality-disordered offenders. <i>International Review of Psychiatry</i> , 2011, 23, 61-69. | 2.8 | 12 |
| 130 | The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 65. | 2.6 | 35 |
| 131 | Open access community support groups for people with personality disorder: attendance and impact on use of other services. <i>The Psychiatrist</i> , 2010, 34, 177-181. | 0.3 | 16 |
| 132 | Job Satisfaction and Burnout Among Staff Working in Community-Based Personality Disorder Services. <i>International Journal of Social Psychiatry</i> , 2010, 56, 196-206. | 3.1 | 30 |
| 133 | An Evaluation of New Services for Personality-Disordered Offenders: Staff and Service User Perspectives. <i>International Journal of Social Psychiatry</i> , 2010, 56, 186-195. | 3.1 | 15 |
| 134 | The effect of referral for brief intervention for alcohol misuse on repetition of deliberate self-harm: an exploratory randomized controlled trial. <i>Psychological Medicine</i> , 2010, 40, 1821-1828. | 4.5 | 29 |
| 135 | The successes and failures of the DSPD experiment: the assessment and management of severe personality disorder. <i>Medicine, Science and the Law</i> , 2010, 50, 95-99. | 1.0 | 69 |
| 136 | Personality disorder: a new global perspective. <i>World Psychiatry</i> , 2010, 9, 56-60. | 10.4 | 82 |
| 137 | The great divide: A qualitative investigation of factors influencing researcher access to potential randomised controlled trial participants in mental health settings. <i>Journal of Mental Health</i> , 2010, 19, 532-541. | 1.9 | 48 |
| 138 | Drug service user groups: Only a partial solution to the problem of developing user involvement. <i>Drugs: Education, Prevention and Policy</i> , 2010, 17, 84-97. | 1.3 | 10 |
| 139 | The assessment of dangerous and severe personality disorder: lessons from a randomised controlled trial linked to qualitative analysis. <i>Journal of Forensic Psychiatry and Psychology</i> , 2009, 20, 132-146. | 1.0 | 46 |
| 140 | User involvement in efforts to improve the quality of drug misuse services in England: A national survey. <i>Drugs: Education, Prevention and Policy</i> , 2009, 16, 364-377. | 1.3 | 17 |
| 141 | Screening and brief interventions for hazardous alcohol use in accident and emergency departments: a randomised controlled trial protocol. <i>BMC Health Services Research</i> , 2009, 9, 114. | 2.2 | 40 |
| 142 | The treatment of challenging behaviour in intellectual disabilities: cost-effectiveness analysis. <i>Journal of Intellectual Disability Research</i> , 2009, 53, 633-643. | 2.0 | 35 |
| 143 | Service provision for men with antisocial personality disorder who make contact with mental health services. <i>Personality and Mental Health</i> , 2009, 3, 165-171. | 1.2 | 15 |
| 144 | “They can’t solve the problem without us”: a qualitative study of stakeholder perspectives on user involvement in drug treatment services in England. <i>Health and Social Care in the Community</i> , 2009, 17, 54-62. | 1.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Engagement and retention in specialist services for people with personality disorder. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 304-311. | 4.5 | 48 |
| 146 | Critique of the assessment phase of the DSPD programme. <i>Journal of Forensic Psychiatry and Psychology</i> , 2009, 20, 151-154. | 1.0 | 0 |
| 147 | Dedicated personality disorder services: A qualitative analysis of service structure and treatment process. <i>Journal of Mental Health</i> , 2009, 18, 467-475. | 1.9 | 12 |
| 148 | Neuroleptics in the treatment of aggressive challenging behaviour for people with intellectual disabilities: a randomised controlled trial (NACHBID). <i>Health Technology Assessment</i> , 2009, 13, iii-iv, ix-xi, 1-54. | 2.8 | 39 |
| 149 | Services for people with personality disorder. <i>Psychiatry (Abingdon, England)</i> , 2008, 7, 124-128. | 0.2 | 4 |
| 150 | Music therapy for depression. <i>The Cochrane Library</i> , 2008, , CD004517. | 2.8 | 195 |
| 151 | Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. <i>Lancet, The</i> , 2008, 371, 57-63. | 13.7 | 309 |
| 152 | Antipsychotics in individuals with intellectual disability – Authors' reply. <i>Lancet, The</i> , 2008, 371, 1502. | 13.7 | 0 |
| 153 | Review: Screening and intervention for alcohol misuse in emergency rooms reduces alcohol-related injuries. <i>Evidence-Based Mental Health</i> , 2008, 11, 88-88. | 4.5 | 0 |
| 154 | Dedicated community-based services for adults with personality disorder: Delphi study. <i>British Journal of Psychiatry</i> , 2008, 193, 342-343. | 2.8 | 53 |
| 155 | Psychosocial interventions following self-harm. <i>British Journal of Psychiatry</i> , 2007, 190, 11-17. | 2.8 | 73 |
| 156 | The Quantification of Violence Scale: a Simple Method of Recording Significant Violence. <i>International Journal of Social Psychiatry</i> , 2007, 53, 485-497. | 3.1 | 28 |
| 157 | Arts therapies for people with schizophrenia: an emerging evidence base. <i>Evidence-Based Mental Health</i> , 2007, 10, 69-70. | 4.5 | 48 |
| 158 | Role of qualitative research to inform design of epidemiological studies: A cohort study of mental health of migrants from the former Yugoslavia. <i>Journal of Mental Health</i> , 2007, 16, 743-755. | 1.9 | 11 |
| 159 | Use of blood alcohol concentration in resuscitation room patients. <i>Emergency Medicine Journal</i> , 2007, 24, 535-538. | 1.0 | 15 |
| 160 | Lessons Learned from an Evaluation of Dedicated Community-based Services for People with Personality Disorder. <i>Mental Health Review Journal</i> , 2007, 12, 55-64. | 0.7 | 20 |
| 161 | Cost-effectiveness of screening and referral to an alcohol health worker in alcohol misusing patients attending an accident and emergency department: A decision-making approach. <i>Drug and Alcohol Dependence</i> , 2006, 81, 47-54. | 3.2 | 84 |
| 162 | Music therapy for in-patients with schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 405-409. | 2.8 | 126 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Rangewide molecular structuring in the Utah sucker (<i>Catostomus ardens</i>). <i>Molecular Ecology</i> , 2006, 15, 2223-2238. | 3.9 | 27 |
| 164 | Suicidal ideation and suicide attempts among ethnic minority groups in England: results of a national household survey. <i>Psychological Medicine</i> , 2005, 35, 1369-1377. | 4.5 | 46 |
| 165 | Qualitative Research in Psychiatry. <i>Canadian Journal of Psychiatry</i> , 2005, 50, 108-114. | 1.9 | 119 |
| 166 | The efficacy of therapeutic communities in the treatment of personality disorders. <i>Psychiatry (Abingdon, England)</i> , 2005, 4, 19-22. | 0.2 | 4 |
| 167 | Hazardous drinkers in the accident and emergency department - who attends an appointment with the alcohol health worker?. <i>Emergency Medicine Journal</i> , 2005, 22, 722-723. | 1.0 | 11 |
| 168 | The Social Functioning Questionnaire: A Rapid and Robust Measure of Perceived Functioning. <i>International Journal of Social Psychiatry</i> , 2005, 51, 265-275. | 3.1 | 282 |
| 169 | The half-life of the "teachable moment"™ for alcohol misusing patients in the emergency department. <i>Drug and Alcohol Dependence</i> , 2005, 77, 205-208. | 3.2 | 94 |
| 170 | The Social Functioning Questionnaire: a rapid and robust measure of perceived functioning. <i>International Journal of Social Psychiatry</i> , 2005, 51, 265-75. | 3.1 | 65 |
| 171 | Suicide following discharge from in-patient psychiatric care. <i>Advances in Psychiatric Treatment</i> , 2004, 10, 434-438. | 0.5 | 31 |
| 172 | Depression: International intervention for a global problem. <i>British Journal of Psychiatry</i> , 2004, 184, 379-380. | 2.8 | 9 |
| 173 | Hazardous drinkers in the accident and emergency department--Who accepts advice?. <i>Emergency Medicine Journal</i> , 2004, 21, 491-492. | 1.0 | 17 |
| 174 | THE PADDINGTON ALCOHOL TEST: A SHORT REPORT. <i>Alcohol and Alcoholism</i> , 2004, 39, 266-268. | 1.6 | 38 |
| 175 | Patients or partners? Case studies of user involvement in the planning and delivery of adult mental health services in London. <i>Social Science and Medicine</i> , 2004, 58, 1973-1984. | 3.8 | 153 |
| 176 | Providing continuity of care for people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 265-272. | 3.1 | 89 |
| 177 | Are the views of members of mental health user groups representative of those of 'ordinary' patients? A cross-sectional survey of service users and providers. <i>Journal of Mental Health</i> , 2004, 13, 561-568. | 1.9 | 34 |
| 178 | Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. <i>Lancet, The</i> , 2004, 364, 1334-1339. | 13.7 | 252 |
| 179 | In hospital, at home, or not at all. <i>Psychiatric Bulletin</i> , 2004, 28, 360-363. | 0.3 | 14 |
| 180 | Delivering safer services: can suicide and homicide among people in contact with mental health services be predicted?. <i>Expert Review of Neurotherapeutics</i> , 2003, 3, 575-580. | 2.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Use of Qualitative Research Methods in General Medicine and Psychiatry: Publication Trends in Medical Journals 1990-2000. International Journal of Social Psychiatry, 2003, 49, 308-311. | 3.1 | 8 |
| 182 | Systematic review of involving patients in the planning and development of health care. BMJ: British Medical Journal, 2002, 325, 1263-1263. | 2.3 | 717 |
| 183 | Suicide rate 22 years after parasuicide: cohort study. BMJ: British Medical Journal, 2002, 325, 1155-1155. | 2.3 | 116 |
| 184 | Evaluating new treatments in psychiatry: the potential value of combining qualitative and quantitative research methods. International Review of Psychiatry, 2002, 14, 6-11. | 2.8 | 27 |
| 185 | Thinking life is not worth living. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 351-356. | 3.1 | 44 |
| 186 | Involving users in the development of psychiatric services “no longer an option. Psychiatric Bulletin, 2001, 25, 84-86. | 0.3 | 16 |
| 187 | Homicide is impossible to predict. Psychiatric Bulletin, 2000, 24, 152-152. | 0.3 | 5 |
| 188 | Not Listening To Patients - the Use and Misuse of Patient Satisfaction Studies. International Journal of Social Psychiatry, 1999, 45, 1-6. | 3.1 | 41 |
| 189 | Key developments in psychiatry. Practitioner, 1999, 243, 600-2, 605-7. | 0.3 | 1 |
| 190 | Involvement of users and carers in the training of psychiatrists: making it happen. Psychiatric Bulletin, 1998, 22, 42-43. | 0.3 | 9 |
| 191 | Urgent psychiatric assessment in an inner-city A&E department. Psychiatric Bulletin, 1997, 21, 625-626. | 0.3 | 6 |
| 192 | Openness with patients: a categorical imperative to correct an imbalance. Science and Engineering Ethics, 1997, 3, 297-304. | 2.9 | 5 |
| 193 | Psychological treatments of alcohol use disorders. , 0, , 263-288. | | 1 |