

Antonio Molina

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8683120/publications.pdf>

Version: 2024-02-01

83
papers

14,579
citations

30070

54
h-index

60623

81
g-index

87
all docs

87
docs citations

87
times ranked

12170
citing authors

#	ARTICLE	IF	CITATIONS
1	Systemic Acquired Resistance.. Plant Cell, 1996, 8, 1809-1819.	6.6	1,536
2	A Glucosinolate Metabolism Pathway in Living Plant Cells Mediates Broad-Spectrum Antifungal Defense. Science, 2009, 323, 101-106.	12.6	927
3	Pre- and Postinvasion Defenses Both Contribute to Nonhost Resistance in Arabidopsis. Science, 2005, 310, 1180-1183.	12.6	753
4	Constitutive expression of ETHYLENE-RESPONSE-FACTOR1 in Arabidopsis confers resistance to several necrotrophic fungi. Plant Journal, 2002, 29, 23-32.	5.7	689
5	Arabidopsis PEN3/PDR8, an ATP Binding Cassette Transporter, Contributes to Nonhost Resistance to Inappropriate Pathogens That Enter by Direct Penetration. Plant Cell, 2006, 18, 731-746.	6.6	598
6	Systemic Acquired Resistance. Plant Cell, 1996, 8, 1809.	6.6	583
7	Disease resistance or growth: the role of plant hormones in balancing immune responses and fitness costs. Frontiers in Plant Science, 2013, 4, 155.	3.6	505
8	The role of the secondary cell wall in plant resistance to pathogens. Frontiers in Plant Science, 2014, 5, 358.	3.6	455
9	Plant defense peptides. , 1998, 47, 479-491.		448
10	Plant cell wall-mediated immunity: cell wall changes trigger disease resistance responses. Plant Journal, 2018, 93, 614-636.	5.7	398
11	Impairment of Cellulose Synthases Required for Arabidopsis Secondary Cell Wall Formation Enhances Disease Resistance. Plant Cell, 2007, 19, 890-903.	6.6	380
12	Lipid transfer proteins (nsLTPs) from barley and maize leaves are potent inhibitors of bacterial and fungal plant pathogens. FEBS Letters, 1993, 316, 119-122.	2.8	347
13	The defensive role of nonspecific lipid-transfer proteins in plants. Trends in Microbiology, 1995, 3, 72-74.	7.7	333
14	ERECTA receptor-like kinase and heterotrimeric G protein from Arabidopsis are required for resistance to the necrotrophic fungus Plectosphaerella cucumerina. Plant Journal, 2005, 43, 165-180.	5.7	303
15	Snakin-2, an Antimicrobial Peptide from Potato Whose Gene Is Locally Induced by Wounding and Responds to Pathogen Infection. Plant Physiology, 2002, 128, 951-961.	4.8	289
16	Snakin-1, a Peptide from Potato That Is Active Against Plant Pathogens. Molecular Plant-Microbe Interactions, 1999, 12, 16-23.	2.6	281
17	Ethylene Response Factor 1 Mediates Arabidopsis Resistance to the Soilborne Fungus Fusarium oxysporum. Molecular Plant-Microbe Interactions, 2004, 17, 763-770.	2.6	268
18	Control of the pattern-recognition receptor EFR by an ER protein complex in plant immunity. EMBO Journal, 2009, 28, 3428-3438.	7.8	267

#	ARTICLE	IF	CITATIONS
19	Repression of the Auxin Response Pathway Increases Arabidopsis Susceptibility to Necrotrophic Fungi. <i>Molecular Plant</i> , 2008, 1, 496-509.	8.3	208
20	Enhanced tolerance to bacterial pathogens caused by the transgenic expression of barley lipid transfer protein LTP2. <i>Plant Journal</i> , 1997, 12, 669-675.	5.7	196
21	Tryptophan-derived secondary metabolites in <i>Arabidopsis thaliana</i> confer non-host resistance to necrotrophic <i>Plectosphaerella cucumerina</i> fungi. <i>Plant Journal</i> , 2010, 63, no-no.	5.7	191
22	<i>Arabidopsis</i> Gαεprotein interactome reveals connections to cell wall carbohydrates and morphogenesis. <i>Molecular Systems Biology</i> , 2011, 7, 532.	7.2	191
23	Autophagy differentially controls plant basal immunity to biotrophic and necrotrophic pathogens. <i>Plant Journal</i> , 2011, 66, 818-830.	5.7	190
24	The <i>Arabidopsis</i> leucine-rich repeat receptor kinase MIK2/LRR-KISS connects cell wall integrity sensing, root growth and response to abiotic and biotic stresses. <i>PLoS Genetics</i> , 2017, 13, e1006832.	3.5	187
25	Developmental and pathogen-induced expression of three barley genes encoding lipid transfer proteins. <i>Plant Journal</i> , 1993, 4, 983-991.	5.7	174
26	<i>Arabidopsis</i> defense response against <i>Fusarium oxysporum</i> . <i>Trends in Plant Science</i> , 2008, 13, 145-150.	8.8	171
27	The <i>Arabidopsis</i> NADPH oxidases <i>RbohD</i> and <i>RbohF</i> display differential expression patterns and contributions during plant immunity. <i>Journal of Experimental Botany</i> , 2016, 67, 1663-1676.	4.8	161
28	Expression of the <i>Î±</i> chitinase gene from barley in tobacco confers enhanced resistance to bacterial pathogens. <i>Plant Journal</i> , 1993, 3, 457-462.	5.7	156
29	<i>Arabidopsis</i> <i>wat1</i> (<i>walls are thin1</i>)-mediated resistance to the bacterial vascular pathogen, <i>Ralstonia solanacearum</i> , is accompanied by cross-regulation of salicylic acid and tryptophan metabolism. <i>Plant Journal</i> , 2013, 73, 225-239.	5.7	154
30	Regulation of Pathogen-Triggered Tryptophan Metabolism in <i>Arabidopsis thaliana</i> by MYB Transcription Factors and Indole Glucosinolate Conversion Products. <i>Molecular Plant</i> , 2016, 9, 682-695.	8.3	149
31	Novel defensin subfamily from spinach (<i>Spinacia oleracea</i>). <i>FEBS Letters</i> , 1998, 435, 159-162.	2.8	141
32	<i>Arabidopsis</i> Heterotrimeric G-protein Regulates Cell Wall Defense and Resistance to Necrotrophic Fungi. <i>Molecular Plant</i> , 2012, 5, 98-114.	8.3	141
33	Disruption of Abscisic Acid Signaling Constitutively Activates <i>Arabidopsis</i> Resistance to the Necrotrophic Fungus <i>Plectosphaerella cucumerina</i> . <i>Plant Physiology</i> , 2012, 160, 2109-2124.	4.8	132
34	Inhibition of protoporphyrinogen oxidase expression in <i>Arabidopsis</i> causes a lesion-mimic phenotype that induces systemic acquired resistance. <i>Plant Journal</i> , 1999, 17, 667-678.	5.7	123
35	Wheat Genes Encoding Two Types of PR-1 Proteins Are Pathogen Inducible, but Do Not Respond to Activators of Systemic Acquired Resistance. <i>Molecular Plant-Microbe Interactions</i> , 1999, 12, 53-58.	2.6	117
36	Non-branched Î²-D-glucan oligosaccharides trigger immune responses in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2018, 93, 34-49.	5.7	112

#	ARTICLE	IF	CITATIONS
37	Functional Interplay Between <i>Arabidopsis</i> NADPH Oxidases and Heterotrimeric G Protein. <i>Molecular Plant-Microbe Interactions</i> , 2013, 26, 686-694.	2.6	110
38	Quantitative phosphoproteomic analysis reveals common regulatory mechanisms between effector- and PAMP-triggered immunity in plants. <i>New Phytologist</i> , 2019, 221, 2160-2175.	7.3	102
39	The ERECTA Receptor-Like Kinase Regulates Cell Wall-Mediated Resistance to Pathogens in <i>Arabidopsis thaliana</i> . <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 953-963.	2.6	100
40	ERECTA and BAK1 Receptor Like Kinases Interact to Regulate Immune Responses in <i>Arabidopsis</i> . <i>Frontiers in Plant Science</i> , 2016, 7, 897.	3.6	99
41	Expression of Uroporphyrinogen Decarboxylase or Coproporphyrinogen Oxidase Antisense RNA in Tobacco Induces Pathogen Defense Responses Conferring Increased Resistance to Tobacco Mosaic Virus. <i>Journal of Biological Chemistry</i> , 1999, 274, 4231-4238.	3.4	94
42	Antibiotic activities of peptides, hydrogen peroxide and peroxynitrite in plant defence. <i>FEBS Letters</i> , 2001, 498, 219-222.	2.8	90
43	Purification, characterization, and cell wall localization of an α -fucosidase that inactivates a xyloglucan oligosaccharin. <i>Plant Journal</i> , 1993, 3, 415-426.	5.7	88
44	Impaired Fungicide Activity in Plants Blocked in Disease Resistance Signal Transduction. <i>Plant Cell</i> , 1998, 10, 1903-1914.	6.6	88
45	<i>Arabidopsis</i> cell wall composition determines disease resistance specificity and fitness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	88
46	Inhibition of bacterial and fungal plant pathogens by thionins of types I and II. <i>Plant Science</i> , 1993, 92, 169-177.	3.6	79
47	A protective role for the embryo surrounding region of the maize endosperm, as evidenced by the characterisation of ZmESR-6, a defensin gene specifically expressed in this region. <i>Plant Molecular Biology</i> , 2005, 58, 269-282.	3.9	79
48	Differential effects of five types of antipathogenic plant peptides on model membranes. <i>FEBS Letters</i> , 1997, 410, 338-342.	2.8	74
49	Two cold-inducible genes encoding lipid transfer protein LTP4 from barley show differential responses to bacterial pathogens. <i>Molecular Genetics and Genomics</i> , 1996, 252, 162-168.	2.4	73
50	Expression of fungal acetyl xylan esterase in <i>Arabidopsis thaliana</i> improves saccharification of stem lignocellulose. <i>Plant Biotechnology Journal</i> , 2016, 14, 387-397.	8.3	72
51	Mutant Allele-Specific Uncoupling of PENETRATION3 Functions Reveals Engagement of the ATP-Binding Cassette Transporter in Distinct Tryptophan Metabolic Pathways. <i>Plant Physiology</i> , 2015, 168, 814-827.	4.8	71
52	Glutathione Transferase U13 Functions in Pathogen-Triggered Glucosinolate Metabolism. <i>Plant Physiology</i> , 2018, 176, 538-551.	4.8	69
53	Cell wall-derived mixed-linked β -1,3/1,4-glucans trigger immune responses and disease resistance in plants. <i>Plant Journal</i> , 2021, 106, 601-615.	5.7	69
54	Alteration of cell wall xylan acetylation triggers defense responses that counterbalance the immune deficiencies of plants impaired in the β -subunit of the heterotrimeric G α protein. <i>Plant Journal</i> , 2017, 92, 386-399.	5.7	68

#	ARTICLE	IF	CITATIONS
55	Differential expression of pathogen-responsive genes encoding two types of glycine-rich proteins in barley. <i>Plant Molecular Biology</i> , 1997, 33, 803-810.	3.9	62
56	A computational approach for inferring the cell wall properties that govern guard cell dynamics. <i>Plant Journal</i> , 2017, 92, 5-18.	5.7	62
57	YODA MAP3K kinase regulates plant immune responses conferring broad-spectrum disease resistance. <i>New Phytologist</i> , 2018, 218, 661-680.	7.3	54
58	The role of CYP71A12 monooxygenase in pathogen-triggered tryptophan metabolism and Arabidopsis immunity. <i>New Phytologist</i> , 2020, 225, 400-412.	7.3	51
59	Arabinoxylan-Oligosaccharides Act as Damage Associated Molecular Patterns in Plants Regulating Disease Resistance. <i>Frontiers in Plant Science</i> , 2020, 11, 1210.	3.6	49
60	Arabidopsis Response Regulator 6 (ARR6) Modulates Plant Cell-Wall Composition and Disease Resistance. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 767-780.	2.6	46
61	Radiation Damage and Racemic Protein Crystallography Reveal the Unique Structure of the CASA/Snakin Protein Superfamily. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7930-7933.	13.8	45
62	Leishmania donovani: Thionins, plant antimicrobial peptides with leishmanicidal activity. <i>Experimental Parasitology</i> , 2009, 122, 247-249.	1.2	44
63	Synthetic and structural studies on Pyricularia puberathionin: a single-residue mutation enhances activity against Gram-negative bacteria. <i>FEBS Letters</i> , 2003, 536, 215-219.	2.8	43
64	Plant Antimicrobial Peptides Snakin1 and Snakin2: Chemical Synthesis and Insights into the Disulfide Connectivity. <i>Chemistry - A European Journal</i> , 2014, 20, 5102-5110.	3.3	37
65	Structural Dissection of a Highly Knotted Peptide Reveals Minimal Motif with Antimicrobial Activity. <i>Journal of Biological Chemistry</i> , 2005, 280, 1661-1668.	3.4	32
66	Mitogen-Activated Protein Kinase Phosphatase 1 (MKP1) Negatively Regulates the Production of Reactive Oxygen Species During Arabidopsis Immune Responses. <i>Molecular Plant-Microbe Interactions</i> , 2019, 32, 464-478.	2.6	27
67	Moonlighting Function of Phytochelatin Synthase1 in Extracellular Defense against Fungal Pathogens. <i>Plant Physiology</i> , 2020, 182, 1920-1932.	4.8	26
68	A Minimalist Design Approach to Antimicrobial Agents Based on a Thionin Template. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 448-451.	6.4	25
69	Functional genomics tools to decipher the pathogenicity mechanisms of the necrotrophic fungus Plectosphaerella cucumerina in Arabidopsis thaliana. <i>Molecular Plant Pathology</i> , 2013, 14, 44-57.	4.2	25
70	Interaction of wheat thionin with large unilamellar vesicles. <i>Protein Science</i> , 1998, 7, 2567-2577.	7.6	23
71	Purification and Characterization of a Mannan-Binding Lectin Specifically Expressed in Corms of Saffron Plant (Crocus sativus L.). <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 457-463.	5.2	22
72	Characterization of Plant Cell Wall Damage-Associated Molecular Patterns Regulating Immune Responses. <i>Methods in Molecular Biology</i> , 2017, 1578, 13-23.	0.9	20

#	ARTICLE	IF	CITATIONS
73	Functional characterization of genes mediating cell wall metabolism and responses to plant cell wall integrity impairment. <i>BMC Plant Biology</i> , 2019, 19, 320.	3.6	20
74	G Proteins and Plant Innate Immunity. <i>Signaling and Communication in Plants</i> , 2010, , 221-250.	0.7	19
75	Dissecting Arabidopsis G ¹² Signal Transduction on the Protein Surface. <i>Plant Physiology</i> , 2012, 159, 975-983.	4.8	18
76	Computational prediction method to decipher receptor-glycoligand interactions in plant immunity. <i>Plant Journal</i> , 2021, 105, 1710-1726.	5.7	14
77	YODA Kinase Controls a Novel Immune Pathway of Tomato Conferring Enhanced Disease Resistance to the Bacterium <i>Pseudomonas syringae</i> . <i>Frontiers in Plant Science</i> , 2020, 11, 584471.	3.6	9
78	Differential Expression of Fungal Genes Determines the Lifestyle of <i>Plectosphaerella</i> Strains During <i>Arabidopsis thaliana</i> Colonization. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 1299-1314.	2.6	9
79	Radiation Damage and Racemic Protein Crystallography Reveal the Unique Structure of the GASA/Snakin Protein Superfamily. <i>Angewandte Chemie</i> , 2016, 128, 8062-8065.	2.0	7
80	Engineering plants against pathogens: A general strategy. <i>Field Crops Research</i> , 1996, 45, 79-84.	5.1	5
81	Development of a <i>Fusarium oxysporum</i> f. sp. <i>melonis</i> functional GFP fluorescence tool to assist melon resistance breeding programmes. <i>Plant Pathology</i> , 2015, 64, 1349-1357.	2.4	2
82	Plant biotechnology. <i>Current Opinion in Biotechnology</i> , 2010, 21, 182-184.	6.6	1
83	A Minimalist Approach to Antimicrobial Proteins with Thionin as a Template. , 2006, , 248-251.		0