## Taher Alizadeh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8683897/publications.pdf

Version: 2024-02-01

108 papers

3,563 citations

35 h-index 54 g-index

108 all docs

108 docs citations

108 times ranked 3661 citing authors

| #  | Article  | IF               | CITATIONS          |
|----|--|------------------|--------------------|
| 1  | A Simple Method for Melatonin Determination in the Presence of High Levels of Tryptophan using an Unmodified Carbon Paste Electrode and Square Wave Anodic Stripping Voltammetry. Electroanalysis, 2023, 35, .   | 2.9              | 2                  |
| 2  | A novel chloride selective potentiometric sensor based on graphitic carbon nitride/silver chloride (g-C3N4/AgCl) composite as the sensing element. Talanta, 2022, 237, 122895.   | 5.5              | 9                  |
| 3  | Preparation and characterization of a high performance radiowave shielding material using fillers comprised of Pb(Mg1/3Nb2/3)O3–PbTiO3 (PMN-PT) (65/35), Z Fe O15+4 (0 < (x,y) < 1) and ECM based on a polyamide matrix. Journal of Physics and Chemistry of Solids, 2022, 161, 110439.  | 4.0              | 2                  |
| 4  | Ultra selective and high-capacity dummy template molecular imprinted polymer to control quorum sensing and biofilm formation of Pseudomonas aeruginosa. Analytica Chimica Acta, 2022, 1199, 339574.  | 5.4              | 10                 |
| 5  | One-step hydrothermal synthesis of carbon nano onions anchored on graphene sheets for potential use in electrochemical energy storage. Journal of Materials Science: Materials in Electronics, 2022, 33, 7444-7462.  | 2.2              | 3                  |
| 6  | Improving the optoelectronic efficiency of novel meta-azo dye-sensitized TiO2 semiconductor for DSSCs. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 247, 119143.   | 3.9              | 17                 |
| 7  | Preparation of a New Copper/Mercuryâ€Based Amalgam Electrode with Minimal Mercury Content and Its Application for the Determination of Azathioprine in Biological Fluids. ChemistrySelect, 2021, 6, 4791-4796.   | 1.5              | 1                  |
| 8  | A novel non-enzymatic sensor for prostate cancer biomarker sensing based on electrocatalytic oxidation of sarcosine at nanostructured NiMn2O4 impregnated carbon paste electrode. Analytica Chimica Acta, 2021, 1186, 339121.  | 5.4              | 7                  |
| 9  | Design and manufacture of efficient microwave protector nanocomposite based on La1.8Sr0.2NiO4, M Fe O15x+4 (0 $\hat{a}$ © $\frac{1}{2}$ x, y $\hat{a}$ © $\frac{1}{2}$ 1) and electric conductive materials fillers. Journal of Alloys and Compounds, 2021, 878, 160367.   | , 5.5            | 2                  |
| 10 | Y-shape structured azo dyes with self-transforming feature to zwitterionic form as sensitizer for DSSC and DFT investigation of their photophysical and charge transfer properties. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021, 261, 120062.  | 3.9              | 6                  |
| 11 | sulfate-doped î±- <mml:math altimg="si1.svg" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi mathvariant="bold">F</mml:mi><mml:msub><mml:mrow><mml:mi mathvariant="bold">e</mml:mi></mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow></mml:msub><n< td=""><td>4.0<br/>mml:msub:</td><td>14<br/>&gt; &lt; mml:mrov</td></n<></mml:mrow></mml:math> | 4.0<br>mml:msub: | 14<br>> < mml:mrov |
| 12 | Determination of pK a values for (E)â€2â€hydroxyâ€5â€(aryldiazenyl) benzaldehydes in dimethyl sulfoxide:<br>Cyclic voltammetry and density functional theory calculations. Journal of the Chinese Chemical<br>Society, 2020, 67, 41-45.  | /mml:mrov        | w>                 |
| 13 | Fabrication of the Enzymeâ€less Voltammetric Bilirubin Sensor Based on Solâ€gel Imprinted Polymer.<br>Electroanalysis, 2020, 32, 479-488.  | 2.9              | 12                 |
| 14 | An enzyme-free sensing platform based on molecularly imprinted polymer/MWCNT composite for sub-micromolar-level determination of pyruvic acid as a cancer biomarker. Analytical and Bioanalytical Chemistry, 2020, 412, 657-667.   | 3.7              | 25                 |
| 15 | Application of $\hat{l}$ 4-TLC for speciation of inorganic arsenic by laser ablation inductively coupled plasma mass spectrometry. Microchemical Journal, 2020, 159, 105443.   | 4.5              | 9                  |
| 16 | A new bio-compatible Cd <sup>2+</sup> -selective nanostructured fluorescent imprinted polymer for cadmium ion sensing in aqueous media and its application in bio imaging in Vero cells. RSC Advances, 2020, 10, 4110-4117.  | 3.6              | 11                 |
| 17 | $\hat{l}$ /4-Thin-layer chromatography coupled with laser ablation-inductively coupled plasma-mass spectrometry using tin(II)-imprinted polymer nanoparticles as a stationary phase for speciation of tin. Mikrochimica Acta, 2020, 187, 298.  | 5.0              | 7                  |
| 18 | A high performance potentiometric sensor for lactic acid determination based on molecularly imprinted polymer/MWCNTs/PVC nanocomposite film covered carbon rod electrode. Talanta, 2019, 192, 103-111.   | 5.5              | 42                 |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 19 | A carbon nanotubes/graphite paste electrode impregnated with stavudine-imprinted polymer as a stavudine selective sensor. Ionics, 2019, 25, 6071-6081.  | 2.4 | 7         |
| 20 | Highly selective extraction and voltammetric determination of the opioid drug buprenorphine via a carbon paste electrode impregnated with nano-sized molecularly imprinted polymer. Mikrochimica Acta, 2019, 186, 654.  | 5.0 | 12        |
| 21 | An innovative application of graphitic carbon nitride (g-C3N4) nano-sheets as silver ion carrier in a solid state potentiometric sensor. Materials Chemistry and Physics, 2019, 227, 176-183.   | 4.0 | 32        |
| 22 | A selective chemiresistive sensor for the cancer-related volatile organic compound hexanal by using molecularly imprinted polymers and multiwalled carbon nanotubes. Mikrochimica Acta, 2019, 186, 137.   | 5.0 | 44        |
| 23 | Molecularly Imprinted Polymer Materials as Selective Recognition Sorbents for Explosives: A Review. Polymers, 2019, 11, 888.  | 4.5 | 19        |
| 24 | Graphitic carbon nitride (g-C <sub>3</sub> N <sub>4</sub> )/graphite nanocomposite as an extraordinarily sensitive sensor for sub-micromolar detection of oxalic acid in biological samples. RSC Advances, 2019, 9, 13096-13103.  | 3.6 | 40        |
| 25 | Graphite/Ag/AgCl nanocomposite as a new and highly efficient electrocatalyst for selective electroxidation of oxalic acid and its assay in real samples. Materials Science and Engineering C, 2019, 100, 826-836.   | 7.3 | 15        |
| 26 | Thermal Decomposition of Ammonium Perchlorate in the Presence of Cobalt Hydroxyl@Nano-Porous Polyaniline. Journal of Inorganic and Organometallic Polymers and Materials, 2019, 29, 1716-1727.  | 3.7 | 3         |
| 27 | Ultra-trace detection of methamphetamine in biological samples using FFT-square wave voltammetry and nano-sized imprinted polymer/MWCNTs -modified electrode. Talanta, 2019, 200, 115-123.  | 5.5 | 60        |
| 28 | Multi-walled carbon nanotube/barbituric acid-based dye/TiO2 nanocomposite as a photoanode in dye-sensitized solar cell: activation of the dye with MWCNTs. Journal of Materials Science: Materials in Electronics, 2019, 30, 7981-7991.                                   | 2.2 | 2         |
| 29 | A Nanostructured Microfluidic Artificial Olfaction for Organic Vapors Recognition. Scientific Reports, 2019, 9, 19051.  | 3.3 | 19        |
| 30 | Voltammetric determination of venlafaxine as an antidepressant drug employing Gd2O3 nanoparticles graphite screen printed electrode. Journal of Rare Earths, 2019, 37, 322-328.   | 4.8 | 18        |
| 31 | Colorimetric sensing of cyanide ion by pyromellitic diimides synthesized in one step from commercially available reactants. Journal of Photochemistry and Photobiology A: Chemistry, 2019, 371, 17-24.  | 3.9 | 5         |
| 32 | Molecularly imprinted polymer nano-sphere/multi-walled carbon nanotube coated glassy carbon electrode as an ultra-sensitive voltammetric sensor for picomolar level determination of RDX. Talanta, 2019, 194, 415-421.  | 5.5 | 45        |
| 33 | Graphitic carbon nitride (g-C3N4/Fe3O4/BiOI)-carbon composite electrode as a highly sensitive and selective citric acid sensor: Three-component nanocomposite as a definitive factor for selectivity in catalysis. Sensors and Actuators B: Chemical, 2019, 279, 245-254. | 7.8 | 30        |
| 34 | Application of Advanced Electrochemical Methods with Nanomaterial-based Electrodes as Powerful Tools for Trace Analysis of Drugs and Toxic Compounds. Current Analytical Chemistry, 2019, 15, 143-151.  | 1.2 | 10        |
| 35 | A ferrocene/imprinted polymer nanomaterial-modified carbon paste electrode as a new generation of gate effect-based voltammetric sensor. New Journal of Chemistry, 2018, 42, 4719-4727.   | 2.8 | 20        |
| 36 | Nanopowder synthesis of novel Sn(II)-imprinted poly(dimethyl vinylphosphonate) by ultrasound-assisted technique: Adsorption and pre-concentration of Sn(II) from aqueous media and real samples. Ultrasonics Sonochemistry, 2018, 44, 129-136.                            | 8.2 | 14        |

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 37 | Electrocatalytic oxidation of salicylic acid at a carbon paste electrode impregnated with cerium-doped zirconium oxide nanoparticles as a new sensing approach for salicylic acid determination. Journal of Solid State Electrochemistry, 2018, 22, 2039-2048.                                    | 2.5          | 20        |
| 38 | Synthesis of hydrogen phosphate anion-imprinted polymer via emulsion polymerization and its use as the recognition element of graphene/graphite paste potentiometric electrode. Materials Chemistry and Physics, 2018, 209, 180-187.  | 4.0          | 22        |
| 39 | An innovative method for synthesis of imprinted polymer nanomaterial holding thiamine (vitamin B1) selective sites and its application for thiamine determination in food samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1084, 166-174. | 2.3          | 19        |
| 40 | A new carbon paste electrode modified with MWCNTs and nano-structured molecularly imprinted polymer for ultratrace determination of trimipramine: The crucial effect of electrode components mixing on its performance. Biosensors and Bioelectronics, 2018, 111, 27-33.                          | 10.1         | 40        |
| 41 | Synthesis of nanoâ€sized hydrogen phosphateâ€imprinted polymer in acetonitrile/water mixture and its use as a recognition element of hydrogen phosphate selective allâ€solid state potentiometric electrode. Journal of Molecular Recognition, 2018, 31, e2678.                                   | 2.1          | 12        |
| 42 | Determination of subnanomolar levels of mercury (II) by using a graphite paste electrode modified with MWCNTs and Hg(II)-imprinted polymer nanoparticles. Mikrochimica Acta, 2018, 185, 16.   | 5.0          | 36        |
| 43 | Hydrothermal growth of magnesium ferrite rose nanoflowers on Nickel foam; application in high-performance asymmetric supercapacitors. Journal of Materials Science: Materials in Electronics, 2018, 29, 650-657.  | 2.2          | 29        |
| 44 | Synthesis of Nanoâ€Porous Polyaniline and Investigation its Catalytic Effect on the Thermal Decomposition of Ammonium Perchlorate. ChemistrySelect, 2018, 3, 11103-11109.   | 1.5          | 6         |
| 45 | Photochromic and Electrochromic Diimide Synthesized Simply from Inexpensive Compounds: A Multidisciplinary Experiment for Undergraduate Students. Journal of Chemical Education, 2018, 95, 1642-1647.   | 2.3          | 7         |
| 46 | Ytterbium tungstate nanoparticles as a novel sorbent for basic dyes from aqueous solutions. Research on Chemical Intermediates, 2018, 44, 6945-6962.  | 2.7          | 9         |
| 47 | Development of a highly selective and sensitive electrochemical sensor for Bi3+ determination based on nano-structured bismuth-imprinted polymer modified carbon/carbon nanotube paste electrode. Sensors and Actuators B: Chemical, 2017, 245, 605-614.  | 7.8          | 52        |
| 48 | A tryptophan assay based on the glassy carbon electrode modified with a nano-sized tryptophan-imprinted polymer and multi-walled carbon nanotubes. New Journal of Chemistry, 2017, 41, 4493-4502.   | 2.8          | 31        |
| 49 | Indirect voltammetric determination of nicotinic acid by using a graphite paste electrode modified with reduced graphene oxide and a molecularly imprinted polymer. Mikrochimica Acta, 2017, 184, 2687-2695.  | 5.0          | 20        |
| 50 | Trace level and highly selective determination of urea in various real samples based upon voltammetric analysis of diacetylmonoxime-urea reaction product on the carbon nanotube/carbon paste electrode. Analytica Chimica Acta, 2017, 974, 54-62.  | 5 <b>.</b> 4 | 28        |
| 51 | Synthesis of nano-sized timolol-imprinted polymer via ultrasonication assisted suspension polymerization in silicon oil and its use for the fabrication of timolol voltammetric sensor. Materials Science and Engineering C, 2017, 77, 300-307.   | 7.3          | 28        |
| 52 | A new electrochemical sensing platform for Cr(III) determination based on nano-structured Cr(III)-imprinted polymer-modified carbon composite electrode. Electrochimica Acta, 2017, 247, 812-819.   | 5.2          | 24        |
| 53 | An extraordinarily sensitive voltammetric sensor with picomolar detection limit for Pb 2+ determination based on carbon paste electrode impregnated with nano-sized imprinted polymer and multi-walled carbon nanotubes. Journal of Environmental Chemical Engineering, 2017, 5, 4327-4336.       | 6.7          | 34        |
| 54 | All-solid-state Cr(III)-selective potentiometric sensor based on Cr(III)-imprinted polymer nanomaterial/MWCNTs/carbon nanocomposite electrode. International Journal of Environmental Analytical Chemistry, 2017, 97, 1283-1297.  | 3.3          | 14        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Dual photo-electrochromic diimides derived from aliphatic aminothiols and π-electron deficient aromatic dianhydrides. Dyes and Pigments, 2017, 146, 203-209.  | 3.7  | 9         |
| 56 | Development of a New Method Based on Chiral Ligand-Exchange Chromatography for the Enantioseparation of Propranolol. Iranian Journal of Pharmaceutical Research, 2017, 16, 1037-1047.   | 0.5  | 1         |
| 57 | Reduced graphene oxide-based gas sensor array for pattern recognition of DMMP vapor. Sensors and Actuators B: Chemical, 2016, 234, 361-370.   | 7.8  | 55        |
| 58 | A Ca <sup>2+</sup> selective membrane electrode based on calcium-imprinted polymeric nanoparticles. New Journal of Chemistry, 2016, 40, 8479-8487.  | 2.8  | 25        |
| 59 | Managing of gas sensing characteristic of a reduced graphene oxide based gas sensor by the change in synthesis condition: A new approach for electronic nose design. Materials Chemistry and Physics, 2016, 183, 181-190.   | 4.0  | 14        |
| 60 | A new hydrogen cyanide chemiresistor gas sensor based on graphene quantum dots. International Journal of Environmental Analytical Chemistry, 2016, 96, 763-775.   | 3.3  | 16        |
| 61 | Voltammetric determination of ultratrace levels of cerium(III) using a carbon paste electrode modified with nano-sized cerium-imprinted polymer and multiwalled carbon nanotubes. Mikrochimica Acta, 2016, 183, 1123-1130.  | 5.0  | 74        |
| 62 | Chiral resolution of salbutamol in plasma sample by a new chiral ligand-exchange chromatography method after its extraction with nano-sized imprinted polymer. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2016, 1009-1010, 96-106. | 2.3  | 14        |
| 63 | Graphene/graphite paste electrode incorporated with molecularly imprinted polymer nanoparticles as a novel sensor for differential pulse voltammetry determination of fluoxetine. Biosensors and Bioelectronics, 2016, 81, 198-206.   | 10.1 | 84        |
| 64 | Synthesis of nano-sized stereoselective imprinted polymer by copolymerization of (S)-2-(acrylamido) propanoic acid and ethylene glycol dimethacrylate in the presence of racemic propranolol and copper ion. Materials Science and Engineering C, 2016, 63, 247-255.              | 7.3  | 15        |
| 65 | Synthesis of nano-sized cyanide ion-imprinted polymer via non-covalent approach and its use for the fabrication of a CNâ^-selective carbon nanotube impregnated carbon paste electrode. Talanta, 2016, 147, 90-97.  | 5.5  | 39        |
| 66 | A new humidity sensor based upon graphene quantum dots prepared via carbonization of citric acid. Sensors and Actuators B: Chemical, 2016, 222, 728-734.  | 7.8  | 77        |
| 67 | A new strategy for low temperature gas sensing by nano-sized metal oxides: Development a new nerve agent simulant sensor. Materials Chemistry and Physics, 2015, 168, 180-186.  | 4.0  | 12        |
| 68 | Synthesis of nanosized sulfate-modified $\hat{l}$ ±-Fe2O3 and its use for the fabrication of all-solid-state carbon paste pH sensor. Journal of Solid State Electrochemistry, 2015, 19, 1053-1062.  | 2.5  | 22        |
| 69 | An outstandingly sensitive enzyme-free glucose sensor prepared by co-deposition of nano-sized cupric oxide and multi-walled carbon nanotubes on glassy carbon electrode. Biochemical Engineering Journal, 2015, 97, 81-91.  | 3.6  | 20        |
| 70 | Competitive extraction of Gd(III) into a carbon paste electrode impregnated with a nano-sized Gd(III)-imprinted polymer as a new method for its indirect voltammetric determination. Mikrochimica Acta, 2015, 182, 1205-1212.   | 5.0  | 11        |
| 71 | Thiourea-treated graphene aerogel as a highly selective gas sensor for sensing of trace level of ammonia. Analytica Chimica Acta, 2015, 897, 87-95.   | 5.4  | 35        |
| 72 | Improvement of durability and analytical characteristics of arsenic-imprinted polymer-based PVC membrane electrode via surface modification of nano-sized imprinted polymer particles: part 2. Electrochimica Acta, 2015, 178, 877-885.   | 5.2  | 14        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | A Nafion-free non-enzymatic amperometric glucose sensor based on copper oxide nanoparticles–graphene nanocomposite. Sensors and Actuators B: Chemical, 2014, 198, 438-447.   | 7.8  | 112       |
| 74 | Synthesis of a nanoâ€sized chiral imprinted polymer and its use as an (S)â€atenolol carrier in the bulk liquid membrane. Journal of Separation Science, 2014, 37, 1887-1895.   | 2.5  | 14        |
| 75 | Synthesis of nano-sized arsenic-imprinted polymer and its use as As3+ selective ionophore in a potentiometric membrane electrode: Part 1. Analytica Chimica Acta, 2014, 843, 7-17.   | 5.4  | 38        |
| 76 | Graphene/graphite/molecularly imprinted polymer nanocomposite as the highly selective gas sensor for nitrobenzene vapor recognition. Journal of Environmental Chemical Engineering, 2014, 2, 1514-1526.  | 6.7  | 32        |
| 77 | Preparation of magnetic TNT-imprinted polymer nanoparticles and their accumulation onto magnetic carbon paste electrode for TNT determination. Biosensors and Bioelectronics, 2014, 61, 532-540.   | 10.1 | 55        |
| 78 | A capacitive biosensor for ultra-trace level urea determination based on nano-sized urea-imprinted polymer receptors coated on graphite electrode surface. Biosensors and Bioelectronics, 2013, 43, 321-327.   | 10.1 | 45        |
| 79 | Highly-selective determination of carcinogenic derivative of propranolol by using a carbon paste electrode incorporated with nano-sized propranolol-imprinted polymer. Electrochimica Acta, 2013, 111, 663-673.  | 5.2  | 27        |
| 80 | Graphene/poly(methyl methacrylate) chemiresistor sensor for formaldehyde odor sensing. Journal of Hazardous Materials, 2013, 248-249, 401-406.   | 12.4 | 65        |
| 81 | Synthesis of Cu2+-mediated nano-sized salbutamol-imprinted polymer and its use for indirect recognition of ultra-trace levels of salbutamol. Analytica Chimica Acta, 2013, 769, 100-107.   | 5.4  | 34        |
| 82 | Enantioseparation of atenolol using chiral ligand-exchange chromatography on C8 column. Separation and Purification Technology, 2013, 118, 879-887.  | 7.9  | 11        |
| 83 | Synthesis of nano-sized Eu3+-imprinted polymer and its application for indirect voltammetric determination of europium. Talanta, 2013, 106, 431-439.   | 5.5  | 50        |
| 84 | A new chemiresistor sensor based on a blend of carbon nanotube, nano-sized molecularly imprinted polymer and poly methyl methacrylate for the selective and sensitive determination of ethanol vapor. Sensors and Actuators B: Chemical, 2013, 176, 28-37. | 7.8  | 53        |
| 85 | Toluene chemiresistor sensor based on nano-porous toluene-imprinted polymer. International Journal of Environmental Analytical Chemistry, 2013, 93, 919-934.   | 3.3  | 17        |
| 86 | Application of electrochemical impedance spectroscopy and conventional rebinding experiments for the investigation of recognition characteristic of bulky and nano-sized imprinted polymers. Materials Chemistry and Physics, 2012, 135, 1012-1023.        | 4.0  | 17        |
| 87 | Molecularly imprinted nanoparticles-based electrochemical sensor for determination of ultratrace parathion in real samples. International Journal of Environmental Analytical Chemistry, 2012, 92, 1742-1760.  | 3.3  | 10        |
| 88 | Selective determination of chloramphenicol at trace level in milk samples by the electrode modified with molecularly imprinted polymer. Food Chemistry, 2012, 130, 1108-1114.  | 8.2  | 127       |
| 89 | Evaluation of the facilitated transport capabilities of nano- and micro-sized molecularly imprinted polymers (MIPs) in a bulk liquid membrane system. Separation and Purification Technology, 2012, 90, 83-91.   | 7.9  | 25        |
| 90 | An imprinted polymer for removal of Cd2+ from water samples: Optimization of adsorption and recovery steps by experimental design. Chinese Journal of Polymer Science (English Edition), 2011, 29, 658-669.  | 3.8  | 18        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Preparation of nano-sized Pb2+ imprinted polymer and its application as the chemical interface of an electrochemical sensor for toxic lead determination in different real samples. Journal of Hazardous Materials, 2011, 190, 451-459.                      | 12.4 | 77        |
| 92  | Application of an Hg2+ selective imprinted polymer as a new modifying agent for the preparation of a novel highly selective and sensitive electrochemical sensor for the determination of ultratrace mercury ions. Analytica Chimica Acta, 2011, 689, 52-59. | 5.4  | 90        |
| 93  | A carbon paste electrode impregnated with Cd2+ imprinted polymer as a new and high selective electrochemical sensor for determination of ultra-trace Cd2+ in water samples. Journal of Electroanalytical Chemistry, 2011, 657, 98-106.                       | 3.8  | 58        |
| 94  | A novel potentiometric sensor for promethazine based on a molecularly imprinted polymer (MIP): The role of MIP structure on the sensor performance. Electrochimica Acta, 2010, 55, 3477-3485.  | 5.2  | 65        |
| 95  | Promethazine determination in plasma samples by using carbon paste electrode modified with molecularly imprinted polymer (MIP): Coupling of extraction, preconcentration and electrochemical determination. Electrochimica Acta, 2010, 55, 5867-5873.        | 5.2  | 63        |
| 96  | Development of a voltammetric sensor based on a molecularly imprinted polymer (MIP) for caffeine measurement. Electrochimica Acta, 2010, 55, 1568-1574.  | 5.2  | 132       |
| 97  | Comparison of different methodologies for integration of molecularly imprinted polymer and electrochemical transducer in order to develop a paraoxon voltammetric sensor. Thin Solid Films, 2010, 518, 6099-6106.  | 1.8  | 31        |
| 98  | Chemiresistor sensors array optimization by using the method of coupled statistical techniques and its application as an electronic nose for some organic vapors recognition. Sensors and Actuators B: Chemical, 2010, 143, 740-749.                         | 7.8  | 40        |
| 99  | Preparation of molecularly imprinted polymer containing selective cavities for urea molecule and its application for urea extraction. Analytica Chimica Acta, 2010, 669, 94-101.   | 5.4  | 48        |
| 100 | A new molecularly imprinted polymer (MIP)-based electrochemical sensor for monitoring 2,4,6-trinitrotoluene (TNT) in natural waters and soil samples. Biosensors and Bioelectronics, 2010, 25, 1166-1172.  | 10.1 | 221       |
| 101 | High Selective Parathion Voltammetric Sensor Development by Using an Acrylic Based Molecularly Imprinted Polymerâ€Carbon Paste Electrode. Electroanalysis, 2009, 21, 1490-1498.  | 2.9  | 43        |
| 102 | Multivariate optimization of molecularly imprinted polymer solid-phase extraction applied to parathion determination in different water samples. Analytica Chimica Acta, 2009, 638, 154-161.   | 5.4  | 44        |
| 103 | A novel high selective and sensitive para-nitrophenol voltammetric sensor, based on a molecularly imprinted polymer–carbon paste electrode. Talanta, 2009, 79, 1197-1203.  | 5.5  | 142       |
| 104 | Development of a molecularly imprinted polymer for pyridoxine using an ion-pair as template. Analytica Chimica Acta, 2008, 623, 101-108.   | 5.4  | 62        |
| 105 | Development of fast Fourier transformation continuous cyclic voltammetry as a highly sensitive detection system for ultra trace monitoring of penicillin V. Analytical Biochemistry, 2007, 360, 175-181.   | 2.4  | 29        |
| 106 | Fabrication of a highly selective and sensitive Gd(III)-PVC membrane sensor based on N-(2-pyridyl)-N′-(4-nitrophenyl)thiourea. Sensors and Actuators B: Chemical, 2007, 120, 487-493.  | 7.8  | 38        |
| 107 | Fast Fourier Continuous Cyclic Voltammetry at Gold Ultramicroelectrode in Flowing Solution for Determination of Ultra Trace Amounts of Penicillin G. Electroanalysis, 2006, 18, 947-954.   | 2.9  | 86        |
| 108 | Molecularly Imprinted Conductive Polymers. ACS Symposium Series, 0, , 255-286.   | 0.5  | 0         |