

Qing Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/868442/publications.pdf>

Version: 2024-02-01

170
papers

19,681
citations

23500

58
h-index

11030

137
g-index

171
all docs

171
docs citations

171
times ranked

24553
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Edge Raman enhancement at layered Pbl ₂ platelets induced by laser waveguide effect. Nanotechnology, 2022, 33, 035203. | 1.3 | 2 |
| 2 | Software-defect prediction within and across projects based on improved self-organizing data mining. Journal of Supercomputing, 2022, 78, 6147-6173. | 2.4 | 3 |
| 3 | Spontaneous formation and spatial self-organization of mechanically induced mesenchymal-like cells within geometrically confined cancer cell monolayers. Biomaterials, 2022, 281, 121337. | 5.7 | 6 |
| 4 | Additive-Assisted Growth of Scaled and Quality 2D Materials. Small, 2022, 18, e2107241. | 5.2 | 11 |
| 5 | Vapor-Phase Living Assembly of ĩ-Conjugated Organic Semiconductors. ACS Nano, 2022, 16, 3290-3299. | 7.3 | 12 |
| 6 | Strong Piezoelectricity in 3R-MoS ₂ Flakes. Advanced Electronic Materials, 2022, 8, . | 2.6 | 20 |
| 7 | Controllable Synthesis of Atomically Thin 1T-SnSe ₂ Flakes and Its Linear Second Harmonic Generation with Layer Thickness. Advanced Materials Interfaces, 2022, 9, . | 1.9 | 3 |
| 8 | Mechanical transmission enables EMT cancer cells to drive epithelial cancer cell migration to guide tumor spheroid disaggregation. Science China Life Sciences, 2022, 65, 2031-2049. | 2.3 | 13 |
| 9 | Pattern-Selective Molecular Epitaxial Growth of Single-Crystalline Perovskite Arrays toward Ultrasensitive and Ultrafast Photodetector. Nano Letters, 2022, 22, 2948-2955. | 4.5 | 8 |
| 10 | Room-temperature Near-infrared Excitonic Lasing from Mechanically Exfoliated InSe Microflake. ACS Nano, 2022, 16, 1477-1485. | 7.3 | 11 |
| 11 | Ultrafast Antisolvent Growth of Single-Crystalline CsPbCl ₃ Microcavity for Low-Threshold Room Temperature Blue Lasing. ACS Applied Materials & Interfaces, 2022, 14, 21356-21362. | 4.0 | 6 |
| 12 | Energy Consumption Analysis of High-Speed Trains under Real Vehicle Test Conditions. Journal of Advanced Transportation, 2022, 2022, 1-13. | 0.9 | 1 |
| 13 | Engineering Near-Infrared Light Emission in Mechanically Exfoliated InSe Platelets through Hydrostatic Pressure for Multicolor Microlasing. Nano Letters, 2022, 22, 3840-3847. | 4.5 | 11 |
| 14 | All Optical Switching through Anisotropic Gain of CsPbBr ₃ Single Crystal Microplatelet. Nano Letters, 2022, 22, 4049-4057. | 4.5 | 29 |
| 15 | Atomic structure and electrical/ionic activity of antiphase boundary in CH ₃ NH ₃ PbI ₃ . Acta Materialia, 2022, 234, 118010. | 3.8 | 6 |
| 16 | Influence of intrinsic or extrinsic doping on charge state of carbon and its interaction with hydrogen in GaN. Applied Physics Letters, 2022, 120, . | 1.5 | 2 |
| 17 | Ultrafast Internal Exciton Dissociation through Edge States in MoS ₂ Nanosheets with Diffusion Blocking. Nano Letters, 2022, 22, 5651-5658. | 4.5 | 16 |
| 18 | High-Temperature Dry Sliding Wear Behavior of Al-12Si-CuNiMg Alloy and its Al ₂ O ₃ Fiber-Reinforced Composite. Metals and Materials International, 2021, 27, 3641-3651. | 1.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Strong exciton-photon interaction and lasing of two-dimensional transition metal dichalcogenide semiconductors. <i>Nano Research</i> , 2021, 14, 1937-1954. | 5.8 | 36 |
| 20 | A novel software defect prediction approach using modified objective cluster analysis. <i>Concurrency Computation Practice and Experience</i> , 2021, 33, e6112. | 1.4 | 2 |
| 21 | Solvent regulation synthesis of single-component white emission carbon quantum dots for white light-emitting diodes. <i>Nanotechnology Reviews</i> , 2021, 10, 465-477. | 2.6 | 23 |
| 22 | Strain-Modulated Photoelectric Responses from a Flexible $\text{In}_2\text{Se}_3/\text{3R MoS}_2$ Heterojunction. <i>Nano-Micro Letters</i> , 2021, 13, 74. | 14.4 | 31 |
| 23 | High Optical Gain of Solution-Processed Mixed-Cation CsPbBr_3 Thin Films towards Enhanced Amplified Spontaneous Emission. <i>Advanced Functional Materials</i> , 2021, 31, 2102210. | 7.8 | 35 |
| 24 | Zone-Folded Longitudinal Acoustic Phonons Driving Self-Trapped State Emission in Colloidal CdSe Nanoplatelet Superlattices. <i>Nano Letters</i> , 2021, 21, 4137-4144. | 4.5 | 22 |
| 25 | Millimeter-scale growth of highly ordered CsPbBr_3 single-crystalline microplatelets on SiO_2/Si substrate by chemical vapor deposition. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 334004. | 1.3 | 4 |
| 26 | Perovskite semiconductors for room-temperature exciton-polaritonics. <i>Nature Materials</i> , 2021, 20, 1315-1324. | 13.3 | 109 |
| 27 | Solvent Recrystallization-Enabled Green Amplified Spontaneous Emissions with an Ultra-Low Threshold from Pinhole-Free Perovskite Films. <i>Advanced Functional Materials</i> , 2021, 31, 2106108. | 7.8 | 31 |
| 28 | Atomic-scale imaging of $\text{CH}_3\text{NH}_3\text{PbI}_3$ structure and its decomposition pathway. <i>Nature Communications</i> , 2021, 12, 5516. | 5.8 | 36 |
| 29 | Interface nano-optics with van der Waals polaritons. <i>Nature</i> , 2021, 597, 187-195. | 13.7 | 143 |
| 30 | Halide Perovskite Semiconductor Lasers: Materials, Cavity Design, and Low Threshold. <i>Nano Letters</i> , 2021, 21, 1903-1914. | 4.5 | 220 |
| 31 | Inch-Scale Ball-in-Bowl Plasmonic Nanostructure Arrays for Polarization-Independent Second-Harmonic Generation. <i>ACS Nano</i> , 2021, 15, 1291-1300. | 7.3 | 19 |
| 32 | Analysis of multiple failure behaviors of steering knuckle ball hinge of multi-axle heavy vehicle. <i>Advances in Mechanical Engineering</i> , 2021, 13, 168781402110522. | 0.8 | 1 |
| 33 | Hyperbranched Microwire Networks of Organic Cocrystals with Optical Waveguiding and Light-Harvesting Abilities. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 27046-27052. | 7.2 | 17 |
| 34 | Full-color enhanced second harmonic generation using rainbow trapping in ultrathin hyperbolic metamaterials. <i>Nature Communications</i> , 2021, 12, 6425. | 5.8 | 58 |
| 35 | Enhanced Optical Absorption and Slowed Light of Reduced-Dimensional CsPbBr_3 Nanowire Crystal by Exciton-Polariton. <i>Nano Letters</i> , 2020, 20, 1023-1032. | 4.5 | 55 |
| 36 | Atomically Dispersed Co^{2+} on CdS Nanorods with Electron-Rich Feature Boosts Photocatalysis. <i>Advanced Materials</i> , 2020, 32, e1904249. | 11.1 | 105 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Trapped Excitonâ€Polariton Condensate by Spatial Confinement in a Perovskite Microcavity. ACS Photonics, 2020, 7, 327-337. | 3.2 | 36 |
| 38 | Controlled Growth and Thicknessâ€Dependent Conductionâ€Type Transition of 2D Ferrimagnetic Cr₂S₃ Semiconductors. Advanced Materials, 2020, 32, e1905896. | 11.1 | 114 |
| 39 | Perovskite quantum dot lasers. InformaÄnÄ-MateriÄly, 2020, 2, 170-183. | 8.5 | 97 |
| 40 | Direct evidence of hydrogen interaction with carbon: Câ€H complex in semi-insulating GaN. Applied Physics Letters, 2020, 116, . | 1.5 | 12 |
| 41 | Large-Scale Thin CsPbBr₃ Single-Crystal Film Grown on Sapphire <i>via</i> Chemical Vapor Deposition: Toward Laser Array Application. ACS Nano, 2020, 14, 15605-15615. | 7.3 | 112 |
| 42 | Role of the Excitonâ€Polariton in a Continuous-Wave Optically Pumped CsPbBr₃ Perovskite Laser. Nano Letters, 2020, 20, 6636-6643. | 4.5 | 145 |
| 43 | Graphoepitaxy of Large Scale, Highly Ordered CsPbBr₃ Nanowire Array on Muscovite Mica (001) Driven by Surface Reconstructed Grooves. Advanced Optical Materials, 2020, 8, 2000743. | 3.6 | 15 |
| 44 | Enhanced Trion Emission and Carrier Dynamics in Monolayer WS₂ Coupled with Plasmonic Nanocavity. Advanced Optical Materials, 2020, 8, 2001147. | 3.6 | 36 |
| 45 | Plasmonic Nanolasers in On-Chip Light Sources: Prospects and Challenges. ACS Nano, 2020, 14, 14375-14390. | 7.3 | 52 |
| 46 | Edge-oriented and steerable hyperbolic polaritons in anisotropic van der Waals nanocavities. Nature Communications, 2020, 11, 6086. | 5.8 | 67 |
| 47 | Topological polaritons and photonic magic angles in twisted Î±-MoO₃ bilayers. Nature, 2020, 582, 209-213. | 13.7 | 413 |
| 48 | Advanced optical gain materials keep on giving. Science China Materials, 2020, 63, 1345-1347. | 3.5 | 4 |
| 49 | Cyclic stress-assisted surface diffusion and stress concentration of machined surface topography. Engineering Fracture Mechanics, 2020, 234, 107087. | 2.0 | 2 |
| 50 | Salt-assisted growth and ultrafast photocarrier dynamics of large-sized monolayer ReSe₂. Nano Research, 2020, 13, 667-675. | 5.8 | 19 |
| 51 | Inner-Stress-Optimized High-Density Fe₃O₄ Dots Embedded in Graphitic Carbon Layers with Enhanced Lithium Storage. ACS Applied Materials & Interfaces, 2020, 12, 15043-15052. | 4.0 | 20 |
| 52 | Analysis of factors affecting traction energy consumption of electric multiple unit trains based on data mining. Journal of Cleaner Production, 2020, 262, 121374. | 4.6 | 14 |
| 53 | Golden hour for perovskite photonics. Photonics Research, 2020, 8, PP1. | 3.4 | 15 |
| 54 | Lasing from Mechanically Exfoliated 2D Homologous Ruddlesdenâ€Popper Perovskite Engineered by Inorganic Layer Thickness. Advanced Materials, 2019, 31, e1903030. | 11.1 | 128 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Vapor-Phase Incommensurate Heteroepitaxy of Oriented Single-Crystal CsPbBr ₃ on GaN: Toward Integrated Optoelectronic Applications. ACS Nano, 2019, 13, 10085-10094. | 7.3 | 59 |
| 56 | Differences in Dry Sliding Wear Behavior between Al ₂ Si ₂ CuNiMg Alloy and Its Composite Reinforced with Al ₂ O ₃ Fibers. Materials, 2019, 12, 1749. | 1.3 | 7 |
| 57 | High quality two-photon pumped whispering-gallery-mode lasing from ultrathin CdS microflakes. Journal of Materials Chemistry C, 2019, 7, 12869-12875. | 2.7 | 8 |
| 58 | Room temperature continuous-wave excited biexciton emission in perovskite nanoplatelets via plasmonic nonlinear fano resonance. Communications Physics, 2019, 2, . | 2.0 | 36 |
| 59 | High-Quality Hexagonal Nonlayered CdS Nanoplatelets for Low-Threshold Whispering-Gallery-Mode Lasing. Small, 2019, 15, e1901364. | 5.2 | 24 |
| 60 | Probing Far-Infrared Surface Phonon Polaritons in Semiconductor Nanostructures at Nanoscale. Nano Letters, 2019, 19, 5070-5076. | 4.5 | 16 |
| 61 | Exciton-polaritons in semiconductors. Journal of Semiconductors, 2019, 40, 090401. | 2.0 | 5 |
| 62 | Semiconductor nanowire plasmonic lasers. Nanophotonics, 2019, 8, 2091-2110. | 2.9 | 40 |
| 63 | Twisted-Angle-Dependent Optical Behaviors of Intralayer Excitons and Trions in WS ₂ /WSe ₂ Heterostructure. ACS Photonics, 2019, 6, 3082-3091. | 3.2 | 41 |
| 64 | Anisotropic Growth and Scanning Tunneling Microscopy Identification of Ultrathin Even-Layered PdSe ₂ Ribbons. Small, 2019, 15, e1902789. | 5.2 | 50 |
| 65 | Scalable Production of Two-Dimensional Metallic Transition Metal Dichalcogenide Nanosheet Powders Using NaCl Templates toward Electrocatalytic Applications. Journal of the American Chemical Society, 2019, 141, 18694-18703. | 6.6 | 56 |
| 66 | Unveiling lasing mechanism in CsPbBr ₃ microsphere cavities. Nanoscale, 2019, 11, 3145-3153. | 2.8 | 71 |
| 67 | Surface-Plasmon-Assisted Metal Halide Perovskite Small Lasers. Advanced Optical Materials, 2019, 7, 1900279. | 3.6 | 35 |
| 68 | Continuous-Wave Pumped Perovskite Lasers. Advanced Optical Materials, 2019, 7, 1900544. | 3.6 | 42 |
| 69 | Efficient Quantum Dot Light-Emitting Diodes Based on Trioctylphosphine Oxide-Passivated Organometallic Halide Perovskites. ACS Omega, 2019, 4, 9150-9159. | 1.6 | 26 |
| 70 | Photoluminescence properties of ultrathin CsPbCl ₃ nanowires on mica substrate. Journal of Semiconductors, 2019, 40, 052201. | 2.0 | 16 |
| 71 | Charge-Transfer-Induced Photoluminescence Properties of WSe ₂ Monolayer-Bilayer Homojunction. ACS Applied Materials & Interfaces, 2019, 11, 20566-20573. | 4.0 | 15 |
| 72 | Analysis of photoluminescence behavior of high-quality single-layer MoS ₂ . Nano Research, 2019, 12, 1619-1624. | 5.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Temperature-dependent photoluminescence and lasing properties of CsPbBr ₃ nanowires. Applied Physics Letters, 2019, 114, . | 1.5 | 59 |
| 74 | Boosting the electrocatalytic activity of amorphous molybdenum sulfide nanoflakes <i>via</i> nickel sulfide decoration. Nanoscale, 2019, 11, 22971-22979. | 2.8 | 19 |
| 75 | Intercalation-Mediated Synthesis and Interfacial Coupling Effect Exploration of Unconventional Graphene/PtSe ₂ Vertical Heterostructures. ACS Applied Materials & Interfaces, 2019, 11, 48221-48229. | 4.0 | 7 |
| 76 | Lasing from reduced dimensional perovskite microplatelets: Fabry-Pérot or whispering-gallery-mode?. Journal of Chemical Physics, 2019, 151, 211101. | 1.2 | 12 |
| 77 | Epitaxial Growth of Two-Dimensional Metal-Semiconductor Transition-Metal Dichalcogenide Vertical Stacks (VSe ₂ /MX ₂) and Their Band Alignments. ACS Nano, 2019, 13, 885-893. | 7.3 | 102 |
| 78 | Recent Progress of Strong Exciton-Photon Coupling in Lead Halide Perovskites. Advanced Materials, 2019, 31, e1804894. | 11.1 | 60 |
| 79 | Nanowire-Based Lasers. Nanostructure Science and Technology, 2019, , 367-393. | 0.1 | 1 |
| 80 | Space-confined growth of monolayer ReSe ₂ under a graphene layer on Au foils. Nano Research, 2019, 12, 149-157. | 5.8 | 22 |
| 81 | Vertical 1T-TaS ₂ Synthesis on Nanoporous Gold for High-Performance Electrocatalytic Applications. Advanced Materials, 2018, 30, e1705916. | 11.1 | 75 |
| 82 | Batch production of 6-inch uniform monolayer molybdenum disulfide catalyzed by sodium in glass. Nature Communications, 2018, 9, 979. | 5.8 | 338 |
| 83 | Temperature-dependent Raman spectroscopy studies of the interface coupling effect of monolayer ReSe ₂ single crystals on Au foils. Nanotechnology, 2018, 29, 204003. | 1.3 | 16 |
| 84 | Two-In-One Method for Graphene Transfer: Simplified Fabrication Process for Organic Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2018, 10, 7289-7295. | 4.0 | 29 |
| 85 | Unraveling the Growth of Hierarchical Quasi-2D/3D Perovskite and Carrier Dynamics. Journal of Physical Chemistry Letters, 2018, 9, 1124-1132. | 2.1 | 52 |
| 86 | Strong Exciton-Photon Coupling in Hybrid Inorganic-Organic Perovskite Micro/Nanowires. Advanced Optical Materials, 2018, 6, 1701032. | 3.6 | 114 |
| 87 | Fabry-Pérot Oscillation and Room Temperature Lasing in Perovskite Cube-Corner Pyramid Cavities. Small, 2018, 14, 1703136. | 5.2 | 61 |
| 88 | Surface Plasmon Enhanced Strong Exciton-Photon Coupling in Hybrid Inorganic-Organic Perovskite Nanowires. Nano Letters, 2018, 18, 3335-3343. | 4.5 | 133 |
| 89 | High phase-purity 1T-MoS ₂ - and 1T-MoSe ₂ -layered crystals. Nature Chemistry, 2018, 10, 638-643. | 6.6 | 757 |
| 90 | Direct synthesis and in situ characterization of monolayer parallelogrammic rhenium diselenide on gold foil. Communications Chemistry, 2018, 1, . | 2.0 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Ultrafast Charge Transfer in Perovskite Nanowire/2D Transition Metal Dichalcogenide Heterostructures. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 1655-1662. | 2.1 | 75 |
| 92 | Strong Exciton-Photon Coupling and Lasing Behavior in All-Inorganic CsPbBr ₃ Micro/Nanowire Fabry-Pérot Cavity. <i>ACS Photonics</i> , 2018, 5, 2051-2059. | 3.2 | 145 |
| 93 | Research progress of low-dimensional metal halide perovskites for lasing applications. <i>Chinese Physics B</i> , 2018, 27, 114209. | 0.7 | 10 |
| 94 | Unambiguous Identification of Carbon Location on the N Site in Semi-insulating GaN. <i>Physical Review Letters</i> , 2018, 121, 145505. | 2.9 | 45 |
| 95 | Identifying the Non-Identical Outermost Selenium Atoms and Invariable Band Gaps across the Grain Boundary of Anisotropic Rhenium Diselenide. <i>ACS Nano</i> , 2018, 12, 10095-10103. | 7.3 | 25 |
| 96 | Chemical Vapor Deposition Grown Wafer-Scale 2D Tantalum Diselenide with Robust Charge-Density-Wave Order. <i>Advanced Materials</i> , 2018, 30, e1804616. | 11.1 | 63 |
| 97 | All-Inorganic CsPbBr ₃ Nanowire Based Plasmonic Lasers. <i>Advanced Optical Materials</i> , 2018, 6, 1800674. | 3.6 | 107 |
| 98 | Low Threshold Fabry-Pérot Mode Lasing from Lead Iodide Trapezoidal Nanoplatelets. <i>Small</i> , 2018, 14, e1801938. | 5.2 | 17 |
| 99 | High-Temperature Continuous-Wave Pumped Lasing from Large-Area Monolayer Semiconductors Grown by Chemical Vapor Deposition. <i>ACS Nano</i> , 2018, 12, 9390-9396. | 7.3 | 44 |
| 100 | The Auger process in multilayer WSe ₂ crystals. <i>Nanoscale</i> , 2018, 10, 17585-17592. | 2.8 | 20 |
| 101 | Ultrathin CsPbX ₃ Nanowire Arrays with Strong Emission Anisotropy. <i>Advanced Materials</i> , 2018, 30, e1801805. | 11.1 | 135 |
| 102 | Chemical Reduction of Intrinsic Defects in Thicker Heterojunction Planar Perovskite Solar Cells. <i>Advanced Materials</i> , 2017, 29, 1606774. | 11.1 | 318 |
| 103 | Thermal conductivity of suspended single crystal CH ₃ NH ₃ PbI ₃ platelets at room temperature. <i>Nanoscale</i> , 2017, 9, 8281-8287. | 2.8 | 20 |
| 104 | 3R MoS ₂ with Broken Inversion Symmetry: A Promising Ultrathin Nonlinear Optical Device. <i>Advanced Materials</i> , 2017, 29, 1701486. | 11.1 | 197 |
| 105 | Direct Chemical Vapor Deposition Growth and Band-Gap Characterization of MoS ₂ /h-BN van der Waals Heterostructures on Au Foils. <i>ACS Nano</i> , 2017, 11, 4328-4336. | 7.3 | 87 |
| 106 | Metal halide perovskite nanomaterials: synthesis and applications. <i>Chemical Science</i> , 2017, 8, 2522-2536. | 3.7 | 233 |
| 107 | Surface State Mediated Interlayer Excitons in a 2D Nonlayered-Layered Semiconductor Heterojunction. <i>Advanced Electronic Materials</i> , 2017, 3, 1700373. | 2.6 | 15 |
| 108 | Wavelength Tunable Plasmonic Lasers Based on Intrinsic Self-Absorption of Gain Material. <i>ACS Photonics</i> , 2017, 4, 2789-2796. | 3.2 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Two-dimensional metallic tantalum disulfide as a hydrogen evolution catalyst. Nature Communications, 2017, 8, 958. | 5.8 | 191 |
| 110 | Unveiling Structurally Engineered Carrier Dynamics in Hybrid Quasi-Two-Dimensional Perovskite Thin Films toward Controllable Emission. Journal of Physical Chemistry Letters, 2017, 8, 4431-4438. | 2.1 | 147 |
| 111 | Tuning Excitonic Properties of Monolayer MoS ₂ with Microsphere Cavity by High-Throughput Chemical Vapor Deposition Method. Small, 2017, 13, 1701694. | 5.2 | 35 |
| 112 | Advances in Small Perovskite-Based Lasers. Small Methods, 2017, 1, 1700163. | 4.6 | 268 |
| 113 | Controlled Gas Molecules Doping of Monolayer MoS ₂ via Atomic-Layer-Deposited Al ₂ O ₃ Films. ACS Applied Materials & Interfaces, 2017, 9, 27402-27408. | 4.0 | 23 |
| 114 | Phonon-Assisted Anti-Stokes Lasing in ZnTe Nanoribbons. Advanced Materials, 2016, 28, 276-283. | 11.1 | 41 |
| 115 | Resolved-sideband Raman cooling of an optical phonon in semiconductor materials. Nature Photonics, 2016, 10, 600-605. | 15.6 | 42 |
| 116 | Monitoring of Changes in Composition of Soybean Oil During Deep-Fat Frying with Different Food Types. JAOCS, Journal of the American Oil Chemists' Society, 2016, 93, 69-81. | 0.8 | 19 |
| 117 | Raman spectroscopy of atomically thin two-dimensional magnetic iron phosphorus trisulfide (FePS ₃). Tj ETQq1 1 0.784314 rgBT /Overl 2.0 299 | 2.0 | 299 |
| 118 | Solution-processed highly bright and durable cesium lead halide perovskite light-emitting diodes. Nanoscale, 2016, 8, 18021-18026. | 2.8 | 160 |
| 119 | High-Quality Whispering-Gallery-Mode Lasing from Cesium Lead Halide Perovskite Nanoplatelets. Advanced Functional Materials, 2016, 26, 6238-6245. | 7.8 | 529 |
| 120 | High-Efficiency Light-Emitting Diodes of Organometal Halide Perovskite Amorphous Nanoparticles. ACS Nano, 2016, 10, 6623-6630. | 7.3 | 347 |
| 121 | Motion and Constraint Analysis Based on Screw Theory. , 2015, , . | | 0 |
| 122 | Vapor Phase Synthesis of Organometal Halide Perovskite Nanowires for Tunable Room-Temperature Nanolasers. Nano Letters, 2015, 15, 4571-4577. | 4.5 | 405 |
| 123 | Whispering Gallery Mode Lasing from Hexagonal Shaped Layered Lead Iodide Crystals. ACS Nano, 2015, 9, 687-695. | 7.3 | 118 |
| 124 | Cooperative Enhancement of Second-Harmonic Generation from a Single CdS Nanobelt-Hybrid Plasmonic Structure. ACS Nano, 2015, 9, 5018-5026. | 7.3 | 43 |
| 125 | Near-infrared active metamaterials and their applications in tunable surface-enhanced Raman scattering. Optics Express, 2014, 22, 2989. | 1.7 | 19 |
| 126 | Direct measurement of coherent phonon dynamics in solution-processed stibnite thin films. Physical Review B, 2014, 90, . | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Stepped isothermal fatigue analysis of engine piston. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2014, 37, 417-426. | 1.7 | 7 |
| 128 | Monitoring of thermal behavior and decomposition products of soybean oil. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 115, 19-29. | 2.0 | 26 |
| 129 | Sub-100-nm Sized Silver Split Ring Resonator Metamaterials with Fundamental Magnetic Resonance in the Middle Visible Spectrum. <i>Advanced Optical Materials</i> , 2014, 2, 280-285. | 3.6 | 25 |
| 130 | Quantum dots on vertically aligned gold nanorod monolayer: plasmon enhanced fluorescence. <i>Nanoscale</i> , 2014, 6, 5592-5598. | 2.8 | 53 |
| 131 | Synthesis of Organic-Inorganic Lead Halide Perovskite Nanoplatelets: Towards High-Performance Perovskite Solar Cells and Optoelectronic Devices. <i>Advanced Optical Materials</i> , 2014, 2, 838-844. | 3.6 | 363 |
| 132 | Transparent free-standing metamaterials and their applications in surface-enhanced Raman scattering. <i>Nanoscale</i> , 2014, 6, 132-139. | 2.8 | 48 |
| 133 | Elucidating the Localized Plasmonic Enhancement Effects from a Single Ag Nanowire in Organic Solar Cells. <i>ACS Nano</i> , 2014, 8, 10101-10110. | 7.3 | 33 |
| 134 | Solar Cells: Synthesis of Organic-Inorganic Lead Halide Perovskite Nanoplatelets: Towards High-Performance Perovskite Solar Cells and Optoelectronic Devices (<i>Advanced Optical Materials</i>) | 3.6 | 363 |
| 135 | Taming excitons in II-VI semiconductor nanowires and nanobelts. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 394009. | 1.3 | 6 |
| 136 | A room temperature low-threshold ultraviolet plasmonic nanolaser. <i>Nature Communications</i> , 2014, 5, 4953. | 5.8 | 278 |
| 137 | Room-Temperature Near-Infrared High-Q Perovskite Whispering-Gallery Planar Nanolasers. <i>Nano Letters</i> , 2014, 14, 5995-6001. | 4.5 | 702 |
| 138 | Excitonics of semiconductor quantum dots and wires for lighting and displays. <i>Laser and Photonics Reviews</i> , 2014, 8, 73-93. | 4.4 | 67 |
| 139 | Manipulating Nonlinear Emission and Cooperative Effect of CdSe/ZnS Quantum Dots by Coupling to a Silver Nanorod Complex Cavity. <i>Scientific Reports</i> , 2014, 4, 4839. | 1.6 | 13 |
| 140 | Discrimination of Edible Vegetable Oil Adulteration with Used Frying Oil by Low Field Nuclear Magnetic Resonance. <i>Food and Bioprocess Technology</i> , 2013, 6, 2562-2570. | 2.6 | 81 |
| 141 | In situ Raman spectroscopy of topological insulator Bi ₂ Te ₃ films with varying thickness. <i>Nano Research</i> , 2013, 6, 688-692. | 5.8 | 72 |
| 142 | Wavelength Tunable Single Nanowire Lasers Based on Surface Plasmon Polariton Enhanced Burstein-Moss Effect. <i>Nano Letters</i> , 2013, 13, 5336-5343. | 4.5 | 145 |
| 143 | Solution phase van der Waals epitaxy of ZnO wire arrays. <i>Nanoscale</i> , 2013, 5, 7242. | 2.8 | 27 |
| 144 | Microstructure evolution of Al ₁₂ Si ₄ CuNiMg alloy under high temperature low cycle fatigue. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 574, 186-190. | 2.6 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Recent developments and future directions in the growth of nanostructures by van der Waals epitaxy. <i>Nanoscale</i> , 2013, 5, 3570. | 2.8 | 144 |
| 146 | Tailoring the Lasing Modes in Semiconductor Nanowire Cavities Using Intrinsic Self-Absorption. <i>Nano Letters</i> , 2013, 13, 1080-1085. | 4.5 | 133 |
| 147 | The Growth of Ultralong ZnTe Micro/Nanostructures: The Influence of Polarity and Twin Direction on the Morphogenesis of Nanobelts and Nanosheets. <i>Crystal Growth and Design</i> , 2013, 13, 2590-2596. | 1.4 | 18 |
| 148 | Observation of Selective Plasmon-Exciton Coupling in Nonradiative Energy Transfer: Donor-Selective versus Acceptor-Selective Plexcitons. <i>Nano Letters</i> , 2013, 13, 3065-3072. | 4.5 | 77 |
| 149 | Vertically Aligned Gold Nanorod Monolayer on Arbitrary Substrates: Self-Assembly and Femtomolar Detection of Food Contaminants. <i>ACS Nano</i> , 2013, 7, 5993-6000. | 7.3 | 218 |
| 150 | Size-Dependent Exciton Recombination Dynamics in Single CdS Nanowires beyond the Quantum Confinement Regime. <i>Journal of Physical Chemistry C</i> , 2013, 117, 10716-10722. | 1.5 | 52 |
| 151 | Effect of Fatigue Behavior on Microstructural Features in a Cast Al-12Si-CuNiMg Alloy Under High Cycle Fatigue Loading. <i>Journal of Materials Engineering and Performance</i> , 2013, 22, 3834-3839. | 1.2 | 6 |
| 152 | Deep subwavelength fourfold rotationally symmetric split-ring-resonator metamaterials for highly sensitive and robust biosensing platform. <i>Scientific Reports</i> , 2013, 3, 2437. | 1.6 | 38 |
| 153 | A model for predicting the creep-fatigue life under stepped-isothermal fatigue loading. <i>International Journal of Fatigue</i> , 2013, 55, 1-6. | 2.8 | 11 |
| 154 | Multiple Magnetic Mode-Based Fano Resonance in Split-Ring Resonator/Disk Nanocavities. <i>ACS Nano</i> , 2013, 7, 11071-11078. | 7.3 | 97 |
| 155 | High-temperature low-cycle fatigue behaviour of a cast Al-12Si-CuNiMg alloy. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2013, 36, 623-630. | 1.7 | 25 |
| 156 | Highly Enhanced Exciton Recombination Rate by Strong Electron-Phonon Coupling in Single ZnTe Nanobelt. <i>Nano Letters</i> , 2012, 12, 6420-6427. | 4.5 | 43 |
| 157 | Chemical alterations taken place during deep-fat frying based on certain reaction products: A review. <i>Chemistry and Physics of Lipids</i> , 2012, 165, 662-681. | 1.5 | 267 |
| 158 | Epitaxial In_2S_3 Tripod Nanocrystals: A Generalization of van der Waals Epitaxy for Nonplanar Polytypic Nanoarchitectures. <i>ACS Nano</i> , 2012, 6, 2281-2288. | 7.3 | 52 |
| 159 | Effect of High Hydrostatic Pressure on Physicochemical and Structural Properties of Rice Starch. <i>Food and Bioprocess Technology</i> , 2012, 5, 2233-2241. | 2.6 | 141 |
| 160 | Single-Layer MoS_2 Phototransistors. <i>ACS Nano</i> , 2012, 6, 74-80. | 7.3 | 3,103 |
| 161 | Fluorophore-Doped Core-Multishell Spherical Plasmonic Nanocavities: Resonant Energy Transfer toward a Loss Compensation. <i>ACS Nano</i> , 2012, 6, 6250-6259. | 7.3 | 71 |
| 162 | Electric-Field-Dependent Photoconductivity in CdS Nanowires and Nanobelts: Exciton Ionization, Franz-Keldysh, and Stark Effects. <i>Nano Letters</i> , 2012, 12, 2993-2999. | 4.5 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | From Bulk to Monolayer MoS ₂ : Evolution of Raman Scattering. <i>Advanced Functional Materials</i> , 2012, 22, 1385-1390. | 7.8 | 3,354 |
| 164 | Composition-tunable Vertically Aligned CdS _x Se _{1-x} Nanowire Arrays via van der Waals Epitaxy: Investigation of Optical Properties and Photocatalytic Behavior. <i>Advanced Materials</i> , 2012, 24, 4151-4156. | 11.1 | 69 |
| 165 | Authentication of edible vegetable oils adulterated with used frying oil by Fourier Transform Infrared Spectroscopy. <i>Food Chemistry</i> , 2012, 132, 1607-1613. | 4.2 | 132 |
| 166 | Modulating Resonance Modes and <i>Q</i> Value of a CdS Nanowire Cavity by Single Ag Nanoparticles. <i>Nano Letters</i> , 2011, 11, 4270-4274. | 4.5 | 33 |
| 167 | Tuning Gold Nanorod-Nanoparticle Hybrids into Plasmonic Fano Resonance for Dramatically Enhanced Light Emission and Transmission. <i>Nano Letters</i> , 2011, 11, 49-55. | 4.5 | 104 |
| 168 | Effects of potassium alum addition on physicochemical, pasting, thermal and gel texture properties of potato starch. <i>International Journal of Food Science and Technology</i> , 2011, 46, 1621-1627. | 1.3 | 18 |
| 169 | Flexible Visible-Infrared Metamaterials and Their Applications in Highly Sensitive Chemical and Biological Sensing. <i>Nano Letters</i> , 2011, 11, 3232-3238. | 4.5 | 215 |
| 170 | Scattering focusing and localized surface plasmons in a single Ag nanoring. <i>Applied Physics Letters</i> , 2010, 97, . | 1.5 | 17 |