## Qing Zhang

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/868442/publications.pdf

Version: 2024-02-01

170 papers 19,681 citations

23567 58 h-index 137 g-index

171 all docs

171 docs citations

times ranked

171

24553 citing authors

#	Article	IF	Citations
1	Edge Raman enhancement at layered Pbl <sub>2</sub> platelets induced by laser waveguide effect. Nanotechnology, 2022, 33, 035203.	2.6	2
2	Software-defect prediction within and across projects based on improved self-organizing data mining. Journal of Supercomputing, 2022, 78, 6147-6173.	3 <b>.</b> 6	3
3	Spontaneous formation and spatial self-organization of mechanically induced mesenchymal-like cells within geometrically confined cancer cell monolayers. Biomaterials, 2022, 281, 121337.	11.4	6
4	Additiveâ€Assisted Growth of Scaled and Quality 2D Materials. Small, 2022, 18, e2107241.	10.0	11
5	Vapor-Phase Living Assembly of π-Conjugated Organic Semiconductors. ACS Nano, 2022, 16, 3290-3299.	14.6	12
6	Strong Piezoelectricity in 3Râ€MoS <sub>2</sub> Flakes. Advanced Electronic Materials, 2022, 8, .	5.1	20
7	Controllable Synthesis of Atomically Thin 1Tâ€SnSe <sub>2</sub> Flakes and Its Linear Second Harmonic Generation with Layer Thickness. Advanced Materials Interfaces, 2022, 9, .	3.7	3
8	Mechanical transmission enables EMT cancer cells to drive epithelial cancer cell migration to guide tumor spheroid disaggregation. Science China Life Sciences, 2022, 65, 2031-2049.	4.9	13
9	Pattern-Selective Molecular Epitaxial Growth of Single-Crystalline Perovskite Arrays toward Ultrasensitive and Ultrafast Photodetector. Nano Letters, 2022, 22, 2948-2955.	9.1	8
10	Room-temperature Near-infrared Excitonic Lasing from Mechanically Exfoliated InSe Microflake. ACS Nano, 2022, 16, 1477-1485.	14.6	11
11	Ultrafast Antisolvent Growth of Single-Crystalline CsPbCl <sub>3</sub> Microcavity for Low-Threshold Room Temperature Blue Lasing. ACS Applied Materials & Samp; Interfaces, 2022, 14, 21356-21362.	8.0	6
12	Energy Consumption Analysis of High-Speed Trains under Real Vehicle Test Conditions. Journal of Advanced Transportation, 2022, 2022, 1-13.	1.7	1
13	Engineering Near-Infrared Light Emission in Mechanically Exfoliated InSe Platelets through Hydrostatic Pressure for Multicolor Microlasing. Nano Letters, 2022, 22, 3840-3847.	9.1	11
14	All Optical Switching through Anistropic Gain of CsPbBr <sub>3</sub> Single Crystal Microplatelet. Nano Letters, 2022, 22, 4049-4057.	9.1	29
15	Atomic structure and electrical/ionic activity of antiphase boundary in CH3NH3PbI3. Acta Materialia, 2022, 234, 118010.	7.9	6
16	Influence of intrinsic or extrinsic doping on charge state of carbon and its interaction with hydrogen in GaN. Applied Physics Letters, 2022, 120, .	3.3	2
17	Ultrafast Internal Exciton Dissociation through Edge States in MoS <sub>2</sub> Nanosheets with Diffusion Blocking. Nano Letters, 2022, 22, 5651-5658.	9.1	16
18	High-Temperature Dry Sliding Wear Behavior of Al–12Si–CuNiMg Alloy and its Al2O3 Fiber-Reinforced Composite. Metals and Materials International, 2021, 27, 3641-3651.	3.4	4

#	Article	IF	Citations
19	Strong exciton-photon interaction and lasing of two-dimensional transition metal dichalcogenide semiconductors. Nano Research, 2021, 14, 1937-1954.	10.4	36
20	A novel software defect prediction approach using modified objective cluster analysis. Concurrency Computation Practice and Experience, 2021, 33, e6112.	2.2	2
21	Solvent regulation synthesis of single-component white emission carbon quantum dots for white light-emitting diodes. Nanotechnology Reviews, 2021, 10, 465-477.	5.8	23
22	Strain-Modulated Photoelectric Responses from a Flexible $\hat{l}_{\pm}$ -In2Se3/3R MoS2 Heterojunction. Nano-Micro Letters, 2021, 13, 74.	27.0	31
23	High Optical Gain of Solutionâ€Processed Mixedâ€Cation CsPbBr <sub>3</sub> Thin Films towards Enhanced Amplified Spontaneous Emission. Advanced Functional Materials, 2021, 31, 2102210.	14.9	35
24	Zone-Folded Longitudinal Acoustic Phonons Driving Self-Trapped State Emission in Colloidal CdSe Nanoplatelet Superlattices. Nano Letters, 2021, 21, 4137-4144.	9.1	22
25	Millimeter-scale growth of highly ordered CsPbBr <sub>3</sub> single-crystalline microplatelets on SiO <sub>2</sub> /Si substrate by chemical vapor deposition. Journal Physics D: Applied Physics, 2021, 54, 334004.	2.8	4
26	Perovskite semiconductors for room-temperature exciton-polaritonics. Nature Materials, 2021, 20, 1315-1324.	27.5	109
27	Solvent Recrystallizationâ€Enabled Green Amplified Spontaneous Emissions with an Ultra‣ow Threshold from Pinholeâ€Free Perovskite Films. Advanced Functional Materials, 2021, 31, 2106108.	14.9	31
28	Atomic-scale imaging of CH3NH3Pbl3 structure and its decomposition pathway. Nature Communications, 2021, 12, 5516.	12.8	36
29	Interface nano-optics with van der Waals polaritons. Nature, 2021, 597, 187-195.	27.8	143
30	Halide Perovskite Semiconductor Lasers: Materials, Cavity Design, and Low Threshold. Nano Letters, 2021, 21, 1903-1914.	9.1	220
31	Inch-Scale Ball-in-Bowl Plasmonic Nanostructure Arrays for Polarization-Independent Second-Harmonic Generation. ACS Nano, 2021, 15, 1291-1300.	14.6	19
32	Analysis of multiple failure behaviors of steering knuckle ball hinge of multi-axle heavy vehicle. Advances in Mechanical Engineering, 2021, 13, 168781402110522.	1.6	1
33	Hyperbranched Microwire Networks of Organic Cocrystals with Optical Waveguiding and Lightâ€Harvesting Abilities. Angewandte Chemie - International Edition, 2021, 60, 27046-27052.	13.8	17
34	Full-color enhanced second harmonic generation using rainbow trapping in ultrathin hyperbolic metamaterials. Nature Communications, 2021, 12, 6425.	12.8	58
35	Enhanced Optical Absorption and Slowed Light of Reduced-Dimensional CsPbBr <sub>3</sub> Nanowire Crystal by Exciton–Polariton. Nano Letters, 2020, 20, 1023-1032.	9.1	55
36	Atomically Dispersed Co–P <sub>3</sub> on CdS Nanorods with Electronâ€Rich Feature Boosts Photocatalysis. Advanced Materials, 2020, 32, e1904249.	21.0	105

#	Article	IF	Citations
37	Trapped Exciton–Polariton Condensate by Spatial Confinement in a Perovskite Microcavity. ACS Photonics, 2020, 7, 327-337.	6.6	36
38	Controlled Growth and Thicknessâ€Dependent Conductionâ€Type Transition of 2D Ferrimagnetic Cr <sub>2</sub> S <sub>3</sub> Semiconductors. Advanced Materials, 2020, 32, e1905896.	21.0	114
39	Perovskite quantum dot lasers. InformaÄnÃ-Materiály, 2020, 2, 170-183.	17.3	97
40	Direct evidence of hydrogen interaction with carbon: Câ $\in$ "H complex in semi-insulating GaN. Applied Physics Letters, 2020, 116, .	3.3	12
41	Large-Scale Thin CsPbBr <sub>3</sub> Single-Crystal Film Grown on Sapphire <i>via</i> Chemical Vapor Deposition: Toward Laser Array Application. ACS Nano, 2020, 14, 15605-15615.	14.6	112
42	Role of the Exciton–Polariton in a Continuous-Wave Optically Pumped CsPbBr <sub>3</sub> Perovskite Laser. Nano Letters, 2020, 20, 6636-6643.	9.1	145
43	Graphoepitaxy of Large Scale, Highly Ordered CsPbBr 3 Nanowire Array on Muscovite Mica (001) Driven by Surface Reconstructed Grooves. Advanced Optical Materials, 2020, 8, 2000743.	7.3	15
44	Enhanced Trion Emission and Carrier Dynamics in Monolayer WS <sub>2</sub> Coupled with Plasmonic Nanocavity. Advanced Optical Materials, 2020, 8, 2001147.	7.3	36
45	Plasmonic Nanolasers in On-Chip Light Sources: Prospects and Challenges. ACS Nano, 2020, 14, 14375-14390.	14.6	52
46	Edge-oriented and steerable hyperbolic polaritons in anisotropic van der Waals nanocavities. Nature Communications, 2020, 11, 6086.	12.8	67
47	Topological polaritons and photonic magic angles in twisted $\hat{l}_{\pm}$ -MoO3 bilayers. Nature, 2020, 582, 209-213.	27.8	413
48	Advanced optical gain materials keep on giving. Science China Materials, 2020, 63, 1345-1347.	6.3	4
49	Cyclic stress-assisted surface diffusion and stress concentration of machined surface topography. Engineering Fracture Mechanics, 2020, 234, 107087.	4.3	2
50	Salt-assisted growth and ultrafast photocarrier dynamics of large-sized monolayer ReSe2. Nano Research, 2020, 13, 667-675.	10.4	19
51	Inner-Stress-Optimized High-Density Fe <sub>3</sub> O <sub>4</sub> Dots Embedded in Graphitic Carbon Layers with Enhanced Lithium Storage. ACS Applied Materials & Samp; Interfaces, 2020, 12, 15043-15052.	8.0	20
52	Analysis of factors affecting traction energy consumption of electric multiple unit trains based on data mining. Journal of Cleaner Production, 2020, 262, 121374.	9.3	14
53	Golden hour for perovskite photonics. Photonics Research, 2020, 8, PP1.	7.0	15
54	Lasing from Mechanically Exfoliated 2D Homologous Ruddlesden–Popper Perovskite Engineered by Inorganic Layer Thickness. Advanced Materials, 2019, 31, e1903030.	21.0	128

#	Article	IF	Citations
55	Vapor-Phase Incommensurate Heteroepitaxy of Oriented Single-Crystal CsPbBr <sub>3</sub> on GaN: Toward Integrated Optoelectronic Applications. ACS Nano, 2019, 13, 10085-10094.	14.6	59
56	Differences in Dry Sliding Wear Behavior between Al–12Si–CuNiMg Alloy and Its Composite Reinforced with Al2O3 Fibers. Materials, 2019, 12, 1749.	2.9	7
57	High quality two-photon pumped whispering-gallery-mode lasing from ultrathin CdS microflakes. Journal of Materials Chemistry C, 2019, 7, 12869-12875.	<b>5.</b> 5	8
58	Room temperature continuous-wave excited biexciton emission in perovskite nanoplatelets via plasmonic nonlinear fano resonance. Communications Physics, 2019, 2, .	<b>5.</b> 3	36
59	Highâ€Quality Hexagonal Nonlayered CdS Nanoplatelets for Lowâ€Threshold Whisperingâ€Galleryâ€Mode Lasing. Small, 2019, 15, e1901364.	10.0	24
60	Probing Far-Infrared Surface Phonon Polaritons in Semiconductor Nanostructures at Nanoscale. Nano Letters, 2019, 19, 5070-5076.	9.1	16
61	Exciton–polaritons in semiconductors. Journal of Semiconductors, 2019, 40, 090401.	3.7	5
62	Semiconductor nanowire plasmonic lasers. Nanophotonics, 2019, 8, 2091-2110.	6.0	40
63	Twisted-Angle-Dependent Optical Behaviors of Intralayer Excitons and Trions in WS <sub>2</sub> /WSe <sub>2</sub> Heterostructure. ACS Photonics, 2019, 6, 3082-3091.	6.6	41
64	Anisotropic Growth and Scanning Tunneling Microscopy Identification of Ultrathin Even‣ayered PdSe <sub>2</sub> Ribbons. Small, 2019, 15, e1902789.	10.0	50
65	Scalable Production of Two-Dimensional Metallic Transition Metal Dichalcogenide Nanosheet Powders Using NaCl Templates toward Electrocatalytic Applications. Journal of the American Chemical Society, 2019, 141, 18694-18703.	13.7	56
66	Unveiling lasing mechanism in CsPbBr <sub>3</sub> microsphere cavities. Nanoscale, 2019, 11, 3145-3153.	5 <b>.</b> 6	71
67	Surfaceâ€Plasmonâ€Assisted Metal Halide Perovskite Small Lasers. Advanced Optical Materials, 2019, 7, 1900279.	7.3	35
68	Continuousâ€Wave Pumped Perovskite Lasers. Advanced Optical Materials, 2019, 7, 1900544.	7.3	42
69	Efficient Quantum Dot Light-Emitting Diodes Based on Trioctylphosphine Oxide-Passivated Organometallic Halide Perovskites. ACS Omega, 2019, 4, 9150-9159.	3.5	26
70	Photoluminescence properties of ultrathin CsPbCl3 nanowires on mica substrate. Journal of Semiconductors, 2019, 40, 052201.	3.7	16
71	Charge-Transfer-Induced Photoluminescence Properties of WSe <sub>2</sub> Monolayer–Bilayer Homojunction. ACS Applied Materials & Samp; Interfaces, 2019, 11, 20566-20573.	8.0	15
72	Analysis of photoluminescence behavior of high-quality single-layer MoS2. Nano Research, 2019, 12, 1619-1624.	10.4	30

#	Article	IF	CITATIONS
73	Temperature-dependent photoluminescence and lasing properties of CsPbBr3 nanowires. Applied Physics Letters, 2019, 114, .	3.3	59
74	Boosting the electrocatalytic activity of amorphous molybdenum sulfide nanoflakes <i>via</i> nickel sulfide decoration. Nanoscale, 2019, 11, 22971-22979.	5 <b>.</b> 6	19
75	Intercalation-Mediated Synthesis and Interfacial Coupling Effect Exploration of Unconventional Graphene/PtSe <sub>2</sub> Vertical Heterostructures. ACS Applied Materials & Samp; Interfaces, 2019, 11, 48221-48229.	8.0	7
76	Lasing from reduced dimensional perovskite microplatelets: Fabry-Pérot or whispering-gallery-mode?. Journal of Chemical Physics, 2019, 151, 211101.	3.0	12
77	Epitaxial Growth of Two-Dimensional Metal–Semiconductor Transition-Metal Dichalcogenide Vertical Stacks (VSe <sub>2</sub> /MX <sub>2</sub> ) and Their Band Alignments. ACS Nano, 2019, 13, 885-893.	14.6	102
78	Recent Progress of Strong Exciton–Photon Coupling in Lead Halide Perovskites. Advanced Materials, 2019, 31, e1804894.	21.0	60
79	Nanowire-Based Lasers. Nanostructure Science and Technology, 2019, , 367-393.	0.1	1
80	Space-confined growth of monolayer ReSe2 under a graphene layer on Au foils. Nano Research, 2019, 12, 149-157.	10.4	22
81	Vertical 1Tâ€TaS <sub>2</sub> Synthesis on Nanoporous Gold for Highâ€Performance Electrocatalytic Applications. Advanced Materials, 2018, 30, e1705916.	21.0	75
82	Batch production of 6-inch uniform monolayer molybdenum disulfide catalyzed by sodium in glass. Nature Communications, 2018, 9, 979.	12.8	338
83	Temperature-dependent Raman spectroscopy studies of the interface coupling effect of monolayer ReSe <sub>2</sub> single crystals on Au foils. Nanotechnology, 2018, 29, 204003.	2.6	16
84	Two-In-One Method for Graphene Transfer: Simplified Fabrication Process for Organic Light-Emitting Diodes. ACS Applied Materials & Samp; Interfaces, 2018, 10, 7289-7295.	8.0	29
85	Unraveling the Growth of Hierarchical Quasi-2D/3D Perovskite and Carrier Dynamics. Journal of Physical Chemistry Letters, 2018, 9, 1124-1132.	4.6	52
86	Strong Exciton–Photon Coupling in Hybrid Inorganic–Organic Perovskite Micro/Nanowires. Advanced Optical Materials, 2018, 6, 1701032.	7.3	114
87	Fabry–Pérot Oscillation and Room Temperature Lasing in Perovskite Cubeâ€Corner Pyramid Cavities. Small, 2018, 14, 1703136.	10.0	61
88	Surface Plasmon Enhanced Strong Exciton–Photon Coupling in Hybrid Inorganic–Organic Perovskite Nanowires. Nano Letters, 2018, 18, 3335-3343.	9.1	133
89	High phase-purity 1T′-MoS2- and 1T′-MoSe2-layered crystals. Nature Chemistry, 2018, 10, 638-643.	13.6	757
90	Direct synthesis and in situ characterization of monolayer parallelogrammic rhenium diselenide on gold foil. Communications Chemistry, 2018, $1$ , .	4.5	58

#	Article	IF	Citations
91	Ultrafast Charge Transfer in Perovskite Nanowire/2D Transition Metal Dichalcogenide Heterostructures. Journal of Physical Chemistry Letters, 2018, 9, 1655-1662.	4.6	75
92	Strong Exciton–Photon Coupling and Lasing Behavior in All-Inorganic CsPbBr <sub>3</sub> Micro/Nanowire Fabry-Pérot Cavity. ACS Photonics, 2018, 5, 2051-2059.	6.6	145
93	Research progress of low-dimensional metal halide perovskites for lasing applications. Chinese Physics B, 2018, 27, 114209.	1.4	10
94	Unambiguous Identification of Carbon Location on the N Site in Semi-insulating GaN. Physical Review Letters, 2018, 121, 145505.	7.8	45
95	Identifying the Non-Identical Outermost Selenium Atoms and Invariable Band Gaps across the Grain Boundary of Anisotropic Rhenium Diselenide. ACS Nano, 2018, 12, 10095-10103.	14.6	25
96	Chemical Vapor Deposition Grown Waferâ€Scale 2D Tantalum Diselenide with Robust Chargeâ€Densityâ€Wave Order. Advanced Materials, 2018, 30, e1804616.	21.0	63
97	Allâ€Inorganic CsPbBr <sub>3</sub> Nanowire Based Plasmonic Lasers. Advanced Optical Materials, 2018, 6, 1800674.	<b>7.</b> 3	107
98	Low Threshold Fabry–Pérot Mode Lasing from Lead Iodide Trapezoidal Nanoplatelets. Small, 2018, 14, e1801938.	10.0	17
99	High-Temperature Continuous-Wave Pumped Lasing from Large-Area Monolayer Semiconductors Grown by Chemical Vapor Deposition. ACS Nano, 2018, 12, 9390-9396.	14.6	44
100	The Auger process in multilayer WSe <sub>2</sub> crystals. Nanoscale, 2018, 10, 17585-17592.	5 <b>.</b> 6	20
101	Ultrathin CsPbX <sub>3</sub> Nanowire Arrays with Strong Emission Anisotropy. Advanced Materials, 2018, 30, e1801805.	21.0	135
102	Chemical Reduction of Intrinsic Defects in Thicker Heterojunction Planar Perovskite Solar Cells. Advanced Materials, 2017, 29, 1606774.	21.0	318
103	Thermal conductivity of suspended single crystal CH <sub>3</sub> NH <sub>3</sub> Pbl <sub>3</sub> platelets at room temperature. Nanoscale, 2017, 9, 8281-8287.	5 <b>.</b> 6	20
104	3R MoS <sub>2</sub> with Broken Inversion Symmetry: A Promising Ultrathin Nonlinear Optical Device. Advanced Materials, 2017, 29, 1701486.	21.0	197
105	Direct Chemical Vapor Deposition Growth and Band-Gap Characterization of MoS <sub>2</sub> / <i>h</i> -BN van der Waals Heterostructures on Au Foils. ACS Nano, 2017, 11, 4328-4336.	14.6	87
106	Metal halide perovskite nanomaterials: synthesis and applications. Chemical Science, 2017, 8, 2522-2536.	7.4	233
107	Surface State Mediated Interlayer Excitons in a 2D Nonlayered–Layered Semiconductor Heterojunction. Advanced Electronic Materials, 2017, 3, 1700373.	5.1	15
108	Wavelength Tunable Plasmonic Lasers Based on Intrinsic Self-Absorption of Gain Material. ACS Photonics, 2017, 4, 2789-2796.	6.6	30

#	Article	IF	Citations
109	Two-dimensional metallic tantalum disulfide as a hydrogen evolution catalyst. Nature Communications, 2017, 8, 958.	12.8	191
110	Unveiling Structurally Engineered Carrier Dynamics in Hybrid Quasi-Two-Dimensional Perovskite Thin Films toward Controllable Emission. Journal of Physical Chemistry Letters, 2017, 8, 4431-4438.	4.6	147
111	Tuning Excitonic Properties of Monolayer MoS <sub>2</sub> with Microsphere Cavity by High‶hroughput Chemical Vapor Deposition Method. Small, 2017, 13, 1701694.	10.0	35
112	Advances in Small Perovskiteâ€Based Lasers. Small Methods, 2017, 1, 1700163.	8.6	268
113	Controlled Gas Molecules Doping of Monolayer MoS <sub>2</sub> via Atomic-Layer-Deposited Al <sub>2</sub> O <sub>3</sub> Films. ACS Applied Materials & Deposited Al <sub>2</sub> O <sub>3</sub> Films. ACS Applied Materials & Deposited Al <sub>2</sub> Deposited Al <sub>3</sub> Films. ACS Applied Materials & Deposited Al <sub>3</sub> Films. ACS Applied Materials & Deposited Al <sub>4</sub>	8.0	23
114	Phononâ€Assisted Antiâ€Stokes Lasing in ZnTe Nanoribbons. Advanced Materials, 2016, 28, 276-283.	21.0	41
115	Resolved-sideband Raman cooling of an optical phonon in semiconductor materials. Nature Photonics, 2016, 10, 600-605.	31.4	42
116	Monitoring of Changes in Composition of Soybean Oil During Deepâ€Fat Frying with Different Food Types. JAOCS, Journal of the American Oil Chemists' Society, 2016, 93, 69-81.	1.9	19
117	Raman spectroscopy of atomically thin two-dimensional magnetic iron phosphorus trisulfide (FePS) Tj ETQq1 1 (	).784314 ı 4.4	gBT  Overloo
118	Solution-processed highly bright and durable cesium lead halide perovskite light-emitting diodes. Nanoscale, 2016, 8, 18021-18026.	5.6	160
119	Highâ€Quality Whisperingâ€Galleryâ€Mode Lasing from Cesium Lead Halide Perovskite Nanoplatelets. Advanced Functional Materials, 2016, 26, 6238-6245.	14.9	529
120	High-Efficiency Light-Emitting Diodes of Organometal Halide Perovskite Amorphous Nanoparticles. ACS Nano, 2016, 10, 6623-6630.	14.6	347
121	Motion and Constraint Analysis Based on Screw Theory. , 2015, , .		0
122	Vapor Phase Synthesis of Organometal Halide Perovskite Nanowires for Tunable Room-Temperature Nanolasers. Nano Letters, 2015, 15, 4571-4577.	9.1	405
123	Whispering Gallery Mode Lasing from Hexagonal Shaped Layered Lead Iodide Crystals. ACS Nano, 2015, 9, 687-695.	14.6	118
124	Cooperative Enhancement of Second-Harmonic Generation from a Single CdS Nanobelt-Hybrid Plasmonic Structure. ACS Nano, 2015, 9, 5018-5026.	14.6	43
125	Near-infrared active metamaterials and their applications in tunable surface-enhanced Raman scattering. Optics Express, 2014, 22, 2989.	3.4	19
126	Direct measurement of coherent phonon dynamics in solution-processed stibnite thin films. Physical Review B, 2014, 90, .	3.2	13

#	Article	IF	CITATIONS
127	Steppedâ€isothermal fatigue analysis of engine piston. Fatigue and Fracture of Engineering Materials and Structures, 2014, 37, 417-426.	3.4	7
128	Monitoring of thermal behavior and decomposition products of soybean oil. Journal of Thermal Analysis and Calorimetry, 2014, 115, 19-29.	3.6	26
129	Subâ€100â€nm Sized Silver Split Ring Resonator Metamaterials with Fundamental Magnetic Resonance in the Middle Visible Spectrum. Advanced Optical Materials, 2014, 2, 280-285.	7.3	25
130	Quantum dots on vertically aligned gold nanorod monolayer: plasmon enhanced fluorescence. Nanoscale, 2014, 6, 5592-5598.	5.6	53
131	Synthesis of Organic–Inorganic Lead Halide Perovskite Nanoplatelets: Towards Highâ€Performance Perovskite Solar Cells and Optoelectronic Devices. Advanced Optical Materials, 2014, 2, 838-844.	7.3	363
132	Transparent free-standing metamaterials and their applications in surface-enhanced Raman scattering. Nanoscale, 2014, 6, 132-139.	5.6	48
133	Elucidating the Localized Plasmonic Enhancement Effects from a Single Ag Nanowire in Organic Solar Cells. ACS Nano, 2014, 8, 10101-10110.	14.6	33
134	Solar Cells: Synthesis of Organic-Inorganic Lead Halide Perovskite Nanoplatelets: Towards High-Performance Perovskite Solar Cells and Optoelectronic Devices (Advanced Optical Materials) Tj ETQq0 0 0	rg <b>BT</b> 3∕Ove	rlo <b>c</b> k 10 Tf 50
135	Taming excitons in Il–VI semiconductor nanowires and nanobelts. Journal Physics D: Applied Physics, 2014, 47, 394009.	2.8	6
136	A room temperature low-threshold ultraviolet plasmonic nanolaser. Nature Communications, 2014, 5, 4953.	12.8	278
137	Room-Temperature Near-Infrared High-Q Perovskite Whispering-Gallery Planar Nanolasers. Nano Letters, 2014, 14, 5995-6001.	9.1	702
138	Excitonics of semiconductor quantum dots and wires for lighting and displays. Laser and Photonics Reviews, 2014, 8, 73-93.	8.7	67
139	Manipulating Nonlinear Emission and Cooperative Effect of CdSe/ZnS Quantum Dots by Coupling to a Silver Nanorod Complex Cavity. Scientific Reports, 2014, 4, 4839.	3.3	13
140	Discrimination of Edible Vegetable Oil Adulteration with Used Frying Oil by Low Field Nuclear Magnetic Resonance. Food and Bioprocess Technology, 2013, 6, 2562-2570.	4.7	81
141	In situ Raman spectroscopy of topological insulator Bi2Te3 films with varying thickness. Nano Research, 2013, 6, 688-692.	10.4	72
142	Wavelength Tunable Single Nanowire Lasers Based on Surface Plasmon Polariton Enhanced Bursteina€"Moss Effect. Nano Letters, 2013, 13, 5336-5343.	9.1	145
143	Solution phase van der Waals epitaxy of ZnO wire arrays. Nanoscale, 2013, 5, 7242.	<b>5.</b> 6	27
144	Microstructure evolution of Al–12Si–CuNiMg alloy under high temperature low cycle fatigue. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 574, 186-190.	5 <b>.</b> 6	43

#	Article	IF	Citations
145	Recent developments and future directions in the growth of nanostructures by van der Waals epitaxy. Nanoscale, 2013, 5, 3570.	5.6	144
146	Tailoring the Lasing Modes in Semiconductor Nanowire Cavities Using Intrinsic Self-Absorption. Nano Letters, 2013, 13, 1080-1085.	9.1	133
147	The Growth of Ultralong ZnTe Micro/Nanostructures: The Influence of Polarity and Twin Direction on the Morphogenesis of Nanobelts and Nanosheets. Crystal Growth and Design, 2013, 13, 2590-2596.	3.0	18
148	Observation of Selective Plasmon-Exciton Coupling in Nonradiative Energy Transfer: Donor-Selective versus Acceptor-Selective Plexcitons. Nano Letters, 2013, 13, 3065-3072.	9.1	77
149	Vertically Aligned Gold Nanorod Monolayer on Arbitrary Substrates: Self-Assembly and Femtomolar Detection of Food Contaminants. ACS Nano, 2013, 7, 5993-6000.	14.6	218
150	Size-Dependent Exciton Recombination Dynamics in Single CdS Nanowires beyond the Quantum Confinement Regime. Journal of Physical Chemistry C, 2013, 117, 10716-10722.	3.1	52
151	Effect of Fatigue Behavior on Microstructural Features in a Cast Al-12Si-CuNiMg Alloy Under High Cycle Fatigue Loading. Journal of Materials Engineering and Performance, 2013, 22, 3834-3839.	2.5	6
152	Deep subwavelength fourfold rotationally symmetric split-ring-resonator metamaterials for highly sensitive and robust biosensing platform. Scientific Reports, 2013, 3, 2437.	3.3	38
153	A model for predicting the creep-fatigue life under stepped-isothermal fatigue loading. International Journal of Fatigue, 2013, 55, 1-6.	5.7	11
154	Multiple Magnetic Mode-Based Fano Resonance in Split-Ring Resonator/Disk Nanocavities. ACS Nano, 2013, 7, 11071-11078.	14.6	97
155	Highâ€temperature lowâ€cycle fatigue behaviour of a cast Al–12Si–CuNiMg alloy. Fatigue and Fracture of Engineering Materials and Structures, 2013, 36, 623-630.	3.4	25
156	Highly Enhanced Exciton Recombination Rate by Strong Electron–Phonon Coupling in Single ZnTe Nanobelt. Nano Letters, 2012, 12, 6420-6427.	9.1	43
157	Chemical alterations taken place during deep-fat frying based on certain reaction products: A review. Chemistry and Physics of Lipids, 2012, 165, 662-681.	3.2	267
158	Epitaxial II–VI Tripod Nanocrystals: A Generalization of van der Waals Epitaxy for Nonplanar Polytypic Nanoarchitectures. ACS Nano, 2012, 6, 2281-2288.	14.6	52
159	Effect of High Hydrostatic Pressure on Physicochemical and Structural Properties of Rice Starch. Food and Bioprocess Technology, 2012, 5, 2233-2241.	4.7	141
160	Single-Layer MoS <sub>2</sub> Phototransistors. ACS Nano, 2012, 6, 74-80.	14.6	3,103
161	Fluorophore-Doped Core–Multishell Spherical Plasmonic Nanocavities: Resonant Energy Transfer toward a Loss Compensation. ACS Nano, 2012, 6, 6250-6259.	14.6	71
162	Electric-Field-Dependent Photoconductivity in CdS Nanowires and Nanobelts: Exciton Ionization, Franz–Keldysh, and Stark Effects. Nano Letters, 2012, 12, 2993-2999.	9.1	62

#	ARTICLE	IF	CITATIONS
163	From Bulk to Monolayer MoS <sub>2</sub> : Evolution of Raman Scattering. Advanced Functional Materials, 2012, 22, 1385-1390.	14.9	3,354
164	Compositionâ€Tunable Vertically Aligned CdS <sub><i>x</i></sub> Se <sub>1â€<i>x</i></sub> Nanowire Arrays via van der Waals Epitaxy: Investigation of Optical Properties and Photocatalytic Behavior. Advanced Materials, 2012, 24, 4151-4156.	21.0	69
165	Authentication of edible vegetable oils adulterated with used frying oil by Fourier Transform Infrared Spectroscopy. Food Chemistry, 2012, 132, 1607-1613.	8.2	132
166	Modulating Resonance Modes and $\langle i \rangle Q \langle  i \rangle$ Value of a CdS Nanowire Cavity by Single Ag Nanoparticles. Nano Letters, 2011, 11, 4270-4274.	9.1	33
167	Tuning Gold Nanorod-Nanoparticle Hybrids into Plasmonic Fano Resonance for Dramatically Enhanced Light Emission and Transmission. Nano Letters, 2011, 11, 49-55.	9.1	104
168	Effects of potassium alum addition on physicochemical, pasting, thermal and gel texture properties of potato starch. International Journal of Food Science and Technology, 2011, 46, 1621-1627.	2.7	18
169	Flexible Visible–Infrared Metamaterials and Their Applications in Highly Sensitive Chemical and Biological Sensing. Nano Letters, 2011, 11, 3232-3238.	9.1	215
170	Scattering focusing and localized surface plasmons in a single Ag nanoring. Applied Physics Letters, 2010, 97, .	3.3	17