

# Terry Haines

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8689272/publications.pdf>

Version: 2024-02-01

364  
papers

10,834  
citations

50566

48  
h-index

64407

83  
g-index

372  
all docs

372  
docs citations

372  
times ranked

12930  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinician Perspectives of the Evidence Underpinning Suicide Risk Assessment: A Mixed Methods Study. <i>Australian Social Work</i> , 2023, 76, 562-574.	0.7	0
2	Lumbar Flexion During Driving: Establishing a Methodology for Characterising Real-Time Posture Data Collected by Innovative Technology. <i>Human Factors</i> , 2023, 65, 1630-1640.	2.1	0
3	Variation in inpatient allied health service provision in Australian and New Zealand hospitals. <i>Australasian Journal on Ageing</i> , 2022, 41, 70-80.	0.4	0
4	What recently graduated podiatrists think of rural work, and how services are responding: a qualitative study. <i>Rural and Remote Health</i> , 2022, 22, 6930.	0.4	0
5	Cost analysis of employing general practitioners within residential aged care facilities based on a prospective, stepped-wedge, cluster randomised trial. <i>BMC Health Services Research</i> , 2022, 22, 374.	0.9	2
6	Interventions to reduce falls in hospitals: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2022, 51, .	0.7	53
7	English language proficiency and hospital admissions via the emergency department by aged care residents in Australia: A mixedâ€methods investigation. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	1
8	The impact of additional allied health staffing on rehabilitation outcomes at discharge from a sub-acute geriatric evaluation and management unit: A quasi-experimental, pre-post intervention study. <i>Clinical Rehabilitation</i> , 2022, , 026921552210956.	1.0	0
9	Community preferences for the allocation of scarce healthcare resources during the COVID-19 pandemic: a review of the literature. <i>Public Health</i> , 2022, 209, 75-81.	1.4	6
10	Supervisorsâ€™ experiences in supervising higher education students from culturally and linguistically diverse backgrounds during work-integrated learning of health and non-health courses. <i>Higher Education</i> , 2021, 81, 665-683.	2.8	3
11	Definitions and use of the teach-back method in healthcare consultations with patients: A systematic review and thematic synthesis. <i>Patient Education and Counseling</i> , 2021, 104, 118-129.	1.0	36
12	Prevalence and variability in use of physical and chemical restraints in residential aged care facilities: A systematic review and meta-analysis. <i>International Journal of Nursing Studies</i> , 2021, 117, 103856.	2.5	19
13	Mobilisation alarm triggers, response times and utilisation before and after the introduction of policy for alarm reduction or elimination: A descriptive and comparative analysis. <i>International Journal of Nursing Studies</i> , 2021, 117, 103769.	2.5	6
14	Sitting Posture During Occupational Driving Causes Low Back Pain; Evidence-Based Position or Dogma? A Systematic Review. <i>Human Factors</i> , 2021, 63, 111-123.	2.1	12
15	Health care staff responses to disinvestmentâ€”A systematic search and qualitative thematic synthesis. <i>Health Care Management Review</i> , 2021, 46, 44-54.	0.6	8
16	The ENJOY Project: Usage and Factors to Support Adherence and Physical Activity Participation. <i>Translational Journal of the American College of Sports Medicine</i> , 2021, 6, 1-6.	0.3	6
17	Interventions to Improve the Mental Health of Mothers of Children with a Disability: Systematic Review, Meta-analysis and Description of Interventions. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 3690-3706.	1.7	26
18	Attitudes of Australian Patients Undergoing Treatment for Upper Gastrointestinal Cancers to Different Models of Nutrition Care Delivery: Qualitative Investigation. <i>JMIR Formative Research</i> , 2021, 5, e23979.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Are Plantarflexor Muscle Impairments Present Among Individuals with Achilles Tendinopathy and Do They Change with Exercise? A Systematic Review with Meta-analysis. <i>Sports Medicine - Open</i> , 2021, 7, 18.	1.3	15
20	Definition and Measurement of Physical and Chemical Restraint in Long-Term Care: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3639.	1.2	17
21	Exploring the Attitudes of Health Professionals Providing Care to Patients Undergoing Treatment for Upper Gastrointestinal Cancers to Different Models of Nutrition Care Delivery: A Qualitative Investigation. <i>Nutrients</i> , 2021, 13, 1020.	1.7	6
22	Multicentre stepped-wedge cluster randomised controlled trial of an antimicrobial stewardship programme in residential aged care: protocol for the START trial. <i>BMJ Open</i> , 2021, 11, e046142.	0.8	2
23	Translating evidence into practice: a longitudinal qualitative exploration of allied health decision-making. <i>Health Research Policy and Systems</i> , 2021, 19, 38.	1.1	13
24	Divesting from a Scored Hospital Fall Risk Assessment Tool (FRAT): A Cluster Randomized Noninferiority Trial. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2598-2604.	1.3	20
25	Group-based pelvic floor muscle training for all women during pregnancy is more cost-effective than postnatal training for women with urinary incontinence: cost-effectiveness analysis of a systematic review. <i>Journal of Physiotherapy</i> , 2021, 67, 105-114.	0.7	19
26	Cognitive Dissonance of Students Between Falls Prevention Evidence and Strategies. <i>Clinical Simulation in Nursing</i> , 2021, 54, 45-53.	1.5	0
27	LOAD-intensity and time-under-tension of exercises for men who have Achilles tendinopathy (the Tj ETQq1 1 0.784314 rgBT /Overload 57.	0.7	18
28	Intra-cluster correlations from the CLustered OUtcome Dataset bank to inform the design of longitudinal cluster trials. <i>Clinical Trials</i> , 2021, 18, 529-540.	0.7	18
29	A new model of care and in-house general practitioners for residential aged care facilities. <i>Medical Journal of Australia</i> , 2021, 215, 44-44.	0.8	1
30	Fall prevention education for older people being discharged from hospital: Educators' perspectives. <i>Health Education Journal</i> , 2021, 80, 908-920.	0.6	2
31	Once daily 300mg aspirin with compression versus compression alone in patients with chronic venous leg ulcers (ASPiVLU): A randomised, double-blinded, multicentre, placebo-controlled, clinical trial. <i>Journal of Tissue Viability</i> , 2021, 30, 509-516.	0.9	1
32	Tailored Education Increased Capability and Motivation for Fall Prevention in Older People After Hospitalization. <i>Frontiers in Public Health</i> , 2021, 9, 683723.	1.3	3
33	Factors that influence workplace location choices in the different allied health professions: A systematic review. <i>Australian Journal of Rural Health</i> , 2021, 29, 823-834.	0.7	6
34	The Efficacy Implementation Ratio: A Conceptual Model for Understanding the Impact of Implementation Strategies Using Health Outcomes. <i>Global Implementation Research and Applications</i> , 2021, 1, 258.	0.4	0
35	Efficacy of high-volume injections with and without corticosteroid compared with sham for Achilles tendinopathy: a protocol for a randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001136.	1.4	1
36	Effectiveness of knowledge brokering and recommendation dissemination for influencing healthcare resource allocation decisions: A cluster randomised controlled implementation trial. <i>PLoS Medicine</i> , 2021, 18, e1003833.	3.9	8

#	ARTICLE	IF	CITATIONS
37	Digital storytelling to facilitate consumer engagement in healthcare research. Health Promotion Journal of Australia, 2021, , .	0.6	1
38	Disinvestment in the presence of uncertainty: Description of a novel, multi-group, disinvestment trial design and protocol for an application to reduce or cease use of mobilisation alarms for preventing falls in hospitals. PLoS ONE, 2021, 16, e0261793.	1.1	3
39	Health professionalsâ€™ perceptions of the allied health role in the acute setting following hip and knee joint replacement surgery: a qualitative study. Disability and Rehabilitation, 2020, 42, 93-101.	0.9	5
40	Postgraduate clinical physiotherapy education in acute hospitals: a cohort study. Physiotherapy Theory and Practice, 2020, 36, 157-169.	0.6	2
41	Falls risk score removal does not impact inpatient falls: A stepped-wedge, cluster-randomised trial. Journal of Clinical Nursing, 2020, 29, 4505-4513.	1.4	16
42	How do health professionals prioritize clinical areas for implementation of evidence into practice? A cross-sectional qualitative study. International Journal of Evidence-Based Healthcare, 2020, Publish Ahead of Print, 288-296.	0.1	4
43	Better Off Doing Falls Prevention â€œWithâ€•Our Patients Rather Than â€œToâ€•Them?. Joint Commission Journal on Quality and Patient Safety, 2020, 46, 127-128.	0.4	1
44	The Efficacy of Higher Versus Lower Dose Exercise in Rotator Cuff Tendinopathy: A Systematic Review of Randomized Controlled Trials. Archives of Physical Medicine and Rehabilitation, 2020, 101, 1822-1834.	0.5	24
45	Efficacy of different load intensity and time-under-tension calf loading protocols for Achilles tendinopathy (the LOADIT trial): protocol for a randomised pilot study. Pilot and Feasibility Studies, 2020, 6, 99.	0.5	7
46	Moving Past the Loss: A Longitudinal Qualitative Study of Health Care Staff Experiences of Disinvestment. Medical Care Research and Review, 2020, , 107755872097258.	1.0	0
47	Effectiveness of progressive and resisted and non-progressive or non-resisted exercise in rotator cuff related shoulder pain: a systematic review and meta-analysis of randomized controlled trials. Clinical Rehabilitation, 2020, 34, 1198-1216.	1.0	33
48	The effect of transferring weekend physical therapy services from the acute to sub-acute setting in patients following hip and knee arthroplasty: a quasi-experimental study. Physiotherapy Theory and Practice, 2020, , 1-13.	0.6	0
49	Risk factors for social isolation in post-hospitalized older adults. Archives of Gerontology and Geriatrics, 2020, 88, 104036.	1.4	8
50	General practice management of rotator cuff related shoulder pain: A reliance on ultrasound and injection guided care. PLoS ONE, 2020, 15, e0227688.	1.1	37
51	Perspectives of older adults regarding barriers and enablers to engaging in fall prevention activities after hospital discharge. Health and Social Care in the Community, 2020, 28, 1710-1722.	0.7	19
52	A new model of care and in-house general practitioners for residential aged care facilities: a stepped wedge, cluster randomised trial. Medical Journal of Australia, 2020, 212, 409-415.	0.8	15
53	Non-pharmacological interventions to prevent hospital or nursing home admissions among community-dwelling older people with dementia: A systematic review and meta-analysis. Health and Social Care in the Community, 2020, 28, 1408-1429.	0.7	15
54	Impact of the Method of Delivering Electronic Health Behavior Change Interventions in Survivors of Cancer on Engagement, Health Behaviors, and Health Outcomes: Systematic Review and Meta-Analysis. Journal of Medical Internet Research, 2020, 22, e16112.	2.1	32

#	ARTICLE	IF	CITATIONS
55	Internet and Telerehabilitation-Delivered Management of Rotator Cuff-Related Shoulder Pain (INTEL) Trial. <i>Journal of Rehabilitation Medicine</i> , 2020, 52, 1-10.	1.8	36
56	Guardianship in hospitals: a collaborative pilot project. <i>Australian Health Review</i> , 2020, 44, 322.	0.5	2
57	Cervical length surveillance for predicting spontaneous preterm birth in women with uterine anomalies: A cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1519-1526.	1.3	6
58	Developing a Taxonomy of Communication Techniques and Aids Used By Healthcare Providers During Patient Consultations: Protocol for a Systematic Review. <i>JMIR Research Protocols</i> , 2020, 9, e16801.	0.5	0
59	Sleeping Well Trial: Increasing the effectiveness of treatment with continuous positive airway pressure using a weight management program in overweight adults with obstructive sleep apnoea: A stepped wedge randomised trial protocol. <i>Nutrition and Dietetics</i> , 2019, 76, 110-117.	0.9	7
60	Posthospital Falls Prevention Intervention: A Mixed-Methods Study. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 155-165.	0.5	5
61	Measuring Self-Esteem Changes in Children and Adolescents Affected by Overweight or Obesity: A Scoping Review of Instruments Currently Used in Multicomponent Weight-Management Interventions. <i>Childhood Obesity</i> , 2019, 15, 485-501.	0.8	5
62	Design, delivery and evaluation of a simulation-based workshop for health professional students on falls prevention in acute care settings. <i>Nursing Open</i> , 2019, 6, 1150-1162.	1.1	8
63	The Balance Intensity Scales for Therapists and Exercisers Measure Balance Exercise Intensity in Older Adults: Initial Validation Using Rasch Analysis. <i>Physical Therapy</i> , 2019, 99, 1394-1404.	1.1	15
64	Effectiveness of a Bundled Intervention Including Adjunctive Corticosteroids on Outcomes of Hospitalized Patients With Community-Acquired Pneumonia. <i>JAMA Internal Medicine</i> , 2019, 179, 1052.	2.6	41
65	Evaluation of Tailored Falls Education on Older Adults' Behavior Following Hospitalization. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 2274-2281.	1.3	18
66	Predicting Mobility Limitations in Patients With Total Knee Arthroplasty in the Inpatient Setting. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 2106-2112.	0.5	1
67	Barriers to fieldwork placements for international higher degree students: A systematic literature review. <i>Australian Journal of Career Development</i> , 2019, 28, 197-211.	0.4	4
68	The costs of risk and fear: a qualitative study of risk conceptualisations in allied health resource allocation decision-making. <i>Health, Risk and Society</i> , 2019, 21, 373-389.	0.9	4
69	Multifactorial falls prevention programmes for older adults presenting to the emergency department with a fall: systematic review and meta-analysis. <i>Injury Prevention</i> , 2019, 25, 557-564.	1.2	26
70	Do footwear styles cause falls or increase falls risk in healthy older adults? A systematic review. <i>Footwear Science</i> , 2019, 11, 13-23.	0.8	12
71	Fieldwork placement outcomes for international higher education students: A systematic literature review. <i>Australian Journal of Career Development</i> , 2019, 28, 132-150.	0.4	3
72	Evaluation of RESPOND, a patient-centred program to prevent falls in older people presenting to the emergency department with a fall: A randomised controlled trial. <i>PLoS Medicine</i> , 2019, 16, e1002807.	3.9	42

#	ARTICLE	IF	CITATIONS
73	Assessing the impact of diet, exercise and the combination of the two as a treatment for OSA: A systematic review and meta-analysis. <i>Respirology</i> , 2019, 24, 740-751.	1.3	46
74	A novel counterbalanced implementation study design: methodological description and application to implementation research. <i>Implementation Science</i> , 2019, 14, 45.	2.5	16
75	Video strategies improved health professional knowledge across different contexts: a helix counterbalanced randomized controlled study. <i>Journal of Clinical Epidemiology</i> , 2019, 112, 1-11.	2.4	11
76	The FOOTPATH study: protocol for a multicentre, participant- and assessor-blind, parallel group randomised clinical trial of foot orthoses for patellofemoral osteoarthritis. <i>BMJ Open</i> , 2019, 9, e025315.	0.8	8
77	Exploring purpose-designed audio-visual falls prevention messages on older people's capability and motivation to prevent falls. <i>Health and Social Care in the Community</i> , 2019, 27, e471-e482.	0.7	5
78	Falls After Hospital Discharge: A Randomized Clinical Trial of Individualized Multimodal Falls Prevention Education. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1511-1517.	1.7	26
79	The relationship between discharge medications and falls in post-hospitalised older adults: A 6-month follow-up. <i>Australasian Journal on Ageing</i> , 2019, 38, 190-198.	0.4	3
80	RESTORE™ Cognitive functional therapy with or without movement sensor biofeedback versus usual care for chronic, disabling low back pain: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e031133.	0.8	17
81	Evaluating audio-visual falls prevention messages with community-dwelling older people using a World Caf� forum approach. <i>BMC Geriatrics</i> , 2019, 19, 345.	1.1	5
82	How soon do allied health professionals lose confidence to perform <scp>EBP</scp> activities? A cross-sectional study. <i>Journal of Evaluation in Clinical Practice</i> , 2019, 25, 603-612.	0.9	25
83	Full length foot orthoses have an immediate treatment effect and modify gait of children with idiopathic toe walking. <i>Gait and Posture</i> , 2019, 68, 227-231.	0.6	10
84	Factors affecting services offered to older adults with psychological morbidity: an exploration of health professional attitudes. <i>Aging and Mental Health</i> , 2019, 23, 132-139.	1.5	3
85	Programme frequency, type, time and duration do not explain the effects of balance exercise in older adults: a systematic review with a meta-regression analysis. <i>British Journal of Sports Medicine</i> , 2019, 53, 996-1002.	3.1	17
86	Understanding Health Professional Responses to Service Disinvestment: A Qualitative Study. <i>International Journal of Health Policy and Management</i> , 2019, 8, 403-411.	0.5	7
87	Healthcare Decision Making, Health Information Systems and the Advancement of Medical Practice in Developing Countries, 2019, , 41-56.	0.1	1
88	Barriers and enablers to ongoing exercise for people with chronic health conditions: Participants' perspectives following a randomized controlled trial of two interventions. <i>Archives of Gerontology and Geriatrics</i> , 2018, 76, 92-99.	1.4	18
89	Impact of tailored falls prevention education for older adults at hospital discharge on engagement in falls prevention strategies postdischarge: protocol for a process evaluation. <i>BMJ Open</i> , 2018, 8, e020726.	0.8	10
90	Outdoor physical activity for older people—the senior exercise park: Current research, challenges and future directions. <i>Health Promotion Journal of Australia</i> , 2018, 29, 353-359.	0.6	26

#	ARTICLE	IF	CITATIONS
91	How Do Allied Health Professionals Define and Apply Equity When Making Resource Allocation Decisions?. <i>International Journal of Health Services</i> , 2018, 48, 349-364.	1.2	1
92	Principles of Physical Activity Promotion Among Older People. , 2018, , 83-101.		1
93	Stepped-wedge cluster-randomised trials: level of evidence, feasibility and reporting. <i>Journal of Physiotherapy</i> , 2018, 64, 63-66.	0.7	18
94	Gym-based exercise was more costly compared with home-based exercise with telephone support when used as maintenance programs for adults with chronic health conditions: cost-effectiveness analysis of a randomised trial. <i>Journal of Physiotherapy</i> , 2018, 64, 48-54.	0.7	8
95	Pride comes before denial of a fall?. <i>BMJ: British Medical Journal</i> , 2018, 360, k438.	2.4	1
96	Reducing falls in older adults recently discharged from hospital: a systematic review and meta-analysis. <i>Age and Ageing</i> , 2018, 47, 512-519.	0.7	34
97	The association between physical activity and social isolation in community-dwelling older adults. <i>Aging and Mental Health</i> , 2018, 22, 175-182.	1.5	73
98	Social Isolation, Physical Capacity, and Physical Activity in Older Community-Dwelling Adults Post-Hospitalization. <i>Journal of Aging and Physical Activity</i> , 2018, 26, 204-213.	0.5	8
99	Using cost-analyses to inform health professions education – The economic cost of pre-clinical failure. <i>Medical Teacher</i> , 2018, 40, 1221-1230.	1.0	14
100	“More effort and more time.” Considerations in the establishment of interprofessional education programs in the workplace. <i>Journal of Interprofessional Care</i> , 2018, 32, 89-94.	0.8	22
101	Multimorbidity rehabilitation versus disease-specific rehabilitation in people with chronic diseases: a pilot randomized controlled trial. <i>Pilot and Feasibility Studies</i> , 2018, 4, 181.	0.5	14
102	Does Free-Text Information in Falls Incident Reports Assist to Explain How and Why the Falls Occurred in a Hospital Setting?. <i>Journal of Patient Safety</i> , 2018, Publish Ahead of Print, e1472-e1479.	0.7	6
103	A process and mechanism of action evaluation of the effect of early and intensive nutrition care, delivered via telephone or mobile application, on quality of life in people with upper gastrointestinal cancer: a study protocol. <i>BMC Cancer</i> , 2018, 18, 1181.	1.1	7
104	The experience of interpreter access and language discordant clinical encounters in Australian health care: a mixed methods exploration. <i>International Journal for Equity in Health</i> , 2018, 17, 151.	1.5	46
105	Healing rates in diabetes-related foot ulcers using low frequency ultrasonic debridement versus non-surgical sharps debridement: a randomised controlled trial. <i>BMC Research Notes</i> , 2018, 11, 732.	0.6	11
106	IMPACT: Investigating the impact of Models of Practice for Allied health Care in subacute settings. A protocol for a quasi-experimental mixed methods study of cost effectiveness and outcomes for patients exposed to different models of allied health care. <i>BMJ Open</i> , 2018, 8, e2020361.	0.8	1
107	“Falls not a priority”: insights on discharging older people, admitted to hospital for a fall, back to the community. <i>Australian Journal of Primary Health</i> , 2018, 24, 66.	0.4	9
108	Hospital readmission risks in older adults following inpatient subacute care: A six-month follow-up study. <i>Archives of Gerontology and Geriatrics</i> , 2018, 77, 142-149.	1.4	10

#	ARTICLE	IF	CITATIONS
109	A Comparison of the Effect of One, Three, or Six Weeks of Immobilization on Function and Pain After Open Reduction and Internal Fixation of Distal Radial Fractures in Adults. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1118-1125.	1.4	31
110	Where are falls prevention resources allocated by hospitals and what do they cost? A cross sectional survey using semi-structured interviews of key informants at six Australian health services. <i>International Journal of Nursing Studies</i> , 2018, 86, 52-59.	2.5	24
111	Effect of early and intensive nutrition care, delivered via telephone or mobile application, on quality of life in people with upper gastrointestinal cancer: study protocol of a randomised controlled trial. <i>BMC Cancer</i> , 2018, 18, 707.	1.1	24
112	People with diabetes foot complications do not recall their foot education: a cohort study. <i>Journal of Foot and Ankle Research</i> , 2018, 11, 12.	0.7	9
113	The IMPROVE-GAP Trial aiming to improve evidence-based management of community-acquired pneumonia: study protocol for a stepped-wedge randomised controlled trial. <i>Trials</i> , 2018, 19, 88.	0.7	7
114	Implementation of evidence-based weekend service recommendations for allied health managers: a cluster randomised controlled trial protocol. <i>Implementation Science</i> , 2018, 13, 60.	2.5	13
115	People with diabetes do not learn and recall their diabetes foot education: a cohort study. <i>Endocrine</i> , 2018, 62, 250-258.	1.1	6
116	Effectiveness of a weekend physiotherapy service on short-term outcomes following hip and knee joint replacement surgery: a quasi-experimental study. <i>Clinical Rehabilitation</i> , 2018, 32, 026921551877964.	1.0	9
117	What Factors Do Allied Health Take Into Account When Making Resource Allocation Decisions?. <i>International Journal of Health Policy and Management</i> , 2018, 7, 412-420.	0.5	12
118	A Systematic Review to Compare the Effect of Low-frequency Ultrasonic Versus Nonsurgical Sharp Debridement on the Healing Rate of Chronic Diabetes-related Foot Ulcers. <i>Ostomy - Wound Management</i> , 2018, 64, 39-46.	0.8	3
119	Impact of frailty during hospitalized exacerbations of COPD on 90-day readmissions - preliminary data.. , 2018, , .		0
120	A Systematic Review to Compare the Effect of Low-frequency Ultrasonic Versus Nonsurgical Sharp Debridement on the Healing Rate of Chronic Diabetes-related Foot Ulcers. <i>Ostomy - Wound Management</i> , 2018, 64, 39-46.	0.8	2
121	Interventions to achieve ongoing exercise adherence for adults with chronic health conditions who have completed a supervised exercise program: systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2017, 31, 465-477.	1.0	38
122	Identifying Opportunities for Peer Learning: An Observational Study of Medical Students on Clinical Placements. <i>Teaching and Learning in Medicine</i> , 2017, 29, 13-24.	1.3	29
123	Exploring musculoskeletal injuries in the podiatry profession: an international cross sectional study. <i>Journal of Foot and Ankle Research</i> , 2017, 10, 3.	0.7	12
124	Reducing falls after hospital discharge: a protocol for a randomised controlled trial evaluating an individualised multimodal falls education programme for older adults. <i>BMJ Open</i> , 2017, 7, e013931.	0.8	17
125	The efficacy of Protected Mealtimes in hospitalised patients: a stepped wedge cluster randomised controlled trial. <i>BMC Medicine</i> , 2017, 15, 25.	2.3	25
126	Effectiveness of falls prevention interventions for older adults newly discharged from hospital: a systematic review protocol. <i>JB International Database of Systematic Reviews and Implementation Reports</i> , 2017, 15, 686-693.	1.7	4



#	ARTICLE	IF	CITATIONS
127	Long-term follow-up of the potential benefits of early nutritional intervention in adults with upper gastrointestinal cancer: a pilot randomised trial. <i>Supportive Care in Cancer</i> , 2017, 25, 3587-3593.	1.0	17
128	The economic cost of failure in clinical education: a multi-perspective analysis. <i>Medical Education</i> , 2017, 51, 740-754.	1.1	28
129	RESPOND: a programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for an economic evaluation. <i>Injury Prevention</i> , 2017, 23, 124-130.	1.2	3
130	Implementing Peer Learning in Clinical Education: A Framework to Address Challenges In the "Real World". <i>Teaching and Learning in Medicine</i> , 2017, 29, 162-172.	1.3	35
131	Equity in healthcare resource allocation decision making: A systematic review. <i>Social Science and Medicine</i> , 2017, 175, 11-27.	1.8	60
132	Understanding and managing the risk of "head impact" from in-hospital falls: A cross-sectional analysis of data from 166 public hospitals. <i>Journal of Healthcare Risk Management: the Journal of the American Society for Healthcare Risk Management</i> , 2017, 37, 40-47.	0.3	3
133	Understanding the impact of simulated patients on health care learners' communication skills: a systematic review. <i>Medical Education</i> , 2017, 51, 1209-1219.	1.1	113
134	What makes weekend allied health services effective and cost-effective (or not) in acute medical and surgical wards? Perceptions of medical, nursing, and allied health workers. <i>BMC Health Services Research</i> , 2017, 17, 345.	0.9	15
135	Understanding temporal relationships between depression, falls, and physical activity in a cohort of post-hospitalized older adults "a breakthrough or a conundrum?". <i>International Psychogeriatrics</i> , 2017, 29, 1681-1692.	0.6	19
136	Cost-effectiveness of using a motion-sensor biofeedback treatment approach for the management of sub-acute or chronic low back pain: economic evaluation alongside a randomised trial. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 18.	0.8	18
137	Challenges, uncertainties and perceived benefits of providing weekend allied health services" a managers' perspective. <i>BMC Health Services Research</i> , 2017, 17, 118.	0.9	15
138	Gym-based exercise and home-based exercise with telephone support have similar outcomes when used as maintenance programs in adults with chronic health conditions: a randomised trial. <i>Journal of Physiotherapy</i> , 2017, 63, 154-160.	0.7	23
139	Investigating the relationship between reduced self-awareness of falls risk, rehabilitation engagement and falls in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2017, 69, 38-44.	1.4	15
140	Impact of disinvestment from weekend allied health services across acute medical and surgical wards: 2 stepped-wedge cluster randomised controlled trials. <i>PLoS Medicine</i> , 2017, 14, e1002412.	3.9	43
141	The effectiveness of research implementation strategies for promoting evidence-informed policy and management decisions in healthcare: a systematic review. <i>Implementation Science</i> , 2017, 12, 132.	2.5	77
142	Education in peer learning for allied health clinical educators: A mixed methods study. <i>Focus on Health Professional Education</i> , 2017, 18, 4.	0.3	1
143	Peer-Assisted Learning in Education of Allied Health Professional Students in the Clinical Setting: A Systematic Review. <i>Journal of Allied Health</i> , 2017, 46, 26-35.	0.2	14
144	Health related quality of life of children with calcaneal apophysitis: child & parent perceptions. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 95.	1.0	19

#	ARTICLE	IF	CITATIONS
145	Comparative effectiveness research for the clinician researcher: a framework for making a methodological design choice. <i>Trials</i> , 2016, 17, 406.	0.7	16
146	Do daily ward interviews improve measurement of hospital quality and safety indicators? A prospective observational study. <i>Journal of Evaluation in Clinical Practice</i> , 2016, 22, 792-798.	0.9	12
147	Implementation of protected mealtimes in the subacute setting: stepped wedge cluster trial protocol. <i>Journal of Advanced Nursing</i> , 2016, 72, 1347-1356.	1.5	4
148	Pragmatic, Randomized Controlled Trials of the Girls on the Go! Program to Improve Self-Esteem in Girls. <i>American Journal of Health Promotion</i> , 2016, 30, 231-241.	0.9	24
149	Research culture in allied health: a systematic review. <i>Australian Journal of Primary Health</i> , 2016, 22, 294.	0.4	57
150	Point prevalence of suboptimal footwear features among ambulant older hospital patients: implications for fall prevention. <i>Australian Health Review</i> , 2016, 40, 399.	0.5	1
151	Developing networks between residential aged care facilities as a result of engagement in a falls prevention project: an action research study. <i>Contemporary Nurse</i> , 2016, 52, 163-175.	0.4	1
152	Are older adults receiving evidence-based advice to prevent falls post-discharge from hospital?. <i>Health Education Journal</i> , 2016, 75, 448-463.	0.6	4
153	Stability of Pediatric Migraine Subtype After a 5-year Follow-Up. <i>Journal of Child Neurology</i> , 2016, 31, 1138-1142.	0.7	4
154	Whole-Body Vibration Results in Short-Term Improvement in the Gait of Children With Idiopathic Toe Walking. <i>Journal of Child Neurology</i> , 2016, 31, 1143-1149.	0.7	13
155	The effect of prehabilitation on the range of motion and functional outcomes in patients following the total knee or hip arthroplasty: A pilot randomized trial. <i>Physiotherapy Theory and Practice</i> , 2016, 32, 262-270.	0.6	24
156	Does the new low-frequency ultrasonic debridement technology pose an infection control risk for clinicians, patients, and the clinic environment?. <i>American Journal of Infection Control</i> , 2016, 44, 1656-1659.	1.1	10
157	Patient and Therapist Agreement on Performance-Rated Ability Using the de Morton Mobility Index. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 2157-2165.	0.5	4
158	Educational interventions for the management of cancer-related fatigue in adults. <i>The Cochrane Library</i> , 2016, 2016, CD008144.	1.5	59
159	Issues of cost-benefit and cost-effectiveness for simulation in health professions education. <i>Advances in Simulation</i> , 2016, 1, 13.	1.0	87
160	Implementing collaborative and peer-assisted learning. <i>Clinical Teacher</i> , 2016, 13, 325-331.	0.4	19
161	Older Adult Perceptions of Participation in Group- and Home-Based Falls Prevention Exercise. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 350-362.	0.5	14
162	“Are Your Clients Having Fun?” The Implications of Respondents’ Preferences for the Delivery of Group Exercise Programs for Falls Prevention. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 129-138.	0.5	14

#	ARTICLE	IF	CITATIONS
163	“My independent streak may get in the way”: how older adults respond to falls prevention education in hospital. <i>BMJ Open</i> , 2016, 6, e012363.	0.8	36
164	6-PACK programme to decrease fall injuries in acute hospitals: cluster randomised controlled trial. <i>BMJ</i> , The, 2016, 352, h6781.	3.0	94
165	“It promoted a positive culture around falls prevention”: staff response to a patient education programme—a qualitative evaluation. <i>BMJ Open</i> , 2016, 6, e013414.	0.8	14
166	Establishing the effectiveness, cost-effectiveness and student experience of a Simulation-based education Training program On the Prevention of Falls (STOP-Falls) among hospitalised inpatients: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e010192.	0.8	9
167	Early commencement of physical therapy in the acute phase following elective lower limb arthroplasty produces favorable outcomes: a systematic review and meta-analysis examining allied health service models. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1667-1681.	0.6	32
168	Development, implementation and evaluation of a clinical research engagement and leadership capacity building program in a large Australian health care service. <i>BMC Medical Education</i> , 2016, 16, 13.	1.0	24
169	Aspirin in venous leg ulcer study (ASPIVLU): study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 192.	0.7	13
170	Feasibility of a stepped wedge cluster RCT and concurrent observational sub-study to evaluate the effects of modified ward night lighting on inpatient fall rates and sleep quality: a protocol for a pilot trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 1.	0.5	38
171	Same-level peer-assisted learning in medical clinical placements: a narrative systematic review. <i>Medical Education</i> , 2016, 50, 469-484.	1.1	95
172	Personal Life Approach: An Interactive Way of Understanding Older Adults’ Participation in Activities Following Hospitalization. <i>Gerontologist</i> , The, 2016, 56, 504-513.	2.3	7
173	Effect of footwear on minimum foot clearance, heel slippage and spatiotemporal measures of gait in older women. <i>Gait and Posture</i> , 2016, 44, 43-47.	0.6	25
174	Does action follow intention with participation in home and group-based falls prevention exercise programs? An exploratory, prospective, observational study. <i>Archives of Gerontology and Geriatrics</i> , 2016, 64, 151-161.	1.4	4
175	The role of peer-assisted learning in building evaluative judgement: opportunities in clinical medical education. <i>Advances in Health Sciences Education</i> , 2016, 21, 659-676.	1.7	76
176	A Comparison of the Birth Characteristics of Idiopathic Toe Walking and Toe Walking Gait Due to Medical Reasons. <i>Journal of Pediatrics</i> , 2016, 171, 290-293.	0.9	19
177	Effectiveness of footwear and foot orthoses for calcaneal apophysitis: a 12-month factorial randomised trial. <i>British Journal of Sports Medicine</i> , 2016, 50, 1268-1275.	3.1	32
178	Effects of an intradialytic resistance training programme on physical function: a prospective stepped-wedge randomized controlled trial. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1302-1309.	0.4	47
179	Clinical Markers of the Intensity of Balance Challenge: Observational Study of Older Adult Responses to Balance Tasks. <i>Physical Therapy</i> , 2016, 96, 313-323.	1.1	17
180	What factors influence older adults to discuss falls with their health care providers?. <i>Health Expectations</i> , 2015, 18, 1593-1609.	1.1	17

#	ARTICLE	IF	CITATIONS
181	Investigation of Older Adultsâ€™ Participation in Exercises Following Completion of a State-wide Survey Targeting Evidence-based Falls Prevention Strategies. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 256-263.	0.5	6
182	Research capacity and culture of the Victorian public health allied health workforce is influenced by key research support staff and location. <i>Australian Health Review</i> , 2015, 39, 303.	0.5	49
183	Future of specialised roles in allied health practice: who is responsible?. <i>Australian Health Review</i> , 2015, 39, 255.	0.5	27
184	Educatorsâ€™ perspectives about how older hospital patients can engage in a falls prevention education programme: a qualitative process evaluation. <i>BMJ Open</i> , 2015, 5, e009780.	0.8	28
185	The stepped wedge cluster randomised trial: rationale, design, analysis, and reporting. <i>BMJ</i> , The, 2015, 350, h391-h391.	3.0	878
186	What Are the Characteristics of Home Exercise Programs That Older Adults Prefer?. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, 508-521.	0.7	16
187	The extra resource burden of in-hospital falls: a cost of falls study. <i>Medical Journal of Australia</i> , 2015, 203, 367-367.	0.8	127
188	Anxiety and Depression during Transition from Hospital to Community in Older Adults: Concepts of a Study to Explain Late Age Onset Depression. <i>Healthcare (Switzerland)</i> , 2015, 3, 478-502.	1.0	11
189	Data Collection Methods in Health Services Research. <i>Applied Clinical Informatics</i> , 2015, 06, 96-109.	0.8	43
190	Physiotherapy departments in Australian tertiary hospitals regularly participate in and disseminate research results despite a lack of allocated staff: a prospective cross-sectional survey. <i>Physiotherapy Theory and Practice</i> , 2015, 31, 200-206.	0.6	10
191	Factors impacting the household and recreation participation of older adults living in the community. <i>Disability and Rehabilitation</i> , 2015, 37, 56-63.	0.9	13
192	Factors Associated with Pain Severity in Children with Calcaneal Apophysitis (Sever Disease). <i>Journal of Pediatrics</i> , 2015, 167, 455-459.	0.9	36
193	Embedding research culture and productivity in hospital physiotherapy departments: challenges and opportunities. <i>Australian Health Review</i> , 2015, 39, 312.	0.5	23
194	Improving person-centered mobility care in nursing homes: A feasibility study. <i>Geriatric Nursing</i> , 2015, 36, 98-105.	0.9	15
195	Study protocol for two randomized controlled trials examining the effectiveness and safety of current weekend allied health services and a new stakeholder-driven model for acute medical/surgical patients versus no weekend allied health services. <i>Trials</i> , 2015, 16, 133.	0.7	28
196	Fall rates in hospital rehabilitation units after individualised patient and staff education programmes: a pragmatic, stepped-wedge, cluster-randomised controlled trial. <i>Lancet</i> , The, 2015, 385, 2592-2599.	6.3	178
197	Identifying clusters of falls-related hospital admissions to inform population targets for prioritising falls prevention programmes. <i>Injury Prevention</i> , 2015, 21, 254-259.	1.2	9
198	Why do hospitalized older adults take risks that may lead to falls?. <i>Health Expectations</i> , 2015, 18, 233-249.	1.1	59

#	ARTICLE	IF	CITATIONS
199	The effect of changing movement and posture using motion-sensor biofeedback, versus guidelines-based care, on the clinical outcomes of people with sub-acute or chronic low back pain-a multicentre, cluster-randomised, placebo-controlled, pilot trial. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 131.	0.8	78
200	Self-Awareness of Falls Risk Among Elderly Patients: Characterizing Awareness Deficits and Exploring Associated Factors. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 2145-2152.	0.5	22
201	Validity and reliability of the 20-m run, horizontal leap, and four-bound tests measuring high-level mobility in neurologically impaired patients. <i>Hong Kong Physiotherapy Journal</i> , 2015, 33, 59-66.	0.3	0
202	Physiotherapy students and clinical educators perceive several ways in which incorporating peer-assisted learning could improve clinical placements: a qualitative study. <i>Journal of Physiotherapy</i> , 2015, 61, 87-92.	0.7	31
203	Depressive symptoms and adverse outcomes from hospitalization in older adults: Secondary outcomes of a trial of falls prevention education. <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 96-102.	1.4	11
204	RESPONDâ€”a patient-centred programme to prevent secondary falls in older people presenting to the emergency department with a fall: protocol for a multicentre randomised controlled trial. <i>Injury Prevention</i> , 2015, 21, e1-e1.	1.2	21
205	Is physiotherapy effective in the management of child and adolescent conversion disorder? A systematic review. <i>Journal of Paediatrics and Child Health</i> , 2015, 51, 159-167.	0.4	24
206	Patient and practitioner perceptions of student participation in private practice consultations: A mixed-methods study. <i>Focus on Health Professional Education</i> , 2015, 16, 42.	0.3	6
207	Investigation of Older Adultsâ€™ Participation in Exercises Following Completion of a State-wide Survey Targeting Evidence-based Falls Prevention Strategies. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 256-263.	0.5	1
208	What factors influence community-dwelling older people&rsquo;s intent to undertake multifactorial fall prevention programs?. <i>Clinical Interventions in Aging</i> , 2014, 9, 2045.	1.3	22
209	Statin use and peripheral sensory perception: A pilot study. <i>Somatosensory &amp; Motor Research</i> , 2014, 31, 57-61.	0.4	6
210	Quality Improvements in Resident Mobility Care: Using Person- and Relationship-Centered Frameworks. <i>Gerontologist</i> , The, 2014, 54, 501-513.	2.3	5
211	Exploring the association between volition and participation in daily life activities with older adults living in the community. <i>Clinical Rehabilitation</i> , 2014, 28, 1136-1144.	1.0	9
212	Interprofessional student clinics: an economic evaluation of collaborative clinical placement education. <i>Journal of Interprofessional Care</i> , 2014, 28, 292-298.	0.8	26
213	Falls prevention education for older adults during and after hospitalization: A systematic review and meta-analysis. <i>Health Education Journal</i> , 2014, 73, 530-544.	0.6	38
214	A stepped-wedge cluster randomised controlled trial for evaluating rates of falls among inpatients in aged care rehabilitation units receiving tailored multimedia education in addition to usual care: a trial protocol. <i>BMJ Open</i> , 2014, 4, e004195.	0.8	21
215	Effect of health insurance on the utilisation of allied health services by people with chronic disease: a systematic review and meta-analysis. <i>Australian Journal of Primary Health</i> , 2014, 20, 9.	0.4	14
216	Educators and students prefer traditional clinical education to a peer-assisted learning model, despite similar student performance outcomes: a randomised trial. <i>Journal of Physiotherapy</i> , 2014, 60, 209-216.	0.7	38

#	ARTICLE	IF	CITATIONS
217	The emergent relevance of care staff decision-making and situation awareness to mobility care in nursing homes: an ethnographic study. <i>Journal of Advanced Nursing</i> , 2014, 70, 2767-2778.	1.5	15
218	Development and Preliminary Validation of the Acute Brain Injury Physiotherapy Assessment (ABIPA). <i>Brain Impairment</i> , 2014, 15, 132-145.	0.5	1
219	Early mobilization on continuous renal replacement therapy is safe and may improve filter life. <i>Critical Care</i> , 2014, 18, R161.	2.5	56
220	“Better for others than for me”: A belief that should shape our efforts to promote participation in falls prevention strategies. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 136-144.	1.4	54
221	Education for cancer-related fatigue: could talking about it make people more likely to report it?. <i>Supportive Care in Cancer</i> , 2014, 22, 209-215.	1.0	17
222	Twelve month follow up of a falls prevention program in older adults from diverse populations in Australia: A qualitative study. <i>Archives of Gerontology and Geriatrics</i> , 2014, 58, 283-292.	1.4	14
223	An exploration of emergency department presentations related to high heel footwear in Victoria, Australia, 2006-2010. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 4.	0.7	15
224	Comparison of healing rate in diabetes-related foot ulcers with low frequency ultrasonic debridement versus non-surgical sharp debridement: a randomised trial protocol. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 1.	0.7	53
225	A novel research design can aid disinvestment from existing health technologies with uncertain effectiveness, cost-effectiveness, and/or safety. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 144-151.	2.4	32
226	Implementation of evidence-based falls prevention in clinical services for high-risk clients. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 255-259.	0.9	4
227	Development of a new self-awareness of falls risk measure (SAFRM). <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 249-256.	1.4	10
228	Application of a novel disinvestment research design to the use of weekend allied health services on acute medical and surgical wards - randomised trial and economic evaluation protocol. <i>BMC Health Services Research</i> , 2014, 14, .	0.9	4
229	Where should stepped-wedge designs be placed in the evidence hierarchy? Using the “within-wedge” analysis approach to generate evidence of possible bias. <i>BMC Health Services Research</i> , 2014, 14, .	0.9	1
230	Potential benefits of early nutritional intervention in adults with upper gastrointestinal cancer: a pilot randomised trial. <i>Supportive Care in Cancer</i> , 2014, 22, 3035-3044.	1.0	42
231	Development and Validation of the Ankle Fracture Outcome of Rehabilitation Measure (A-FORM). <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 488-492.	1.7	15
232	The impact of falls prevention on participation in daily occupations of older adults following discharge: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2014, 36, 787-796.	0.9	4
233	Preoperative intervention reduces postoperative pulmonary complications but not length of stay in cardiac surgical patients: a systematic review. <i>Journal of Physiotherapy</i> , 2014, 60, 66-77.	0.7	81
234	“I accept it [staff assistance]; no choice”: an ethnographic study of residents' attitudes towards mobility within nursing homes. <i>International Journal of Older People Nursing</i> , 2014, 9, 258-268.	0.6	17

#	ARTICLE	IF	CITATIONS
235	Difficulties Experienced in Setting and Achieving Goals by Participants of a Falls Prevention Programme: A Mixed-Methods Evaluation. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014, 66, 413-422.	0.3	7
236	Quality Mobility Care in Nursing Homes: A Model of Moderating and Mediating Factors to Guide Intervention Development. <i>Research in Gerontological Nursing</i> , 2014, 7, 284-291.	0.2	3
237	Cost per fall: a potentially misleading indicator of burden of disease in health and residential care settings. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 153-161.	0.9	22
238	Effectiveness of interventions in reducing pain and maintaining physical activity in children and adolescents with calcaneal apophysitis (Sever's disease): a systematic review. <i>Journal of Foot and Ankle Research</i> , 2013, 6, 16.	0.7	49
239	Cost effectiveness of patient education for the prevention of falls in hospital: economic evaluation from a randomized controlled trial. <i>BMC Medicine</i> , 2013, 11, 135.	2.3	56
240	Program-related factors are associated with adherence to group exercise interventions for the prevention of falls: a systematic review. <i>Journal of Physiotherapy</i> , 2013, 59, 81-92.	0.7	67
241	The impact of an exercise physiologist coordinated resistance exercise program on the physical function of people receiving hemodialysis: a stepped wedge randomised control study. <i>BMC Nephrology</i> , 2013, 14, 204.	0.8	18
242	Investigation of the effectiveness of the 'Girls on the Go!' program for building self-esteem in young women: trial protocol. <i>SpringerPlus</i> , 2013, 2, 683.	1.2	15
243	Intensity of challenge to the balance system is not reported in the prescription of balance exercises in randomised trials: a systematic review. <i>Journal of Physiotherapy</i> , 2013, 59, 227-235.	0.7	42
244	Protocol papers published in <i>Journal of Physiotherapy</i> will strengthen the profession. <i>Journal of Physiotherapy</i> , 2013, 59, 6.	0.7	2
245	A pragmatic study of the predictive values of the Morse falls score. <i>Age and Ageing</i> , 2013, 42, 462-468.	0.7	15
246	The TiltMeter app is a novel and accurate measurement tool for the weight bearing lunge test. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 392-395.	0.6	67
247	Improving mood through physical activity for carers and care recipients (IMPACCT): protocol for a randomised trial. <i>Journal of Physiotherapy</i> , 2013, 59, 125.	0.7	6
248	Do external stimuli impact the gait of children with idiopathic toe walking? A study protocol for a within-subject randomised control trial. <i>BMJ Open</i> , 2013, 3, e002389.	0.8	12
249	Predictors of fracture from falls reported in hospital and residential care facilities: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002948.	0.8	11
250	Problems with a great idea: referral by prehospital emergency services to a community-based falls-prevention service. <i>Injury Prevention</i> , 2013, 19, 134-138.	1.2	22
251	Physiotherapists Have Accurate Expectations of Their Patients' Future Health-Related Quality of Life after First Assessment in a Subacute Rehabilitation Setting. <i>BioMed Research International</i> , 2013, 2013, 1-8.	0.9	6
252	Simulation Can Contribute a Part of Cardiorespiratory Physiotherapy Clinical Education. <i>Simulation in Healthcare</i> , 2013, 8, 32-42.	0.7	85

#	ARTICLE	IF	CITATIONS
253	How big does the effect of an intervention have to be? Application of two novel methods to determine the smallest worthwhile effect of a fall prevention programme: a study protocol: Table A1. <i>BMJ Open</i> , 2013, 3, e002355.	0.8	4
254	'They will tell me if there is a problem': limited discussion between health professionals, older adults and their caregivers on falls prevention during and after hospitalization. <i>Health Education Research</i> , 2013, 28, 1051-1066.	1.0	52
255	In-hospital falls and fall-related injuries: a protocol for a cost of fall study. <i>Injury Prevention</i> , 2013, 19, 363-363.	1.2	9
256	Health for all? Patterns and predictors of allied health service use in Australia. <i>Australian Health Review</i> , 2013, 37, 389.	0.5	3
257	“Good for Older Ladies, Not Me” <i>Journal of the American Podiatric Medical Association</i> , 2013, 103, 465-470.	0.2	20
258	Circumstances of falls and falls-related injuries in a cohort of older patients following hospital discharge. <i>Clinical Interventions in Aging</i> , 2013, 8, 765.	1.3	38
259	Balance and gait in older electroconvulsive therapy recipients: a pilot study. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 805.	1.0	2
260	Tailored Education for Older Patients to Facilitate Engagement in Falls Prevention Strategies after Hospital Discharge—A Pilot Randomized Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e63450.	1.1	51
261	Clinical Decision Making in Exercise Prescription for Fall Prevention. <i>Physical Therapy</i> , 2012, 92, 666-679.	1.1	50
262	Reducing Staff Isolation and Developing Evidence-Informed Practice in the Aged Care Environment Through an Action Research Approach to Falls Prevention. <i>Advances in Nursing Science</i> , 2012, 35, 3-13.	0.6	15
263	Recording sentinel events in the life course of individuals with acquired brain injury: A preliminary study. <i>Brain Injury</i> , 2012, 26, 1381-1396.	0.6	19
264	Care and support needs of patients and carers early post-discharge following treatment for non-malignant brain tumour: establishing a new reality. <i>Supportive Care in Cancer</i> , 2012, 20, 2595-2610.	1.0	29
265	Adherence to and efficacy of home exercise programs to prevent falls: A systematic review and meta-analysis of the impact of exercise program characteristics. <i>Preventive Medicine</i> , 2012, 55, 262-275.	1.6	158
266	The influence of protection, palliation and costs on mobility optimization of residents in nursing homes: A thematic analysis of discourse. <i>International Journal of Nursing Studies</i> , 2012, 49, 1364-1374.	2.5	12
267	The 6-PACK programme to decrease falls and fall-related injuries in acute hospitals: protocol for an economic evaluation alongside a cluster randomised controlled trial. <i>Injury Prevention</i> , 2012, 18, e2-e2.	1.2	9
268	Evaluation of the uptake of the Australian standardized terminology and definitions for texture modified foods and fluids. <i>International Journal of Speech-Language Pathology</i> , 2012, 14, 214-225.	0.6	29
269	Life impact of ankle fractures: Qualitative analysis of patient and clinician experiences. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 224.	0.8	64
270	Patients undergoing subacute rehabilitation have accurate expectations of their health-related quality of life at discharge. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 94.	1.0	10



#	ARTICLE	IF	CITATIONS
271	Mobility has a non-linear association with falls risk among people in residential aged care: an observational study. <i>Journal of Physiotherapy</i> , 2012, 58, 117-125.	0.7	27
272	Retrospective Study of the Effects of Inpatient Rehabilitation on Improving and Maintaining Functional Independence in People With Friedreich Ataxia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 1860-1863.	0.5	26
273	Abdominal Binder Improves Lung Volumes and Voice in People With Tetraplegic Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2189-2197.	0.5	24
274	Factors associated with the occurrence of sentinel events during transition from hospital to home for individuals with traumatic brain injury. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 837-844.	0.8	11
275	Outcomes from the Implementation of a Facility-Specific Evidence-Based Falls Prevention Intervention Program in Residential Aged Care. <i>Geriatric Nursing</i> , 2012, 33, 41-50.	0.9	28
276	Beyond the "tick and flick": facilitating best practice falls prevention through an action research approach. <i>Journal of Clinical Nursing</i> , 2012, 21, 1896-1905.	1.4	15
277	Staying Safe at Home. Home environmental audit recommendations and uptake in an older population at high risk of falling. <i>Australasian Journal on Ageing</i> , 2012, 31, 90-95.	0.4	24
278	Can simulation replace part of clinical time? Two parallel randomised controlled trials. <i>Medical Education</i> , 2012, 46, 657-667.	1.1	152
279	Breakeven, Cost Benefit, Cost Effectiveness, and Willingness to Pay for Web-Based Versus Face-to-Face Education Delivery for Health Professionals. <i>Journal of Medical Internet Research</i> , 2012, 14, e47.	2.1	80
280	Factors associated with quality of life and caregiver strain amongst frail older adults referred to a community rehabilitation service: implications for service delivery. <i>Disability and Rehabilitation</i> , 2011, 33, 1215-1221.	0.9	18
281	The 6-PACK programme to decrease fall-related injuries in acute hospitals: protocol for a cluster randomised controlled trial. <i>Injury Prevention</i> , 2011, 17, e5-e5.	1.2	21
282	Changes in falls risk factors for geriatric diagnostic groups across inpatient, outpatient and domiciliary rehabilitation settings. <i>Disability and Rehabilitation</i> , 2011, 33, 900-907.	0.9	22
283	Further Validation of the Balance Outcome Measure for Elder Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 101-105.	0.5	13
284	Factors Associated With Older Patients' Engagement in Exercise After Hospital Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1395-1403.	0.5	83
285	Inconsistent results in meta-analyses for the prevention of falls are found between study-level data and patient-level data. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 154-162.	2.4	13
286	The slave of duty: Why clinical educators across the continuum of care provide clinical education in physiotherapy. <i>Hong Kong Physiotherapy Journal</i> , 2011, 29, 64-70.	0.3	37
287	Local adaptation and evaluation of a falls risk prevention approach in acute hospitals. <i>International Journal for Quality in Health Care</i> , 2011, 23, 134-141.	0.9	19
288	Prevalence and influence of psychiatric comorbidity on rehabilitation outcome for older hospital inpatients. <i>International Psychogeriatrics</i> , 2011, 23, 1502-1514.	0.6	7

#	ARTICLE	IF	CITATIONS
289	A protocol for evidence-based targeting and evaluation of statewide strategies for preventing falls among community-dwelling older people in Victoria, Australia. <i>Injury Prevention</i> , 2011, 17, e3-e3.	1.2	28
290	Insights into the climate of safety towards the prevention of falls among hospital staff. <i>Journal of Clinical Nursing</i> , 2011, 20, 2924-2930.	1.4	16
291	Dose-response relationship between physiotherapy resource provision with function and balance improvements in patients following stroke: a multi-centre observational study. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 136-142.	0.9	11
292	Patient preference for falls prevention in hospitals revealed through willingness-to-pay, contingent valuation survey. <i>Journal of Evaluation in Clinical Practice</i> , 2011, 17, 304-310.	0.9	10
293	Translation of falls prevention knowledge into action in hospitals: What should be translated and how should it be done?. <i>Journal of Safety Research</i> , 2011, 42, 431-442.	1.7	25
294	Is education an effective management strategy for reducing cancer-related fatigue?. <i>Supportive Care in Cancer</i> , 2011, 19, 1429-1439.	1.0	45
295	Nutritional status and associations with falls, balance, mobility and functionality during hospital admission. <i>Journal of Nutrition, Health and Aging</i> , 2011, 15, 388-391.	1.5	62
296	Adult measures of general health and health-related quality of life: Medical Outcomes Study Short Form 36-Item (SF-36) and Short Form 12-Item (SF-12) Health Surveys, Nottingham Health Profile (NHP), Sickness Impact Profile (SIP), Medical Outcomes Study Short Form 6D (SF-6D), Health Utilities Index Mark 3 (HUI3), Quality of Well-Being Scale (QWB), and Assessment of Quality of Life (AQL). <i>Arthritis Care and Research</i> , 2011, 63, S383-412.	1.5	287
297	Preventing Falls in Acute Care Hospitals. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 671.	3.8	0
298	Two types of exercise programme for institutionalised older people may preserve the ability to perform some activities of daily living. <i>Evidence-based Nursing</i> , 2011, 13, 84-85.	0.1	0
299	Development of Depressive Symptoms During Early Community Reintegration After Traumatic Brain Injury. <i>Journal of the International Neuropsychological Society</i> , 2011, 17, 112-119.	1.2	27
300	Evaluation of the Sustained Effect of Inpatient Falls Prevention Education and Predictors of Falls After Hospital Discharge-Follow-up to a Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2011, 66A, 1001-1012.	1.7	58
301	A Research-based Community Theater Performance to Promote Ageing: Is it More than Just a Show?. <i>Educational Gerontology</i> , 2011, 37, 885-898.	0.7	12
302	The state of physical environments in Australian residential aged care facilities. <i>Australian Health Review</i> , 2011, 35, 412.	0.5	12
303	Falls After Discharge From Hospital: Is There a Gap Between Older Peoples' Knowledge About Falls Prevention Strategies and the Research Evidence?. <i>Gerontologist</i> , The, 2011, 51, 653-662.	2.3	83
304	Patient Education to Prevent Falls Among Older Hospital Inpatients. <i>Archives of Internal Medicine</i> , 2011, 171, 516-24.	4.3	162
305	Effectiveness of Web-Based Versus Face-To-Face Delivery of Education in Prescription of Falls-Prevention Exercise to Health Professionals: Randomized Trial. <i>Journal of Medical Internet Research</i> , 2011, 13, e116.	2.1	41
306	The Impact of Manual Handling on Nursing Home Resident Mobility During Transfers On and Off Furniture: A Systematic Review. <i>Journal of Gerontological Nursing</i> , 2011, 37, 48-56.	0.3	7

#	ARTICLE	IF	CITATIONS
307	Development of an Educational Intervention for Cancer-Related Fatigue. <i>British Journal of Occupational Therapy</i> , 2010, 73, 327-333.	0.5	14
308	Impact of Enhanced Primary Care on equitable access to and economic efficiency of allied health services: a qualitative investigation. <i>Australian Health Review</i> , 2010, 34, 30.	0.5	27
309	Determining the minimal clinically important difference criteria for the Multidimensional Fatigue Inventory in a radiotherapy population. <i>Supportive Care in Cancer</i> , 2010, 18, 307-315.	1.0	67
310	Multimodal exercise improves quality of life of women being treated for breast cancer, but at what cost? Randomized trial with economic evaluation. <i>Breast Cancer Research and Treatment</i> , 2010, 124, 163-175.	1.1	74
311	Response shift, recall bias and their effect on measuring change in health-related quality of life amongst older hospital patients. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 65.	1.0	107
312	A multidimensional examination of correlates of fatigue during radiotherapy. <i>Cancer</i> , 2010, 116, 529-537.	2.0	26
313	A protocol for an individualised, facilitated and sustainable approach to implementing current evidence in preventing falls in residential aged care facilities. <i>BMC Geriatrics</i> , 2010, 10, 8.	1.1	15
314	Pragmatic, Cluster Randomized Trial of a Policy to Introduce Low-Bed Rooms to Hospital Wards for the Prevention of Falls and Fall Injuries. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 435-441.	1.3	62
315	Measuring Falls Events in Acute Hospitals—A Comparison of Three Reporting Methods to Identify Missing Data in the Hospital Reporting System. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1347-1352.	1.3	118
316	PHYSICAL FUNCTION AND HEALTH-RELATED QUALITY OF LIFE OF OLDER ADULTS UNDERGOING HOSPITAL REHABILITATION: HOW STRONG IS THE ASSOCIATION?. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 2435-2437.	1.3	14
317	Evidence of disagreement between patient-perceived change and conventional longitudinal evaluation of change in health-related quality of life among older adults. <i>Clinical Rehabilitation</i> , 2010, 24, 1036-1044.	1.0	27
318	Randomized Trial of Domiciliary Versus Center-based Rehabilitation: Which is More Effective in Reducing Falls and Improving Quality of Life in Older Fallers?. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2010, 65A, 672-679.	1.7	26
319	Preventing Falls and Fall-Related Injuries in Hospitals. <i>Clinics in Geriatric Medicine</i> , 2010, 26, 645-692.	1.0	362
320	Reference bias: presentation of extreme health states prior to EQ-VAS improves health-related quality of life scores. A randomised crossover trial. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 146.	1.0	19
321	Heel raises versus prefabricated orthoses in the treatment of posterior heel pain associated with calcaneal apophysitis (Sever's Disease): study protocol for a randomised controlled trial. <i>Journal of Foot and Ankle Research</i> , 2010, 3, 3.	0.7	19
322	Unravelling the concept of consumer preference: Implications for health policy and optimal planning in primary care. <i>Health Policy</i> , 2010, 97, 105-112.	1.4	24
323	Patient centered goal-setting in a subacute rehabilitation setting. <i>Disability and Rehabilitation</i> , 2010, 32, 159-172.	0.9	187
324	Physiotherapist observation of head and neck alignment. <i>Physiotherapy Theory and Practice</i> , 2010, 26, 416-423.	0.6	10

#	ARTICLE	IF	CITATIONS
325	Cancer-Related Fatigue: A Review and a Conceptual Framework to Guide Therapists' Understanding. <i>British Journal of Occupational Therapy</i> , 2009, 72, 79-86.	0.5	16
326	Effectiveness of a video-based exercise programme to reduce falls and improve health-related quality of life among older adults discharged from hospital: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2009, 23, 973-985.	1.0	87
327	Evaluation of the effect of patient education on rates of falls in older hospital patients: Description of a randomised controlled trial. <i>BMC Geriatrics</i> , 2009, 9, 14.	1.1	22
328	Are non-slip socks really 'non-slip'? An analysis of slip resistance. <i>BMC Geriatrics</i> , 2009, 9, 39.	1.1	18
329	Abdominal binder use in people with spinal cord injuries: a systematic review and meta-analysis. <i>Spinal Cord</i> , 2009, 47, 274-285.	0.9	32
330	The relationship between quality of life and disability across the lifespan for people with spinal cord injury. <i>Spinal Cord</i> , 2009, 47, 149-155.	0.9	151
331	A break-even analysis of a community rehabilitation falls prevention service. <i>Australian and New Zealand Journal of Public Health</i> , 2009, 33, 240-245.	0.8	4
332	Inconsistency in Classification and Reporting of In-Hospital Falls. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 517-523.	1.3	43
333	A Randomized Trial Comparing Digital Video Disc with Written Delivery of Falls Prevention Education for Older Patients in Hospital. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1458-1463.	1.3	93
334	A Comment on the Debate Surrounding Single- and Multifactorial Falls Prevention Interventions. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1708-1709.	1.3	1
335	Measuring Fall Risk and Predicting Who Will Fall: Clinimetric Properties of Four Fall Risk Assessment Tools for Residential Aged Care. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 916-924.	1.7	34
336	Telephone reliability of the Frenchay Activity Index and EQ-5D amongst older adults. <i>Health and Quality of Life Outcomes</i> , 2009, 7, 48.	1.0	60
337	Profiling early outcomes during the transition from hospital to home after brain injury. <i>Brain Injury</i> , 2009, 23, 51-60.	0.6	27
338	When should an intervention be provided?. <i>Australian Journal of Physiotherapy</i> , 2009, 55, 218.	0.9	0
339	Cost-Effectiveness Analysis of Screening for Risk of In-Hospital Falls Using Physiotherapist Clinical Judgement. <i>Medical Care</i> , 2009, 47, 448-456.	1.1	39
340	Better than nothing? Restrictions and realities of enhanced primary care for allied health practitioners. <i>Australian Journal of Primary Health</i> , 2009, 15, 326.	0.4	28
341	Are Pictures Worth a Thousand Words: A Pilot Randomized Trial of Visual Cues to Improve Speed of Completion and Comprehension of Three Surveys for Older Adults. <i>The Open Geriatric Medicine Journal</i> , 2009, 1, 50-55.	1.0	2
342	Domiciliary vs Centre-Based Rehabilitation of Older Community Dwellers: Randomised Trial with Economic Evaluation. <i>The Open Geriatric Medicine Journal</i> , 2009, 1, 62-67.	1.0	5

#	ARTICLE	IF	CITATIONS
343	Public provision of four-wheeled walkers: Contingent valuation study of economic benefit. <i>Australasian Journal on Ageing</i> , 2008, 27, 161-164.	0.4	5
344	Documentation of in-hospital falls on incident reports: Qualitative investigation of an imperfect process. <i>BMC Health Services Research</i> , 2008, 8, 254.	0.9	30
345	Clinimetric Evaluation of the Physical Mobility Scale Supports Clinicians and Researchers in Residential Aged Care. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 2140-2145.	0.5	7
346	Rationale and design of the PRSM study: Pulmonary rehabilitation or self management for chronic obstructive pulmonary disease (COPD), what is the best approach?. <i>Contemporary Clinical Trials</i> , 2008, 29, 796-800.	0.8	12
347	Balance Impairment Not Predictive of Falls in Geriatric Rehabilitation Wards. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 523-528.	1.7	39
348	Two Perspectives of Proxy Reporting of Health-Related Quality of Life Using the Euroqol-5D, An Investigation of Agreement. <i>Medical Care</i> , 2008, 46, 1140-1148.	1.1	75
349	Does Enhanced Primary Care enhance primary care? Policy-induced dilemmas for allied health professionals. <i>Medical Journal of Australia</i> , 2008, 188, 29-32.	0.8	46
350	A qualitative study of the transition from hospital to home for individuals with acquired brain injury and their family caregivers. <i>Brain Injury</i> , 2007, 21, 1119-1130.	0.6	113
351	Additional exercise for older subacute hospital inpatients to prevent falls: benefits and barriers to implementation and evaluation. <i>Clinical Rehabilitation</i> , 2007, 21, 742-753.	1.0	39
352	Design-Related Bias in Hospital Fall Risk Screening Tool Predictive Accuracy Evaluations: Systematic Review and Meta-Analysis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007, 62, 664-672.	1.7	132
353	Reliability of the Clinical Outcome Variables Scale When Administered Via Telephone to Assess Mobility in People With Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 632-637.	0.5	11
354	Development and Validation of the Balance Outcome Measure for Elder Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2007, 88, 1614-1621.	0.5	51
355	Fostering clinician-led research. <i>Australian Journal of Physiotherapy</i> , 2007, 53, 143-144.	0.9	17
356	Early arm swelling after breast surgery: changes on both sides. <i>Breast Cancer Research and Treatment</i> , 2007, 101, 105-112.	1.1	12
357	A new instrument for targeting falls prevention interventions was accurate and clinically applicable in a hospital setting. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 168-175.	2.4	40
358	Recurrent events counted in evaluations of predictive accuracy. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 1155-1161.	2.4	11
359	Hip protector use amongst older hospital inpatients: compliance and functional consequences. <i>Age and Ageing</i> , 2006, 35, 520-523.	0.7	7
360	Patient education to prevent falls in subacute care. <i>Clinical Rehabilitation</i> , 2006, 20, 970-979.	1.0	50

#	ARTICLE	IF	CITATIONS
361	Commentary on Dempsey J (2004) Falls prevention revisited: a call for a new approach. <i>Journal of Clinical Nursing</i> 13, 479-485. <i>Journal of Clinical Nursing</i> , 2005, 14, 126-128.	1.4	0
362	Difficulties encountered in hospital falls prevention research. <i>Age and Ageing</i> , 2005, 34, 311-311.	0.7	2
363	Effectiveness of targeted falls prevention programme in subacute hospital setting: randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2004, 328, 676.	2.4	239
364	Improving Policy for the Prevention of Falls Among Community-Dwelling Older People – A Scoping Review and Quality Assessment of International National and State Level Public Policies. <i>International Journal of Public Health</i> , 0, 67, .	1.0	4