## **Anders Larsson**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8694202/publications.pdf

Version: 2024-02-01

218 papers 6,575 citations

76326 40 h-index 71 g-index

222 all docs 222 docs citations

times ranked

222

9467 citing authors

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Use of Multiple Biomarkers to Improve the Prediction of Death from Cardiovascular Causes. New England Journal of Medicine, 2008, 358, 2107-2116.   | 27.0 | 792       |
| 2  | The Burden of Cardiovascular Diseases Among US States, 1990-2016. JAMA Cardiology, 2018, 3, 375.   | 6.1  | 271       |
| 3  | Generation of a New Cystatin C–Based Estimating Equation for Glomerular Filtration Rate by Use of 7 Assays Standardized to the International Calibrator. Clinical Chemistry, 2014, 60, 974-986.  | 3.2  | 248       |
| 4  | Cystatin C. Circulation, 2004, 110, 2342-2348.   | 1.6  | 231       |
| 5  | Evidence of both systemic inflammation and neuroinflammation in fibromyalgia patients, as assessed by a multiplex protein panel applied to the cerebrospinal fluid and to plasma. Journal of Pain Research, 2017, Volume 10, 515-525.    | 2.0  | 164       |
| 6  | Development and Validation of a Modified Full Age Spectrum Creatinine-Based Equation to Estimate Glomerular Filtration Rate. Annals of Internal Medicine, 2021, 174, 183-191.  | 3.9  | 157       |
| 7  | Peroral Immunotheraphy with Yolk Antibodies for the Prevention and Treatment of Enteric Infections.<br>Immunologic Research, 2000, 21, 1-6.  | 2.9  | 156       |
| 8  | Assessment of left ventricular structure and function in preeclampsia by echocardiography and cardiovascular biomarkers. Journal of Hypertension, 2009, 27, 2257-2264.   | 0.5  | 129       |
| 9  | The state of point-of-care testing: a european perspective. Upsala Journal of Medical Sciences, 2015, 120, 1-10.   | 0.9  | 119       |
| 10 | Use of chicken antibodies in enzyme immunoassays to avoid interference by rheumatoid factors. Clinical Chemistry, 1991, 37, 411-414.   | 3.2  | 115       |
| 11 | Oral administration of specific yolk antibodies (IgY) may preventPseudomonas aeruginosainfections in patients with cystic fibrosis: A phase I feasibility study. Pediatric Pulmonology, 2003, 35, 433-440.                               | 2.0  | 104       |
| 12 | Good effect of IgY against <i>Pseudomonas aeruginosa</i> infections in cystic fibrosis patients. Pediatric Pulmonology, 2008, 43, 892-899.   | 2.0  | 95        |
| 13 | Biomarkers of Extracellular Matrix Metabolism (MMP-9 and TIMP-1) and Risk of Stroke, Myocardial Infarction, and Cause-Specific Mortality: Cohort Study. PLoS ONE, 2011, 6, e16185.   | 2.5  | 90        |
| 14 | Stability of Proteins in Dried Blood Spot Biobanks. Molecular and Cellular Proteomics, 2017, 16, 1286-1296.  | 3.8  | 81        |
| 15 | Evaluation of endotheliumâ€dependent vasodilation in the human peripheral circulation. Clinical Physiology, 2000, 20, 440-448.   | 0.7  | 80        |
| 16 | Tracing Cellular Origin of Human Exosomes Using Multiplex Proximity Extension Assays. Molecular and Cellular Proteomics, 2017, 16, 502-511.  | 3.8  | 78        |
| 17 | Changes in markers of liver function in relation to changes in perfluoroalkyl substances - A longitudinal study. Environment International, 2018, 117, 196-203.  | 10.0 | 77        |
| 18 | Reference values for α <sub>1</sub> â€acid glycoprotein, α <sub>1</sub> â€antitrypsin, albumin, haptoglobin, Câ€reactive protein, IgA, IgG and IgM during pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1084-1088. | 2.8  | 73        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | High levels of cerebrospinal fluid chemokines point to the presence of neuroinflammation in peripheral neuropathic pain: a cross-sectional study of 2 cohorts of patients compared with healthy controls. Pain, 2017, 158, 2487-2495. | 4.2 | 73        |
| 20 | Association of soluble tumor necrosis factor receptors 1 and 2 with nephropathy, cardiovascular events, and total mortality in type 2 diabetes. Cardiovascular Diabetology, 2016, 15, 40.   | 6.8 | 70        |
| 21 | Chicken antibodies: a tool to avoid interference by complement activation in ELISA. Journal of Immunological Methods, 1992, 156, 79-83.   | 1.4 | 69        |
| 22 | Reference Values for 27 Clinical Chemistry Tests in 70-Year-Old Males and Females. Gerontology, 2010, 56, 259-265.  | 2.8 | 68        |
| 23 | Higher Cathepsin B Levels in Plasma in Alzheimer's Disease Compared to Healthy Controls. Journal of Alzheimer's Disease, 2011, 22, 1223-1230.   | 2.6 | 68        |
| 24 | Association Between Serum Cathepsin S and Mortality in Older Adults. JAMA - Journal of the American Medical Association, 2011, 306, 1113.   | 7.4 | 68        |
| 25 | Characteristics of human prostasomes isolated from three different sources. Prostate, 2003, 54, 322-330.  | 2.3 | 67        |
| 26 | Human prostasomes contain chromosomal DNA. Prostate, 2009, 69, 737-743.   | 2.3 | 66        |
| 27 | The effects of age and gender on plasma levels of 63 cytokines. Journal of Immunological Methods, 2015, 425, 58-61.   | 1.4 | 64        |
| 28 | Prostasomes are heterogeneous regarding size and appearance but affiliated to one DNAâ€containing exosome family. Prostate, 2012, 72, 1736-1745.  | 2.3 | 60        |
| 29 | Changes in transferrin glycosylation during pregnancy may lead to false-positive carbohydrate-deficient transferrin (CDT) results in testing for riskful alcohol consumption. Clinica Chimica Acta, 2011, 412, 129-133.               | 1.1 | 59        |
| 30 | Chicken Antibodies: A Tool to Avoid Interference by Human Anti-Mouse Antibodies in ELISA After In Vivo Treatment With Murine Monoclonal Antibodies. Hybridoma, 1992, 11, 33-39.   | 0.6 | 57        |
| 31 | Evolution of NETosis markers and DAMPs have prognostic value in critically ill COVID-19 patients.<br>Scientific Reports, 2021, 11, 15701.   | 3.3 | 56        |
| 32 | Calprotectin, a new biomarker for diagnosis of acute respiratory infections. Scientific Reports, 2020, 10, 4208.  | 3.3 | 55        |
| 33 | Prostasomal DNA characterization and transfer into human sperm. Molecular Reproduction and Development, 2011, 78, 467-476.  | 2.0 | 54        |
| 34 | Pharmacological targeting of peptidylarginine deiminase 4 prevents cancer-associated kidney injury in mice. Oncolmmunology, 2017, 6, e1320009.  | 4.6 | 51        |
| 35 | Increased levels of plasma cytokines and correlations to organ failure and 30-day mortality in critically ill Covid-19 patients. Cytokine, 2021, 138, 155389.   | 3.2 | 50        |
| 36 | Impaired endothelial function and elevated levels of pentraxin 3 in earlyâ€onset preeclampsia. Acta<br>Obstetricia Et Gynecologica Scandinavica, 2012, 91, 50-56.   | 2.8 | 49        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | The Effect of Hyaluronan on Bone and Soft Tissue and Immune Response in Wound Healing. Journal of Periodontology, 2001, 72, 1192-1200.  | 3.4  | 48        |
| 38 | Human prostasomes express glycolytic enzymes with capacity for ATP production. American Journal of Physiology - Endocrinology and Metabolism, 2013, 304, E576-E582.   | 3.5  | 46        |
| 39 | Energyâ€requiring uptake of prostasomes and PC3 cellâ€derived exosomes into nonâ€malignant and malignant cells. Journal of Extracellular Vesicles, 2016, 5, 29877.  | 12.2 | 45        |
| 40 | ANGIOGENESIS AND ANGIOGENIC GROWTH FACTORS IN WILMS TUMOR. Journal of Urology, 2001, 165, 2274-2279.  | 0.4  | 44        |
| 41 | Effect of sibutramine on weight reduction in women with polycystic ovary syndrome: a randomized, double-blind, placebo-controlled trial. Fertility and Sterility, 2008, 89, 1221-1228.                        | 1.0  | 44        |
| 42 | Dominant Prostasome Immunogens for Spermâ€Agglutinating Autoantibodies of Infertile Men. Journal of Andrology, 2004, 25, 699-705.   | 2.0  | 43        |
| 43 | The combined contribution of albuminuria and glomerular filtration rate to the prediction of cardiovascular mortality in elderly men. Nephrology Dialysis Transplantation, 2011, 26, 2820-2827.               | 0.7  | 41        |
| 44 | Serum Endostatin and Risk of Mortality in the Elderly. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2689-2695.   | 2.4  | 37        |
| 45 | Endostatin Level is Associated with Kidney Injury in the Elderly: Findings from Two Community-Based Cohorts. American Journal of Nephrology, 2014, 40, 417-424.   | 3.1  | 36        |
| 46 | COVIDâ€19 patients in intensive care develop predominantly oliguric acute kidney injury. Acta Anaesthesiologica Scandinavica, 2021, 65, 364-372.  | 1.6  | 35        |
| 47 | Soluble TNF Receptors and Kidney Dysfunction in the Elderly. Journal of the American Society of Nephrology: JASN, 2014, 25, 1313-1320.  | 6.1  | 34        |
| 48 | Proteomic Profiling of Detergent Resistant Membranes (Lipid Rafts) of Prostasomes. Molecular and Cellular Proteomics, 2015, 14, 3015-3022.  | 3.8  | 34        |
| 49 | Impact of Selenium on Biomarkers and Clinical Aspects Related to Ageing. A Review. Biomolecules, 2021, 11, 1478.  | 4.0  | 33        |
| 50 | Identification of dipeptidyl peptidase IV as the antigen of a monoclonal anti-prostasome antibody. , 1999, 38, 35-39.   |      | 32        |
| 51 | Variations in assay protocol for the Dako cystatin C method may change patient results by 50% without changing the results for controls. Clinical Chemistry and Laboratory Medicine, 2006, 44, 1481-5.        | 2.3  | 32        |
| 52 | Circadian Variability of Cystatin C, Creatinine, and Glomerular Filtration Rate (GFR) in Healthy Men during Normal Sleep and after an Acute Shift of Sleep. Chronobiology International, 2008, 25, 1047-1061. | 2.0  | 32        |
| 53 | The HemoScreen, a novel haematology analyser for the point of care. Journal of Clinical Pathology, 2016, 69, 720-725.   | 2.0  | 32        |
| 54 | Severe acute kidney injury associated with progression of chronic kidney disease after critical COVID-19. Critical Care, 2021, 25, 37.  | 5.8  | 30        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Soluble tumor necrosis factor receptor 1 (sTNFR1) is associated with increased total mortality due to cancer and cardiovascular causes $\hat{a} \in \hat{b}$ Findings from two community based cohorts of elderly. Atherosclerosis, 2014, 237, 236-242. | 0.8 | 29        |
| 56 | The body mass index (BMI) is significantly correlated with levels of cytokines and chemokines in cerebrospinal fluid. Cytokine, 2015, 76, 514-518.  | 3.2 | 29        |
| 57 | Correlation of serum cytokines, chemokines, growth factors and enzymes with periodontal disease parameters. PLoS ONE, 2017, 12, e0188945.   | 2.5 | 29        |
| 58 | Flow cytometric technique for determination of prostasomal quantity, size and expression of CD10, CD13, CD26 and CD59 in human seminal plasma. Journal of Developmental and Physical Disabilities, 2006, 29, 331-338.                                   | 3.6 | 28        |
| 59 | Influences of sleep and the circadian rhythm on iron-status indices. Clinical Biochemistry, 2010, 43, 1323-1328.  | 1.9 | 28        |
| 60 | Pentraxin 3 Values During Normal Pregnancy. Inflammation, 2011, 34, 448-451.  | 3.8 | 28        |
| 61 | Significant differences when using creatinine, modification of diet in renal disease, or cystatin C for estimating glomerular filtration rate in ICU patients. Upsala Journal of Medical Sciences, 2011, 116, 39-46.                                    | 0.9 | 28        |
| 62 | Day-to-day variation of urinary NGAL and rational for creatinine correction. Clinical Biochemistry, 2013, 46, 70-72.  | 1.9 | 28        |
| 63 | Calprotectin is superior to procalcitonin as a sepsis marker and predictor of 30-day mortality in intensive care patients. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 156-161.  | 1.2 | 28        |
| 64 | Antibody response in laying hens with small amounts of antigen. Food and Agricultural Immunology, 1998, 10, 29-36.  | 1.4 | 27        |
| 65 | Urinary neutrophil gelatinase-associated lipocalin (NGAL) isÂassociated with mortality in a community-based cohort of older Swedish men. Atherosclerosis, 2013, 227, 408-413.   | 0.8 | 25        |
| 66 | Plasma endostatin may improve acute kidney injury risk prediction in critically ill patients. Annals of Intensive Care, 2016, 6, 6.   | 4.6 | 25        |
| 67 | A novel method for creatinine adjustment makes the revised Lund–Malmö GFR estimating equation applicable in children. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 456-463.   | 1.2 | 25        |
| 68 | Upregulation of circulating inflammatory biomarkers under the influence of periodontal disease in rheumatoid arthritis patients. Cytokine, 2020, 131, 155117.   | 3.2 | 24        |
| 69 | Performance of creatinineâ€based equations to estimate glomerular filtration rate with a methodology adapted to the context of drug dosage adjustment. British Journal of Clinical Pharmacology, 2022, 88, 2118-2127.                                   | 2.4 | 24        |
| 70 | Binding of complement components C1q, C3, C4 and C5 to a model immune complex in ELISA. Journal of Immunological Methods, 1989, 119, 103-109.   | 1.4 | 23        |
| 71 | CIRCADIAN VARIABILITY OF BILIRUBIN IN HEALTHY MEN DURING NORMAL SLEEP AND AFTER AN ACUTE SHIFT OF SLEEP. Chronobiology International, 2009, 26, 1613-1621.  | 2.0 | 23        |
| 72 | Retention of Specific Yolk IgY in the Human Oral Cavity. BioDrugs, 2002, 16, 433-437.   | 4.6 | 22        |

| #          | Article  | IF  | Citations |
|------------|--|-----|-----------|
| 73         | Cathepsin B and S as markers for cardiovascular risk and all-cause mortality in patients with stable coronary heart disease during 10 years: a CLARICOR trial sub-study. Atherosclerosis, 2018, 278, 97-102.   | 0.8 | 22        |
| 74         | Cystatin C predicts long term mortality better than creatinine in a nationwide study of intensive care patients. Scientific Reports, 2021, 11, 5882.   | 3.3 | 22        |
| <b>7</b> 5 | Soluble TNF receptors predict acute kidney injury and mortality in critically ill COVID-19 patients: A prospective observational study. Cytokine, 2022, 149, 155727.   | 3.2 | 22        |
| 76         | Endotoxin induced platelet microvesicle formation measured by flow cytometry. Platelets, 1996, 7, 153-158.   | 2.3 | 21        |
| 77         | Selenium and Coenzyme Q10 Supplementation Improves Renal Function in Elderly Deficient in Selenium: Observational Results and Results from a Subgroup Analysis of a Prospective Randomised Double-Blind Placebo-Controlled Trial. Nutrients, 2020, 12, 3780. | 4.1 | 21        |
| 78         | Decrease in inflammatory biomarker concentration by intervention with selenium and coenzyme Q10: a subanalysis of osteopontin, osteoprotergerin, TNFr1, TNFr2 and TWEAK. Journal of Inflammation, 2019, 16, 5.   | 3.4 | 20        |
| 79         | A new turbidimetric immunoassay for serum calprotectin for fully automatized clinical analysers.<br>Journal of Inflammation, 2015, 12, 45.   | 3.4 | 19        |
| 80         | Inflammatory and endothelial markers during the menstrual cycle. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 190-194.   | 1.2 | 19        |
| 81         | The HemoCue <scp>WBC DIFF</scp> system could be used for leucocyte and neutrophil counts but not for full differential counts. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 974-978.   | 1.5 | 19        |
| 82         | The time course of calprotectin liberation from human neutrophil granulocytes after Escherichia coli and endotoxin challenge. Innate Immunity, 2019, 25, 369-373.  | 2.4 | 19        |
| 83         | The Aging Kidney—As Influenced by Heavy Metal Exposure and Selenium Supplementation. Biomolecules, 2021, 11, 1078.   | 4.0 | 19        |
| 84         | EFFECT OF THE ADMINISTRATION RATE ON THE BIOLOGICAL RESPONSES TO A FIXED DOSE OF ENDOTOXIN IN THE ANESTHETIZED PIG. Shock, 2008, 29, 173-180.  | 2.1 | 19        |
| 85         | Plasma Leptin Is Increased in Intensive Care Patients with COVID-19—An Investigation Performed in the PronMed-Cohort. Biomedicines, 2022, 10, 4.   | 3.2 | 19        |
| 86         | Concordant Message of Different Inflammatory Markers in Patients with Rheumatoid Arthritis. Upsala Journal of Medical Sciences, 1998, 103, 35-42.  | 0.9 | 18        |
| 87         | Inflammatory and circulatory effects of the reduction of endotoxin concentration in established porcine endotoxemic shockâ€"A model of endotoxin elimination. Critical Care Medicine, 2009, 37, 1031-e4.   | 0.9 | 18        |
| 88         | Differences in Organ Dysfunction in Endotoxin-Tolerant Pigs Under Intensive Care Exposed to a Second Hit of Endotoxin. Shock, 2012, 37, 501-510.   | 2.1 | 18        |
| 89         | Cystatin C-based glomerular filtration rate associates more closely with mortality than creatinine-based or combined glomerular filtration rate equations in unselected patients. European Journal of Preventive Cardiology, 2016, 23, 1649-1657.            | 1.8 | 18        |
| 90         | Reference values for 34 frequently used laboratory tests in 80-year-old men and women. Maturitas, 2016, 92, 97-101.  | 2.4 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Performance of plasma calprotectin as a biomarker of early sepsis: a pilot study. Biomarkers in Medicine, 2016, 10, 811-818.   | 1.4 | 18        |
| 92  | Antiprostasome antibodies: Possible serum markers for prostate cancer metastasizing liability. Urologic Oncology: Seminars and Original Investigations, 2006, 24, 195-200.   | 1.6 | 16        |
| 93  | Serum cystatin C is associated with other cardiovascular risk markers and cardiovascular disease in elderly men. International Journal of Cardiology, 2008, 125, 263-264.  | 1.7 | 16        |
| 94  | Cystatin C and modification of diet in renal disease (MDRD) estimated glomerular filtration rate differ during normal pregnancy. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 939-944.                     | 2.8 | 16        |
| 95  | Analysis of intraosseous samples using point of care technologyâ€"An experimental study in the anaesthetised pig. Resuscitation, 2012, 83, 1381-1385.  | 3.0 | 16        |
| 96  | Urinary Osteopontin Predicts Incident Chronic Kidney Disease, while Plasma Osteopontin Predicts Cardiovascular Death in Elderly Men. CardioRenal Medicine, 2017, 7, 245-254.   | 1.9 | 16        |
| 97  | Specificity and levels of oral and systemic antibodies to Actinobacillus actinomycetemcomitans. Journal of Clinical Periodontology, 1993, 20, 746-751.   | 4.9 | 15        |
| 98  | Reference values of thirty-one frequently used laboratory markers for 75-year-old males and females. Upsala Journal of Medical Sciences, 2012, 117, 264-272.   | 0.9 | 15        |
| 99  | Dietary Supplementation with Selenium and Coenzyme Q10 Prevents Increase in Plasma D-Dimer While Lowering Cardiovascular Mortality in an Elderly Swedish Population. Nutrients, 2021, 13, 1344.                        | 4.1 | 15        |
| 100 | A Novel Approach to Hematology Testing at the Point of Care. journal of applied laboratory medicine, The, 2021, 6, 532-542.  | 1.3 | 15        |
| 101 | Increased plasma cathepsin S and trombospondin-1 in patients with acute ST-segment elevation myocardial infarction. Cardiology Journal, 2019, 26, 385-393.   | 1.2 | 15        |
| 102 | Performance evaluation of a particle-enhanced turbidimetric cystatin C assay on the Abbott ci8200 analyzer. Clinical Biochemistry, 2009, 42, 873-876.  | 1.9 | 14        |
| 103 | Is There Any Role for Serum Cathepsin S and CRP Levels on Prognostic Information in Breast Cancer? The Swedish Mammography Cohort. Antioxidants and Redox Signaling, 2015, 23, 1298-1302.                              | 5.4 | 14        |
| 104 | Levels of soluble tumor necrosis factor receptor 1 and 2, gender, and risk of myocardial infarction in Northern Sweden. Atherosclerosis, 2018, 272, 41-46.   | 0.8 | 14        |
| 105 | Consumption of whole grain/bran rye instead of refined wheat decrease concentrations of TNF-R2, e-selectin, and endostatin in an exploratory study in men with prostate cancer. Clinical Nutrition, 2020, 39, 159-165. | 5.0 | 14        |
| 106 | Analysis of inflammatory response in human plasma samples by an automated multicapillary electrophoresis system. Clinical Chemistry and Laboratory Medicine, 2004, 42, 1396-400.                                       | 2.3 | 13        |
| 107 | Stability of Chicken IgY Antibodies Freeze-Dried in the Presence of Lactose, Sucrose, Threalose. Journal of Poultry Science, 2007, 44, 58-62.  | 1.6 | 13        |
| 108 | Flow Cytometric Measurement of Blood Cells with BCR-ABL1 Fusion Protein in Chronic Myeloid Leukemia. Scientific Reports, 2017, 7, 623.   | 3.3 | 13        |

| #   | Article  | IF        | CITATIONS             |
|-----|--|-----------|-----------------------|
| 109 | Serum Pentraxin 3 is associated with signs of arterial alteration in women with preeclampsia. International Journal of Cardiology, 2017, 241, 417-422.   | 1.7       | 13                    |
| 110 | Periodontal disease influences osteoclastogenic bone markers in subjects with and without rheumatoid arthritis. PLoS ONE, 2018, 13, e0197235.  | 2.5       | 13                    |
| 111 | TNFR1, TNFR2, neutrophil gelatinase-associated lipocalin and heparin binding protein in identifying sepsis and predicting outcome in an intensive care cohort. Scientific Reports, 2020, 10, 15350.  | 3.3       | 13                    |
| 112 | High expression of neutrophil and monocyte CD64 with simultaneous lack of upregulation of adhesion receptors CD11b, CD162, CD15, CD65 on neutrophils in severe COVID-19. Therapeutic Advances in Infectious Disease, 2021, 8, 204993612110340.               | 1.8       | 13                    |
| 113 | Simple function tests, but not the modified HAQ, correlate with radiological joint damage in rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2002, 31, 146-150.  | 1.1       | 12                    |
| 114 | Comparison between Chicken and Rabbit Antibody Based Particle Enhanced Cystatin C Reagents for Immunoturbidimetry. Journal of Immunoassay and Immunochemistry, 2007, 29, 1-9.  | 1.1       | 12                    |
| 115 | F2-isoprostane, inflammation, cardiac function and oxygenation in the endotoxaemic pig. Prostaglandins Leukotrienes and Essential Fatty Acids, 2008, 78, 209-217.  | 2.2       | 12                    |
| 116 | Pentraxin 3 Increase is Much Less Pronounced Than C-Reactive Protein Increase After Surgical Procedures. Inflammation, 2011, 34, 367-370.  | 3.8       | 12                    |
| 117 | Particle enhanced turbidimetric immunoassay for the determination of urine cystatin C on Cobas c501. Clinical Biochemistry, 2012, 45, 339-344.   | 1.9       | 12                    |
| 118 | Increased urinary cystatin C indicated higher risk of cardiovascular death in a community cohort. Atherosclerosis, 2014, 234, 108-113.   | 0.8       | 12                    |
| 119 | Predictors for major cardiovascular outcomes in stable ischaemic heart disease (PREMAC): statistical analysis plan for data originating from the CLARICOR (clarithromycin for patients with stable) Tj ETQq1 1 0.7843  | 141ngBT/C | Ov <b>ed</b> ock 10 T |
| 120 | Hepatocyte growth factor, colony-stimulating factor 1, CD40, and 11 other inflammation-related proteins are associated with pain in diabetic neuropathy: exploration and replication serum data from the Pain in Neuropathy Study. Pain, 2022, 163, 897-909. | 4.2       | 12                    |
| 121 | The Modified CKiD Study Estimated GFR Equations for Children and Young Adults Under 25 Years of Age: Performance in a European Multicenter Cohort. American Journal of Kidney Diseases, 2022, 80, 807-810.   | 1.9       | 12                    |
| 122 | Patient selection has a strong impact on cystatin C and Modification of Diet in Renal Disease (MDRD) estimated glomerular filtration rate. Clinical Biochemistry, 2008, 41, 1355-1361.   | 1.9       | 11                    |
| 123 | Reduced cystatin C-estimated GFR and increased creatinine-estimated GFR in comparison with iohexol-estimated GFR in a hyperthyroid patient: A case report. Journal of Medical Case Reports, 2008, 2, 66.   | 0.8       | 11                    |
| 124 | Cerebrospinal fluid cathepsin B and S. Neurological Sciences, 2013, 34, 445-448.   | 1.9       | 11                    |
| 125 | High serum levels of p,p'-DDE are associated with an accelerated decline in GFR during 10†years follow-up. Science of the Total Environment, 2018, 644, 371-374.   | 8.0       | 11                    |
| 126 | Circulating endostatin as a risk factor for cardiovascular events in patients with stable coronary heart disease: A CLARICOR trial sub-study. Atherosclerosis, 2019, 284, 202-208.   | 0.8       | 11                    |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Angiopoietin-2 Inhibition of Thrombomodulin-Mediated Anticoagulation—A Novel Mechanism That May Contribute to Hypercoagulation in Critically Ill COVID-19 Patients. Biomedicines, 2022, 10, 1333.   | 3.2 | 11        |
| 128 | Immune Complexes and Complement Components in Bell's Palsy. Orl, 1987, 49, 294-301.   | 1.1 | 10        |
| 129 | Is It Necessary to Order Aspartate Aminotransferase with Alanine Aminotransferase in Clinical Practice?. Clinical Chemistry, 2001, 47, 1133-1135.   | 3.2 | 10        |
| 130 | Postsurgical inflammatory response is not associated with increased serum cystatin C values. Clinical Biochemistry, 2010, 43, 1138-1140.  | 1.9 | 10        |
| 131 | Diurnal variability of total calcium during normal sleep and after an acute shift of sleep. Clinical Chemistry and Laboratory Medicine, 2012, 50, 147-51.   | 2.3 | 10        |
| 132 | Serum calprotectin levels in elderly males and females without bacterial or viral infections. Clinical Biochemistry, 2014, 47, 1065-1068.   | 1.9 | 10        |
| 133 | Association of Glycated Proteins with Inflammatory Proteins and Periodontal Disease Parameters. Journal of Diabetes Research, 2020, 2020, 1-10.   | 2.3 | 10        |
| 134 | Calprotectin as an early biomarker of bacterial infections in critically ill patients: an exploratory cohort assessment. Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine, 2017, 19, 205-213. | 0.1 | 10        |
| 135 | Age- and sex-specific reference values for non-HDL cholesterol and remnant cholesterol derived from the Nordic Reference Interval Project (NORIP). Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 39-42.          | 1.2 | 9         |
| 136 | Accuracy of determination of the glomerular filtration marker iohexol by European laboratories as monitored by external quality assessment. Clinical Chemistry and Laboratory Medicine, 2019, 57, 1006-1011.                                | 2.3 | 9         |
| 137 | Measurement of Urinary Cystatin <scp>C</scp> with a Particleâ€Enhanced Turbidimetric Immunoassay on Architect <scp>C</scp> i8200. Journal of Clinical Laboratory Analysis, 2012, 26, 358-364.   | 2.1 | 8         |
| 138 | Evaluating the effects of protective ventilation on organ-specific cytokine production in porcine experimental postoperative sepsis. BMC Pulmonary Medicine, 2015, 15, 60.  | 2.0 | 8         |
| 139 | Rapid testing of red blood cells, white blood cells and platelets in intensive care patients using the HemoScreenâ,,¢ point-of-care analyzer. Platelets, 2019, 30, 1013-1016.   | 2.3 | 8         |
| 140 | Sub-clinical atherosclerosis in the common carotid artery in women with/without previous pre-eclampsia: A seven-year follow-up. Atherosclerosis, 2019, 290, 206-213.  | 0.8 | 8         |
| 141 | Rapid testing of red blood cell parameters in primary care patients using HemoScreenâ,,¢ point of care instrument. BMC Family Practice, 2019, 20, 77.   | 2.9 | 8         |
| 142 | Day-to-day variation of the kidney proximal tubular injury markers urinary cystatin C, KIM1, and NGAL in patients with chronic kidney disease. Renal Failure, 2020, 42, 400-404.  | 2.1 | 8         |
| 143 | The age related association is more pronounced for cystatin C estimated GFR than for creatinine estimated GFR in primary care patients. Clinical Biochemistry, 2013, 46, 1761-1763.   | 1.9 | 7         |
| 144 | Intraosseous samples can be used for opioid measurements – An experimental study in the anaesthetized pig. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 102-106.  | 1.2 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Urinary KIM-1, but not urinary cystatin C, should be corrected for urinary creatinine. Clinical Biochemistry, 2016, 49, 1164-1166.   | 1.9 | 7         |
| 146 | Intra-day variability of cystatin C, creatinine and estimated GFR in intensive care patients. Clinica Chimica Acta, 2016, 460, 1-4.  | 1.1 | 7         |
| 147 | The Roche Immunoturbidimetric Albumin Method on Cobas c 501 Gives Higher Values Than the Abbott and Roche BCP Methods When Analyzing Patient Plasma Samples. Journal of Clinical Laboratory Analysis, 2016, 30, 677-681. | 2.1 | 7         |
| 148 | Prognostic value of routinely available data in patients with stable coronary heart disease. A 10-year follow-up of patients sampled at random times during their disease course. Open Heart, 2018, 5, e000808.          | 2.3 | 7         |
| 149 | HNL (Human Neutrophil Lipocalin) and a multimarker approach to the distinction between bacterial and viral infections. Journal of Immunological Methods, 2019, 474, 112627.  | 1.4 | 7         |
| 150 | Pregnancy Associated Plasma Protein-A as a Cardiovascular Risk Marker in Patients with Stable Coronary Heart Disease During 10 Years Follow-Up—A CLARICOR Trial Sub-Study. Journal of Clinical Medicine, 2020, 9, 265.   | 2.4 | 7         |
| 151 | Studies of fibrinogen binding to porcine platelets by flow cytometry: a method for studies of porcine platelet activation. Platelets, 2002, 13, 153-157.   | 2.3 | 6         |
| 152 | Plasma Protein Fractions in Healthy Blood Donors Quantitated by an Automated Multicapillary Electrophoresis System. Journal of Chromatographic Science, 2006, 44, 479-483.   | 1.4 | 6         |
| 153 | Evaluation of Dade Behring N Latex Cystatin C Reagent on Abbott Ci8200. Upsala Journal of Medical Sciences, 2006, 111, 209-214.  | 0.9 | 6         |
| 154 | Inflammatory response is associated with increased cathepsin B and decreased cathepsin S concentrations in the circulation. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 203-207.            | 1.2 | 6         |
| 155 | Biochemical characterization of stallion prostasomes and comparison to their human counterparts. Systems Biology in Reproductive Medicine, 2013, 59, 297-303.  | 2.1 | 6         |
| 156 | Insulin-like growth factor binding protein-1 (IGFBP-1) during normal pregnancy. Gynecological Endocrinology, 2013, 29, 129-132.  | 1.7 | 6         |
| 157 | Seasonal variations of urate in a Swedish adult population. Clinical Rheumatology, 2017, 36, 1595-1598.  | 2.2 | 6         |
| 158 | Analysis of HbA1c on an automated multicapillary zone electrophoresis system. Scandinavian Journal of Clinical and Laboratory Investigation, 2017, 77, 15-18.  | 1.2 | 6         |
| 159 | Prevalence and impact of chronic dysglycemia in intensive care unit patients—A retrospective cohort study. Acta Anaesthesiologica Scandinavica, 2021, 65, 82-91.   | 1.6 | 6         |
| 160 | Albumin Urinary Excretion Is Associated with Increased Levels of Urinary Chemokines, Cytokines, and Growth Factors Levels in Humans. Biomolecules, 2021, 11, 396.  | 4.0 | 6         |
| 161 | Oral immunotherapy with yolk antibodies to prevent infections in humans and animals. Upsala Journal of Medical Sciences, 2003, 108, 129-40.  | 0.9 | 6         |
| 162 | Low diurnal variability of apolipoprotein A1, apolipoprotein B and apolipoprotein B/apolipoprotein A1 ratio during normal sleep and after an acute shift of sleep. Clinical Biochemistry, 2008, 41, 859-862.             | 1.9 | 5         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Determination of cerebrospinal fluid cystatin C on Architect ci8200. Journal of Immunological Methods, 2010, 360, 84-88.  | 1.4 | 5         |
| 164 | Reference values for fasting insulin in 75 year old females and males. Clinical Biochemistry, 2013, 46, 1125-1127.  | 1.9 | 5         |
| 165 | Evaluation of the Alere D-dimer test for point of care testing. Journal of Thrombosis and Thrombolysis, 2014, 38, 250-252.  | 2.1 | 5         |
| 166 | Protective ventilation reduces Pseudomonas aeruginosa growth in lung tissue in a porcine pneumonia model. Intensive Care Medicine Experimental, 2017, 5, 40.  | 1.9 | 5         |
| 167 | The association between circulating endostatin levels and incident myocardial infarction. Scandinavian Cardiovascular Journal, 2018, 52, 315-319.   | 1.2 | 5         |
| 168 | Plasma calprotectin in the emergency department: a potential clinical biomarker for patients with infectious diseases. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 593-597.                      | 1.2 | 5         |
| 169 | Urine Hydrogen Peroxide Levels and Their Relation to Outcome in Patients with Sepsis, Septic Shock, and Major Burn Injury. Biomedicines, 2022, 10, 848.   | 3.2 | 5         |
| 170 | Immune-Proteome Profiling in Classical Hodgkin Lymphoma Tumor Diagnostic Tissue. Cancers, 2022, 14, 9.  | 3.7 | 5         |
| 171 | Inflammatory activity: Capillary electrophoresis provides more information than erythrocyte sedimentation rate. Upsala Journal of Medical Sciences, 2005, 110, 151-158.   | 0.9 | 4         |
| 172 | Oral treatment with yolk antibodies for the prevention of C. albicans infections in chemotherapy treated children. A feasibility study. Food and Agricultural Immunology, 2005, 16, 41-45.                                    | 1.4 | 4         |
| 173 | Comparison between Cystatin C- and Creatinine-Estimated Glomerular Filtration Rate in Cardiology Patients. CardioRenal Medicine, 2015, 5, 289-296.  | 1.9 | 4         |
| 174 | Seasonal variability of NT-proBNP in Swedish primary care patients. Chronobiology International, 2017, 34, 1473-1477.   | 2.0 | 4         |
| 175 | Effect of mechanical ventilation versus spontaneous breathing on abdominal edema and inflammation in ARDS: an experimental porcine model. BMC Pulmonary Medicine, 2020, 20, 106.  | 2.0 | 4         |
| 176 | Long-term whole-grain rye and wheat consumption and their associations with selected biomarkers of inflammation, endothelial function, and cardiovascular disease. European Journal of Clinical Nutrition, 2021, 75, 123-132. | 2.9 | 4         |
| 177 | Hemoglobin A1c and Fructosamine Evaluated in Patients with Type 2 Diabetes Receiving Peritoneal Dialysis Using Long-Term Continuous Glucose Monitoring. Nephron, 2022, 146, 146-152.  | 1.8 | 4         |
| 178 | Increased Plasma GDF15 Is Associated with Altered Levels of Soluble VEGF Receptors 1 and 2 in Symptomatic Multiple Myeloma. Acta Haematologica, 2022, 145, 326-333.   | 1.4 | 4         |
| 179 | Early kinetics of calprotectin in plasma following inguinal hernia surgery. Innate Immunity, 2022, 28, 49-54.   | 2.4 | 4         |
| 180 | Periodontal Disease Augments Cardiovascular Disease Risk Biomarkers in Rheumatoid Arthritis.<br>Biomedicines, 2022, 10, 714.  | 3.2 | 4         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Bell's Palsy: An Immune Complex Disease. Orl, 1990, 52, 164-167.   | 1.1 | 3         |
| 182 | Creatinine and cystatin C. There is a lack of studies that compare endogenous and exogenous GFR markers in ICU patients. Upsala Journal of Medical Sciences, 2011, 116, 223-223.   | 0.9 | 3         |
| 183 | Water balance during parturition and early puerperium: A prospective open trial. Clinical Biochemistry, 2015, 48, 837-842.   | 1.9 | 3         |
| 184 | Reference intervals for parathyroid hormone for 70-year-old males and females: exclusion of individuals from the reference interval based on sex, calcium, diabetes, cardiovascular diseases or reduced kidney function has limited effects on the interval. Annals of Clinical Biochemistry, 2015, 52, 39-43. | 1.6 | 3         |
| 185 | Abdominal organ perfusion and inflammation in experimental sepsis: a magnetic resonance imaging study. American Journal of Physiology - Renal Physiology, 2019, 316, G187-G196.  | 3.4 | 3         |
| 186 | Lung-protective ventilation increases cerebral metabolism and non-inflammatory brain injury in porcine experimental sepsis. BMC Neuroscience, 2021, 22, 31.  | 1.9 | 3         |
| 187 | Intraosseous Samples Can Be Used for Creatinine Measurements - An Experimental Study in the Anaesthetised Pig. Clinical Laboratory, 2014, 60, 1587-91.   | 0.5 | 3         |
| 188 | Plasma endostatin correlates with hypoxia and mortality in COVID-19-associated acute respiratory failure. Biomarkers in Medicine, 2021, 15, 1509-1517.   | 1.4 | 3         |
| 189 | Increased levels of the cardiovascular disease risk biomarkers GDF15 and myostatin in patients with chronic lymphocytic leukemia. Growth Factors, 2020, 38, 189-196.   | 1.7 | 3         |
| 190 | Dynamic Changes in Pentraxin-3 and Neprilysin in ST Segment Elevation Myocardial Infarction. Biomedicines, 2022, 10, 275.  | 3.2 | 3         |
| 191 | Weight reduction is associated with decreased CRP levels. Clinical Laboratory, 2013, 59, 1135-8.   | 0.5 | 3         |
| 192 | Simple function tests, but not the modified HAQ, correlate with radiological joint damage in rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2002, 31, 146-150.  | 1.1 | 3         |
| 193 | Elective orthopedic and cardiopulmonary bypass surgery causes a reduction in serum endostatin levels. European Journal of Medical Research, 2014, 19, 61.  | 2.2 | 2         |
| 194 | Evaluation of intraosseous sampling for measurements of alanine aminotransferase, alkaline phosphatase, aspartate aminotransferase, creatinine kinase, gamma-glutamyl transferase and lactate dehydrogenase. Scandinavian Journal of Clinical and Laboratory Investigation, 2016, 76, 597-600.                 | 1.2 | 2         |
| 195 | Multivariable models using administrative data and biomarkers to adjust for case mix in the ICU. Acta Anaesthesiologica Scandinavica, 2019, 63, 751-760.   | 1.6 | 2         |
| 196 | Study for Improving Maternal Pregnancy And Child ouTcomes (IMPACT): a study protocol for a Swedish prospective multicentre cohort study. BMJ Open, 2020, 10, e033851.  | 1.9 | 2         |
| 197 | Prognostic value of 12 novel cardiological biomarkers in stable coronary artery disease. A 10-year follow-up of the placebo group of the Copenhagen CLARICOR trial. BMJ Open, 2020, 10, e033720.   | 1.9 | 2         |
| 198 | Bronchially instilled IgYâ€antibodies did not decrease pulmonary p. aeruginosa concentration in experimental porcine pneumonia. Acta Anaesthesiologica Scandinavica, 2021, 65, 656-663.  | 1.6 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Strong Associations Between Early Tubular Damage and Urinary Cytokine, Chemokine, and Growth Factor Levels in Elderly Males and Females. Journal of Interferon and Cytokine Research, 2021, 41, 283-290.   | 1.2 | 2         |
| 200 | Decreased Concentration of Fibroblast Growth Factor 23 (FGF-23) as a Result of Supplementation with Selenium and Coenzyme Q10 in an Elderly Swedish Population: A Sub-Analysis. Cells, 2022, 11, 509.  | 4.1 | 2         |
| 201 | Exhaled nitric oxide in early rheumatoid arthritis and effects of methotrexate treatment. Scientific Reports, 2022, 12, 6489.  | 3.3 | 2         |
| 202 | Effects of nabumetone on platelet function in healthy volunteers. Platelets, 1996, 7, 149-152.   | 2.3 | 1         |
| 203 | The effect of group-based cognitive behavioral therapy on inflammatory biomarkers in patients with coronary heart diseaseâ€"results from the SUPRIM-trial. Upsala Journal of Medical Sciences, 2018, 123, 167-173.   | 0.9 | 1         |
| 204 | Strong Associations between Plasma Osteopontin and Several Inflammatory Chemokines, Cytokines, and Growth Factors. Biomedicines, 2021, 9, 908.   | 3.2 | 1         |
| 205 | The association between BMI and 90-day mortality in patients with and without diabetes seeking care at the emergency department. Upsala Journal of Medical Sciences, 2021, 126, .  | 0.9 | 1         |
| 206 | Circulating human fractalkine is decreased post-operatively after orthopedic and coronary bypass surgery. In Vivo, 2014, 28, 185-8.  | 1.3 | 1         |
| 207 | Duodenum edema due to reduced lymphatic drainage leads to increased inflammation in a porcine endotoxemic model. Intensive Care Medicine Experimental, 2022, 10, 17.   | 1.9 | 1         |
| 208 | Effects of denosumab treatment on the expression of receptor activator of nuclear kappa-B ligand (RANKL) and TNF-receptor TNFRSF9 after total hip arthroplasty—results from a randomized placebo-controlled clinical trial. Osteoporosis International, 2022, 33, 1-8. | 3.1 | 1         |
| 209 | Impaired Antibody Response Is Associated with Histone-Release, Organ Dysfunction and Mortality in Critically III COVID-19 Patients. Journal of Clinical Medicine, 2022, 11, 3419.  | 2.4 | 1         |
| 210 | Human Autoantibodies Recognizing Human and Mouse Preimplantation Stages. American Journal of Reproductive Immunology, 1996, 36, 135-140.   | 1.2 | 0         |
| 211 | ERRONEOUS RESULTS DUE TO BLOOD SAMPLING FROM A PERMANENT INTRAVENOUS PORT. Pediatric Hematology and Oncology, 1999, 16, 567-568.   | 0.8 | O         |
| 212 | Capillary electrophoresis for monitoring the effects of plasmapheresis: A feasibility study. Transfusion and Apheresis Science, 2005, 33, 19-23.   | 1.0 | 0         |
| 213 | Comparison between a second generation automated multicapillary electrophoresis system with an automated agarose gel electrophoresis system for the detection of M-components. Upsala Journal of Medical Sciences, 2008, 113, 65-72.                                   | 0.9 | 0         |
| 214 | Pointâ€ofâ€care instruments need to offer high levels of accuracy. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1707-1707.   | 1.5 | 0         |
| 215 | The Accuracy of Hemoglobin A1c and Fructosamine Evaluated by Long-Term Continuous Glucose Monitoring in Patients with Type 2 Diabetes Undergoing Hemodialysis. Blood Purification, 2021, , 1-9.  | 1.8 | 0         |
| 216 | A Comparison between Endostatin and Conventional Biomarkers on 30-Day Mortality and Renal Replacement Therapy in Unselected Intensive Care Patients. Biomedicines, 2021, 9, 1603.  | 3.2 | 0         |

| #   | Article  | lF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Relationship between T-cell-dependent and T-cell-independent vaccines after neurotrauma; is the B-cell response preserved?. Human Vaccines and Immunotherapeutics, 2022, 18, . | 3.3 | O         |
| 218 | Estimating Analytical Errors of Glomerular Filtration Rate Measurement. Clinical Chemistry, 0, , .   | 3.2 | 0         |