

Yasser Sakr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8695216/publications.pdf>

Version: 2024-02-01

48
papers

11,915
citations

172386

29
h-index

214721

47
g-index

51
all docs

51
docs citations

51
times ranked

12101
citing authors

#	ARTICLE	IF	CITATIONS
1	International Study of the Prevalence and Outcomes of Infection in Intensive Care Units. JAMA - Journal of the American Medical Association, 2009, 302, 2323.	3.8	2,682
2	Sepsis in European intensive care units: Results of the SOAP study*. Critical Care Medicine, 2006, 34, 344-353.	0.4	2,375
3	Persistent microcirculatory alterations are associated with organ failure and death in patients with septic shock*. Critical Care Medicine, 2004, 32, 1825-1831.	0.4	1,185
4	Assessment of the worldwide burden of critical illness: the Intensive Care Over Nations (ICON) audit. Lancet Respiratory Medicine, 2014, 2, 380-386.	5.2	864
5	A positive fluid balance is associated with a worse outcome in patients with acute renal failure. Critical Care, 2008, 12, R74.	2.5	793
6	The effects of dobutamine on microcirculatory alterations in patients with septic shock are independent of its systemic effects*. Critical Care Medicine, 2006, 34, 403-408.	0.4	487
7	High Tidal Volume and Positive Fluid Balance Are Associated With Worse Outcome in Acute Lung Injury. Chest, 2005, 128, 3098-3108.	0.4	386
8	Does dopamine administration in shock influence outcome? Results of the Sepsis Occurrence in Acutely Ill Patients (SOAP) Study*. Critical Care Medicine, 2006, 34, 589-597.	0.4	380
9	Microvascular response to red blood cell transfusion in patients with severe sepsis*. Critical Care Medicine, 2007, 35, 1639-1644.	0.4	271
10	Higher Fluid Balance Increases the Risk of Death From Sepsis: Results From a Large International Audit*. Critical Care Medicine, 2017, 45, 386-394.	0.4	235
11	Sublingual capnometry tracks microcirculatory changes in septic patients. Intensive Care Medicine, 2006, 32, 516-523.	3.9	216
12	Diagnosis of ventilator-associated pneumonia: a systematic review of the literature. Critical Care, 2008, 12, R56.	2.5	201
13	Are Blood Transfusions Associated with Greater Mortality Rates?. Anesthesiology, 2008, 108, 31-39.	1.3	197
14	The Impact of Hospital and ICU Organizational Factors on Outcome in Critically Ill Patients. Critical Care Medicine, 2015, 43, 519-526.	0.4	170
15	Obesity is associated with increased morbidity but not mortality in critically ill patients. Intensive Care Medicine, 2008, 34, 1999-2009.	3.9	149
16	Pulmonary embolism in patients with coronavirus disease-2019 (COVID-19) pneumonia: a narrative review. Annals of Intensive Care, 2020, 10, 124.	2.2	149
17	The obesity paradox in surgical intensive care unit patients. Intensive Care Medicine, 2011, 37, 1793-1799.	3.9	140
18	The influence of gender on the epidemiology of and outcome from severe sepsis. Critical Care, 2013, 17, R50.	2.5	124

#	ARTICLE	IF	CITATIONS
19	Being Overweight Is Associated With Greater Survival in ICU Patients. <i>Critical Care Medicine</i> , 2015, 43, 2623-2632.	0.4	113
20	Fluctuations in Serum Sodium Level Are Associated With an Increased Risk of Death in Surgical ICU Patients*. <i>Critical Care Medicine</i> , 2013, 41, 133-142.	0.4	105
21	Anemia and blood transfusion in a surgical intensive care unit. <i>Critical Care</i> , 2010, 14, R92.	2.5	94
22	Cranioplasty after decompressive craniectomy: is there a rationale for an initial artificial bone-substitute implant? A single-center experience after 631 procedures. <i>Journal of Neurosurgery</i> , 2016, 124, 710-715.	0.9	79
23	Risk factors for reoperation after initial burr hole trephination in chronic subdural hematomas. <i>Clinical Neurology and Neurosurgery</i> , 2015, 138, 66-71.	0.6	75
24	Being overweight or obese is associated with decreased mortality in critically ill patients: A retrospective analysis of a large regional Italian multicenter cohort. <i>Journal of Critical Care</i> , 2012, 27, 714-721.	1.0	51
25	Heparin-induced thrombocytopenia in the ICU: an overview. <i>Critical Care</i> , 2011, 15, 211.	2.5	48
26	Incidence and prognosis of dysnatraemia in critically ill patients: analysis of a large prevalence study. <i>European Journal of Clinical Investigation</i> , 2013, 43, 933-948.	1.7	47
27	Critically Ill Elderly Adults with Infection: Analysis of the Extended Prevalence of Infection in Intensive Care Study. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 2065-2071.	1.3	34
28	Early Identification of Sepsis. <i>Current Infectious Disease Reports</i> , 2010, 12, 329-335.	1.3	32
29	Techniques to assess tissue oxygenation in the clinical setting. <i>Transfusion and Apheresis Science</i> , 2010, 43, 79-94.	0.5	29
30	Should red cell transfusion be individualized? Yes. <i>Intensive Care Medicine</i> , 2015, 41, 1973-1976.	3.9	20
31	Poor outcome is associated with less negative fluid balance in patients with aneurysmal subarachnoid hemorrhage treated with prophylactic vasopressor-induced hypertension. <i>Annals of Intensive Care</i> , 2016, 6, 25.	2.2	19
32	The Intensive Care Global Study on Severe Acute Respiratory Infection (IC-GLOSSARI): a multicenter, multinational, 14-day inception cohort study. <i>Intensive Care Medicine</i> , 2016, 42, 817-828.	3.9	19
33	Camostat mesylate therapy in critically ill patients with COVID-19 pneumonia. <i>Intensive Care Medicine</i> , 2021, 47, 707-709.	3.9	19
34	Heparin-induced thrombocytopenia type II in a surgical intensive care unit. <i>Journal of Critical Care</i> , 2012, 27, 232-241.	1.0	15
35	The Future of Observational Research and Randomized Controlled Trials in Red Blood Cell Transfusion Medicine. <i>Shock</i> , 2014, 41, 98-101.	1.0	15
36	Randomized controlled multicentre study of albumin replacement therapy in septic shock (ARISS): protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 1002.	0.7	15

#	ARTICLE	IF	CITATIONS
37	Outcomes and risk factors for death in patients with coronavirus disease-2019 (COVID-19) pneumonia admitted to the intensive care units of an Egyptian University Hospital. A retrospective cohort study. <i>Journal of Infection and Public Health</i> , 2021, 14, 1381-1388.	1.9	15
38	Correlation of Bone Density Values of Quantitative Computed Tomography and Hounsfield Units Measured in Native Computed Tomography in 902 Vertebral Bodies. <i>World Neurosurgery</i> , 2021, 151, e599-e606.	0.7	15
39	Anemia in the intensive care unit. <i>Canadian Journal of Anaesthesia</i> , 2003, 50, S53-9.	0.7	12
40	Correlation of quantitative computed tomography derived bone density values with Hounsfield units of a contrast medium computed tomography in 98 thoraco-lumbar vertebral bodies. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 3335-3340.	1.3	10
41	The clinical spectrum of pulmonary thromboembolism in patients with coronavirus disease-2019 (COVID-19) pneumonia: A European case series. <i>Journal of Critical Care</i> , 2021, 61, 39-44.	1.0	9
42	Characteristics and outcome of critically ill patients with coronavirus disease-2019 (COVID-19) pneumonia admitted to a tertiary care center in the United Arab Emirates during the first wave of the SARS-CoV-2 pandemic. A retrospective analysis. <i>PLoS ONE</i> , 2021, 16, e0251687.	1.1	9
43	What's new about heparin-induced thrombocytopenia type II. <i>Intensive Care Medicine</i> , 2015, 41, 1824-1827.	3.9	5
44	Is the SAPS II score valid in surgical intensive care unit patients?. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 231-237.	0.9	3
45	Understanding the microcirculation in sepsis: still a long way to go.... <i>Intensive Care Medicine</i> , 2011, 37, 1057-1058.	3.9	1
46	Pardon me Paracelsus, both the dose and the timing make the toxin: Old lessons, new Insight. <i>Journal of Critical Care</i> , 2015, 30, 212-213.	1.0	1
47	Do ventilatory parameters influence outcome in patients with severe acute respiratory infection? Secondary analysis of an international, multicentre 14-day inception cohort study. <i>Journal of Critical Care</i> , 2021, 66, 78-85.	1.0	1
48	A biomechanical comparison of a cement-augmented odontoid screw with a posterior-instrumented fusion in geriatric patients with an odontoid fracture type IIb. <i>European Spine Journal</i> , 2021, 30, 1566-1573.	1.0	0